

VICTORIA



PRODUCT AND SERVICE GUIDE

EFFECTIVE MAY 2018

Supersedes March 2017



**METROPOLITAN,
SOUTHERN VICTORIA
GIPPSLAND &
WESTERN VICTORIA**

SALES ORDERS

Ph 03 9237 6300

Fax 03 9237 6399

ALBURY

Ph 02 6092 3700

Fax 02 6092 3766

**COUNTRY VICTORIA
& SOUTHERN NSW**

BENDIGO

Ph 03 5448 6400

Fax 03 5447 9677

stramit.com.au





OUR STEEL-CLAD COMMITMENT TO YOU EVERY TIME YOU WORK WITH US.

Our Declaration of Done is what sets Stramit® apart. It's our set of promises to you that make getting the job done easy. Want on-time delivery? Done. Great quality products? Done. No matter the size of the job, when you work with Stramit, you can Consider It Done.



ON-TIME DELIVERY

We'll deliver in full, on-time and to specification or we'll credit you 5% of the order confirmation value. Give us 2 days' lead time without making a change and we'll double it to 10%.



GREAT QUALITY PRODUCTS

Great quality products every time, or we'll replace them at no cost to you.



BEST STOCK AVAILABILITY

With our most popular items always in stock, we have what you need, when you need it.



AUSTRALIA WIDE COVERAGE

With a national footprint and local teams covering every State and Territory, we'll work together to get your job done.



PERSONAL SERVICE

You'll be supported by an experienced sales team backed by a network of technical experts.



RESPONSIVE SUPPORT

You'll speak to us within 6 rings and we'll always keep you informed.



FAST ORDER CONFIRMATION

Accurate same day order confirmation, allowing an extra day for structural products, or we'll credit you \$50.



ACCURATE INVOICING

Your invoice will be accurate or we'll credit you the difference plus \$50 within 5 days.

INDEX

PRODUCTS AND SERVICE GUIDE

Site Delivery Instructions Form	2
Flashing Detail Order Form	3
Stramit® Purlins & Bridging Order Pads	4-6
Important Notice & Production Days	7
Standard Delivery Charges	8
Delivery Information	9
Delivery Services to Country Areas – Nominated Days	10-11
Loading Requirements	12-13
Product Availability – Finish and Colour	14-15
Product Care	16
Minimum/Maximum Product Length Details	17
Quick Roofing Estimate	18
Selecting Your Product – Cover, Spans & Pitch	19

ROOFING • CLADDING • ACCESSORIES

Stramit® Corrugated	20-21
Stramit® Curving Quality • Tank Iron	22-23
Stramit Monoclad®	24-25
Stramit Longspan®	26
Stramit Speed Deck Ultra®	27
Stramit Mini Corry® • Stramit Minirib® • Stramit K-Panel®	31
Stramit Monopanel • Super Six Profile	32
Stramit Uniguard™ Fire Resisting Wall System	33
Foil • Blanket • Batts • Wire Mesh	34
General Accessories • PA Doors	35

FASCIA • GUTTER • DOWNPIPE

Stramit® Fascia	36
Stramit® Quad 115 (Victorian Pattern)	37-38
Quad Gutter 125, 150	39
Stramit® Ogee™ Gutter	40
Stramit® Fascia Gutter • Stramit® Fascia Capping	41
Stramit® Concealed Gutter	41
Stramit® Half Round Gutter • Flatback Gutter	42
Stramit® Easiflow Gutter	43
Fasteners	44
Stramit® Downpipe – Round	45-46
Stramit® Downpipe – Rectangular	47-48

CUSTOM FLASHINGS

Stramit® Custom Flashings – Ordering Procedure	49
Stramit® Custom Flashings & Flat Sheet	50-55

RAINWATER ACCESSORIES & VENTILATION

Crimped Bends • Rainheads • Sumps	56
Gas Flue • Bolted Sleeve • Vented Ridge	57

STRUCTURAL COMPONENTS

Stramit® C & Z Purlins	58
Stramit® Exacta C & Z Purlins	59
ZAM High Durability Purlins + Girts	60
Stramit® Custom Sections	61
Stramit® Bridging General	62
Stramit® Bridging • Accessories	63-65
Purlins & Girts – General Accessories	66
Stramit® Condeck HP® & PrimeForm™	67

INDEX

Stramit® Fascia Purlins	65
Framing • Battens	68
Stramit® Top Hats	68
Stramit® Flooring • Accessories	69
Patio Roof Decking • Double-Sided Roofing	70
Colorbeam	71-72

FENCING PRODUCTS

Fencing • Accessories	73-74
-----------------------	-------

PREMIUM PRODUCTS

Stramit® MagnaFlow® – Roofing, Cladding, Rainwater	28
Stramit® Roofing • Stramit® Cladding • Accessories	29-30

TERMS AND CONDITIONS OF SALE	inside back cover
-------------------------------------	-------------------

CLAIMS FOR FAULTY GOODS, DAMAGED GOODS OR SHORT DELIVERY OF GOODS MUST BE LODGED WITHIN 48 HOURS OF DELIVERY.

ORDERS & INQUIRIES

MELBOURNE, GIPPSLAND, WESTERN DISTRICT

SALES ORDERS

KNOXFIELD **Tel (03) 9237 6300** Fax (03) 9237 6399
email: knoxfieldsales@stramit.com.au

TRANSPORT

KNOXFIELD **Tel (03) 9237 6372** Fax (03) 9237 6371

ACCOUNTS **3/1464 FREETREE GULLY RD, KNOXFIELD 3180**

KNOXFIELD **Tel (03) 9237 6223** Fax (03) 9237 6388
email: creditvic@stramit.com.au

BENDIGO **Tel (03) 5448 6400** Fax (03) 5447 9677

ALBURY **Tel (02) 6092 3700** Fax (02) 6092 3766

IMPORTANT NOTICE

This publication sets out Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.

IMPORTANT NOTE – HANDLING & STORAGE Roofing and Cladding sheets when stored on site must be kept dry by storing under cover. Wet storage stains can occur from condensation, even in dry weather.

Delivery To Site Instructions

Customer Name: _____

Project Name: _____

Delivery Address: _____

Site Phone Number: _____ Map Ref: _____

Contact person: _____ Mobile phone: _____

1. Kilometres to nearest town: _____ KLMS to _____

2. Site is: Rural House Commercial Industrial

3. Site access surface is: Bitumen Gravel Dirt/Grass

4. Does rain affect access to property: Yes No

5. Does peak hour traffic affect delivery: Yes No

6. Is the site affected by clearways: Yes No

7. Does the site have semi-trailer access:
e.g. is there sufficient hard area to effect a 360 degree turn? Yes No

8. Are there powerlines/trees close to the site:
e.g. restricting use of a truck mounted crane? Yes No

9. Unloading method: Crane on site Forklift
 Truck mounted crane (HIAB) By hand

10. Any other details that may assist driver

Sketch map to site

Show distance from nearest town, main road and/or closest intersection



Please note: delivery will be made by a semi trailer which at a minimum will be 18.7 metres long, 2.6 metres wide and may weigh up to 38 tonne gross.

Should delivery not be possible due to lack of information a redelivery charge may apply.



FLASHING DETAIL

Customer code:		SPA		CO:	
Customer:		Delivery address:		Date required:	
Cust O/N:		Special instructions:		Time off:	
Date ordered:				Your ref:	

Product Code			Girth	Gauge	Product Code			Girth	Gauge
Qty.	Length mm	Fold	Finish		Qty.	Length mm	Fold	Finish	

Mark Number	C F Taper (Length)	Mark Number	C F Taper (Length)
-------------	--------------------	-------------	--------------------

Product Code			Girth	Gauge	Product Code			Girth	Gauge
Qty.	Length mm	Fold	Finish		Qty.	Length mm	Fold	Finish	

Mark Number	C F Taper (Length)	Mark Number	C F Taper (Length)
-------------	--------------------	-------------	--------------------

Mark all dimensions and specify degree of angles for all bends on the drawing.
 Indicate side of colour with an arrow. Remember to read back the order.
 Maximum length: 8.000m Minimum fold: 10mm

Freight Charge	FRSTORE	FRSITE	FRSPEC	\$	Page 1 of
----------------	---------	--------	--------	----	-----------






Customer _____ Project _____



Delivery address _____

Bridging System

Rod & Strut/
Stramit Bridging

Del. Date	Finish	Drawn	Date
-----------	--------	-------	------

	Part No. No.	Bracket Size	Purlin Centres	No. Reqd.	Mark No.
GIRT STOOL/FOOT ASSEMBLIES Stramit - locator  Part No. 024					
Stramit - lock  Part No. 025					
Strut & Rod  Part No. 026					
Raking Girt Bracket  No. Reqd. <input style="width: 50px;" type="text"/>					
Tie Rod Angle  No. Reqd. <input style="width: 50px;" type="text"/>					

GIRT HANGER ASSEMBLIES													
▼ Turnbuckle	▼ Tie Rod												
Stramit - locator  Part No. 027	Stramit - locator  Part No. 028												
Stramit - lock  Part No. 029	Stramit - lock  Part No. 030												
Strut & Rod - bolted  Part No. 031	Strut & Rod - bolted  Part No. 032												
General Purpose Bracket  <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th style="width: 60%;">Purlin Size</th> <th style="width: 40%;">No. Reqd.</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> </tbody> </table>		Purlin Size	No. Reqd.										
Purlin Size	No. Reqd.												
Angle Connector  <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th style="width: 60%;">Purlin Size</th> <th style="width: 40%;">No. Reqd.</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> </tbody> </table>		Purlin Size	No. Reqd.										
Purlin Size	No. Reqd.												

	Size	Length	No. Reqd.	Mark No.
Tie Rod Assemblies 				

	Purlin Size	No. Reqd.
Clamp Plate 		



3/1464 Ferntree Gully Rd
 KNOXFIELD VIC 3180
 Telephone (03) 9237 6300
 Facsimile (03) 9237 6399

Purlins/Girts

Page	of
Job No.	Purch. Order No.


Customer _____ Project _____

Delivery address _____


Purlin Section
C/Z

Del. Date	Finish	Drawn	Date
-----------	--------	-------	------


	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres		
				40	60	70	110	160	210	260		
As Drawn												
Opp. Hand												



	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres		
				40	60	70	110	160	210	260		
As Drawn												
Opp. Hand												



	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres		
				40	60	70	110	160	210	260		
As Drawn												
Opp. Hand												



Indicate web, flange holes and dimensions from hole to hole **Standard holes** : 18mm x 22mm slots.

IMPORTANT NOTICE

It is the Customer's responsibility to advise Stramit at the time of ordering if the order is for ULTRA Colorbond® or MATT Colorbond®.

Unless this notification is made at the time of order (in writing) then the order **will be supplied as Standard XRW Colorbond®.**

EG. An order for **SURFMIST®** will be supplied as **STANDARD XRW COLORBOND SURFMIST®** IN ALL INSTANCES UNLESS IDENTIFIED OTHERWISE.

EG. To order Ultra Surfmist® the order must clearly state **ULTRA COLORBOND SURFMIST®.**

This publication sets out Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.

PRODUCTION DAYS

TO ORDER

Refer to the schedule below and order before 4pm the day before production day and at least 2 days before intended delivery day (4 days on some items).

NOTE:

Some products are only run on specific days.
Refer local branch for further details.

PRODUCT	MON	TUES	WED	THURS	FRI
Stramit® Corrugated Curving	5 days lead time for curving of material. Allow additional lead time for country areas.				
Stramit Mini Corry®	supplied ex NSW, allow 10 working days lead time				
Tank Iron	allow 7 working days lead time				
Stramit® Flooring			•		
Stramit® 120mm Top Hat	allow 10 working days lead time, other sizes daily				
Standard Purlins	lead time of 5 days				
Downturn Lip Purlins				By negotiation	•

All products except those listed above are manufactured on a daily basis.

STANDARD DELIVERY CHARGES

1. Any customer who has exceeded their Credit Limit or whose payments are overdue may experience delays in the manufacture and delivery of goods ordered.
2. Due to transport limitations the maximum length of rainwater goods is 9.5m.
3. Customers/receivers are responsible for unloading. Stramit's terms are "On lorry at site or store".
4. **UNATTENDED SITES – Stramit drivers will endeavour to effect delivery as close to site as possible. In these instances Stramit will not accept claims for damage to product during unloading nor claims for pilfering of part or all of the delivery made.**
5. **Country loads subject to POA dependant on product length, quantity and delivery site restrictions in certain country areas**
6. Albury/Wodonga local area is at metro rate.

Product Length / Delivery Cost Guide

LENGTH	CODE	COST PER DELIVERY	ESCORT REQ'D	AREA
Rollerdoors	FR4RDVIC	POA	-	Vic Roads
Up to 13.500	FRSITE	POA	-	
Up to 13.500	FR4SITEM	POA	-	
Up to 13.500	FR4SITER	POA	-	
13.501 - 18.000	FR4SITE198	POA	-	
18.001 - 20.500	FR4SITE215	POA	1*	
20.501 - 25.000	FR4SITE2425	POA	2*	
25.001 - 30.000	FRSPEC	POA	2*	
30.001 - 35.000	FRSPEC	POA	2*	
Early Del time	FREARLY	\$20	-	
Freight store	FRSTORE	POA	-	
Urgent Fee	URGENTFEE	POA	-	
Special delivery	FRSPEC	POA	-	
Escorts	FRESCORT	POA	-	
Courier Fee	FRCOURIER	POA	-	
Curved Sheets over 7m or 90°	FRSPEC	POA	-	

The rates shown are for delivery in normal business hours. Deliveries outside normal business hours, or at weekends - POA

Packaging

Standard packs will be used. If special packing is required by customer, additional cost will be placed on the customer's account.

Timber Crates

Rainwater, Sheeting + Flat Sheet Crate Packaging Charge POA. Maximum length 6 metres.

Escort Costs

*Escort charges depend on the length of product transported and are additional to Delivery Charge POA.

Hi-Ab Facility

Hi Ab deliveries cannot be guaranteed on all consignments.

If a Hi Ab must be used please discuss with Stramit staff at time of order placement.

Maximum length 13.5m/maximum lift 1 tonne. Lengths over 13.5m requires a crane on site.

(please note this facility is additional to other charges)

Ordering Product

Order close off is 12.30pm daily for 24 hour and stock product, 4pm for 48 hour product and purlin lead times.

(Made to measure roofing and rainwater products will be **delivered 48 hours**).

ORDERS PLACED AFTER THESE DEADLINES WILL BE TREATED AS ORDERS BEING RECEIVED THE NEXT DAY.

Demurrage

Unloading at customers premises or site in excess of one(1) hour will be charged at the rate of

\$110 per hour or part thereof.

Redelivery

Product refused at the original delivery and requested to be redelivered will incur a minimum charge of **\$170** over and above the standard delivery charges.

DELIVERY INFORMATION

Specific Delivery Times

Specific delivery times can be arranged when placing the order. Simply request an “on site time” and your delivery time and day will be confirmed. Special delivery times outside normal working hours will incur additional charges and these should be established at the time of placing the order.

Crane Offs must be specified and pre-arranged.

Requests for tray truck deliveries may be subject to longer lead time or special prices. Over dimensional vehicle deliveries before 10.30am are subject to time and weather prohibitions beyond our control including a prohibition on loads over 17.5m from 6am to 9am Mon - Fri.

Minimum Purchase Surcharge

Minimum order value \$100 (excluding GST), a handling fee of \$25 (plus GST) will be added to orders below \$100.

Delivery Conditions

All deliveries will be in accordance with local Council or site requirements.

Driver is solely responsible for unloading if:

- Can be handled by the driver alone.
- Can be craned off to ground level using truck mounted crane (max product length 13.5 metres).

Customer responsible for unloading if:

- Product over 13.5 metres long.
- Product exceeds truck mounted crane reach and loading.

Product Return

Stock items may be returned for credit, with Stramit’s approval, subject to the following charges and conditions:

- i) Where goods are returned by the customer, a re-stocking fee of 20% (\$20 minimum) is applicable.
- ii) Where goods are picked up by Stramit for return, standard delivery charges plus a re-stocking fee of 20% (\$45 minimum) are applicable. **Damaged goods will not be accepted for credit.**
- iii) Returns should be no later than 7 days after delivery date.

Non stock items, including cut to length products, are NOT RETURNABLE.

Customer Pick Ups

Knoxfield

Wide range of stock length downpipe, gutter flashings and accessories available ex stock for immediate pick-up. Cut to length product available to order. Check stock availability when placing order. Specify requirement and check stock availability when placing order. Pick-up time 6.00am to 4.00pm weekdays.

Albury

Open for customer pick-ups of all goods between the hours of 7.00am and 4.00pm weekdays. Ask for details of stock availability when placing order.

Bendigo

Open for customer pick-ups of all goods between the hours of 8am to 4.30pm weekdays. Ask for details of stock availability when placing order.


Prior arrangements for pick-ups must be made with our sales office. Where the customer arranges his own carrier, all charges must be direct to the customer’s account.

Stramit will not accept charges from carriers unless agreed with the customer at the time of placing the order.

Refer to Terms & Conditions on inside back cover.


- **Customer supplied safe lifting device MUST be used.**

DELIVERY SERVICES TO COUNTRY AREAS – NOMINATED DAYS



Deliveries Ex Albury

<p>Day Tuesday & Thursday</p>	<p>Area Coolamon, Temora, Junee, Cootamundra</p>	<p>Day Monday</p>	<p>Area Gundagai, Tumut, Adelong</p>	<p>Day Wednesday</p>
<p>Day Monday & Wednesday</p>	<p>Area Wagga Wagga, The Rock</p>	<p>Day Daily</p>	<p>Area Albury, Wodonga, Wangaratta, Benalla, Cobram, Yarrawonga</p>	<p>Day Daily</p>
<p>Area Corowa, Rutherglen, Howlong</p>	<p>Day Monday & Thursday</p>	<p>Area Swanpool, Mansfield Euroa - Wednesday only Alexandra - Friday only</p>	<p>Day Wednesday & Friday</p>	



Tuesday/Thursday - Semi only - 12.2mtr Max

- Yackandandah
- Beechworth
- Myrtleford
- Bright
- Mt Beauty

Monday only - Semi only - 12.2mtr Max

- Tallangatta
- Corryong
- Eskdale
- Mitta
- Jinjelic
- Dartmouth

Area 1 - Every Day




Speak to your Customer Service Representative for delivery days

LOADING REQUIREMENTS








OVERHANG LIMITS

THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



Utes with tapered loads are **NOT ACCEPTABLE**



A 450MM SQUARE BRIGHT RED FLAG IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)

LOADING REQUIREMENTS




SECURE YOUR LOAD!

**DO NOT USE OCCY STRAPS
OR FLEXI STRAPS**

Minimum 2 lashings
per stack for items
longer than 750 mm.

Recommended
Minimum Lashing
1.5m apart



No low friction
surfaces (metal
on metal, plastic
on metal, etc.)

Watch your Lashing Angle!
The More Upright
The More secure

Roof Racks must be secure,
Maximum loads:
Sports Racks - 40kg
Trades Racks - 100kg



*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

VEHICLES CONSIDERED INAPPROPRIATE CANNOT BE LOADED! YOUR SAFETY IS OUR CONCERN

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility

Table 1 - Lashing Requirements

Lashing Angle to Horizontal \angle	25 mm hand tightened webbing	25 mm ratchet webbing	35 mm ratchet webbing	8 mm synthetic rope with single hitch
60 to 90°	52 kg per strap	170 kg	430 kg	87 kg per rope
45 to 60°	46 kg per strap	140 kg	350 kg	71 kg per rope
30 to 45°	30 kg per strap	100 kg	250 kg	50 kg per rope
15 to 30°	15 kg per strap	52 kg	130 kg	26 kg per rope

Key Assumptions in Tables 1

- All lashings are fully tensioned. If not, then more lashings may be required.
- No low friction surfaces (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
- A minimum static coefficient of friction of $\mu = 0.40$ is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
- Round loads require belly wrapping and extra restraints.

PRODUCT AVAILABILITY – FINISH AND COLOUR

Product	BMT mm	ZA G550S	ZA G300S	GAL Z275	GAL Z450	GAL Z600	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP	
Stramit Speed Deck Ultra®	0.42	✓			✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Corrugated/ Stramit Monoclad	0.35	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.42	✓			✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Curving Quality	0.60		✓		✓		✓		✓		✓			✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tank Iron Z600	0.60					✓																							
<i>Tank Iron rolled at Knoxfield on Tuesdays only</i>																													
Stramit Longspan®	0.42	✓			✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Megaclad sourced ex Sydney, allow 10 days extra lead time, subject to minimum order quantity</i>																													
Stramit Monopanel®	0.48	✓		✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Minirib®	0.42	▲		▲			▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
	<i>Mini Corry sourced ex Sydney, allow 10 days extra lead time, subject to minimum order quantity</i>																												
Stramit Mini Corry®	0.42	▲		▲			▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
<i>Minirib sourced ex Sydney, allow 10 days extra lead time, subject to minimum order quantity</i>																													
Stramit K-Panel®	0.35	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

FIBREGLASS COLOURS

CLR Clear
OPA Opal
HGN Haze Green

POLYCARB COLOURS

CLR Clear
GRY Grey
OPL Opal
LBZ Light Bronze
DKT Dark Tint

PRODUCT AVAILABILITY – FINISH AND COLOUR

Product	BMT mm	ZA G550S	ZA G300S	GAL Z275	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP	
Stramit® Fascia Board	0.42	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Flashings	0.55		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.75		✓	✓																							
	0.95		✓	✓																							
	1.20		✓																								
Stramit® Soft Roll Top Ridge	0.55				✓					✓							✓				✓			✓	✓		
Stramit® Roll Top Ridge	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fascia Gutter	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Easiflow/Stramit® Capping & Barge Soaker	0.42 0.48	✓																									
Stramit O-Gee™ Gutter	0.55		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Quad 115 - Vic	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Downpipe:																											
Rectangular	0.40		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Round under 75mm	0.40		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓	✓	✓	✓
Round over 75mm	0.55		✓	✓		✓		✓	✓	✓	✓		✓	✓		✓	✓		✓	✓	✓	✓		✓		✓	
Stramit® Top Hat	0.75 1.00	✓																									
Stramit® Roof Batten	0.48	✓																									
<i>Stock length only</i>																											
Stramit® Garage Barge	0.40		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Valley	0.40		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Product/Roofing/Cladding	BMT mm	ZA G550S	ZA G300S	GAL Z275	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP	

COLOUR NAMES

BAS Basalt®	IST Ironstone®	SHG Shale Grey™ (Gull Grey)
CLC Classic Cream™ (Smooth Cream)	JAS Jasper®	SUR Surfmist® (Off White)
COV Cove™	MGV Mangrove®	TRN Terrain®
CTG Cottage Green® (Caulfield Green)	MNR Manor Red® (Heritage Red)	WDG Woodland Grey® (Slate Grey)
DOC Deep Ocean® (Mountain Blue)	MON Monument®	WLB Wallaby®
DUN Dune® (Birch)	NTS Night Sky®	WSP Windspray® (Armour Grey)
EVH Evening Haze®	PEC Pale Eucalypt® (Mist Green)	GAL Galvanised
GLY Gully™	PPB Paperbark® (Merino)	ZA Zinalume®


BMT – Base Metal Thickness.

- ▲ Subject to minimum set purchasing quantities and lead times
- ✓ Normal stock item
- ✓* 100 x 50mm only

Hints and tips to achieve maximum life from your Colorbond® / Zinc-aluminium alloy product.

- Colorbond®/Zinc-aluminium alloy used in areas not washed by rainfall should be cleaned down at regular intervals.
- Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing and walling.
- Never immerse Colorbond®/Zinc-aluminium alloy in sand, soil or concrete.
- Do not use “touch-up” spray can on Colorbond® steel.
- Avoid “swarf” damage remove metal debris from cutting and/or drilling.
- Keep material dry when in bundles prior to installation.
- Prepainted metal roofing components are often supplied with a protective plastic film. This can be affected by sunlight and should be stored in the shade. Removal can be difficult, if not impossible, if exposure to sunlight has occurred.
- Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
- Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

Water Flow Guide Chart



MIN/MAX PRODUCT LENGTH DETAILS BY BRANCH

PRODUCT	KNOXFIELD		ALBURY	
	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH
Sheeting				
Stramit® Speed Deck Ultra	0.5m	28m		
Stramit® Corrugated	0.5m	25m	0.45m	19m
Stramit® Curving Quality	0.5m	15m		
Stramit Monoclad®	0.5m	25m	0.4m	19m
Stramit Longspan®	0.5m	25m		
Stramit Minirib®	0.6m	8m		
Stramit K-Panel®	0.4m	6m		
Stramit Monopanel®	0.6m	6m		
Stramit® Sunset Decking	1.2m	9m		
Stramit® Mini Corry	0.6m	6m		
Rainwater				
Stramit® O-Gee Gutter	0.8m	9.5m		
Stramit® Fascia Board	0.4m	9.5m	0.8m	9.5m
Stramit® Fascia Gutter	0.55m	9.5m		
Stramit® Fascia Capping	0.55m	9.5m		
Stramit® Fascia Cover	0.6m	9.5m		
Stramit® Quad 115 Gutter	0.6m	9.5m	0.8m	9.5m
Stramit® Quad 125 Gutter	1m	9.5m		
Stramit® Easiflow	1m	9.5m		
Stramit® Barge Gutter	0.55m	9.5m		
Stramit® Flashings	0.6m	8m	1m	9.5m
Stramit® Half Round Gutter	1m	9.5m		
Stramit® Flat Back Half Round Gutter	1m	9.5m		
Other				
Stramit® Valley Ribbed	0.35m	9.5m		
Stramit® Valley Folded	0.3m	8m	1m	8m
Stramit® Roll Top Ridge	0.6m	9.5m	0.8m	9.5m
Stramit® Garage Barge	1m	7.5m		
Stramit® Condeck HP	0.6m	15m		
Stramit® Purlins	1.7m	18m		
Stramit® Top Hat 64	1.5m	13m		
Stramit® Top Hat 50, 75, 96	0.7m	13m		
Stramit® Stud 75	0.3m	10m		


QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF

The table of Roof Slope Factors below allows quick calculations of roof area, sheet length and hip length.

These methods are for quick estimating purposes only. Accurate measurements must be taken from the actual roof frame before ordering roofing and rainwater products.

As an example, take a typical hipped roof where all four roof sections have the same slope (30°) and all hips are of equal length.

Typical hipped roof (roof slope = 30°)



ROOF AREA

First determine the area of the roof plan by multiplying the length of the roof by the width. Before making the calculation, add gutter overhangs of 50mm. In this case, there are gutters on all four sides. To find the area of the hipped roof, simply multiply this plan area by the Roof Slope Factor for Roof Area. The same method is used for gable roofs.

$$19.1 \times 8.1 = 154.7 \times 1.155 = 178.7$$

Therefore, roughly 179m² of sheeting will be needed to cover the roof. On complex roof shapes, extra may need to be added to allow for wastage.

SHEET LENGTH

On the roof plan, measure the distance from the line of the ridge to the outside edge of the fascia, which in the example is half the span or 4000mm. Multiply this measurement by the Sheet Length Roof Slope Factor to find the length of the sheet required to span from the ridge to the fascia. Note that all roof sheeting must extend at least 50mm beyond the fascia line to provide gutter overhang.

$$4000 + 50 \times 1.155 = 4678\text{mm}$$

HIP CAPPING

To find the length of ridge capping required to cover one hip, measure the distance from the ridge line to the fascia on the roof plan (here 4000mm) add the gutter overhang and multiply by the Hip Length Roof Slope Factor for 30°. Multiply by 4.

$$4000 + 50 \times 1.528 \times 4 = 24.8\text{m}$$

RIDGE CAPPING

For hipped roofs where all sides have the same slope, the length of the top ridge is equal to the length of the roof plan minus the width, regardless of slope. Add 5% to all capping to allow for laps.

$$19 - 8 = 11 + 5\% = 11.55\text{m}$$

ROOF SLOPE FACTORS











Roof Slope (degrees)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Roof Area/Sheet Length	1.000	1.001	1.001	1.002	1.004	1.006	1.008	1.010	1.012	1.015	1.019	1.022	1.026	1.031	1.035
Hip Length	1.414	1.415	1.415	1.416	1.417	1.418	1.420	1.421	1.423	1.425	1.428	1.430	1.433	1.436	1.439

Roof Slope (degrees)	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Roof Area/Sheet Length	1.040	1.046	1.051	1.058	1.064	1.071	1.079	1.086	1.095	1.103	1.113	1.122	1.133	1.143	1.155
Hip Length	1.443	1.447	1.451	1.456	1.460	1.465	1.471	1.477	1.483	1.489	1.496	1.503	1.511	1.519	1.528

Roof Slope (degrees)	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Roof Area/Sheet Length	1.167	1.179	1.192	1.206	1.221	1.236	1.252	1.269	1.287	1.305	1.325	1.346	1.367	1.390	1.414
Hip Length	1.537	1.546	1.556	1.567	1.578	1.590	1.602	1.616	1.630	1.644	1.660	1.677	1.694	1.712	1.732

Roof Slope (degrees)	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Roof Area/Sheet Length	1.440	1.466	1.494	1.524	1.556	1.589	1.624	1.662	1.701	1.743	1.788	1.836	1.887	1.942	2.000
Hip Length	1.753	1.775	1.798	1.823	1.849	1.877	1.907	1.939	1.973	2.010	2.049	2.091	2.136	2.184	2.236

SELECTING YOUR PRODUCT

Product/Roofing/Cladding	Page	BMT	Steel Grade	Cover Width mm	Minimum Pitch	Roof Span		Wall Span	
						Int Span mm	End Span mm	Int Span mm	End Span mm
G300 – Mild Steel G550 – Hi-Tensile Steel									
Stramit® Corrugated 	20	0.42 0.48 0.55	G550 G550 G550	762	5 Degrees (1 in 12)	1200 1600 1600	1000 1300 1300	2600 2850 2850	2150 2350 2350
									Fixing screw required 3/sheet/batten
Stramit® Curving Quality 	23	0.60	G300	762		1200	1000	2700	2250
Tank Iron Z600 		0.60	G300	610		-	-	-	-
									Fixing screw required 3/sheet/batten
Stramit Monoclad® 	24	0.35 0.42 0.48	G550 G550 G550	762	† 2 Degrees (1 in 27)	† 1700 2300	† 1400 1900	3000 3000 3000	2500 2500 2500
									Fixing screw required 4/sheet/batten
Stramit Longspan® 	26	0.42 0.48	G550 G550	700	1.5 Degrees (1 in 45)	2100 2700	1750 2250	3000 3000	2500 2500
									Fixing screw required 3/sheet/batten
Stramit Speed Deck Ultra® 	27	0.42 0.48	G550 G550	700	1 Degree (1 in 60)	2100 2700	1750 2250	3000 3000	2500 2500
									Fixing clips required 1/sheet/batten
Stramit Monopanel® 	30	0.48	G550	250	†	†	†	3000	2500
									Fixing screws required 1/sheet/batten
Stramit Mini Corry® 	31	0.42 0.48	G550 G550	825	† †	† †	† †	1200 1300	1000 1050
									Fixing screws required 7/sheet/batten
Stramit Minirib® 	31	0.42	G550	900	†	†	†	1500	1250
									Fixing screws required 4/sheet/batten
Stramit K-Panel® 	31 31	0.35 0.42	G550 G550	864	† †	† †	† †	1500 1700	1250 1400
									Fixing screw required 4/sheet/batten

BMT Base Metal Thickness. This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.



† NOT suitable for roofing.

Conditions:

For N1 wind conditions and normal duty foot traffic

- Installation of wall sheets is not to include concrete slab poured against wall sheeting.

ROOFING • CLADDING • ACCESSORIES


Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit		
Stramit® Corrugated 	Hi Tensile G550	C42ZA	ZA	0.42	per m ²		
		C48ZA		0.48	per m ²		
		C42T	MATT	0.42	per m ²		
		C42X---	CB	0.42	per m ²		
		**C48T	MATT	0.48	per m ²		
		**Available in Basalt & Monument only					
		C48X---		0.48	per m ²		
		C42ZM8	ZM8	0.42	per m ²		
		C48ZM8	ZM8	0.48	per m ²		
		C42GA	Z450 GA	0.42	per m ²		
To convert to linear metres multiply by 0.762							
Stramit® Corrugated also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30							
Wall Cladding	Acoustic Perf.	C42IOWHP11	CB	0.42	per m ²		
Available in Off White only							
Project base material, min order 1 tonne. Allow extra lead time.							
CUTBACKLTH each							
<i>Lengths under 1.2m incur a cutting charge</i>							
Translucent Roof Sheeting	Fibreglass	TSFGC12---		1200gsm (4oz)lin metre			
Suit Stramit® Corrugated sheeting	CLR, OPA, HGN	TSFGC18---		1800gsm (6oz)lin metre			
		TSFGC24---		2400gsm (8oz)lin metre			
							
<i>Lengths over 11.6m incur extra delivery charges, direct delivery charges may apply. Allow 3 working days for delivery</i>							
	Polycarbonate	TSPCC---	LL (0.80mm)		lin metre (not CTL)		
CLR, GRY, OPL, LBZ and DKT							
Available in standard lengths only: 1.8, 2.1, 2.4, 2.7m, 3.0m, 3.3m, 3.6m, 3.9m, 4.2m, 4.8m, 5.4m, 6.0m							
	12 x 50 Polycarb Screws	TSPC1SHOTPK			per 50		
		TSPC1SHOTT			per 250		
Fasteners		12x50 Hex Head type 17 <i>(crest fixing to timber)</i>	S1250H174	plain	per 1000		
			S1250H17---4	colour head	per 1000		
		5.5x39 Hex Auto Tek <i>(crest fixing to steel)</i>	S1239HAT4	plain	per 1000		
			S1239HAT---4	colour head	per 1000		
	10x16 Hex Head SD <i>(valley fixing to steel)</i>	S1016HT4	plain	per 1000			
		S1016HT---4	colour head	per 1000			
	10x16 Wafer Tek (steel fix)	S1016WT4		per 1000			
Roof Zip Screws		M6 x 50 Hex Head SDS <i>(crest fixing to timber & steel)</i>	S0650HZIP4	plain	per 1000		
			S0650HZIP---4	colour head	per 1000		
		M6 x 65 Hex Head SDS <i>(crest fixing to timber & steel)</i>	S0665HZIP4	plain	per 1000		
			S0665HZIP---4	colour head	per 1000		
<i>Also Available in packs of 100. Please contact your account manager for prices.</i>							
Accessories		Filler Strip (eave & ridge)	CEFS	915mm	each		
		Fire retardant filler strips as per standard AS1530.3 – 1999	CEFSFR	915mm	each		
	Weatherlok Neo Washer	TSFGWW32H	suit f/glass		per 100		

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit	
<p>Flashings</p>	Stramit® Roll Top Ridge	RTR42ZA60	6m ZA		each	
	<i>RTRV (Suit 25° pitch)</i>	RTR42ZA	CTL ZA		lin metre	
		RTR42GA	CTL GA		lin metre	
		RTR42X---	CTL CB		lin metre	
		RTR42T---	MATT		lin metre	
		RTR42ZM8---	ZM8		lin metre	
		RTRRF42X---	CTL CB		lin metre	
		RTRRF42ZA	CTL ZA		lin metre	
		Roll Top Ridge Soft (0.55bmt) G300 (restricted colour range)	RTR55X---	CTL CB		lin metre
		(Rollformed) available ex Knoxfield only				
<p>Valley VR (Rollformed) available ex Knoxfield only</p> <p>Valley Plain (folded)</p> <p>Barge CBV</p> <p>Under Flashing CUV</p> <p>Barge Roll Vic BRV</p> <p>Soaker Flashing 150</p> <p>Soaker Flashing 200</p>		VRIB40ZA	CTL ZA		lin metre	
		VRIB40X---	CTL CB		lin metre	
		VRIB40T---	CTL MATT		lin metre	
		Maximum length for folded flashings is 8 metres				
		VPF55GA	CTL GA		lin metre	
		VPF55ZA	CTL ZA		lin metre	
		VPF55X---	CTL CB		lin metre	
		VPF55T---	CTL MATT		lin metre	
		VPF55ZM8---	CTL ZM8		lin metre	
		BFC20055GA	CTL GA		lin metre	
	BFC20055ZA	CTL ZA		lin metre		
	BFC20055X---	CTL CB		lin metre		
	UFC20055GA	CTL GA		lin metre		
	UFC20055ZA	CTL ZA		lin metre		
	UFC20055X---	CTL CB		lin metre		
	BR150GA24	2.4m GA		each		
	BR150ZA24	2.4m ZA		each		
	BR150GA18	1.8m GA		each		
	BR150ZA18	1.8m ZA		each		
	BR150X---24	2.4m CB		each		
	BR150X---18	1.8m CB		each		
	SF15055GA24	GA		each		
	SF15050ZA24	ZA		each		
	SF20055GA24	GA		each		
	SF20050ZA24	ZA		each		
<p>Roof Batten</p>	Roof Batten 6.0m	RBV40TC6000	Truecore	0.48	each	
	Roof Batten 7.5m	RBV40TC7500	Truecore	0.48	each	
	Roof Batten Screws	S1240HMTZIP			per 1000	

Also available in packs of 100 - please contact your account manager for prices.

CURVED ROOFING • TANK IRON • ACCESSORIES

Product	Details	Code	Finish	BMT	Unit
Stramit® Curving Quality	Mild Steel G300	CD*/CQ60ZA	ZA	0.60	per m ²
		CD/CQ60X---	CB	0.60	per m ²
		CD/CQ60GA	GA	0.60	per m ²
 <p>Material Costs Only, reverse roll available. Additional cutting charges will apply. (Available in selected colours. Refer page 14) <i>Add curving cost to material cost for total price</i> When end lapping occurs, please liaise with your Stramit® office for additional details * Prefix CD Corry-decking, Flat sheet only.</p>					
Costs (up to 90° curve)	Sheet lengths up to 3.5m	CURV40035			per curve
	Sheet lengths 3.5m to 7m	CURV43570			per curve
	Sheet lengths 7m to 10m	CURV47010			per curve
	Sheet lengths 10m to 13m	CURV41013			per curve
Docking of curved sheet	(less than 2.5 metres only)	CUTBACKLTH			per cut
<i>Lengths over 13m are subject to special pricing. Special freight prices apply to lengths over 7 metres</i> <i>Curves over 90° or double curves are priced at sheet length x 2 curves</i>					

Bullnosing & Curving

Please supply template & all information wherever possible.

For all bullnose curved sheets less than **400mm radius**, a straight section (A) of 110mm is required, and will be charged in the price of the sheet. If all or part of this dimension is not required on the finished sheet, then the sheet will be cut back and a docking fee (CUTBACKLTH) will apply

Templates

Templates may be an existing corrugated sheet, timber hockey sticks, timber rafters or drawn or cut onto MDF or plywood sheets, cement sheet, flat metal strip, corflute sheet or thick cardboard.



All templates must be a **minimum of 900mm long** in order to get the correct shape.

For bullnose templates, the customer must show the actual curved section/length and at least 300-400mm of straight roof section to ascertain the correct roof fall. All templates must show the customer's name, contact number, number of sheets required and finished colour or Zinalume or galvanised finish.

Unacceptable Templates

Copper pipes, hip hockey sticks, loose pieces of paper, badly restored old sheets or old sheets painted with lead based paint.

If a customer cannot provide a template, the following information and measurements for the various curved shapes can be provided.



Bullnosing

- A** Straight section into gutter _____ mm
B Radius of curve _____ mm
C Angle of roof pitch _____ degrees
D Wall to fascia _____ mm
 Number of sheets required _____
 Direction of laying (left to right/right to left) _____
 Colour _____
 Other information (eg. docking, endlapping) _____


Concave & Convex Curves

For convex or concave orders without templates, please supply measurements for one of the four choices below:

- A** Actual sheet length required (G) and the radius of curve (X)
B Actual sheet length required (G) and height or drop in centre of sheet (F)
C Horizontal width across from tip to tip (E) and the radius of curve (X)
D Horizontal width across from tip to tip (E) and height or drop in centre of sheet (F)

CURVED ROOFING • TANK IRON • ACCESSORIES

Common Curves



Product	Details	Code	Finish	BMT	Unit
---------	---------	------	--------	-----	------

Flashings

Steel Curved Pittsburgh Flashings

Barge

Left Hand

Right Hand

Code: **CAMETCBL---**


ZA/GA/Colour

lin metre

Code: **CAMETCBR---**

ZA/GA/Colour

lin metre



Apron

Left Hand

Right Hand

Code: **CAMETCAL---**


ZA/GA/Colour

lin metre

Code: **CAMETCAR---**

ZA/GA/Colour

lin metre




7 day lead time

Fibreglass Flashings

Hip only **CAPVCHrrr*---**

(available ex Knoxfield stock in 300,400 and 500mm radius in standard colours and plain

* rrr = radius in mm



PVC Straight Section Only

Code: **CAPVCST---**

2.6m

Valley

(to order only)

* rrr = radius in mm

Code: **CAPVCVrrr*---**

2.6m

Tank Iron

8 corrugations, 610 cover


Code: **CT61060GA**

0.60 per m²

Code: **CT61060AQGA**




0.60 per m²

(rolled edge down with Aquaplate® under)








Cut to length CTL ex Knoxfield normal lead time – manufactured Tuesdays only. All orders must come with drawings showing colour and leg positions






ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit		
Stramit MonoClad® 	Hi-Tensile G550	MC42ZA	ZA	0.42	per m ²		
		MC48ZA		0.48	per m ²		
		MC42T---	MATT	0.42	per m ²		
		MC42X---	CB	0.42	per m ²		
		**MC48T	MATT	0.48	per m ²		
		<i>**Available in Basalt & Monument only</i>					
		MC48X---		0.48	per m ²		
		MC42ZM8---	ZM8	0.42	per m ²		
		MC48ZM8---	ZM8	0.48	per m ²		
		MC42RRX---	Rev Roll	0.42	per m ²		
		MC48RRX---	Rev Roll	0.48	per m ²		
		MC42GA	GA Z450	0.42	per m ²		
		<i>To convert to linear metres multiply by 0.762</i>					
Stramit MonoClad® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30							
Wall Cladding 	Hi-Tensile G550	MC35ZA	ZA	0.35	per m ²		
		MC35X---	CB	0.35	per m ²		
		MC35RRX---	Rev Roll	0.35	per m ²		
		MC42IOWHP11	CB	0.42	per m ²		
Acoustic Perf. <i>Project based material, min order 1 tonne. Allow extra lead time.</i>							
Translucent Roof Sheeting Suit Stramit MonoClad® sheeting 	Fibreglass	TSFGMC18---		1800gsm (6oz)	lin metre		
		TSFGMC24---		2400gsm (8oz)	lin metre		
	<i>Lengths over 11.6m incur extra delivery charges, direct delivery charges may apply.</i>						
	Polycarbonate	TSPCMC---LL	(0.80mm)		lin metre (not CTL)		
		TSPCGR---LL	Greca 760mm		lin metre (not CTL)		
	Polycarb Screws 12x50	TSPC1SHOTPK			per 50		
		TSPC1SHOTT			per 250		
	Fibreglass Screws 14x65	TSFG1465WW32			per 500		
	<i>CLR, GRY, OPL, LBZ and DKT</i>						
	<i>Available in standard lengths only: 1.8, 2.1, 2.4, 2.7m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m</i>						
Accessories 	Filler Strip (under eave)	MCEFSBTM	760mm bottom		each		
	Filler Strip (under ridge)	MCEFSTOP	950mm top		each		
	Fire retardant filler strips as per standard AS1530.3 – 1999						
		MCEFSFRBTM	760mm bottom			each	
		MCEFSFRTOP	950mm top			each	
	Reinforcing Plate & Seal	TSFGMCRPM14H	suit fibreglass			per 100	
	Weatherlok Neo Washer	TSFGWW32H	suit fibreglass			per 100	
	Stop Ending Tool	MCSETD				each	
	MC MonoLap 73mm 7.62m <i>(10 sheets per roll)</i>	MCMONOLAP76				Roll	
	MC MonoLap Expansion Washer	MCMONOLAPEWZA				each	
	12x68 Hex Tek Cls4 CB – only suitable for MC MonoLap above <i>(40 screws per roll – incl plate & washer)</i>	S1268HTMC***4				Pack	
	12x68 Hex Tek Mcap	S1268HTMC4				Box	
MC MonoLap Stop End Tool	MCMONOLAPSETD				each		
Monolap Accessories Ex Brisbane							

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	Unit	
Fasteners	 12x65 Hex Head type 17 <i>(for crest fixing to timber)</i>	S1265H174 S1265H17---4	Plain Colour head	per 1000 per 1000	
	 5.5 x 50 Hex Auto Tek <i>(for crest fixing to steel)</i>	S1250HAT4 S1250HAT---4	Plain Colour head	per 1000 per 1000	
	 10x16 Hex Head SD <i>(for valley fixing to steel)</i>	S1016HT4 S1016HT---4	Plain Colour head	per 1000 per 1000	
	 10x16 Wafer Tek <i>(fix to steel)</i>	S1016WT4		per 1000	
Roof Zip Screws		M6 x 50 Hex Head SDS <i>(crest fixing to timber & steel)</i>	S0650HZIP4 S0650HZIP---4	plain Colour head	per 1000 per 1000
		M6 x 65 Hex Head SDS <i>(crest fixing to timber & steel)</i>	S0665HZIP4 S0665HZIP---4	plain Colour head	per 1000 per 1000
		<i>Also available in packs of 100 - Please contact your account manager for prices.</i>			
Flashings		Ridge MCR	Maximum length for folded flashings is 8 metres		
		RFMC55GA	CTL GA	lin metre	
		RFMC55ZA	CTL ZA	lin metre	
	RFMC55X---	CTL CB	lin metre		
		Barge MCBV	BFMC24055GA	CTL GA	lin metre
		BFMC24055ZA	CTL ZA	lin metre	
		BFMC24055X---	CTL CB	lin metre	
		Under Flashing MCU	UFMC55GA	CTL GA	lin metre
		UFMC55ZA	CTL ZA	lin metre	
		UFMC55X---	CTL CB	lin metre	
	Valley Plain (folded)	VPF55GA	CTL GA	lin metre	
	VPF55ZA	CTL ZA	lin metre		
	VPF55X---	CTL CB	lin metre		
	VPF55T---	CTL MATT	lin metre		
	VPF55ZM8---	CTL ZM8	lin metre		
	Rollformed (available ex Knoxfield only) Valley VR	VRIB40ZA	CTL ZA	lin metre	
	VRIB40X---	CTL CB	lin metre		
	VRIB40T---	CTL MATT	lin metre		
<i>9.5m maximum length</i>					

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit	
Stramit Longspan® 	Hi-Tensile G550	LS42ZA	ZA	0.42	per m ²	
		LS48ZA		0.48	per m ²	
		LS42T---	MATT	0.42	per m ²	
		LS42X---	CB	0.42	per m ²	
		**LS48T	MATT	0.48	per m ²	
		**Available in Basalt & Monument only				
		LS48X---		0.48	per m ²	
		LS42ZM8---	ZM8	0.42	per m ²	
		LS48ZM8---	ZM8	0.48	per m ²	
		LS42GA	GA Z450	0.42	per m ²	
	Acoustic Perforated	LS42IOWHP11	CB	0.42	per m ²	
	Gutter Board 6.1m L 550mm W	LSGB55ZA6100	ZA	0.42	each	
	Gutter Board 6.1m L 750mm W	LSGB75ZA6100	ZA	0.42	each	
Stramit Longspan® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30						
Fibreglass Roof Sheetting 	Suit Stramit Longspan® sheetting CLR, OPA, HGN	TSFGLS24---		2400gsm (8oz)lin metre		
<i>Lengths over 11.6m incur extra delivery charges, direct delivery charges may apply.</i>						
Fasteners	 12x65 Hex Head type 17 <i>(for crest fixing to timber)</i>	S1265H174	Plain		per 1000	
		S1265H17---4	Colour		per 1000	
	 5.5 x 50 Hex Auto Tek <i>(for crest fixing to steel)</i>	S1250HAT4	Plain		per 1000	
		S1250HAT---4	Colour		per 1000	
	 10x16 Hex Head SD <i>(for valley fixing to steel)</i>	S1016HT4	Plain		per 1000	
		S1016HT---4	Colour		per 1000	
	 10x16 WaferTeks <i>(fix to steel)</i>	S1016WT4			per 1000	
<i>Also available in packs of 100 - Please contact your account manager for prices.</i>						
Accessories	 Filler Strip (under eave)	LSEFSBTM		900mm bottom	each	
	 Filler Strip (under ridge)	LSEFSTOP		900mm top	each	
	Also available in fire retardant material as per standard AS1530.3 – 1999					
		LSEFSFRBTM		900mm bottom	each	
		LSEFSFRTOP		900mm top	each	
	 Reinforcing Plate & Seal	TSFGMCRPM14H		suit fibreglass	per 100	
	Weatherlok Neo Washer	TSFGWW32H		suit fibreglass	per 100	
Flashings	 Ridge MCR	Maximum length for folded flashings is 8 metres				
		RFMC55GA	CTL GA		lin metre	
		RFMC55ZA	CTL ZA		lin metre	
		RFMC55X---	CTL CB		lin metre	
	 Barge MCBV	BFMC24055GA	CTL GA		lin metre	
		BFMC24055ZA	CTL ZA		lin metre	
		BFMC24055X---	CTL CB		lin metre	
	 Under Flashing MCU	UFMC55GA	CTL GA		lin metre	
		UFMC55ZA	CTL ZA		lin metre	
		UFMC55X---	CTL CB		lin metre	
	 Valley Plain (folded)	VPF55GA	CTL GA		lin metre	
		VPF55ZA	CTL ZA		lin metre	
		VPF55X---	CTL CB		lin metre	
		VPF55T---	CTL MATT		lin metre	
		VPF55ZM8---	CTL ZM8		lin metre	
	Rollformed (available ex Knoxfield only) Valley VR	VRIB40ZA	CTL ZA		lin metre	
		VRIB40X---	CTL CB		lin metre	
		VRIB40T---	CTL MATT		lin metre	
<i>9.5m maximum length</i>						
Box Gutter Brackets (Adjustable)	 250mm - 400mm (size 1) 400mm - 650mm (size 2) 650mm - 1000mm (size 3)	BGBA1EAZA	24 per box		each	
		BGBA2EAZA	24 per box		each	
		BGBA3EAZA	16 per box		each	

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit		
Stramit Speed Deck Ultra® 	Hi-Tensile G550	UD42ZA	ZA	0.42	per m ²		
		UD48ZA	ZA	0.48	per m ²		
		UD42GA	GA	0.42	per m ²		
		UD42T	MATT	0.42	per m ²		
		UD42X---	CB	0.42	per m ²		
		**UD48T	MATT	0.48	per m ²		
		**Available in Basalt & Monument only					
		UD48X---	CB	0.48	per m ²		
		UD42ZM8---	ZM8	0.42	per m ²		
		UD48ZM8---	ZM8	0.48	per m ²		
		Stramit Speed Deck Ultra® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30					
		Fibreglass Roof Sheeting 	Suit Stramit Speed Deck Ultra® decking <i>CLR, OPA</i>	TSGUD24---	2400gsm		lin metre
<i>Lengths over 11.6m incur extra delivery charges, direct delivery charges may apply.</i>							
Fixing Clips 	Fixing Clips no fasteners (40 per box)	UDFC	GA		each		
	Farlap Lapping Accessory	UDFARLAP			each		
	Farlap Lapping Accessory Roll	UDFARLAP70			7m roll		
	Farlap TurnUp/TurnDown Tool	UDFARLAPSETD			each		
	Roof Rack /Roof Razer Insulation Spacer						
	75 mm	RRISGA	GA		box 20		
	100 mm	RRIS100GA	GA		box 20		
	85 mm	RRZISGA	GA		box 6		
115 mm	RRZIS115GA	GA		box 6			
<i>To calculate clip requirements divide sheet length by purlin spacing, round up if required and add 1 for the end clip. Then multiply by the number of sheets. Clip covers full 700mm of sheet width.</i>							
Fasteners 	12x50 Hex Head Type 17 (for fixing to timber)	S1250H174			1000		
	12x30 Hex Head Self Drilling/Tapping (for fixing to metal) Also available in packs of 100 - please contact your account manager for prices.	S1230HTNN			1000		
Accessories 	Filler Strip 700 (Bottom)	UDEFBSTM			each		
	Filler Strip 700 (Top)	UDEFSTOP			each		
	Also available in fire retardant material as per standard AS1530.3 – 1999						
		UDEFBFRBTM			each		
	Stop Ending tool (Turn up/turn down) Double ended	UDEFSTRTOP			each		
		UDEFSTRBOT			each		
		UDEFSETD			each		
Flashings 	Ridge SDRV Maximum length for folded flashings is 8 metres	RFSD40055GA	CTL GA		lin metre		
		RFSD40055ZA	CTL ZA		lin metre		
		RFSD40055X---	CTL CB		lin metre		
	Barge SDBV	BFSD55GA	CTL GA		lin metre		
		BFSD55ZA	CTL ZA		lin metre		
		BFSD55X---	CTL CB		lin metre		
	Under Flashing SDU	UFSD55GA	CTL GA		lin metre		
		UFSD55ZA	CTL ZA		lin metre		
		UFSD55X---	CTL CB		lin metre		
	Valley Plain (folded)	VPF55GA	CTL GA		lin metre		
		VPF55ZA	CTL ZA		lin metre		
		VPF55X---	CTL CB		lin metre		
		VPF55T---	CTL MATT		lin metre		
		VPF55ZM8---	CTL ZM8		lin metre		
	Rollformed (available ex Knoxfield only) Valley VR	VRIB40ZA	CTL ZA		lin metre		
	VRIB40X---	CTL CB		lin metre			
	VRIB40T---	CTL MATT		lin metre			
<i>9.5m maximum length</i>							

MAGNAFLOW® • ROOFING • CLADDING • RAINWATER

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)
Stramit® Corrugated	0.42
Stramit Monoclad®	0.42
Stramit Longspan®	0.42
Stramit Speed Deck Ultra®	0.42
Stramit® Roll Top Ridge	0.42 / 0.55
Stramit® Valley Folded	0.55
Stramit® Flashings & Others	0.55
Stramit® Downpipes 95 x 45	0.55
Stramit® Downpipes 100 x 50	0.55
Stramit® Downpipes 100 x 75	0.55
Stramit® Downpipes 100 x 100	0.55

Please refer to Sales office for lead times and availability.
 Residential gutters are also available, please contact your local office for details.
 0.48 Roofing available on selected colours.

COLOUR AVAILABILITY

Off White	Armour Grey
Birch	Monolith
Slate Grey	

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

SUBSTRATE

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.

RECOMMENDED END USES

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.



MAGNAFLOW® WARRANTIES

A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.

THE MAGIC OF MAGNESIUM

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area. As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products




PREMIUM PRODUCTS • ROOFING • CLADDING • ACCESSORIES

Product	Details	BMT mm	Finish	Code	Unit
---------	---------	-----------	--------	------	------

Most Premium Products manufactured at Knoxfield only, allow extra 2 days lead time for country areas, more for interstate – ask for details.
Available in the Blue Scope Steel Premium range of colours for severe environments refer page 30.

Reverse roll roofing/cladding available on request. Additional charges will apply.
See standard product pages for other accessories, flashing profiles, fibreglass.


Stramit® Corrugated



0.48	CB Ultra	C48U---	per m ²
0.48	CB Metallic*	C48M---	per m ²
0.48	CB Coolmax	C48KWHN	per m ²

*Metallic available on project basis only. Minimum order 2 tonnes.
To convert to linear metres multiply by 0.762


Stramit Monoclad®



0.48	CB Ultra	MC48U---	per m ²
0.48	CB Metallic*	MC48M---	per m ²
0.48	CB Coolmax	MC48KWHN	per m ²

*Metallic available on project basis only. Minimum order 2 tonnes.
To convert to linear metres multiply by 0.762

Stramit Longspan®



0.48	CB Ultra	LS48U---	per m ²
0.48	CB Metallic*	LS48M---	per m ²
0.48	CB Coolmax	LS48KWHN	per m ²


*Metallic available on project basis only. Minimum order 2 tonnes.
To convert to linear metres multiply by 0.700

Screws to suit above	Class 4 - crest fixing to timber – corrugated	S1250H17---4	per 1000
	Class 4 - crest fixing to steel – corrugated	S1239HAT---4	per 1000
	Class 4 - crest fixing to timber – others above	S1265H17---4	per 1000
	Class 4 - crest fixing to steel – others above	S1250HAT---4	per 1000

Also available in packs of 100 - Please contact your account manager for prices.

PREMIUM PRODUCTS • ROOFING • CLADDING • ACCESSORIES

Product	Details	BMT mm	Finish	Code	Unit
---------	---------	-----------	--------	------	------


Stramit Speed Deck Ultra®


0.48	CB Ultra	UD48U---	per m ²
0.48	CB Metallic	UD48M---	per m ²
0.48	CB Coolmax	UD48KWHN	per m ²

To convert to linear metres multiply by 0.700

Stramit Mini Corry®

manufactured in NSW – allow extra lead time,
minimum length 0.3m.




0.48	CB Metallic	MK48M---	per m ²
------	-------------	-----------------	--------------------

To convert to linear metres multiply by 0.825


Stramit Minirib® (Rectangular profile)

manufactured in NSW – allow extra lead time,
minimum length 1.2m.



0.42	CB Ultra	MR42U---	per m ²
------	----------	-----------------	--------------------

To convert to linear metres multiply by 0.900.

Stramit Monopanel®


Hi-Tensile G550	0.48	CB Metallic	MP48M---	per m ²
-----------------	------	-------------	-----------------	--------------------

Project Base Material, Min Order 1.2 Tonne, Allow Extra Lead Time.

Recommended maximum length 6.0m, beyond 6.0m at customer responsibility as handling damage is likely

Minimum length 500mm

COLOUR AVAILABILITY

ULTRA		METALLIC		COOLMAX		MATT		MAGNAFLOW	
DUN	DUNE®	ARI	ARIES®	WHN	WHITEHAVEN	BAS	BASALT	AGY	ARMOUR GREY
MON	MONUMENT®	AST	ASTRO®			DUN	DUNE	BCH	BIRCH
SUR	SURFMIST®	CEL	CELESTIAN®			MON	MONUMENT	MLH	MONOLITH
WLB®	WALLABY®	COS	COSMIC®			SHG	SHALE GREY	OWH	OFF WHITE
WSP	WINDSPRAY®	GLT	GALACTIC®			SUR	SURFMIST	SLG	SLATE GREY
WDG	WOODLAND GREY®	RHE	RHEA®						

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit
Stramit Mini Corry® 6mm rib height 825 cover		MK42ZA	ZA	0.42	per m ²
		MK42T---	MATT	0.42	per m ²
		MK42ZM8---	ZM8	0.42	per m ²
		MK42X---	CB	0.42	per m ²
		MK48ZA	ZA	0.48	per m ²
		MK48X---	CB	0.48	per m ²
		PACKAGING			each

Stramit Mini Corry® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 30
 Maximum length 6.0m. Minimum length 0.300m. This product is manufactured in NSW – allow additional lead times.
 Prices are subject to minimum quantity and packaging charges. Additional charges will apply.

Stramit Minirib® 4mm rib height 900 cover	Rectangular profile	MR42ZA	ZA	0.42	per m ²
		MR42X---	CB	0.42	per m ²
		MR42T---	MATT	0.42	per m ²
	Packaging charge	PACKAGING			each

This product is manufactured in NSW – allow additional lead times.
 Prices are subject to minimum quantity and packaging charges. Additional charges will apply.

Fasteners 	12 x 25 Hex Head type 17 (fix to timber)	S1225H174	plain		per 500
		S1225H17---4	colour head		per 500
	10 x 16 Hex Head SD (fix to steel)	S1016HT4	plain		per 1000
		S1016HT---4	colour head		per 1000
	10 x 16 Wafer Tek (fix to steel)	S1016WT4			per 1000

Also available in packs of 100 - Please contact your account manager for prices.

CLADDING • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish	BMT	Unit
Stramit K-Panel® 12mm 864mm (±4mm) Cover	Hi-Tensile Steel G550	KP35ZA	ZA	0.35	per m ²
		KP42ZA	ZA	0.42	per m ²
		KP35X---	CB	0.35	per m ²
		KP42X---	CB	0.42	per m ²
		KP42IOWHP11	CB	0.42	per m ²
		KP42T---	MATT	0.42	per m ²
	Acoustic Perforated				

Recommended maximum length 6.0m. Minimum length 400mm.

Fasteners		12 x 25 Hex Head type 17 (fix to timber)	S1225H174	plain	per 500
			S1225H17---4	colour head	per 500
		10 x 16 Hex Head SD (fix to steel)	S1016HT4	plain	per 1000
			S1016HT---4	colour head	per 1000


Flashings Suit Stramit K-Panel® sheeting 	Corner Mould KPCM	CMFKP7555ZA	CTL ZA	0.55	lin metre
		CMFKP7555X---	CTL CB	0.55	lin metre
		CMFKP11055ZA	CTL ZA	0.55	lin metre
		CMFKP11055X---	CTL CB	0.55	lin metre
		CMFKP15055ZA	CTL ZA	0.55	lin metre
		CMFKP15055X---	CTL CB	0.55	lin metre

Maximum length for folded flashings is 8 metres




Garage Barge		GBZA	CTL ZA	0.40	lin metre
		GBX---	CTL CB	0.40	lin metre

Minimum length 1.000 metres.


GLADDING • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish	BMT	Unit
Stramit Monopanel® 	Hi-Tensile G550	MP48ZA	ZA	0.48	per m ²
		MP48X---	CB	0.48	per m ²
		CUTBACKLTH			each
	<i>Recommended maximum length 6.0m, beyond 6.0m at customer responsibility as handling damage is likely</i> <i>Minimum length 700mm</i>				
		CONPACKER			per m ²
	Over 6m must have condeck packers at customer's expense				

Flashings - Suit **Stramit Monopanel®** Maximum length 3.0 metres for these flashings

	Foot Mould P1	FM155X---	CB*		lin metre
	Foot Mould P2	FM255X---	CB*		lin metre
	Outside Corner Trim P4	OCT55X---	CB*		lin metre
	Inside Corner Trim P5	ICT55X---	CB*		lin metre
	Fixing Batten 6.1 Im	CBTC61	26x24x10	0.42	each
	<i>Steel framing sections are cut to length to order.</i> <i>*Non stock items – manufactured to order</i>				
	P3 Starter Clips (for use with Stramit Monopanel® sheeting)	MPSC			each
	<i>Minimum issue 100 per size – increments of 100 applicable</i>				


Super Six Profile Sheet	5 corrugations to match Fibro cement super six sheeting	SSRSGA30	GA	0.55	3.0m
-------------------------	--	-----------------	----	------	------



NOTE: Product must be kept dry during transport, storage and installation.

Sheet width 620mm - Sheet cover 430mm, rib height 50mm, rib centres 145mm 3.0 metre lengths only

STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM



Stramit Uniguard™ Fire resisting wall system is a superior fire rated wall cladding product that combines the single layer of specialist fireboard **Promina®60** with your choice from **Stramit Monoclad®**, **Stramit Corrugated®** and **Stramit Longspan®** wall cladding products.

The **Stramit Uniguard™ Fire resisting wall system** is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).


Note: System must be designed and installed strictly in accordance with **Stramit Uniguard™ Fire Resisting Wall System Technical Manual**.

Using only the products specified and certified for the application as detailed in the technical manual and/or accreditation report.

Promina® 60 board can not be purchased independently of other Stramit Uniguard™ wall system components.

Product	Size mm	Code	Unit
---------	---------	------	------

Promina®60



15 x 2400 x 1200 **PB601224**
*Minimum order quantity of 5 sheets


each

Promaseal Acrylic Sealant
300ml Cartridge - White **PBSEAL300**
300ml Cartridge - Grey

each
each

Stramit® Fixing Battens

Stock length 6100 - GAL



26 x 24 x 10 x 6.1m

CBGA61

each

Note: Zincalume Battens cannot be in contact with this system.

Fasteners



10 x 45 Wing Tek **S1045WNGT**
(For fixing Promina®60 to girts)

per 500







12 x 55 Hex Head **S1255HT4**
(For pan fixing cladding to purlin/girts)

per 1000




Also available in packs of 100 - Please contact your account manager for prices.

INSULATION • ROOFING MESH

Product	Insulation/Roofing Mesh	Details	Code	Cover	Unit
All Products Below May Incur A Direct Delivery Charge					
Aluminium Foil 1.35m x 60m Rolls 		439/203 Light Gr. Anti-glare	FLLWAG600	72m ²	each
		433/233 Med. Gr. Anti-glare	FLMWAG600	72m ²	each
		456 Foil Ex Heavy Duty Sisal Tuff	FLEHDST600	72m ²	each
		InsulBubble 100 (4.5mm thick x 1350 wide – Antiglare)	FLBCAG2225	30m ²	each
		Foil Insulmist 650	FLCCFM84AG2225	30m ²	each
 		Foil Insulmist 650AG	FLIM650AG2225	30m ²	each
		Foil Fasteners (Galvanised, in strips)	FLTACKB		per 500
Glasswool Building Blanket* Plain 		55mm x 30m *(R1.3)	BB55PLN300	36m ²	each
		55mm x 20m *(R1.3)	BB55PLN200	24m ²	each
		55mm x 15m *(R1.3)	BB55PLN150	18m ²	each
R Value Graded Permastop Building Blanket*  		Fibreglass Building Blanket Light Weight Foil Adhered			
		55mm x 20m *(R1.3) 1.2m wide	BB55LW200	24m ²	each
		55mm x 15m *(R1.3) 1.2m wide	BB55LW150	18m ²	each
		75mm x 15m *(R1.8) 1.2m wide	BB75LW150	18m ²	each
		100mm x 10m *(R2.5) 1.2m wide	BB100LW100	12m ²	each
		Fibreglass Building Blanket Medium Weight Foil Adhered			
		55mm x 20m *(R1.3) 1.2m wide	BB55MW200	24m ²	each
		55mm x 15m *(R1.3) 1.2m wide	BB55MW150	18m ²	each
		75mm x 15m *(R1.8) 1.2m wide	BB75MW150	18m ²	each
		100mm x 10m *(R2.5) 1.2m wide	BB100MW100	12m ²	each
*Additional freight charges apply.					
Conversion from m ² to linear metres is 1.2					
Wall & Ceiling Batts 		Walls			
		W/Batt 1160x430 R1.5 Pk24	BBW430R15		per pack
		Fire Stop Party Wall Batts 1200x168 Pk10	BBWFS168		per pack
		Ceilings			
	C/Batt 1160x430 R2.5 Pk16	BBC430R25	8m ²	per pack	
	C/Batt 1160x430 R3.5 Pk16	BBC430R35	8m ²	per pack	
Roofing Wire/Mesh 		1.8m x 50m Mesh 300mm x 150mm (2.0mm thick)	WMAUS500	90m ²	each
		Powder coated Ausmesh is available in selected colours at an extra charge Both are subject to additional lead times.			

* **R-Values** To achieve an R-Value, Sisalation **must** have a minimum 20mm still air gap. R-Values are approximate indicators only and are based on winter values. Actual value ratings will vary with application style, for both wall and roofing purposes. For more information on Victorian Mandatory Installation Codes, or for installation advice, please contact Stramit Building Products or Fletchers Insulation, and refer to Fletchers Insulation booklet *Mandatory Insulation Made Easy*.

GENERAL ACCESSORIES









Product General Accessories	Details	Code	Finish	Unit
	Pop Rivets 3.2 x 7.5mm (4-3)	PR3275AL	Aluminium	pkt 100
	Pop Rivets 3.2 x 7.5mm (4-3)	PR3275---	Coloured*	pkt 100
	Boxes of 1000 also available*			
	Drive Nails 40 x 3.75mm	DN40	Pack 100	per pack
	Silicone Clear	SILCLR		300g tube
	Silicone Grey	SILGRY		300g tube
	Available in boxes of 20			
	CB match-up (Lacquer)	PTU---		100ml
	<i>Spray paint packs are not recommended</i>			
	Vermin and weather proof flashing Sold only in 3.0 lengths	VMSEALGRY30	0.55	each
	Roof Ventilator 300mm	RV300MF	Mill Finish*	each
	SPARKGUARD	RV300---	CB*	each
	SuperFlow Vents	RVM300SS		each
		RVSF300MF	Mill Finish*	each
		RVSF300---	CB*	each
	250mm - 400mm (size 1)	BGBA1EAZA	24 per box	each
	400mm - 650mm (size 2)	BGBA2EAZA	24 per box	each
	650mm - 1000mm (size 3)	BGBA3EAZA	24 per box	each
	32mm x 1.2mm 50M Roll	BST321250	1.2mm	per roll
	32mm x 1.6mm 50M Roll	BST321650	1.6mm	per roll
	38mm x 1.2mm 50M Roll	BST381250	1.2mm	per roll
	38mm x 1.6mm 50M Roll	BST381650	1.6mm	per roll

P.A. DOOR





Product	Size mm	Code	Finish	Unit
	P.A. Doors in jamb - Zinalume	PADJ2040820ZA	ZA	each
	P.A. Doors in jamb - Colour	PADJ2040820X---	CB	each
	Pre Hung in 4 sided Powdercoated Frame 180° Outward Opening Lever Handle to inside			

*Item not stocked – available to order – 10 day lead time.








FASCIA • ACCESSORIES

Product Fascia/Accessories	Details	Code	Finish	Unit
Stramit® Fascia Board Hi Tensile G550 	Fascia Board	FBZA FBX--- FBT--- FBZM8---	ZA CB MATT ZM8	lin metre lin metre lin metre lin metre
	** Fascia Cover	FBCOVZA FBCOVX--- FBCOVT---	ZA CB MATT	lin metre lin metre lin metre
	<i>**Available ex-Knoxfield only - manufactured Tuesday & Thursday Only</i>			
	Minimum length 400mm Maximum length 9.500m			
Accessories				
		Rafter Bracket (100/box)	FBRBGA	GA each
		Fascia Splice Plate	FBSPZA	ZA each
		External Corner 90°	FBECZA FBECX--- FBECT---	ZA CB MATT each each each
		External Corner 45°	FBECZM8--- FBEC45ZA FBEC45X---	ZM8 ZA CB each each each
	<i>(only available in selected colours – CLC, CTG, PEC, SUR, WDG)</i>			
(Piece)		Internal Corner	FBICZA FBICX--- FBICT--- FBICZM8---	ZA CB MATT ZM8 each each each each
		Snap Clip	FBSCZA	Plated each
		<i>(Stramit O-Gee™, Stramit® Quad, Stramit® Easiflow Gutters)</i>		
		Gutter Spacer	FBGS	CB each
		Gutter Space Tool	FBGST	GA each
		BAT overflow clip	BATOC	Plastic each
		Stiffener Bracket		
	<i>(For gutter profiles please specify)</i>			
		Stramit O-Gee™, Stramit® Quad	QV115HSBZA	ZA each
		Stramit® Easiflow Gutters	EGSB	ZA each
Barge Corner (Right)		Barge Corner (Left)	FBBCLZA FBBC LX--- FBBC LT--- FBBC LZM8--- FBBCRZA FBBCRX--- FBBCRT--- FBBCRZM8---	ZA CB MATT ZM8 ZA CB MATT ZM8 each each each each each each each
		Barge Bracket	FBBBGA	GA each
		Barge Gutter (CTL)	FBBGZA FBBGX---	ZA CB lin metre lin metre
		Apex Cover Plate	FBAJZA FBAJX--- FBAJT--- FBAJZM8---	ZA CB MATT ZM8 each each each each
Fasteners		6 x 25 Bugle Head (for fixing brackets to timber)	S0625BUGNPH S0625BUGNP	Plain Plain per 100 per 1000
		10 x 16 Wafer Head (for fixing brackets to steel)	S0625BUGMP S1016WT4	Plain Plain per 1000 per 1000
	<i>Also available in packs of 100 - Please contact your account manager for prices.</i>			










GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish	BMT	Unit	
Stramit® Quad 115 High Tensile G550 	Stock Length 6.0m	QV115PGA6000	GA	0.42	each	
	Plain	QV115PZA6000	ZA	0.42	each	
		QV115PX---6000	CB	0.42	each	
	CTL - Plain	QV115PGA	GA	0.42	lin metre	
		QV115PZA	ZA	0.42	lin metre	
		QV115PX---	CB	0.42	lin metre	
		QV115PT---	MATT	0.42	lin metre	
		QV115PZM8---	ZMB	0.42	lin metre	
	CTL - Slotted	QV115SGA	GA	0.42	lin metre	
		QV115SZA	ZA	0.42	lin metre	
		QV115SX---	CB	0.42	lin metre	
		QV115ST---	MATT	0.42	lin metre	
		QV115SZM8---	ZM8	0.42	lin metre	
	ECSA = 5200mm ²	<i>Maximum length 9.500m, Minimum 600m</i>				
	Accessories	Concealed Bracket	QV115CBZA	ZA		each
	Bracket Nails	DN40	Pack 100		per pack	
	External Bracket	QV115EBZA QV115EBX--- QV115EBT---	ZA Colour Matt		each each each	
	Stiffener Bracket <i>(for Stramit® Fascia)</i>	QV115HSBZA	ZA		each	
	Snap Clip <i>(for Stramit® Fascia)</i>	FBSCZA	Plated		each	
	Gutter Spacer	FBGS	CB		each	
	Gutter Space Tool	FBGST	GA		each	
	Bat Clip	BATOC			each	

GUTTER • ACCESSORIES













Product Gutter/Accessories	Details	Code	Finish	Unit
	Corner Angles 90° (External cast)	QV115CAEMF	Plain	each
		QV115CAEX---	Colour	each
		QV115CAET---	Matt	each
	Corner Angles 90° (Internal cast)	QV115CAIMF	Plain	each
		QV115CAIX---	Colour	each
		QV115CAIT---	Matt	each
	Corner Angles 90° 1 piece (External)	QV115CAE1MF	ZA	each
	(Internal)	QV115CAI1MF	ZA	each
		QV115CAE1X---	CB	each
		QV115CAI1X---	CB	each
	Corner Angles 45° (External cast)	QV115CAE45MF	Plain	each
		QV115CAE45X---	Colour	each
		QV115CAE45T---	Matt	each
	Corner Angles 45° (Internal cast)	QV115CAI45MF	Plain	each
		QV115CAI45X---	Colour	each
		QV115CAI45T---	Matt	each
	Stop End Plates (LH)	QV115SELGA	GA	each
		QV115SELZA	ZA	each
		QV115SELX---	CB	each
		QV115SELT---	MATT	each
	Stop End Plates (RH)	QV115SELZM8---	ZM8	each
		QV115SERGA	GA	each
		QV115SERZA	ZA	each
		QV115SERX---	CB	each
		QV115SERT---	MATT	each
		QV115SERZM8---	ZM8	each
	Manuf. Angles (External)	QV115ECZA	ZA	each
		QV115ECX---	CB	each
	Manuf. Angles (Internal)	QV115ICZA	ZA	each
		QV115ICX---	CB	each
	Manuf. Full Stop End (LH) (length 300mm)	QV115FSLZA	ZA	each
		QV115FSLX---	CB	each
	Manuf. Full Stop End (length 300mm)	QV115FSRZA	ZA	each
		QV115FSRX---	CB	each
	Manuf. Full Stop End (LH)	QV115FSL75ZA	ZA	each
	Manuf. Full Stop End (RH) (with 75mm Round Pop fitted + Stop End Plate)	QV115FSR75ZA	ZA	each
	Manuf. Full Ret. S/Ends (LH)	QV115FRSELZA	ZA	each
		QV115FRSELX---	CB	each
	Manuf. Full Ret. S/Ends (RH)	QV115FRSERZA	ZA	each
		QV115FRSERX---	CB	each
	Cast Full Stop End (LH)	QV115CFSELMF	Plain	each
	Cast Full Stop End (RH) (length 200mm)	QV115CFSERMF	Plain	each

GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish	BMT	Unit	
Quad Gutter 125mm Also available in slotted  ECSA = 6200mm ²      	Cut to length	QS125GA	GA	0.55	lin metre	
			QS125SGA	GA	0.55	lin metre
			QS125ZA	ZA	0.55	lin metre
			QS125SZA	ZA	0.55	lin metre
			QS125X---	CB	0.55	lin metre
			QS125SX---	CB	0.55	lin metre
		<i>Minimum order quant. 6.000m. Minimum length 1000mm, Maximum length 9.000m.</i>				
		Concealed Bracket	QS125CBZA	ZA		each
		External Bracket	QS125EBGA	GA		each
			QS125EBZA	ZA		each
			QS125EBX---	CB		each
		Stop End Plates (LH/RH)	QS125SELGA	GA		each
			QS125SELZA	ZA		each
			QS125SELX---	CB		each
			QS125SERGA	GA		each
			QS125SERZA	ZA		each
			QS125SERX---	CB		each
		Cast Angles 1 piece (External) (Internal)	QS125CAE1MF	ZA		each
			QS125CAI1MF	ZA		each
			QS125CAE1X---	CB		each
		QS125CAI1X---	CB		each	
	Manufactured Angles (External) (Internal)	QS125ECZA	ZA		each	
		QS125ECX---	CB		each	
		QS125ICZA	ZA		each	
		QS125ICX---	CB		each	
	Manufactured Full Stop End (LH or RH)	QS125FSELZA	ZA		each	
		QS125FSELX---	CB		each	
		QS125FSERZA	ZA		each	
		QS125FSERX---	CB		each	
	Manuf. Full Return Stop End (LH or RH)	QS125FRSELZA	ZA		each	
		QS125FRSELX---	CB		each	
		QS125FRSERZA	ZA		each	
		QS125FRSERX---	CB		each	
Quad Gutter 150mm Also available in slotted  ECSA = 6500mm ²     	Cut to length	QS150GA	GA	0.42	lin metre	
			QS150SGA	GA	0.42	lin metre
			QS150ZA	ZA	0.42	lin metre
			QS150SZA	ZA	0.42	lin metre
			QS150X---	CB	0.42	lin metre
			QS150SX---	CB	0.42	lin metre
		External Bracket	QS150EBGA	GA		each
			QS150EBZA	ZA		each
			QS150EBX---	CB		each
		Stop End Plates (LH/RH)	QS150SELGA	GA		each
			QS150SELZA	ZA		each
			QS150SELX---	CB		each
			QS150SERGA	GA		each
			QS150SERZA	ZA		each
			QS150SERX---	CB		each
		Manufactured Angles (External) (Internal)	QS150ECZA	ZA		each
			QS150ECX---	CB		each
			QS150ICZA	ZA		each
			QS150ICX---	CB		each
		Manuf. Full Return Stop End (LH or RH)	QS150FRSELZA	ZA		each
		QS150FRSELX---	ZA		each	
		QS150FRSERZA	ZA		each	
		QS150FRSERX---	ZA		each	
	Manuf. Full Stop End (LH or RH)	QS150FSLZA	ZA		each	
		QS150FSLX---	CB		each	
		QS150FSRZA	ZA		each	
		QS150FSRX---	CB		each	


NOTE: Larger sizes & accessories in 175mm & 200mm, please allow lead time.

GUTTER • ACCESSORIES


Product Gutter/Accessories	Details	Code	Finish	BMT	Unit
Stramit O-Gee™  <p>ECSA = 4700mm²</p>	Cut to length <i>Minimum length 800mm</i> <i>Maximum length 9.500m.</i> NOTE: Larger sizes & accessories available in 125, 150, 175 & 200mm, please allow extra lead time.	OGGA	GA	0.55	lin metre
		OGZA	ZA	0.55	lin metre
		OGX---	CB	0.55	lin metre
Accessories              	Concealed Bracket	QV115CBZA	ZA		each
	Bracket Nails	DN40		Pack 100	per pack
	External Bracket	OGEBZA OGEBX---	ZA CB		each each
	Stiffener Brackets QV115 (for Stramit® Fascia)	QV115SBZA	ZA		each
	Snap Clips (for Stramit® Fascia)	FBSCZA	Plated		each
	Gutter Spacer	FBGS	CB		each
	Gutter Space Tool	FBGST	GA		each
	BAT overflow clip	BATOC	Plastic		each
	Cast Cnr Angles 90° (Ext)	OGCAEZA OGCAEX---	Plain Colour		each each
	Cast Cnr Angles 90° (Int)	OGCAIZA OGCAIX---	Plain Colour		each each
	Stop End Plates (LH)	OGSELGA OGSELZA OGSELX---	GA ZA CB		each each each
	Stop End Plates (RH)	OGSERGA OGSERZA OGSERX---	GA ZA CB		each each each
	Manufactured Angle (Ext)	OGECZA OGECX---	GA CB		each each
	Manufactured Angle (Int)	OGICZA OGICX---	GA CB		each each
	Manuf. Full Stop End (LH) <i>Length 300mm</i>	OGFSELZA OGFSELX---	ZA CB*		each each
	Manuf. Full Stop End (RH) <i>Length 300mm</i>	OGFSERZA OGFSERX---	ZA CB*		each each
	Manuf. Full Ret. S/End (LH)	OGFRSELZA OGFRSELX---	ZA CB		each each
	Manuf. Full Ret. S/End (RH)	OGFRSERZA OGFRSERX---	ZA CB		each each


**Item not normally stocked – available to order – extended lead time*

GUTTER • ACCESSORIES



Product Gutter/Accessories	Details	Code	Finish	BMT	Unit
Stramit® Fascia Gutter Hi Tensile G550	Cut to length	FGSPGA	GA		lin metre
		FGSPZA	ZA		lin metre
		FGSPX---	CB		lin metre
		FGSPT---	MATT		lin metre
		FGSPZM8---	ZM8		lin metre
	Slotted available CTL	FGSSGA	GA	0.42	lin metre
		FGSSZA	ZA	0.42	lin metre
		FGSSX---	CB	0.42	lin metre
		FGSST---	MATT		lin metre
		FGSSZM8---	ZM8		lin metre
	<i>Minimum length 550mm</i> <i>Maximum length 9.500m</i>				

ECSA = 8400mm²








Accessories	Details	Code	Finish	BMT	Unit
	Concealed Bracket	FGSCBZA	ZA		each
	Bracket Nails	DN40		Pack 100	per pack
	Stiffeners to suit M/Clad, L/Span, Ultra	FGSSBZA	ZA		each
	Stop End Plate	FGSEGA	GA		each
		FGSEZA	ZA		each
		FGSEX---	CB		each
		FGSET---	MATT		each
		FGSEZM8---	ZM8		each

Product	Details	Code	Finish	BMT	Unit
Stramit® Fascia Capping (to match Stramit® Fascia Gutter)	Cut to Length	FGBCZA	ZA		lin metre
		FGBCX---	CB		lin metre
					
	<i>Minimum length 550mm</i> <i>Maximum length 9.500m</i>				



CONCEALED GUTTER

Product Concealed Gutter	Details	Code	Finish	BMT	Unit
Concealed Gutter Use with capping below	Stock length 6.0m	CONGUTZA60	ZA	0.55	each
	Stock length 6.0m	CONGUTGA60	GA	0.55	each
					
Gutter Capping To suit Concealed Gutter	Stock length 6.0m	GUTCAPZA60	ZA	0.55	each
	Stock length 6.0m	GUTCAPGA60	GA	0.55	each
					





HALF-ROUND GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish	Unit
Additional Lead Time On Items Below - Check When Ordering				
Flatback Gutter				
	<i>Available to order only</i>	FBG133ZA	ZA	lin metre
		FBG133X---	CB	lin metre
		FBGS133X---	CB	lin metre
		FBG133SZA	ZA	lin metre
Minimum order quantity 6.000m				
NOTE: Gutter & accessories also available in 180mm, please allow extra lead time.				
ECSA = 7800mm²				
Accessories				
	Concealed Bracket <i>(to suit Flatback)</i>	FBG133CBZA	ZA	each
		Fix to Timber only. Only Available in packs of 10		
	Overstrap Bracket	FBG133SBZA	ZA	each
		Fix to Steel only		
	Bracket Nails	DN40	Pack 100	per pack
	Cast Angles (Ext)	FBG133CAEMF	ZA	each
	<i>To suit Flatback Gutter</i>	FBG133CAEX---	CB	each
	Cast Angles (Int)	FBG133CAIMF	ZA	each
	<i>To suit Flatback Gutter</i>	FBG133CAIX---	CB	each
	Stop End Plates (LH)	FBG133SELZA	ZA	each
	<i>To suit Flatback Gutter</i>	FBG133SELX---	CB	each
	Stop End Plates (RH)	FBG133SERZA	ZA	each
	<i>To suit Flatback Gutter</i>	FBG133SERX---	CB	each
	Bought as pairs L & R			
150mm Half Round				
	<i>Available to order only</i>	HRG150ZA	ZA	lin metre
		HRG150SZA	ZA	lin metre
		HRG150X---	CB	lin metre
		HRG150SX---	CB	lin metre
		HRG150GA	GA	lin metre
		HRG150SGA	GA	lin metre
Minimum order quantity 6.000m				
NOTE: Gutter & accessories also available in 200mm, please allow extra lead time.				
ECSA = 7700mm²				
Accessories				
	External Bracket <i>(to suit 150mm Half Round)</i>	HRG150EBMF		each
		Only in packs of 5	HRG150EBX---	CB
	Bracket Nails	DN40	Pack 100	per pack
	Cast Angles (Ext)	HRG150CAEMF	ZA	each
	<i>To suit Half Round</i>	HRG150CAEX---	CB	each
	Cast Angles (Int)	HRG150CAIMF	ZA	each
	<i>To suit Half Round</i>	HRG150CAIX---	CB	each
	Stop End Plates (LH)	HRG150SELZA	ZA	each
	<i>To suit Half Round</i>	HRG150SELX---	CB	each
	Stop End Plates (RH)	HRG150SERZA	ZA	each
	<i>To suit Half Round</i>	HRG150SERX---	CB	each
	Only in pairs			
	Nozzle 75 Flatback Halfround	HRG75NOZZA	ZA	each
		HRG90NOZZA	ZA	each
		HRG100NOZZA	ZA	each
		HRG125NOZZA	ZA	each
		HRG150NOZZA	ZA	each

GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish	BMT	Unit	
Stramit® Easiflow High Tensile G550 	Cut to length	EGP42ZA	ZA	0.42	lin metre	
		EGPZA	ZA	0.48	lin metre	
		EGPX---	CB	0.48	lin metre	
	Slotted available CTL	EGS42ZA	ZA	0.42	lin metre	
		EGSZA	ZA	0.48	lin metre	
		EGSX---	CB	0.48	lin metre	
		EGGBX---	CB		lin metre	
		EGGBZA---	ZA		lin metre	
		<i>Minimum length 1000mm</i>				
		<i>Maximum length 9.500m</i>				
ECSA = 7900mm ²						
Accessories 	Concealed Bracket	EGCBZA	ZA		each	
	Bracket Nails	DN40		Pack 100	per pack	
	Stop End Plates	EGSEZA EGSEX---	ZA CB		each each	
	Stiffener Bracket (for Stramit® Fascia)	EGSB	ZA		each	

FASTENERS

Product	Details	Code	Finish	Unit
Fasteners				
Timber Fixing				
	12 x 25 Hex Head Type 17	S1225H174 S1225H17---4	plain Colour	Per 500 Per 500
	12 x 50 Hex Head Type 17	S1250H174H S1250H174 S1250H17---4H S1250H17---4	plain plain Colour Colour	Per 100 Per 1000 Per 100 Per 1000
	12 x 65 Hex Head Type 17	S1265H174 S1265H17---4	plain Colour	Per 1000 Per 1000
	6 x 25 Hex Head Type 17	S0625BUGNPH S0625BUGNP	plain plain	Per 100 Per 1000
Metal Fixing				
	10 x 16 Hex Head SD	S1016HT4H S1016HT4 S1016HT---4H S1016HT---4	plain plain colour colour	Per 100 Per 1000 Per 100 Per 1000
	10 x 16 Wafer Tek	S1016WT4	plain	Per 1000
	10 x 25 Hex Ripple Zip	S1025HRZIP4	plain	Per 1000
	12 x 30 Hex Head SD No Neo	S1230HTNN	plain	Per 1000
	5.5 x 39 Hex Auto Tek	S1239HAT4H S1239HAT4 S1239HAT---4H S1239HAT---4	plain plain colour colour	Per 100 Per 1000 Per 100 Per 1000
	5.5 x 50 Hex Auto Tek	S1250HAT4H S1250HAT4 S1250HAT---4H S1250HAT---4	plain plain colour colour	Per 100 Per 1000 Per 100 Per 1000
	12 x 55 Hex Head	S1255HT4	plain	Per 1000
Roof Zips (Timber & Metal up to 1.9mm)				
	6 x 25 Roof Zips	S0625HZIP4 S0625HZIP---4	plain colour	Per 500 Per 500
	6 x 50 Roof Zips	S0650HZIP4H S0650HZIP4 S0650HZIP---4H S0650HZIP---4	plain plain colour colour	Per 100 Per 1000 Per 100 Per 1000
	5.5 x 40 Batten Zips	S1240HMTZIP S1240HMTZIPH	plain plain	Per 1000 Per 100
	6 x 65 Roof Zips	S0665HZIP4H S0665HZIP4 S0665HZIP---4H S0665HZIP---4	plain plain colour colour	Per 100 Per 1000 Per 100 Per 1000
Special Purpose				
	12 x 65 Polycarb Screws	TSPC1SHOTPK TSPC1SHOTT		Per 50 Per 250
	10 x 45 Wing Tek (for fixing Promina 60)	S1045WNGT	plain	Per 500

Also available in packs of 100 - Please contact your account manager for prices.

ROUND DOWNPIPE & ACCESSORIES • GA/ZA

Product Downpipe/Accessories

Size

Code

Stramit® Downpipe
Round




Standard Sizes 0.40 BMT

75 x 1800	DP75GA/ZA18
75 x 2400	DP75GA/ZA24

Special Sizes 0.40 BMT

90 x 1800	DP90ZA18
90 x 2400	DP90ZA24
100 x 1800	DP100ZA18
100 x 2400	DP100ZA24
125 x 1800	DP125GA/ZA18
125 x 2400	DP125GA/ZA24



Offsets (450mm-600mm)

75 ex 1800	OS75GA/ZA
100 ex 1800	OS100GA/ZA

Special Sizes 0.55 BMT

75 x 2400	DP75MGA/ZA24
90 x 2400	DP90MGA/ZA24
100 x 2400	DP100MGA/ZA24
125 x 2400	DP125MGA/ZA24
150 x 2400	DP150MGA/ZA24
175 x 2400	DP175MGA/ZA24
200 x 2400	DP200MGA/ZA24
225 x 2400	DP225MGA/ZA24
250 x 2400	DP250MGA/ZA24
275 x 2400	DP275MGA/ZA24
300 x 2400	DP300MGA/ZA24


ROUND DOWNPIPE & ACCESSORIES • COLOUR

Stramit® Downpipe
Round



Standard Sizes 0.40 BMT

75 x 1800	DP75X---18
75 x 2400	DP75X---24




Offsets (450mm-600mm)

75 ex 1800	OS75X---
100 ex 1800	OS100X---

Special Sizes 0.55 BMT

75 x 2400	DP75MX---24
90 x 2400	DP90MX---24
100 x 2400	DP100MX---24
125 x 2400	DP125MX---24
150 x 2400	DP150MX---24
175 x 2400	DP175MX---24
200 x 2400	DP200MX---24
225 x 2400	DP225MX---24
250 x 2400	DP250MX---24
275 x 2400	DP275MX---24
300 x 2400	DP300MX---24

ROUND DOWNPIPE ACCESSORIES • GA/ZA

Product Downpipe/Accessories	Size	Code
Accessories 	Stramit® Astragal (Strap)	
	75mm	AST75GA/ZA
	90mm	AST90GA/ZA
	100mm	AST100GA/ZA
	125mm	AST125GA/ZA
	150mm	AST150GA/ZA
	Pop (Nozzle)	
	50mm	NOZ50GA/ZA
	75mm	NOZ75GA/ZA
	90mm	NOZ90GA/ZA
	100mm	NOZ100GA/ZA
	125mm	NOZ125GA/ZA
	150mm	NOZ150GA/ZA
	Shoe (45°)	
	75mm	SHOE75GA/ZA
	90mm	SHOE90GA/ZA
	100mm	SHOE100GA/ZA
	Elbow (90°)	
	75mm	ELB75GA/ZA
	90mm	ELB90GA/ZA
	100mm	ELB100GA/ZA

ROUND DOWNPIPE ACCESSORIES • COLOUR

Accessories	Stramit® Astragal (Strap)	
	75mm	AST75X---
	90mm	AST90X---
	100mm	AST100X---
	125mm	AST125X---
	150mm	AST150X---

SPECIAL SIZE DOWNPIPE

Special Round Downpipes	1.8 & 2.4m In 0.55 & 0.75BMT 100mm to 350mm diameter	DPSPEC
Special Square Downpipes	1.8 & 2.4m In 0.40, 0.55 & 0.75BMT Combinations from 100 x 50mm to 200 x 200mm	DPSPEC

RECTANGULAR DOWNPIPE & ACCESSORIES • GA/ZA

Product Downpipe/Accessories


Size

Code

Stramit® Downpipe

Standard Sizes 0.40 BMT

Rectangular



Plain Face 0.40BMT

100 x 50 x 1800	DP10050ZA18
100 x 50 x 2400	DP10050ZA24
100 x 75 x 1800	DP10075ZA18
100 x 75 x 2400	DP10075ZA24

Offsets (400mm-600mm)


100 x 50 ex 1800	OS10050ZA
100 x 75 ex 1800	OS10075ZA

RECTANGULAR DOWNPIPE & ACCESSORIES • COLOUR

Stramit® Downpipe

Standard Sizes 0.40 BMT

Rectangular










Plain Face 0.40BMT

100 x 50 x 1800	DP10050X---18
	DP10050T---18
100 x 50 x 2400	DP10050X---24
	DP10050T---24
100 x 75 x 1800	DP10075X---18
	DP10075T---18
100 x 75 x 2400	DP10075X---24
	DP10075T---24



Offsets (400mm-600mm)

100 x 50 ex 1800	OS10050X---
100 x 75 ex 1800	OS10075X---

RECTANGULAR DOWNPIPE ACCESSORIES • GA/ZA

Product Downpipe/Accessories	Size	Code	
Accessories	Stramit® Astragal (Strap)		
	Standard Sizes		
		100 x 50	AST10050GA/ZA
		100 x 75	AST10075GA/ZA
	Special Sizes		
		75 x 50	AST7550GA/ZA
		100 x 100	AST100100GA/ZA
		150 x 100	AST150100GA/ZA
		150 x 150	AST150150GA/ZA
	Stramit® Nozzle (Pop)		
Standard Sizes			
	100 x 50	NOZ10050GA/ZA	
	100 x 75	NOZ10075GA/ZA	
Special Sizes			
	75 x 50	NOZ7550GA/ZA	
	75 x 75	NOZ7575GA/ZA	
	100 x 100	NOZ100100GA/ZA	
	150 x 100	NOZ150100GA/ZA	
	150 x 150	NOZ150150GA/ZA	
Shoe (45°)			
	100 x 50	SHOE10050GA/ZA	
	100 x 75	SHOE10075ZA	
Elbow (90°)			
	100 x 50	ELB10050ZA	
	100 x 75	ELB10075ZA	
Leaf Guard			
	100 x 50	LG10050GA	

RECTANGULAR DOWNPIPE ACCESSORIES • COLOUR

Accessories	Stramit® Astragal (Strap)		
	Standard Sizes		
		100 x 50	AST10050X---
			AST10050T---
		100 x 75	AST10075X---
			AST10075T---
	Special Sizes		
		100 x 100	AST100100X---
		150 x 100	AST150100X---
		150 x 150	AST150150X---

CUSTOM FLASHINGS – ORDERING PROCEDURE

ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If Coloured, nominate the side on which colour is required
3. N nominate the dimensions by the letters shown on diagrams
4. N nominate the angles on all bends
5. N nominate the quantity and length of profile

EXAMPLE

1. Type 4, Pale Eucalypt
2. Colour on side C
3. A - 100mm, B - 150mm, C - 150mm, D - 15mm
4. AB = 90°, BC = 90°, AD = 45°
5. 1 off, 4.800m

CF 1 	CF 2 	CF 3 	CF 4 	CF 5 										
CF 6 	CF 7 	CF 8 	CF 9 	CF 10 										
CF 11 	CF 12 	CF 13 	CF 14 	CF 15 										
CF 16 	CF 17 	CF 18 	CF 19 	CF 20 										
CF 21 	CF 22 	CF 23 	CF 24 	CF 25 										
CF 26 	CF 27 	CF 28 	CF 29 	CF 30 										
CF 31 	CF 32 	CF 33 	CF 34 	CF 35 										
CF 36 	CF 37 (TAPERED) 	DRIPMOULD (HOOK) SQUASH BREAK 	<table border="1" style="margin: auto; border-collapse: collapse;"> <thead> <tr> <th colspan="2">GAUGES</th> </tr> <tr> <th>IMPERIAL</th> <th>METRIC</th> </tr> </thead> <tbody> <tr> <td>26</td> <td>45</td> </tr> <tr> <td>24</td> <td>60</td> </tr> <tr> <td>22</td> <td>80</td> </tr> </tbody> </table> <p style="font-size: small; text-align: center;">Check this conversion chart before ordering your guttering, flashing or downpipes.</p>		GAUGES		IMPERIAL	METRIC	26	45	24	60	22	80
GAUGES														
IMPERIAL	METRIC													
26	45													
24	60													
22	80													

ALL AVAILABLE IN GALVANISED, ZINCALUME, COLORBOND, COLORBOND ULTRA, COLORBOND METALLIC, STAINLESS STEEL & COPPER

Maximum flashing length 8m. Subject to suitability of shape and delivery arrangements. See Delivery Details, page 9
Order by Fax For best results, send your profile details by fax (refer nos. on top of page). Ask for our Stramit Flashing Detail Pad (see page 3).

CUSTOM FLASHINGS & FLAT SHEET

GA 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00GA	CF055B01GA	CF055B02GA	CF055B03GA	CF055B04GA	CF055B05GA	CF055B06GA	CF055B07GA
101-150 (C)	CF055C00GA	CF055C01GA	CF055C02GA	CF055C03GA	CF055C04GA	CF055C05GA	CF055C06GA	CF055C07GA
151-200 (D)	CF055D00GA	CF055D01GA	CF055D02GA	CF055D03GA	CF055D04GA	CF055D05GA	CF055D06GA	CF055D07GA
201-250 (E)	CF055E00GA	CF055E01GA	CF055E02GA	CF055E03GA	CF055E04GA	CF055E05GA	CF055E06GA	CF055E07GA
251-300 (F)	CF055F00GA	CF055F01GA	CF055F02GA	CF055F03GA	CF055F04GA	CF055F05GA	CF055F06GA	CF055F07GA
301-350 (G)	CF055G00GA	CF055G01GA	CF055G02GA	CF055G03GA	CF055G04GA	CF055G05GA	CF055G06GA	CF055G07GA
351-400 (H)	CF055H00GA	CF055H01GA	CF055H02GA	CF055H03GA	CF055H04GA	CF055H05GA	CF055H06GA	CF055H07GA
401-500 (J)	CF055J00GA	CF055J01GA	CF055J02GA	CF055J03GA	CF055J04GA	CF055J05GA	CF055J06GA	CF055J07GA
501-600 (L)	CF055L00GA	CF055L01GA	CF055L02GA	CF055L03GA	CF055L04GA	CF055L05GA	CF055L06GA	CF055L07GA
601-700 (N)	CF055N00GA	CF055N01GA	CF055N02GA	CF055N03GA	CF055N04GA	CF055N05GA	CF055N06GA	CF055N07GA
701-800 (P)	CF055P00GA	CF055P01GA	CF055P02GA	CF055P03GA	CF055P04GA	CF055P05GA	CF055P06GA	CF055P07GA
801-900 (R)	CF055R00GA	CF055R01GA	CF055R02GA	CF055R03GA	CF055R04GA	CF055R05GA	CF055R06GA	CF055R07GA
901-1000 (T)	CF055T00GA	CF055T01GA	CF055T02GA	CF055T03GA	CF055T04GA	CF055T05GA	CF055T06GA	CF055T07GA
1001-1100 (V)	CF055V00GA	CF055V01GA	CF055V02GA	CF055V03GA	CF055V04GA	CF055V05GA	CF055V06GA	CF055V07GA
1101-1200 (X)	CF055X00GA	CF055X01GA	CF055X02GA	CF055X03GA	CF055X04GA	CF055X05GA	CF055X06GA	CF055X07GA

ZA 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00ZA	CF055B01ZA	CF055B02ZA	CF055B03ZA	CF055B04ZA	CF055B05ZA	CF055B06ZA	CF055B07ZA
101-150 (C)	CF055C00ZA	CF055C01ZA	CF055C02ZA	CF055C03ZA	CF055C04ZA	CF055C05ZA	CF055C06ZA	CF055C07ZA
151-200 (D)	CF055D00ZA	CF055D01ZA	CF055D02ZA	CF055D03ZA	CF055D04ZA	CF055D05ZA	CF055D06ZA	CF055D07ZA
201-250 (E)	CF055E00ZA	CF055E01ZA	CF055E02ZA	CF055E03ZA	CF055E04ZA	CF055E05ZA	CF055E06ZA	CF055E07ZA
251-300 (F)	CF055F00ZA	CF055F01ZA	CF055F02ZA	CF055F03ZA	CF055F04ZA	CF055F05ZA	CF055F06ZA	CF055F07ZA
301-350 (G)	CF055G00ZA	CF055G01ZA	CF055G02ZA	CF055G03ZA	CF055G04ZA	CF055G05ZA	CF055G06ZA	CF055G07ZA
351-400 (H)	CF055H00ZA	CF055H01ZA	CF055H02ZA	CF055H03ZA	CF055H04ZA	CF055H05ZA	CF055H06ZA	CF055H07ZA
401-500 (J)	CF055J00ZA	CF055J01ZA	CF055J02ZA	CF055J03ZA	CF055J04ZA	CF055J05ZA	CF055J06ZA	CF055J07ZA
501-600 (L)	CF055L00ZA	CF055L01ZA	CF055L02ZA	CF055L03ZA	CF055L04ZA	CF055L05ZA	CF055L06ZA	CF055L07ZA
601-700 (N)	CF055N00ZA	CF055N01ZA	CF055N02ZA	CF055N03ZA	CF055N04ZA	CF055N05ZA	CF055N06ZA	CF055N07ZA
701-800 (P)	CF055P00ZA	CF055P01ZA	CF055P02ZA	CF055P03ZA	CF055P04ZA	CF055P05ZA	CF055P06ZA	CF055P07ZA
801-900 (R)	CF055R00ZA	CF055R01ZA	CF055R02ZA	CF055R03ZA	CF055R04ZA	CF055R05ZA	CF055R06ZA	CF055R07ZA
901-1000 (T)	CF055T00ZA	CF055T01ZA	CF055T02ZA	CF055T03ZA	CF055T04ZA	CF055T05ZA	CF055T06ZA	CF055T07ZA
1001-1100 (V)	CF055V00ZA	CF055V01ZA	CF055V02ZA	CF055V03ZA	CF055V04ZA	CF055V05ZA	CF055V06ZA	CF055V07ZA
1101-1200 (X)	CF055X00ZA	CF055X01ZA	CF055X02ZA	CF055X03ZA	CF055X04ZA	CF055X05ZA	CF055X06ZA	CF055X07ZA

Flat sheets cannot be supplied as a "roll up" and will incur a palletisation charge. *NOTE: Squash = 2 bends

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

Order by Fax or Email for best results, send your profile details by fax (order reference numbers on top of page).

Ask for our Stramit Flashing Detail Pad (see page 3).

FLASHING SERVICE OFFER

GIRTH	MAX LENGTH	
600	up to	8000
700	up to	7500
800	up to	7000
900	up to	6500
1000	up to	6000
1100	up to	5500
1200	up to	5000

CUSTOM FLASHINGS & FLAT SHEET

CB 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00X---	CF055B01X---	CF055B02X---	CF055B03X---	CF055B04X---	CF055B05X---	CF055B06X---	CF055B07X---
101-150 (C)	CF055C00X---	CF055C01X---	CF055C02X---	CF055C03X---	CF055C04X---	CF055C05X---	CF055C06X---	CF055C07X---
151-200 (D)	CF055D00X---	CF055D01X---	CF055D02X---	CF055D03X---	CF055D04X---	CF055D05X---	CF055D06X---	CF055D07X---
201-250 (E)	CF055E00X---	CF055E01X---	CF055E02X---	CF055E03X---	CF055E04X---	CF055E05X---	CF055E06X---	CF055E07X---
251-300 (F)	CF055F00X---	CF055F01X---	CF055F02X---	CF055F03X---	CF055F04X---	CF055F05X---	CF055F06X---	CF055F07X---
301-350 (G)	CF055G00X---	CF055G01X---	CF055G02X---	CF055G03X---	CF055G04X---	CF055G05X---	CF055G06X---	CF055G07X---
351-400 (H)	CF055H00X---	CF055H01X---	CF055H02X---	CF055H03X---	CF055H04X---	CF055H05X---	CF055H06X---	CF055H07X---
401-500 (J)	CF055J00X---	CF055J01X---	CF055J02X---	CF055J03X---	CF055J04X---	CF055J05X---	CF055J06X---	CF055J07X---
501-600 (L)	CF055L00X---	CF055L01X---	CF055L02X---	CF055L03X---	CF055L04X---	CF055L05X---	CF055L06X---	CF055L07X---
601-700 (N)	CF055N00X---	CF055N01X---	CF055N02X---	CF055N03X---	CF055N04X---	CF055N05X---	CF055N06X---	CF055N07X---
701-800 (P)	CF055P00X---	CF055P01X---	CF055P02X---	CF055P03X---	CF055P04X---	CF055P05X---	CF055P06X---	CF055P07X---
801-900 (R)	CF055R00X---	CF055R01X---	CF055R02X---	CF055R03X---	CF055R04X---	CF055R05X---	CF055R06X---	CF055R07X---
901-1000 (T)	CF055T00X---	CF055T01X---	CF055T02X---	CF055T03X---	CF055T04X---	CF055T05X---	CF055T06X---	CF055T07X---
1001-1100 (V)	CF055V00X---	CF055V01X---	CF055V02X---	CF055V03X---	CF055V04X---	CF055V05X---	CF055V06X---	CF055V07X---
1101-1200 (X)	CF055X00X---	CF055X01X---	CF055X02X---	CF055X03X---	CF055X04X---	CF055X05X---	CF055X06X---	CF055X07X---

ZA 0.75 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF075B00ZA	CF075B01ZA	CF075B02ZA	CF075B03ZA	CF075B04ZA	CF075B05ZA	CF075B06ZA	CF075B07ZA
101-150 (C)	CF075C00ZA	CF075C01ZA	CF075C02ZA	CF075C03ZA	CF075C04ZA	CF075C05ZA	CF075C06ZA	CF075C07ZA
151-200 (D)	CF075D00ZA	CF075D01ZA	CF075D02ZA	CF075D03ZA	CF075D04ZA	CF075D05ZA	CF075D06ZA	CF075D07ZA
201-250 (E)	CF075E00ZA	CF075E01ZA	CF075E02ZA	CF075E03ZA	CF075E04ZA	CF075E05ZA	CF075E06ZA	CF075E07ZA
251-300 (F)	CF075F00ZA	CF075F01ZA	CF075F02ZA	CF075F03ZA	CF075F04ZA	CF075F05ZA	CF075F06ZA	CF075F07ZA
301-350 (G)	CF075G00ZA	CF075G01ZA	CF075G02ZA	CF075G03ZA	CF075G04ZA	CF075G05ZA	CF075G06ZA	CF075G07ZA
351-400 (H)	CF075H00ZA	CF075H01ZA	CF075H02ZA	CF075H03ZA	CF075H04ZA	CF075H05ZA	CF075H06ZA	CF075H07ZA
401-500 (J)	CF075J00ZA	CF075J01ZA	CF075J02ZA	CF075J03ZA	CF075J04ZA	CF075J05ZA	CF075J06ZA	CF075J07ZA
501-600 (L)	CF075L00ZA	CF075L01ZA	CF075L02ZA	CF075L03ZA	CF075L04ZA	CF075L05ZA	CF075L06ZA	CF075L07ZA
601-700 (N)	CF075N00ZA	CF075N01ZA	CF075N02ZA	CF075N03ZA	CF075N04ZA	CF075N05ZA	CF075N06ZA	CF075N07ZA
701-800 (P)	CF075P00ZA	CF075P01ZA	CF075P02ZA	CF075P03ZA	CF075P04ZA	CF075P05ZA	CF075P06ZA	CF075P07ZA
801-900 (R)	CF075R00ZA	CF075R01ZA	CF075R02ZA	CF075R03ZA	CF075R04ZA	CF075R05ZA	CF075R06ZA	CF075R07ZA
901-1000 (T)	CF075T00ZA	CF075T01ZA	CF075T02ZA	CF075T03ZA	CF075T04ZA	CF075T05ZA	CF075T06ZA	CF075T07ZA
1001-1100 (V)	CF075V00ZA	CF075V01ZA	CF075V02ZA	CF075V03ZA	CF075V04ZA	CF075V05ZA	CF075V06ZA	CF075V07ZA
1101-1200 (X)	CF075X00ZA	CF075X01ZA	CF075X02ZA	CF075X03ZA	CF075X04ZA	CF075X05ZA	CF075X06ZA	CF075X07ZA

Flat sheets cannot be supplied as a "roll up" and will incur a palletisation charge. *NOTE: Squash = 2 bends

CUSTOM FLASHINGS & FLAT SHEET

GA 0.95 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF095B00GA	CF095B01GA	CF095B02GA	CF095B03GA	CF095B04GA	CF095B05GA	CF095B06GA	CF095B07GA
101-150 (C)	CF095C00GA	CF095C01GA	CF095C02GA	CF095C03GA	CF095C04GA	CF095C05GA	CF095C06GA	CF095C07GA
151-200 (D)	CF095D00GA	CF095D01GA	CF095D02GA	CF095D03GA	CF095D04GA	CF095D05GA	CF095D06GA	CF095D07GA
201-250 (E)	CF095E00GA	CF095E01GA	CF095E02GA	CF095E03GA	CF095E04GA	CF095E05GA	CF095E06GA	CF095E07GA
251-300 (F)	CF095F00GA	CF095F01GA	CF095F02GA	CF095F03GA	CF095F04GA	CF095F05GA	CF095F06GA	CF095F07GA
301-350 (G)	CF095G00GA	CF095G01GA	CF095G02GA	CF095G03GA	CF095G04GA	CF095G05GA	CF095G06GA	CF095G07GA
351-400 (H)	CF095H00GA	CF095H01GA	CF095H02GA	CF095H03GA	CF095H04GA	CF095H05GA	CF095H06GA	CF095H07GA
401-500 (J)	CF095J00GA	CF095J01GA	CF095J02GA	CF095J03GA	CF095J04GA	CF095J05GA	CF095J06GA	CF095J07GA
501-600 (L)	CF095L00GA	CF095L01GA	CF095L02GA	CF095L03GA	CF095L04GA	CF095L05GA	CF095L06GA	CF095L07GA
601-700 (N)	CF095N00GA	CF095N01GA	CF095N02GA	CF095N03GA	CF095N04GA	CF095N05GA	CF095N06GA	CF095N07GA
701-800 (P)	CF095P00GA	CF095P01GA	CF095P02GA	CF095P03GA	CF095P04GA	CF095P05GA	CF095P06GA	CF095P07GA
801-900 (R)	CF095R00GA	CF095R01GA	CF095R02GA	CF095R03GA	CF095R04GA	CF095R05GA	CF095R06GA	CF095R07GA
901-1000 (T)	CF095T00GA	CF095T01GA	CF095T02GA	CF095T03GA	CF095T04GA	CF095T05GA	CF095T06GA	CF095T07GA
1001-1100 (V)	CF095V00GA	CF095V01GA	CF095V02GA	CF095V03GA	CF095V04GA	CF095V05GA	CF095V06GA	CF095V07GA
1101-1200 (X)	CF095X00GA	CF095X01GA	CF095X02GA	CF095X03GA	CF095X04GA	CF095X05GA	CF095X06GA	CF095X07GA

ZA 0.95 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF095B00ZA	CF095B01ZA	CF095B02ZA	CF095B03ZA	CF095B04ZA	CF095B05ZA	CF095B06ZA	CF095B07ZA
101-150 (C)	CF095C00ZA	CF095C01ZA	CF095C02ZA	CF095C03ZA	CF095C04ZA	CF095C05ZA	CF095C06ZA	CF095C07ZA
151-200 (D)	CF095D00ZA	CF095D01ZA	CF095D02ZA	CF095D03ZA	CF095D04ZA	CF095D05ZA	CF095D06ZA	CF095D07ZA
201-250 (E)	CF095E00ZA	CF095E01ZA	CF095E02ZA	CF095E03ZA	CF095E04ZA	CF095E05ZA	CF095E06ZA	CF095E07ZA
251-300 (F)	CF095F00ZA	CF095F01ZA	CF095F02ZA	CF095F03ZA	CF095F04ZA	CF095F05ZA	CF095F06ZA	CF095F07ZA
301-350 (G)	CF095G00ZA	CF095G01ZA	CF095G02ZA	CF095G03ZA	CF095G04ZA	CF095G05ZA	CF095G06ZA	CF095G07ZA
351-400 (H)	CF095H00ZA	CF095H01ZA	CF095H02ZA	CF095H03ZA	CF095H04ZA	CF095H05ZA	CF095H06ZA	CF095H07ZA
401-500 (J)	CF095J00ZA	CF095J01ZA	CF095J02ZA	CF095J03ZA	CF095J04ZA	CF095J05ZA	CF095J06ZA	CF095J07ZA
501-600 (L)	CF095L00ZA	CF095L01ZA	CF095L02ZA	CF095L03ZA	CF095L04ZA	CF095L05ZA	CF095L06ZA	CF095L07ZA
601-700 (N)	CF095N00ZA	CF095N01ZA	CF095N02ZA	CF095N03ZA	CF095N04ZA	CF095N05ZA	CF095N06ZA	CF095N07ZA
701-800 (P)	CF095P00ZA	CF095P01ZA	CF095P02ZA	CF095P03ZA	CF095P04ZA	CF095P05ZA	CF095P06ZA	CF095P07ZA
801-900 (R)	CF095R00ZA	CF095R01ZA	CF095R02ZA	CF095R03ZA	CF095R04ZA	CF095R05ZA	CF095R06ZA	CF095R07ZA
901-1000 (T)	CF095T00ZA	CF095T01ZA	CF095T02ZA	CF095T03ZA	CF095T04ZA	CF095T05ZA	CF095T06ZA	CF095T07ZA
1001-1100 (V)	CF095V00ZA	CF095V01ZA	CF095V02ZA	CF095V03ZA	CF095V04ZA	CF095V05ZA	CF095V06ZA	CF095V07ZA
1101-1200 (X)	CF095X00ZA	CF095X01ZA	CF095X02ZA	CF095X03ZA	CF095X04ZA	CF095X05ZA	CF095X06ZA	CF095X07ZA

Flat sheets cannot be supplied as a "roll up" and will incur a palletisation charge. *NOTE: Squash = 2 bends

NOTE:

Stramit® Custom Flashings now sold/invoiced by Finish, Girth and number of bends.

Extra charge for Tapered Cutting per Length (CFTAPER).

Stramit® Custom Flashings available on 24hr lead time in Metro Area if ordered by 12.30pm.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

Minimum flashing length 600mm.

Maximum flashing length 8m.

**Subject to suitability of shape and delivery arrangements.
See Delivery Details, page 9.**

Order by Fax

**For best results, send your profile details by fax
(refer nos. on top of page).**

Ask for our Stramit Flashing Detail Pad (see page 3).

PREMIUM PRODUCTS • FLASHINGS

CB ULTRA 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00U---	CF055B01U---	CF055B02U---	CF055B03U---	CF055B04U---	CF055B05U---	CF055B06U---	CF055B07U---
101-150 (C)	CF055C00U---	CF055C01U---	CF055C02U---	CF055C03U---	CF055C04U---	CF055C05U---	CF055C06U---	CF055C07U---
151-200 (D)	CF055D00U---	CF055D01U---	CF055D02U---	CF055D03U---	CF055D04U---	CF055D05U---	CF055D06U---	CF055D07U---
201-250 (E)	CF055E00U---	CF055E01U---	CF055E02U---	CF055E03U---	CF055E04U---	CF055E05U---	CF055E06U---	CF055E07U---
251-300 (F)	CF055F00U---	CF055F01U---	CF055F02U---	CF055F03U---	CF055F04U---	CF055F05U---	CF055F06U---	CF055F07U---
301-350 (G)	CF055G00U---	CF055G01U---	CF055G02U---	CF055G03U---	CF055G04U---	CF055G05U---	CF055G06U---	CF055G07U---
351-400 (H)	CF055H00U---	CF055H01U---	CF055H02U---	CF055H03U---	CF055H04U---	CF055H05U---	CF055H06U---	CF055H07U---
401-500 (J)	CF055J00U---	CF055J01U---	CF055J02U---	CF055J03U---	CF055J04U---	CF055J05U---	CF055J06U---	CF055J07U---
501-600 (L)	CF055L00U---	CF055L01U---	CF055L02U---	CF055L03U---	CF055L04U---	CF055L05U---	CF055L06U---	CF055L07U---
601-700 (N)	CF055N00U---	CF055N01U---	CF055N02U---	CF055N03U---	CF055N04U---	CF055N05U---	CF055N06U---	CF055N07U---
701-800 (P)	CF055P00U---	CF055P01U---	CF055P02U---	CF055P03U---	CF055P04U---	CF055P05U---	CF055P06U---	CF055P07U---
801-900 (R)	CF055R00U---	CF055R01U---	CF055R02U---	CF055R03U---	CF055R04U---	CF055R05U---	CF055R06U---	CF055R07U---
901-1000 (T)	CF055T00U---	CF055T01U---	CF055T02U---	CF055T03U---	CF055T04U---	CF055T05U---	CF055T06U---	CF055T07U---
1001-1100 (V)	CF055V00U---	CF055V01U---	CF055V02U---	CF055V03U---	CF055V04U---	CF055V05U---	CF055V06U---	CF055V07U---
1101-1200 (X)	CF055X00U---	CF055X01U---	CF055X02U---	CF055X03U---	CF055X04U---	CF055X05U---	CF055X06U---	CF055X07U---

CB METALLIC 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00M---	CF055B01M---	CF055B02M---	CF055B03M---	CF055B04M---	CF055B05M---	CF055B06M---	CF055B07M---
101-150 (C)	CF055C00M---	CF055C01M---	CF055C02M---	CF055C03M---	CF055C04M---	CF055C05M---	CF055C06M---	CF055C07M---
151-200 (D)	CF055D00M---	CF055D01M---	CF055D02M---	CF055D03M---	CF055D04M---	CF055D05M---	CF055D06M---	CF055D07M---
201-250 (E)	CF055E00M---	CF055E01M---	CF055E02M---	CF055E03M---	CF055E04M---	CF055E05M---	CF055E06M---	CF055E07M---
251-300 (F)	CF055F00M---	CF055F01M---	CF055F02M---	CF055F03M---	CF055F04M---	CF055F05M---	CF055F06M---	CF055F07M---
301-350 (G)	CF055G00M---	CF055G01M---	CF055G02M---	CF055G03M---	CF055G04M---	CF055G05M---	CF055G06M---	CF055G07M---
351-400 (H)	CF055H00M---	CF055H01M---	CF055H02M---	CF055H03M---	CF055H04M---	CF055H05M---	CF055H06M---	CF055H07M---
401-500 (J)	CF055J00M---	CF055J01M---	CF055J02M---	CF055J03M---	CF055J04M---	CF055J05M---	CF055J06M---	CF055J07M---
501-600 (L)	CF055L00M---	CF055L01M---	CF055L02M---	CF055L03M---	CF055L04M---	CF055L05M---	CF055L06M---	CF055L07M---
601-700 (N)	CF055N00M---	CF055N01M---	CF055N02M---	CF055N03M---	CF055N04M---	CF055N05M---	CF055N06M---	CF055N07M---
701-800 (P)	CF055P00M---	CF055P01M---	CF055P02M---	CF055P03M---	CF055P04M---	CF055P05M---	CF055P06M---	CF055P07M---
801-900 (R)	CF055R00M---	CF055R01M---	CF055R02M---	CF055R03M---	CF055R04M---	CF055R05M---	CF055R06M---	CF055R07M---
901-1000 (T)	CF055T00M---	CF055T01M---	CF055T02M---	CF055T03M---	CF055T04M---	CF055T05M---	CF055T06M---	CF055T07M---
1001-1100 (V)	CF055V00M---	CF055V01M---	CF055V02M---	CF055V03M---	CF055V04M---	CF055V05M---	CF055V06M---	CF055V07M---
1101-1200 (X)	CF055X00M---	CF055X01M---	CF055X02M---	CF055X03M---	CF055X04M---	CF055X05M---	CF055X06M---	CF055X07M---

Minimum length 0.600mm.
 Maximum length 8.0 metres.
 Both subject to suitability of profile.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

PREMIUM PRODUCTS • FLASHINGS

CB MATT 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00T---	CF055B01T---	CF055B02T---	CF055B03T---	CF055B04T---	CF055B05T---	CF055B06T---	CF055B07T---
101-150 (C)	CF055C00T---	CF055C01T---	CF055C02T---	CF055C03T---	CF055C04T---	CF055C05T---	CF055C06T---	CF055C07T---
151-200 (D)	CF055D00T---	CF055D01T---	CF055D02T---	CF055D03T---	CF055D04T---	CF055D05T---	CF055D06T---	CF055D07T---
201-250 (E)	CF055E00T---	CF055E01T---	CF055E02T---	CF055E03T---	CF055E04T---	CF055E05T---	CF055E06T---	CF055E07T---
251-300 (F)	CF055F00T---	CF055F01T---	CF055F02T---	CF055F03T---	CF055F04T---	CF055F05T---	CF055F06T---	CF055F07T---
301-350 (G)	CF055G00T---	CF055G01T---	CF055G02T---	CF055G03T---	CF055G04T---	CF055G05T---	CF055G06T---	CF055G07T---
351-400 (H)	CF055H00T---	CF055H01T---	CF055H02T---	CF055H03T---	CF055H04T---	CF055H05T---	CF055H06T---	CF055H07T---
401-500 (J)	CF055J00T---	CF055J01T---	CF055J02T---	CF055J03T---	CF055J04T---	CF055J05T---	CF055J06T---	CF055J07T---
501-600 (L)	CF055L00T---	CF055L01T---	CF055L02T---	CF055L03T---	CF055L04T---	CF055L05T---	CF055L06T---	CF055L07T---
601-700 (N)	CF055N00T---	CF055N01T---	CF055N02T---	CF055N03T---	CF055N04T---	CF055N05T---	CF055N06T---	CF055N07T---
701-800 (P)	CF055P00T---	CF055P01T---	CF055P02T---	CF055P03T---	CF055P04T---	CF055P05T---	CF055P06T---	CF055P07T---
801-900 (R)	CF055R00T---	CF055R01T---	CF055R02T---	CF055R03T---	CF055R04T---	CF055R05T---	CF055R06T---	CF055R07T---
901-1000 (T)	CF055T00T---	CF055T01T---	CF055T02T---	CF055T03T---	CF055T04T---	CF055T05T---	CF055T06T---	CF055T07T---
1001-1100 (V)	CF055V00T---	CF055V01T---	CF055V02T---	CF055V03T---	CF055V04T---	CF055V05T---	CF055V06T---	CF055V07T---
1101-1200 (X)	CF055X00T---	CF055X01T---	CF055X02T---	CF055X03T---	CF055X04T---	CF055X05T---	CF055X06T---	CF055X07T---

CB MAGNAFLOW 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00ZM8---	CF055B01ZM8---	CF055B02ZM8---	CF055B03ZM8---	CF055B04ZM8---	CF055B05ZM8---	CF055B06ZM8---	CF055B07ZM8---
101-150 (C)	CF055C00ZM8---	CF055C01ZM8---	CF055C02ZM8---	CF055C03ZM8---	CF055C04ZM8---	CF055C05ZM8---	CF055C06ZM8---	CF055C07ZM8---
151-200 (D)	CF055D00ZM8---	CF055D01ZM8---	CF055D02ZM8---	CF055D03ZM8---	CF055D04ZM8---	CF055D05ZM8---	CF055D06ZM8---	CF055D07ZM8---
201-250 (E)	CF055E00ZM8---	CF055E01ZM8---	CF055E02ZM8---	CF055E03ZM8---	CF055E04ZM8---	CF055E05ZM8---	CF055E06ZM8---	CF055E07ZM8---
251-300 (F)	CF055F00ZM8---	CF055F01ZM8---	CF055F02ZM8---	CF055F03ZM8---	CF055F04ZM8---	CF055F05ZM8---	CF055F06ZM8---	CF055F07ZM8---
301-350 (G)	CF055G00ZM8---	CF055G01ZM8---	CF055G02ZM8---	CF055G03ZM8---	CF055G04ZM8---	CF055G05ZM8---	CF055G06ZM8---	CF055G07ZM8---
351-400 (H)	CF055H00ZM8---	CF055H01ZM8---	CF055H02ZM8---	CF055H03ZM8---	CF055H04ZM8---	CF055H05ZM8---	CF055H06ZM8---	CF055H07ZM8---
401-500 (J)	CF055J00ZM8---	CF055J01ZM8---	CF055J02ZM8---	CF055J03ZM8---	CF055J04ZM8---	CF055J05ZM8---	CF055J06ZM8---	CF055J07ZM8---
501-600 (L)	CF055L00ZM8---	CF055L01ZM8---	CF055L02ZM8---	CF055L03ZM8---	CF055L04ZM8---	CF055L05ZM8---	CF055L06ZM8---	CF055L07ZM8---
601-700 (N)	CF055N00ZM8---	CF055N01ZM8---	CF055N02ZM8---	CF055N03ZM8---	CF055N04ZM8---	CF055N05ZM8---	CF055N06ZM8---	CF055N07ZM8---
701-800 (P)	CF055P00ZM8---	CF055P01ZM8---	CF055P02ZM8---	CF055P03ZM8---	CF055P04ZM8---	CF055P05ZM8---	CF055P06ZM8---	CF055P07ZM8---
801-900 (R)	CF055R00ZM8---	CF055R01ZM8---	CF055R02ZM8---	CF055R03ZM8---	CF055R04ZM8---	CF055R05ZM8---	CF055R06ZM8---	CF055R07ZM8---
901-1000 (T)	CF055T00ZM8---	CF055T01ZM8---	CF055T02ZM8---	CF055T03ZM8---	CF055T04ZM8---	CF055T05ZM8---	CF055T06ZM8---	CF055T07ZM8---
1001-1100 (V)	CF055V00ZM8---	CF055V01ZM8---	CF055V02ZM8---	CF055V03ZM8---	CF055V04ZM8---	CF055V05ZM8---	CF055V06ZM8---	CF055V07ZM8---
1101-1200 (X)	CF055X00ZM8---	CF055X01ZM8---	CF055X02ZM8---	CF055X03ZM8---	CF055X04ZM8---	CF055X05ZM8---	CF055X06ZM8---	CF055X07ZM8---

Minimum length 0.600mm.
Maximum length 8.0 metres.
Both subject to suitability of profile.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

PREMIUM PRODUCTS • FLASHINGS

CB COOLMAX 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00KWHN	CF055B01KWHN	CF055B02KWHN	CF055B03KWHN	CF055B04KWHN	CF055B05KWHN	CF055B06KWHN	CF055B07KWHN
101-150 (C)	CF055C00KWHN	CF055C01KWHN	CF055C02KWHN	CF055C03KWHN	CF055C04KWHN	CF055C05KWHN	CF055C06KWHN	CF055C07KWHN
151-200 (D)	CF055D00KWHN	CF055D01KWHN	CF055D02KWHN	CF055D03KWHN	CF055D04KWHN	CF055D05KWHN	CF055D06KWHN	CF055D07KWHN
201-250 (E)	CF055E00KWHN	CF055E01KWHN	CF055E02KWHN	CF055E03KWHN	CF055E04KWHN	CF055E05KWHN	CF055E06KWHN	CF055E07KWHN
251-300 (F)	CF055F00KWHN	CF055F01KWHN	CF055F02KWHN	CF055F03KWHN	CF055F04KWHN	CF055F05KWHN	CF055F06KWHN	CF055F07KWHN
301-350 (G)	CF055G00KWHN	CF055G01KWHN	CF055G02KWHN	CF055G03KWHN	CF055G04KWHN	CF055G05KWHN	CF055G06KWHN	CF055G07KWHN
351-400 (H)	CF055H00KWHN	CF055H01KWHN	CF055H02KWHN	CF055H03KWHN	CF055H04KWHN	CF055H05KWHN	CF055H06KWHN	CF055H07KWHN
401-500 (J)	CF055J00KWHN	CF055J01KWHN	CF055J02KWHN	CF055J03KWHN	CF055J04KWHN	CF055J05KWHN	CF055J06KWHN	CF055J07KWHN
501-600 (L)	CF055L00KWHN	CF055L01KWHN	CF055L02KWHN	CF055L03KWHN	CF055L04KWHN	CF055L05KWHN	CF055L06KWHN	CF055L07KWHN
601-700 (N)	CF055N00KWHN	CF055N01KWHN	CF055N02KWHN	CF055N03KWHN	CF055N04KWHN	CF055N05KWHN	CF055N06KWHN	CF055N07KWHN
701-800 (P)	CF055P00KWHN	CF055P01KWHN	CF055P02KWHN	CF055P03KWHN	CF055P04KWHN	CF055P05KWHN	CF055P06KWHN	CF055P07KWHN
801-900 (R)	CF055R00KWHN	CF055R01KWHN	CF055R02KWHN	CF055R03KWHN	CF055R04KWHN	CF055R05KWHN	CF055R06KWHN	CF055R07KWHN
901-1000 (T)	CF055T00KWHN	CF055T01KWHN	CF055T02KWHN	CF055T03KWHN	CF055T04KWHN	CF055T05KWHN	CF055T06KWHN	CF055T07KWHN
1001-1100 (V)	CF055V00KWHN	CF055V01KWHN	CF055V02KWHN	CF055V03KWHN	CF055V04KWHN	CF055V05KWHN	CF055V06KWHN	CF055V07KWHN
1101-1200 (X)	CF055X00KWHN	CF055X01KWHN	CF055X02KWHN	CF055X03KWHN	CF055X04KWHN	CF055X05KWHN	CF055X06KWHN	CF055X07KWHN

COLOUR AVAILABILITY


ULTRA		METALLIC		COOLMAX		MATT		MAGNAFLOW	
DUN	DUNE®	ARI	ARIES®	WHN	WHITEHAVEN	BAS	BASALT	AGY	ARMOUR GREY
MON	MONUMENT®	AST	ASTRO®			DUN	DUNE	BCH	BIRCH
SUR	SURFMIST®	CEL	CELESTIAN®			MON	MONUMENT	MLH	MONOLITH
WLB®	WALLABY®	COS	COSMIC®			SHG	SHALE GREY	OWH	OFF WHITE
WSP	WINDSPRAY®	GLT	GALACTIC®			SUR	SURFMIST	SLG	SLATE GREY
WDG	WOODLAND GREY®	RHE	RHEA®						

Minimum length 0.600mm.
Maximum length 8.0 metres.
Both subject to suitability of profile.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

RAINWATER CAPS • CRIMPED BENDS • RAINHEADS • SUMPS

Product	Size	Code	Finish	Unit
Rainwater Crimped Bends/Rainheads/Sumps				

Crimp Bends
45°


100mm	CBG10045GA	GA	each
125mm	CBG12545GA	GA	each
150mm	CBG15045GA	GA	each
200mm	CBG20045GA	GA	each

90°


100mm	CBG10090GA	GA	each
125mm	CBG12590GA	GA	each
150mm	CBG15090GA	GA	each
200mm	CBG20090GA	GA	each

Allow up to 5 working days
Rainheads

(A x B x C)

RWHSPEC


GA/ZA/COL each


Sumps

(A x B x C)

SUMPSPEC


GA/ZA/COL each

Allow extra lead time for country and interstate.



STEEL GAS FLUE COMPONENTS

Product Gutter/Accessories	Details	Code	Finish	Unit
Gas Flue Pipe 	75mm x .55mm BMT x 0.9m	GFP7555GA0900	GA	each
		GFP7555GA1800	GA	each
		GFP7555GA2400	GA	each
	100mm x .55mm BMT x 0.9m	GFP10055GA0900	GA	each
		GFP10055GA1800	GA	each
		GFP10055GA2400	GA	each
	125mm x .55mm BMT x 0.9m	GFP12555GA0900	GA	each
		GFP12555GA1800	GA	each
		GFP12555GA2400	GA	each
	150mm x .75mm BMT x 0.9m	GFP15075GA0900	GA	each
		GFP15075GA1800	GA	each
		GFP15075GA2400	GA	each
	200mm x .75mm BMT x 0.9m	GFP20075GA0900	GA	each
		GFP20075GA1800	GA	each
		GFP20075GA2400	GA	each

7 day lead time

Product Gutter/Accessories	Details	Code	Finish	Unit
Bolted Sleeve 	75mm	BS75GA	GA	each
	100mm	BS100GA	GA	each
	125mm	BS125GA	GA	each
	150mm	BS150GA	GA	each

ROOF VENTILATION

Product Roof Ventilation	Details	Code	Finish	Unit
Ventilated Ridge Factory Type (Tapered) 	Standard 150mm Throat - stock lengths			
	1.8 lin metre	PURSPECVR	ZA	each
	2.4 lin metre	PURSPECVR	ZA	each
	3.5 lin metre	PURSPECVR	ZA	each
	150mm Throat Standard	PURSPECVR	ZA/CB	lin metre
	225mm Throat	PURSPECVR	ZA/CB	lin metre
	300mm Throat	PURSPECVR	ZA/CB	lin metre
	380mm Throat	PURSPECVR	ZA/CB	lin metre
	Stop Ends 150mm	PURSPECVR	ZA/CB	each
	225mm	PURSPECVR	ZA/CB	each
	All other sizes loose	PURSPECVR	ZA/CB	each

*Refer to Sales for Vent Ridge packing charge – this will vary with length and quantity.

Ventilated Ridge over 300mm throat subject to additional delivery charges – POA
Maximum Length 4.5 metres.

Type of roof and pitch must be specified.


C & Z PURLINS

Product C & Z Purlins	Details	Code	m/tonne	Unit
-----------------------	---------	------	---------	------

Stramit® Purlins and Girts
(all purlins below available in C & Z profile)

C10010U	565.83	lin metre
C10012U	475.09	lin metre
C10015U	382.97	lin metre
C10019U	304.30	lin metre
C15012U	346.25	lin metre
C15015U	279.11	lin metre
C15019U	221.77	lin metre
C15024U	176.46	lin metre
C20015U	222.54	lin metre
C20019U	174.46	lin metre
C20024U	138.82	lin metre
C25019U	153.94	lin metre
C25024U	122.49	lin metre

**WHEN ORDERING
USE STRAMIT DETAIL PAD. SEE P.9**



300/400 Series	Code	m/tonne	Unit
	C30024U	99.15	lin metre
	C30030U	79.63	lin metre
	C35024U	81.98	lin metre
	C35030U	65.84	lin metre
	C40024U	81.98	lin metre
	C40030U	65.84	lin metre

Minimum length 1.7 metre
C&Z300, 350 and 400 rolled on Friday only
Cut back fee for lengths under 1.7m CUTBACKLTH
Downturn Lip setup charge
Coating note: Coating supplied is Z350 galvanised.
Other gauges and coatings of Z450 and Z600 are available under special order – POA.
Please check availability at time of order.
Downturn Lip
Note: Downturn Lip available in standard C & Z 100 to 400 purlins – see above
Lapped Downturn Lip Z (except for C&Z100) also available on jobs – POA


Purlin Dimension		C Sections				Z Sections						
Section	Web Depth mm	Flange Width mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m	Section	Web Depth mm	Broad Flange mm	Narrow Flange mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
C10010	102	51	12.5	1.0	1.77	Z10010	102	53	49	12.5	1.0	1.77
C10012	102	51	13.0	1.2	2.10	Z10012	102	53	49	13.0	1.2	2.10
C10015	102	51	14.0	1.5	2.61	Z10015	102	53	49	14.0	1.5	2.61
C10019	102	51	15.0	1.9	3.29	Z10019	102	53	49	15.0	1.9	3.29
C15010	152	64	14.5	1.0	2.42	Z15010	152	65	61	14.5	1.0	2.42
C15012	152	64	15.0	1.2	2.89	Z15012	152	65	61	15.0	1.2	2.89
C15015	152	64	16.0	1.5	3.58	Z15015	152	65	61	16.0	1.5	3.58
C15019	152	64	17.0	1.9	4.51	Z15019	152	65	61	17.0	1.9	4.51
C15024	152	64	18.5	2.4	5.67	Z15024	152	65	61	18.5	2.4	5.67
C20015	203	76	16.0	1.5	4.49	Z20015	203	79	74	16.0	1.5	4.49
C20019	203	76	19.5	1.9	5.73	Z20019	203	79	74	19.5	1.9	5.73
C20024	203	76	21.0	2.4	7.20	Z20024	203	79	74	21.0	2.4	7.20
C25019	254	76	19.0	1.9	6.50	Z25019	254	79	74	19.0	1.9	6.50
C25024	254	76	20.5	2.4	8.16	Z25024	254	79	74	20.5	2.4	8.16
C30024	300	96	28.0	2.4	10.18	Z30024	300	100	93	28.0	2.4	10.18
C30030	300	96	31.5	3.0	12.68	Z30030	300	100	93	31.5	3.0	12.68
C35024	350	125	29.5	2.4	12.26	Z35024	350	129	122	29.5	2.4	12.26
C35030	350	125	30.0	3.0	15.19	Z35030	350	129	121	30.0	3.0	15.19
C40024	400	96	35.0	2.4	12.26	Z40024	400	100	93	35.0	2.4	12.26
C40030	400	96	33.5	3.0	15.19	Z40030	400	100	93	33.5	3.0	15.19

Refer Bridging 1, Bridging 2 & Purlin Girts Detailing Sheets on Pages 4,5 & 6.

C & Z PURLINS - EXACTA RANGE


Product C & Z Purlins	Details	Code	Unit
-----------------------	---------	------	------

Stramit® Exacta Purlins



'Z' Profile Range	Code	Details	Unit
	Z15012EXP	* substitute "P" with "U" in code for unpunched purlins	lin metre
	Z15015EXP		lin metre
	Z15019EXP		lin metre
	Z15024EXP		lin metre
	Z20012EXP		lin metre
	Z20015EXP		lin metre
	Z20019EXP		lin metre
	Z20024EXP		lin metre
	Z25015EXP		lin metre
	Z25019EXP		lin metre
	Z25024EXP		lin metre
	Z30024EXP		lin metre
	Z30030EXP		lin metre
	Z35024EXP		lin metre
	Z35030EXP		lin metre

Stramit Exacta-Z® purlins are dimensionally optimised for the most commonly used spans, with big improvements in capacity. The associated moment capacity tables have been developed strictly using the Stramit interlocking bridging system.



'C' Profile Range	Code	Details	Unit
	C15012EXP	* substitute "P" with "U" in code for unpunched purlins	lin metre
	C15015EXP		lin metre
	C15019EXP		lin metre
	C15024EXP		lin metre
	C20012EXP		lin metre
	C20015EXP		lin metre
	C20019EXP		lin metre
	C20024EXP		lin metre
	C25015EXP		lin metre
	C25019EXP		lin metre
	C25024EXP		lin metre
	C30024EXP		lin metre
	C30030EXP		lin metre
	C35024EXP		lin metre
	C35030EXP		lin metre

Coatings note: Coating supplied is z350 galvanised

Lengths under 1.7LM incur a cutback charge

CUTBACKLTH

each

Downturn Lip Setup Charge

Stramit Exacta-C® purlins are dimensionally optimised for the most commonly used spans, with big improvements in capacity. The associated moment capacity tables have been developed strictly using the Stramit interlocking bridging system.

STRAMIT EXACTA® C-PURLINS AND GIRTS – Size range

Section	Web (mm)	Flange (mm)	Thickness (mm)
EC150-10	150	58	1.0
EC150-12	150	58	1.2
EC150-15	150	58	1.5
EC150-19	150	58	1.9
EC150-24	150	58	2.4
EC200-12	200	72	1.2
EC200-15	200	72	1.5
EC200-19	200	72	1.9
EC200-24	200	72	2.4
EC250-15	250	73	1.5
EC250-19	250	73	1.9
EC250-24	250	73	2.4
EC300-24	300	93	2.4
EC300-30	300	93	3.0

STRAMIT EXACTA® Z-PURLINS AND GIRTS – Size range

Section	Web (mm)	Flange (mm)	Flange (mm)	Thickness (mm)
EZ150-10	150	57	61	1.0
EZ150-12	150	57	61	1.2
EZ150-15	150	57	61	1.5
EZ150-19	150	57	61	1.9
EZ150-24	150	57	61	2.4
EZ200-12	200	69	74	1.2
EZ200-15	200	69	74	1.5
EZ200-19	200	69	74	1.9
EZ200-24	200	69	74	2.4
EZ250-15	250	71	76	1.5
EZ250-19	250	71	76	1.9
EZ250-24	250	71	76	2.4
EZ300-24	300	91	98	2.4
EZ300-30	300	91	98	3.0

Purlins Ordering Available to order on approximately 3-5 days lead time subject to delivery days. No extra charge for hole punching.

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

ZAM HIGH DURABILITY PURLINS

Product C & Z Purlins	Details	Code	m/tonne	Unit		
Zam High Durability Purlins						
	Standard	C10015PIZM	* substitute "P"	382.97	lin metre	
	ZAM	C10019PIZM	with "U" in	304.30	lin metre	
		C15015PIZM	code for	280.73	lin metre	
		C15019PIZM	unpunched	222.80	lin metre	
		C15024PIZM	purlins	177.11	lin metre	
		C20015PIZM		222.54	lin metre	
		C20019PIZM		175.27	lin metre	
		C20024PIZM		139.32	lin metre	
		C25019PIZM		154.65	lin metre	
		C25024PIZM		122.93	lin metre	
	ZAM RANGE	300/400 Series	C30024PIZM		99.52	lin metre
	PRODUCT C+Z PURLINS	ZAM	C30030PIZM		79.86	lin metre
			C35024PIZM		81.98	lin metre
			C35030PIZM		65.84	lin metre
		C40024PIZM		81.98	lin metre	

Minimum length 1.7 metre

Also available in Z prof

Cut back fee for lengths under 1.7m

CUTBACKLTH

Downturn Lip setup charge

Please check stock availability and lead times.

ZAM Durability Statement

(Date of issue 15 June 2004)

This statement is issued to Stramit® Building Products Pty Ltd by Nisshin Steel Co., Ltd on 15 June 2004 and states the expected durability of Nisshin Steel Co., Ltd corrosion resistant hot dip coated steel sheeting product ZAM™.

Performance

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.

*Based on results from a comparison test of ZAM coating 380gsm (grams per square metre, nominal coating weight for both sides) with standard galvanised steel Z350gsm.

Specification

Coating: coated both sides

Coating weight: nominal coating of 290gsm for both surfaces combined

Steel Grade Range: K590, K540 (Equivalent to steel grades G550, G500 and G450 as per AS1397-2001 in yield point)

- K590: 0.40mm to 1.00mm being minimum yeild point of 550 MPa
- K540: 1.01mm to 1.49mm being minimum yield point of 500 MPa
1.50mm to 5.00mm being minimum yield point of 450 MPa

Typical Application

The superior corrosion resistance of ZAM coating means that it can replace hot dip galvanised steel.

Applications are whenever severe and corrosive environments exist: intensive farming, agricultural applications, concrete contact and coastal applications.

ZAM, the highly corrosion-resistant hot dip coated steel sheet, is

- A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3%
- The designation "ZAM" comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.

Purlins Ordering Available to order on approximately 3-5 days lead time subject to delivery days. No extra charge for hole punching. Notching and mitre cut charges do apply – POA. Allow 2 extra days.

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

CUSTOM SECTIONS

Stramit® Custom Sections

GENERAL

At the forefront of technology, Stramit has designed the latest in computer technology roll forming equipment. This technology allows quick and easy profile changes to be made within the production cycle. This allows the production of special purlins or other shapes designed specifically for individual projects giving the best balance in performance and economy.

SIZE RANGE

Sections can be produced within the following parameters:

Web size	100mm	–	400mm
Flange size	30mm	–	130mm
Lip size	9mm	–	35mm *
Thickness	1.0mm	–	3.0mm
Material type	G300	–	G550 #

*Zero lip (i.e. plain channels) also available.

May vary dependent upon material thickness.

MODIFIED PURLINS

Modified purlins, Z, C or plain channel, use existing strip widths. This advantage of modifying sections within the bounds of existing strip materials allows improvements in performance – either strength or deflection – with ready access to available materials.

Lead times are, particularly if standard flange sizes are used, no more than for normal purlin orders.

CUSTOM SHAPES

Designed for specific purposes, these sections may be used for a variety of applications but usually require a specific strip size, which requires extended lead times for ordering and are subject to a minimum order quantity criteria.

TOOLING

Contact your local Stramit office for cost estimates for tooling of special flange sizes and any special holes.


HOLES

The facility to provide special holes at almost any location is also available.

LOAD TABLES

Section properties and load tables for modified or custom profiles may be possible for larger projects by means of the latest in computer programs written for this purpose.

SIZES AVAILABLE



DOWNTURN LIP – Standard & Lapped Z
These features are available on purlin projects – POA



New high-tech coating for severe environments

Stramit Building Products now offers the next generation of steel purlin and Condeck HP products manufactured from ZAM® coated steel.

ZAM® is a technologically advanced coated steel that allows new installation possibilities in corrosive environments. By replacing the need for post-galvanising, ZAM® products also lower material costs and reduce project lead times.

ZAM® coated steel offers better corrosion protection than conventional galvanised steel (around three times the design life) at a lower cost than products with comparable performance.

ZAM® products perform well in salt or marine atmospheres and are superior to galvanised steel in acid rain, sulphur dioxide or ammonia conditions. They also perform well in alkaline environments. They are appropriate for use near marine environments, in enclosed swimming pool complexes, in poultry, cattle and pig shed environments, as well as in high industrial environments.

The superior scratch resistance of ZAM® products helps corrosion resistance in applications subject to repeated wear. ZAM® coated steel is also concrete compatible, making it an ideal material for steel formwork decking products.

ZAM® is offered by Stramit Building Products with a 20 year warranty, subject to standard terms and conditions. Call Stramit Building Products for more information.

Custom Sections Subject to special enquiry – POA. They are cut to length, custom punched from galvanised material. Alternative materials are available upon request.

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

BRIDGING GENERAL

Stramit® Bridging GENERAL INFORMATION

To enhance performance in longer spans, bridging is generally used. Where wind uplift loading is dominant, greater economy can generally be achieved by using additional bridging in the end spans. The performance of purlins is improved considerably when the roof or wall cladding is attached, so bridging is normally required to ensure easy installation of cladding. Generally, bridging spacing should not exceed 20 times the section's depth, (eg. over 3000mm for a 150mm deep section).

CONVENTIONAL BRIDGING/STRUTS

Conventional bridging usually consists of a suitable channel section fitted with end plates which is bolted between parallel purlins.

INSTALLATION OF STRAMIT BRIDGING

Stramit® Bridging can be installed up or down the roof slope. The system includes adjustable ridge and fascia bridging and boltless intermediate members.

For convenience, start by installing the fascia bridging by bolting to the fascia purlin. Pass the locator end of the bridging through the purlin bridging holes, swing the bridge around to be perpendicular to the web of the purlin and lock any preceding bridge in place.

Proceed up the slope to the ridge and install the ridge bridging. The adjustable ridge bridge (turnbuckle) allows the purlins to be pulled straight and the adjustment mechanism in the fascia bridging can adjust the fascia purlin for straightness and twist.

Please contact your local Stramit office for details of component assemblies suitable for other installation procedures.


HOLING

Stramit® Purlins and Girts have standard 18mm x 22mm holes punched to details supplied. Refer to punching schedule below.

Stramit® Purlin/Girt	'A' mm
C100	40 (A)
C150	60 (A) or 70 (VIC)
C200	110 (A)
C250	110 (VIC) or 160 (A)
C300	210 (A)
C350	260 (A)


'A' = A.I.S.C. > Hole Spacing

- NOTE: 1. Non standard hole centres are available.
 2. Holes can be punched anywhere on purlin. (including Flange)
 3. Slot 16 x 32mm for diagonal bracing.
 4. Round Ø holes available, contact your local Stramit office for details.



SAMPLE LAYOUT

Mark No.		Overall length	No. Required	Hole Centres (d)							Total Metres
As Drawn	PI	6000	1	40	60	70	110	160	210	260	6
Opp. Hand	PA	6000	1	40	60	70	110	160	210	260	6



Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

BRIDGING • ACCESSORIES

Product Bridging/Accessories	Details	Code	Unit
------------------------------	---------	------	------

WHEN ORDERING USE STRAMIT DETAIL PAD. SEE P.6 & 7

BRIDGING HOLE CENTRES

Bracket Size	Hole Centres	Bracket Size	Hole Centres
--100	40	--200	110
--150	60	--250V	110
--150V	70	--250	160


HEAVY DUTY BRIDGING

Bracket Size	Hole Centres	Bracket Size	Hole Centres
--300	210	--350	260


Stramit® Bridging

Intermediate


Fixed Bridging Assemblies




Locator/Lock Part #001 **BI---** lin metre




Lock/Lock Part #002 **BI---** lin metre



Locator/Bolted Part #003 **BI---** lin metre




Lock/Bolted Part #004 **BI---** lin metre



Bolted/Bolted Part #005 **BI---** lin metre

Heavy Duty Bridging

300 Series **BHD300** lin metre
 350 Series **BHD350** lin metre



Bridging Codes Start with 'B' and use the part No. and the purlin size. For bridging to suit C/Z 150 add a 'V' for Victorian 70 H/Cs. Maximum bridging length 3.0 metres.

Threaded Rod



Sag Rod – Cut to Length
fully threaded, 1LM or 3LM **BSR16ZP** Zinc plated 16mm lin metre



Stock Sag Rods
Fully threaded
(lengths 300-1900 in 50mm increments)
Allow 10 days lead time for non stock sizes and refer Stramit office for prices. **BSR12ZP----** Zinc plated 12mm lin metre



Starter Clip Part #006 **BSC100** each
 BSC150 each
 BVSC150 each
 BSC200 each
 BSC250 each

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

BRIDGING • ACCESSORIES



Product Bridging/Accessories	Details	Code	Unit
------------------------------	---------	------	------

Stramit® Bridging
 Ridge/Intermediate
 Bolted Bridging Assemblies

**WHEN ORDERING
 USE STRAMIT DETAIL PAD.**



Adjustable

Fixed





Locator/Lock Part #007 **BR---** (Adjustable) lin metre

Part #008 **BIS---** (Fixed) lin metre





Lock/Lock Part #009 **BR---** (Adjustable) lin metre

Part #010 **BIS ---** (Fixed) lin metre





Locator/Locator Part #011 **BR---** (Adjustable) lin metre

Part #012 **BIS ---** (Fixed) lin metre





Locator/Bolted Part #013 **BR---** (Adjustable) lin metre

Part #014 **BIS ---** (Fixed) lin metre



Lock/Bolted Part #015 **BR---** (Adjustable) lin metre


Part #016 **BIS ---** (Fixed) lin metre




Bolted/Bolted Part #017 **BR---** (Adjustable) lin metre

Part #018 **BIS ---** (Fixed) lin metre


Fascia Bridging Assemblies




Locator Part #019 **BF---** lin metre




Lock Part #020 **BF---** lin metre



Locator/Lock Part #021 **BF---** lin metre



Lock/Lock Part #022 **BF---** lin metre



Bolted Part #023 **BF---** lin metre

Refer Bridging 1, Bridging 2 & Purlin Girths Detailing Sheets on Pages 4,5 & 6.

BRIDGING • ACCESSORIES

Product Bridging/Accessories	Details	Code	Unit
Stramit® Bridging Girt Stool/Foot Assemblies <div style="text-align: center; background-color: black; color: white; padding: 5px; margin: 10px 0;"> WHEN ORDERING USE STRAMIT DETAIL PAD. </div>			
	Locator Part #024	BGF---	each
	Lock Part #025	BGF---	each
	Strut & Rod Part #026	BGF---	each
Girt Hanger Assemblies Turnbuckle/Tie Rod			
	Locator Part #027	BGHTB--- (Adjustable)	each
	Part #028	BGHTR--- (Fixed)	each
	Lock Part #029	BGHTB--- (Adjustable)	each
	Part #030	BGHTR--- (Fixed)	each
	Strut & Rod – bolted Part #031	BGHTB--- (Adjustable)	each
	Part #032	BGHTR--- (Fixed)	each

FASCIA PURLINS












Fascia Purlins



Fascia Purlin 23019 Flute Pnch	FP23019FP	lin metre
Fascia Purlin 23019 Flute Unpnc	FP23019FU	lin metre

Allow extra lead time 3-4 weeks.
punched or unpunched.
State roof pitch angle when ordering

PURLINS & GIRTS – GENERAL ACCESSORIES

Product	Product Details	Code	Unit
Purlins & Girts – Accessories Accessories              	Tie Rod Angle	BTRA	each
	Bridging Ends Locator	BLR100 BLR150 BVLR150 BLR200 BLR250	each each each each each
	Bridging Ends Lock	BLK100 BLK150 BVLK150 BLK200 BLK250	each each each each each
	Bridging Ends Bolted	BB0100 BB0150 BVB0150 BB0200 BB0250 BBOHD300	each each each each each each
	Bridging Channel	BC69GA	lin metre
	Slotted Channel 2 Hole	BSC2HO	each
	3 Hole	BSC3HO	each
	5 Hole	BSC5HO	each
	General Purpose Bracket	BGPB100GA BGPB150GA BGPB200GA BGPB250GA	each each each each each
	Angle Connectors	BAC100 BAC150 BAC200 BAC250 BAC300	each each each each each
	Clamp Plate	BCP100GA BCP150GA BCP200GA BCP250GA	each each each each
	Raking Girt Bracket	BRGB100	each
	Adaptor Bracket (Right hand shown)	BAB150100L/RGA BAB200100L/RGA BAB200150L/RGA BAB250100L/RGA BAB250200L/RGA	each each each each each each
	Purlin & Fascia Bolts		
	M12 x 30 (GR4.6) Flanged	PB1230ZP	each
	M12 x 30 Fascia Bolts	PBF1230GA	each

Refer Bridging 1, Bridging 2 & Purlin Girts Detailing Sheets on Pages 4,5 & 6.

FORMWORK

Product Formwork	Product Details	Code	BMT	Unit
Stramit Condeck HP® 	Hi Tensile steel G550	CONHP75LG	0.75	per m ²
	300mm effective cover	CONHP90LG	0.90	per m ²
	Low Glare	CONHP100LG	1.00	per m ²
	10 x 16 Hex Tekes (no neoprene washers)	S1016HTNN4		per 1000
For lap fixing refer to Stramit Condeck HP® composite decking brochures				
Stramit Condeck HP® ZAM	Hi Tensile steel G550	CONHP75IZM	0.75	per m ²
	300mm effective cover	CONHP90IZM	0.90	per m ²
		CONHP100IZM	1.00	per m ²


ZAM COATED CONDECK HP

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.

*Based on results from a comparison test of ZAM coating 380gsm (grams per square metre, nominal coating weight for both sides) with standard galvanised steel Z350gsm.

ZAM, the highly corrosion-resistant hot dip coated steel sheet, is

- A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3%
- The designation “ZAM” comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.



Condeck HP® Plus


CONHPP100GA

lin metre

Product manufactured at Knoxfield – allow extra 1 or 2 days lead time for delivery outside metropolitan area – ask for details

Other thicknesses available subject to quantity and lead time POA

Stramit® Edgeforma



100mm

CONEF100GA

0.95 lin metre

125mm

CONEF125GA

0.95 lin metre

150mm

CONEF150GA

0.95 lin metre

175mm

CONEF175GA

0.95 lin metre

200mm

CONEF200GA

0.95 lin metre

250mm

CONEF250GA

1.20 lin metre

Available cut to length to of 8.0m at listed rates.


** **Stramit® Edgeforma** can be custom made to slab height.*

Stramit PrimeForm™

Hi Tensile steel G550
600mm effective cover

PF60LG
PF75LG

per m²
per m²



FRAMING • BATTENS

Product Framing/Battens	Details	Code	Material	Size	BMT	Unit
	Standard Stud (red) 75mm	SBS7512UGA	Galvanised	75x30	1.2	per metre
	Standard Plate	SBP7812UGA	Galvanised	78x28	1.2	per metre
	Standard Nogging	SBN7212UGA	Galvanised	72x32	1.2	per metre
	PA Door Stud	SBS6912UGA	Galvanised	69x33	1.2	per metre
*3 day lead time <i>Steel framing sections are cut to length to order. 32mm diameter holes available at additional cost. Also available punched. Please substitute "U" with "P" in product code when ordering.</i>						

	Roof Batten 6.0m	RBV40TC6000	Truecore	40x40x15	0.48	each
	Roof Batten 7.5m	RBV40TC7500	Truecore	40x40x15	0.48	each
	Roof Batten Screws	S1240HMTZIP				per 1000
<i>Also available in packs of 100 - please contact your account manager for prices.</i>						
	Ceiling Batten 6.1m	CBTC61	Truecore	24x26x10	0.42	each

	30 x 30	TA3012GA	Galvanised		1.2mm	lin metre
	50 x 50	TA5012GA	Galvanised		1.2mm	lin metre
	38 x 38	TA3875ZA	Zincalume		0.75mm	lin metre
	Minimum length 100mm Maximum length 10.000m					

	Stramit® Top Hat Batten Tapered End <i>NOTE: Minimum Length 1.500 metres (A x B x C x D)</i>					
	50mm Top Hat (50 x 34 x 20 x 6)	TH5075ZA	Zincalume		0.75mm	lin metre*
		TH50100ZA	Zincalume		1.00mm	lin metre*
	64mm Top Hat (64 x 34 x 20 x 6)	TH6475ZA	Zincalume		0.75mm	lin metre*
		TH64100ZA	Zincalume		1.00mm	lin metre*
	75mm Top Hat (75 x 34 x 20 x 6)	TH7575ZA	Zincalume		0.75mm	lin metre*
		TH75100ZA	Zincalume		1.00mm	lin metre*
	96mm Top Hat (96 x 34 x 20 x 6)	TH9675ZA	Zincalume		0.75mm	lin metre*
	TH96100ZA	Zincalume		1.00mm	lin metre*	
120mm Top Hat (120 x 40 x 25 x 10)	TH12070ZA	Zincalume		0.70mm	lin metre*	
	TH12090ZA	Zincalume		0.90mm	lin metre*	

*Cut to length product available on standard lead times ex Knoxfield.
 120mm (only) Top Hat manufactured in NSW – 10 working day lead time, other sizes available cut to length or in stock sizes.*

FLOORING • ACCESSORIES


Designed to meet the needs of domestic and light commercial construction, **Stramit®** Metal Floor Sections offer an economical, easy to use solution to floor framing and construction.

With a wide range of section sizes offering freedom in design of floor joists, bearers, pier sizes and location, the **Stramit®** Metal Floor Sections adapt to a variety of house designs and conditions.

These new section shapes also offer up to 30% more load capacity or 9% greater spanning performance than conventional C-sections.

The in-plane system saves building height or headroom and reduces brick or cladding costs.

- High tensile steel – for high strength and low weight
- Z350 Galvanised coating – to give long term protection to the steel base. Z350 coating exceeds requirements of the Building Code of Australia for most building areas
- Deeper sections – 235mm and 283mm joists allow for over 100mm pipe penetrations and standard toilet bends under floor
- 235mm joist – matches 3 courses of bricks
- Full range of sections – for economic design
- Designed to resist bounce – uses the latest technology to prevent low frequency vibration in the floor structure
- A complete system – with joists, bearers, brackets and accessories



Product Flooring/Accessories


Details

Code

Unit


Stramit® Flooring

Joists



182 x 12	J18212	lin metre
182 x 15	J18215	lin metre
182 x 19	J18219	lin metre
182 x 24	J18224	lin metre
235 x 15	J23515	lin metre
235 x 19	J23519	lin metre
235 x 24	J23524	lin metre
283 x 19	J28319	lin metre
283 x 24	J28324	lin metre


0 Bearers



182 x 19	B18219	lin metre
182 x 24	B18224	lin metre
235 x 19	B23519	lin metre
235 x 24	B23524	lin metre
283 x 19	B28319	lin metre
283 x 24	B28324	lin metre

*5 day lead time

Brackets




Angle Brackets

FCB1B
(for B235/283 only)

each

FCB1A
(Suit B182)

each



FCB3A 140mm
(suit B182)

FCB3A

each

FCB3B 190mm
(suit B235)

FCB3B

each

Fasteners

10 x 16 Hex Head no neo
Floor Screw 10G x 45

S1016HTNN4
S1045WNGT

per 1000
per 500


Floor Screw 14G x 22

S1422HTNN4

per 500

Also available in packs of 100 - please contact your account manager for prices.

Structural Sections



Post top edge 180mm
Fin Plate x 100mm
Suit 90mm SHS

FSMPT180100

each

Post top centre 180mm
Fin Plate x 90mm
Suit 90mm SHS

FSMPCT90

each

SHS Stump tube
90x90x2mm 8 mtr

FSMST9013580

each



Post base fixed 100mm
Suit 90mm SHS

FSMPFB100

each

*A complete flooring system take off service is now available upon request.
Please contact your Stramit Account Manager

PATIO ROOFING DECKING

Product	Details	Ordering Code	BMT mm	Unit
Roofing/Cladding/Accessories				
Stramit Sunset®				
 <p>Overall Sheet Width 335</p>	Sunset Decking GLS Classic Crm/Classic Crm	SS42DLCLC		per m ²
	Sunset Decking GLS Classic Crm/WIL	SS42DL07		per m ²
	Sunset Decking GLS Dover White/SUR	SS42DL05		per m ²
	Sunset Decking GLS Paperbark/Paperbark	SS42DLPPB		per m ²
	Sunset Decking GLS ClassicCrm/WDG	SS42DL09		per m ²
	To convert prices to linear metres multiply by cover of sheet (ie 0.290). **Gloss colour is on the bottom. Please confirm at time of order. All Product packaged for maximum protection. Price quoted is an effective cover per square metre price.			
Fibreglass	To suit Stramit Sunset® sheeting (available in opal only)	TSWGSS240PL		lin metre
Sunset® Foam Insert	Infill strip for Stramit Sunset® sheeting (310mm)	SSWS3787		each
Fibreglass Foam Insert	Infill strip for Stramit Sunset® fibreglass sheeting (290mm)	SSWS3788		each
Sunset® Back Channel	Available in 3.0 & 5.0m stock lengths only			
		RCSSHCLC30/50		each
		RCSSHDVW30/50		each
		RCSSXPPB30/50		each
		RCSSZA30/50		each
Fasteners	10 x 16 Hex Head SDS (for fixing to steel) <i>Also available in packs of 100 - please contact your account manager for prices.</i> NOTE: Class 4 screws available on request. All fasteners comply with Australian Standard AS3566 Class 3.	S1016HT4 S1016HT---4	Plain Colour	per pack 1000 per pack 1000

DOUBLE SIDED ROOFING

Stramit® Corrugated 	Gloss Dover White/Surfmist	C42DL05	0.42	m ²
	Gloss Classic Cream/Classic Cream	C42DLCLC	0.42	m ²
	Gloss Paperbark/Paperbark	C42DLPPB	0.42	m ²
Stramit® Monoclad 	Gloss Dover White/Surfmist	MC42DL05	0.42	m ²
	Gloss Classic Cream/Classic Cream	MC42DLCLC	0.42	m ²
	Gloss Paperbark/Paperbark	MC42DLPPB	0.42	m ²
Stramit® Longspan 	Gloss Dover White/Surfmist	LS42DL05	0.42	m ²
	Gloss Classic Cream/Classic Cream	LS42DLCLC	0.42	m ²
	Gloss Paperbark/Paperbark	LS42DLPPB	0.42	m ²
	Price quoted is an effective cover per square metre price.			

Gloss on underside only. This product is manufactured in NSW – allow additional lead time.












COLORBEAM

	Details	Ordering Code	Finish	BMT mm	Flange Thickness mm	Unit	
	Colorbeam 100x50 4.0m	CSB10011GA40	GA	0.55	1.1	each	
	Colorbeam 100x50 4.5m	CSB10011GA45	GA	0.55	1.1	each	
	Colorbeam 100x50 5.0m	CSB10011GA50	GA	0.55	1.1	each	
	Colorbeam 100x50 5.5m	CSB10011GA55	GA	0.55	1.1	each	
	Colorbeam 100x50 6.0m	CSB10011GA60	GA	0.55	1.1	each	
	Colorbeam 100x50 6.5m	CSB10011GA65	GA	0.55	1.1	each	
	Colorbeam 100x50 7.0m	CSB10011GA70	GA	0.55	1.1	each	
	Colorbeam 100x50 7.5m	CSB10011GA75	GA	0.55	1.1	each	
	Colorbeam 100x50 8.0m	CSB10011GA80	GA	0.55	1.1	each	
		Colorbeam 100x50 4.0m	CSB10011CLC40	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 4.5m	CSB10011CLC45	Classic Cream	0.55	1.1	each	
	Colorbeam 100x50 5.0m	CSB10011CLC50	Classic Cream	0.55	1.1	each	
	Colorbeam 100x50 5.5m	CSB10011CLC55	Classic Cream	0.55	1.1	each	
	Colorbeam 100x50 6.0m	CSB10011CLC60	Classic Cream	0.55	1.1	each	
	Colorbeam 100x50 6.5m	CSB10011CLC65	Classic Cream	0.55	1.1	each	
	Colorbeam 100x50 7.0m	CSB10011CLC70	Classic Cream	0.55	1.1	each	
	Colorbeam 100x50 7.5m	CSB10011CLC75	Classic Cream	0.55	1.1	each	
	Colorbeam 100x50 8.0m	CSB10011CLC80	Classic Cream	0.55	1.1	each	
	Colorbeam 150x50 4.0m	CSB15015GA40	GA	0.75	1.5	each	
	Colorbeam 150x50 4.5m	CSB15015GA45	GA	0.75	1.5	each	
	Colorbeam 150x50 5.0m	CSB15015GA50	GA	0.75	1.5	each	
	Colorbeam 150x50 5.5m	CSB15015GA55	GA	0.75	1.5	each	
	Colorbeam 150x50 6.0m	CSB15015GA60	GA	0.75	1.5	each	
	Colorbeam 150x50 6.5m	CSB15015GA65	GA	0.75	1.5	each	
	Colorbeam 150x50 7.0m	CSB15015GA70	GA	0.75	1.5	each	
	Colorbeam 150x50 7.5m	CSB15015GA75	GA	0.75	1.5	each	
	Colorbeam 150x50 8.0m	CSB15015GA80	GA	0.75	1.5	each	
		Colorbeam 150x50 4.0m	CSB15015CLC40	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 4.5m	CSB15015CLC45	Classic Cream	0.75	1.5	each	
	Colorbeam 150x50 5.0m	CSB15015CLC50	Classic Cream	0.75	1.5	each	
	Colorbeam 150x50 5.5m	CSB15015CLC55	Classic Cream	0.75	1.5	each	
	Colorbeam 150x50 6.0m	CSB15015CLC60	Classic Cream	0.75	1.5	each	
	Colorbeam 150x50 6.5m	CSB15015CLC65	Classic Cream	0.75	1.5	each	
	Colorbeam 150x50 7.0m	CSB15015CLC70	Classic Cream	0.75	1.5	each	
	Colorbeam 150x50 7.5m	CSB15015CLC75	Classic Cream	0.75	1.5	each	
	Colorbeam 150x50 8.0m	CSB15015CLC80	Classic Cream	0.75	1.5	each	
	Colorbeam 200x50 4.0m	CSB20020GA40	GA	1.0	2.0	each	
	Colorbeam 200x50 5.0m	CSB20020GA50	GA	1.0	2.0	each	
	Colorbeam 200x50 6.0m	CSB20020GA60	GA	1.0	2.0	each	
	Colorbeam 200x50 7.0m	CSB20020GA70	GA	1.0	2.0	each	
	Colorbeam 200x50 8.0m	CSB20020GA80	GA	1.0	2.0	each	
		Colorbeam 200x50 4.0m	CSB20020CLC40	Classic Cream	1.0	2.0	each
		Colorbeam 200x50 5.0m	CSB20020CLC50	Classic Cream	1.0	2.0	each
		Colorbeam 200x50 6.0m	CSB20020CLC60	Classic Cream	1.0	2.0	each
		Colorbeam 200x50 7.0m	CSB20020CLC70	Classic Cream	1.0	2.0	each
		Colorbeam 200x50 8.0m	CSB20020CLC80	Classic Cream	1.0	2.0	each








Lead Time 10 Days

10 Units Per Pack

COLORBEAM



	Details	Ordering Code	Finish	Unit
	Colorbeam Framing Bracket 100	CSAFB100GA	GA	each
	Colorbeam Framing Bracket 150	CSAFB150GA	GA	each
	Colorbeam Framing Bracket 200	CSAFB200GA	GA	each
	Colorbeam Framing Bracket 100	CSAFB100CLC	Classic Cream	each
	Colorbeam Framing Bracket 150	CSAFB150CLC	Classic Cream	each
	Colorbeam Framing Bracket 200	CSAFB200CLC	Classic Cream	each
	Colorbeam Frame Bracket 100 15deg	CSAFB10015GA	GA	each
	Colorbeam Frame Bracket 150 15deg	CSAFB15015GA	GA	each
	Colorbeam Frame Bracket 200 15deg	CSAFB20015GA	GA	each
	Colorbeam Frame Bracket 100 15deg	CSAFB10015CLC	Classic Cream	each
	Colorbeam Frame Bracket 150 15deg	CSAFB15015CLC	Classic Cream	each
	Colorbeam Frame Bracket 200 15deg	CSAFB20015CLC	Classic Cream	each
<p>(15° and 22.5°)</p>	Colorbeam Frame Bracket 100 22deg	CSAFB10022GA	GA	each
	Colorbeam Frame Bracket 150 22deg	CSAFB15022GA	GA	each
	Colorbeam Frame Bracket 200 22deg	CSAFB20022GA	GA	each
	Colorbeam Frame Bracket 100 22deg	CSAFB10022CLC	Classic Cream	each
	Colorbeam Frame Bracket 150 22deg	CSAFB15022CLC	Classic Cream	each
	Colorbeam Frame Bracket 200 22deg	CSAFB20022CLC	Classic Cream	each
 <p>(15° and 22.5°)</p>	Colorbeam Apex 100 15deg	CSAB10015GA	GA	each
	Colorbeam Apex 150 15deg	CSAB15015GA	GA	each
	Colorbeam Apex 200 15deg	CSAB20015GA	GA	each
	Colorbeam Apex 100 22deg	CSAB10022GA	GA	each
	Colorbeam Apex 150 22deg	CSAB15022GA	GA	each
	Colorbeam Apex 200 22deg	CSAB20022GA	GA	each
	Colorbeam Apex Plate Cover 100 15deg	CSACP10015GA	GA	each
	Colorbeam Apex Plate Cover 150 15deg	CSACP15015GA	GA	each
	Colorbeam Apex Plate Cover 200 15deg	CSACP20015GA	GA	each
	Colorbeam Apex Plate Cover 100 22.5deg	CSACP10022GA	GA	each
	Colorbeam Apex Plate Cover 150 22.5deg	CSACP15022GA	GA	each
	Colorbeam Apex Plate Cover 200 22.5deg	CSACP20022GA	GA	each
	Colorbeam Corner Bracket 100	CSCB100GA	GA	each
	Colorbeam Corner Bracket 150	CSCB150GA	GA	each
	Colorbeam Corner Bracket 200	CSCB200GA	GA	each
	Colorbeam Suspension Bracket 100	CSSB100GA	GA	each
	Colorbeam Suspension Bracket 150	CSSB150GA	GA	each
	Colorbeam Suspension Bracket 200	CSSB200GA	GA	each
	Colorbeam Suspension Bracket 100	CSSB100CLC	Classic Cream	each
	Colorbeam Suspension Bracket 150	CSSB150CLC	Classic Cream	each
	Colorbeam Suspension Bracket 200	CSSB200CLC	Classic Cream	each

FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Fencing/Accessories					
Infill Sheets	Stramit Monoclad® Fencing				
	Stock Lengths				
	Sheeting 2.090	SFGLCL---2090	CB	0.35	each
	Sheeting 1.790	SFGLCL---1790	CB	0.35	each
	Sheeting 1.490	SFGLCL---1490	CB	0.35	each
	Also available Cut to length in all colours				
Infill Sheets	Sawtooth Fencing				
	Stock Lengths				
	Sheeting 2.090	SFGLST---2090	Colour	0.35	each
	Sheeting 1.790	SFGLST---1790	Colour	0.35	each
	Sheeting 1.490	SFGLST---1490	Colour	0.35	each
Rails Top & Bottom	Rail Top/Bottom 2.370	SFGLR---2370	Colour		each
	Rail Top/Bottom 3.100	SFGLR---3100	Colour		each
	Fence Rail Cap (Cut in two for single caps)	SFGLRC---	Colour		each
Fence Posts	Post 2.700	SFGLP---2700	Colour		each
	Post 2.400	SFGLP---2400	Colour		each
	Post 2.100	SFGLP---2100	Colour		each
Lattice	Standard Lattice 0.300 x 3.100	SFLFZ300---3100	Colour		each
	Standard Lattice 0.300 x 2.350	SFLFZ300---2350	Colour		each
	Standard Lattice 0.300 x 1.575	SFLFZ300---1575	Colour		each
	Standard Lattice 0.300 x 0.815	SFLFZ300---0815	Colour		each
	Premium Lattice 0.300 x 2.370	SFL300---2350	Colour		each
Panel 2.400 x 1.800	Standard Panel includes -with Monoclad				
	2 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.790				
	Total Price Std Panel				
	15 x Screws 10 x 16 Hex Head				
	NB: Price does not include screws or rail caps				
	Standard Panel with Std Lattice includes -with Monoclad				
	3 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.490				
	1 x Std Lattice 0.300 x 2.350				
	Total Price Std Panel				
	22 x Screws 10 x 16 Hex Head				
	NB: Price does not include screws or rail caps				
	Std Panel with Premium Lattice includes -with Monoclad				
	4 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.490				
	Premium Lattice 0.300 x 2.370				
	Total Price Std Panel				
	23 x Screws 10 x 16 Hex Head				
	NB: Price does not include screws or rail caps				
	10 x 16 Hex Tek No Neo Pack 1000 (minimum pack of 100)	S1016HTNN---4	Colour		per 1000

See next page for gates, end posts, other accessories and colour chart

FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Fencing/Accessories					
Corner/Gate Posts  	Gate Post 65mm x 65mm x 2400mm	SFGP65---2400	Colour		each
	Gate Post 65mm x 65mm x 2700mm	SFGP65---2700	Colour		each
	Gate Post Cap 65mm x 65mm	SFGPC65---	Black or Grey only		each
Post Balls 	Post Ball Single	SFGLPBS---	Colour		each
	Post Ball Double	SFGLPBD---	Colour		each
	Post Ball Single 50 x 50	SFGLPBS50---	Colour		each
	Post Ball Single 65 x 65	SFGLPBS65---	Colour		each
Gate Kits  	Single Gate Frame Kit	SFGKS---	Gate Height		
		SFGKS---	Colour	1200	each
		SFGKS---	Colour	1500	each
		SFGKS---	Colour	1650	each
	Double Gate Frame Kit	SFGKS---	Colour	1800	each
		SFGKD---	Colour	1200	each
		SFGKD---	Colour	1500	each
		SFGKD---	Colour	1650	each
	SFGKD---	Colour	1800	each	
	Fence Gate Support Bkt Lattice	SFGSBLGA			each
Gate Kit comprises - Gate Styles, Zinc Plated Hinges, Zinc Plated D-Latch set, Gate Caps, Hex Head Tek Screws, and Drop bolts on double gates.					
Order separately - Infill sheet/s, Rail/s, Gate Posts & Gate Post Caps as required.					
Specify gate opening width when ordering gate.					

HOW TO ORDER:

Fence										
Panel Height*	Number of Panels	Profile?	Lattice?		End Posts?		Colour?			
		M=Monoclad S=Sawtooth	Yes/No	S=Standard P=Premium	65x65	Number of End Posts	Infill Sheets	Posts & Rails	Lattice	End Posts
1500					2400					
1800					2400					
2100					2700					

*Height includes lattice (if required)

Standard Gates										
Gate Height*	Gate Type?	Profile?	Lattice?		Gate Posts?		Colour?			
	S=Single D=Double	M=Monoclad S=Sawtooth	Yes/No	S=Standard P=Premium	65x65	Number of Gate Posts	Infill Sheets	Posts & Rails	Lattice	Gate Posts
1200					2400					
1500					2400					
1650					2400					
1800					2400					
2100					2700					

*Height includes lattice (if required)

Colour Availability ^{Use}		Screws
Bluestone®	Mountain Blue	DOC
Domain®	Primrose	CLC
Estate®	Ironbark EST	
Evergreen®	Caulfield Green	CTG
Grey Ridge®	Slate Grey	WDG
Harvest®	Wheat	HAR
Meadow®	Mist Green	PEC
Red Oak®	Heritage Red	MNR
Riversand®	Stone	RSD
Summershade®	Moss Vale Sand	SMS
Terrace®	Merino	PPB
Willow®/Rivergum	WIL	
Eclipse®	Ebony	ECL

© Trademarks of BlueScope Steel Limited.

Some colours may be subject to minimum quantities and lead times. Please contact your nearest Stramit sales office.

Note: Gates Styles not available in all sizes in stock colours. Please contact your nearest Stramit sales office.

NOTES



METROPOLITAN & SOUTHERN VICTORIA

TEL (03) 9237 6300
FAX (03) 9237 6399

ALBURY

TEL (02) 6092 3700
FAX (02) 6092 3766

BENDIGO

TEL (03) 5448 6400
FAX (03) 5447 9677

NOTES



NOTES

TERMS AND CONDITIONS OF SALE

EFFECTIVE DATE: 1 APRIL 2018

IN THIS DOCUMENT THE FOLLOWING WORDS HAVE THE FOLLOWING MEANINGS:

Account Number means the computer-generated identification number given by Stramit to the Buyer;

All Present and After Acquired Property have the meanings given to those terms under the PPS Act;

Any Other Agreement means any deed, guarantee, indemnity, security, contract, terms, conditions or agreement between any of Stramit, the Buyer, a guarantor and/or a co-surety or any of their related bodies corporate (as defined in the Corporations Act 2001) in respect of or in connection with any contract for sale of Goods and/or Services and the Guaranteed Debt;

Credit Application means the application for a Credit Account made by the Buyer;

Australian Consumer Law means the Australian Consumer Law in the Competition and Consumer Act 2010 (Cth);

Buyer means the person or entity who has applied for a Credit Account and includes the person, partnership, corporation or other legal entity which places an Order with Stramit for the supply of Goods and/or Services;

Circulating and Non-Circulating Assets have the meanings given to those terms under the PPS Act;

Contract has the meaning given to that term in clause 1.1 of the Sale Terms;

Consumer means a consumer as that term is defined in the Australian Consumer Law;

Credit Account means the commercial credit account the Buyer has with Stramit under the Credit Terms;

Credit Limit means the maximum cumulative monetary limit for all debts owed by the Buyer to Stramit at any time for Goods and Services purchased on credit;

Credit Terms means the terms and conditions of the Credit Account as set out below;

Delivery Site means the Buyer's premises or a site nominated by the Buyer for delivery of Goods;

Event of Default means any means any one or more of the following: (a) if the Buyer fails to take delivery of, or to pay for Goods and/or Services by the due date or otherwise breached any other term of any Contract; or (b) if an administrator, liquidator or provisional liquidator or external manager is appointed in respect of the Buyer; or (c) the Buyer enters into any composition or arrangement with its creditors; or (d) Stramit has reasonable grounds for suspecting that an event in (b) or (c) has occurred; Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (e) Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (f) contractual performance by either Stramit or the Buyer is delayed or prevented due to any Force Majeure Event.

Force Majeure Event means any event outside a party's reasonable control including acts of God, declared or undeclared war, act of terrorism, fire, flood, storm, earthquake, hurricane, cyclone, riot, power failure, industrial action, defaults of manufacturers or suppliers, the inability to obtain equipment, supplies or other facilities that are not caused by a failure to pay, labour disputes, theft, any criminal act or other similar events beyond a party's control that may prevent or delay a party from performing their obligations under any Contract;

Goods means the building products requested by the Buyer in its Order and includes Special Building Products and the proceeds (as defined in the PPS Act) of those Goods;

Guaranteed Debts means the debts guaranteed by a guarantor;

GST means goods and services tax as defined under the A New Tax System (Goods and Services Tax) 1999;

Interest Rate means the rate of 6% above the cash rate last published by the Reserve Bank of Australia (as at the due date).

Order means a request by the Buyer to Stramit for the supply of Goods and/or Services;

Part means any part of the Credit Account;

PPS Act means the Personal Property Securities Act 2009, and includes the Personal Property Securities Regulations 2010 and any amendments or re-enactments of the PPS Act or the Regulations;

PPS Register means the personal properties security register established under the PPS Act;

Price List means the Customer price list issued by Stramit from time to time in the particular Stramit region in which an Order is placed;

Purchase Order Number is the Buyer's identifier to be supplied by the Buyer to Stramit when placing an Order;

Sale Terms means the terms and conditions of sale and supply of Goods and Services by Stramit to the Buyer as set out below and the terms set out in the Price List;

Security Interest has the meaning given to it under the PPS Act;

Services means any services performed by Stramit for the Buyer associated with

Stramit's supply of Goods, including delivery of the Goods;

Small Business Contract means a contract for the supply of goods or services where:

(1) at the time the contract is entered into, at least one party to the contract is a business that employs fewer than 20 persons; and

(2) either of the following applies:

(A) the upfront price payable under the contract does not exceed \$300,000;

(B) the contract has a duration of more than 12 months and the upfront price payable under the contract does not exceed \$1,000,000.

However, if the relevant parts of the definition of 'Small Business Contract' under the Australian Consumer Law are amended at any time, this definition is also amended accordingly;

Special Building Products means building products produced by Stramit which the Buyer requests Stramit to produce according to a design, drawing or specification provided to Stramit by the Buyer and goods and materials which the Buyer requests Stramit to process, purchase or supply;

Stramit means: (a) Stramit Corporation Pty Ltd ABN 57 005 010 195; (b) its successors and assigns; and (c) the seller of Goods and Services under the business names 'Stramit Building Products', 'Eziform Sheetmetal' and 'Taurean Door Systems'.

SALE TERMS

Words commencing with a capital letter and in bold are defined in these Sales Terms.

1. TERMS APPLICABLE TO THE SUPPLY OF GOODS AND/OR SERVICES

- 1.1 The contract between the Buyer and Stramit is constituted by: (i) the Sale Terms; (ii) the Credit Terms; (iii) each other Part (excluding the Guarantee); and (iv) to the extent to which Stramit accepts an order in accordance with clause 2.2 (each a "Contract"). The Sales Terms, the Credit Terms, each other Part (excluding the Guarantee) and the extent to which Stramit accepts the Order govern all contracts for the supply of Goods and/or Services by Stramit to the Buyer and constitute the entire agreement in connection with the supply of Goods and/or Services between Stramit and the Buyer.
- 1.2 All prior representations, trade custom or previous dealings between Stramit and the Buyer are excluded and are not applicable in the interpretation of the contract. No modification or variation to the Sale Terms or Credit Terms, any additional terms or conditions or any terms inconsistent with the Sale Terms or Credit Terms provided by the Buyer (whether put forward in the Order, the Buyer's specification or otherwise) will bind Stramit, unless expressly and specifically agreed to in writing by Stramit. These Sale Terms and Credit Terms supersede any terms and conditions which have previously governed a contract for the sale of Goods and/or supply of Services by Stramit to the Buyer. The Sale Terms and Credit Terms will prevail to the extent of any inconsistency between them and any quotation, Order or other documents from the Buyer. These Sale Terms and Credit Terms bind the Buyer even if Stramit or the Buyer do not sign them promptly or at all.
- 1.3 To the extent permitted by the PPS Act the parties agree to contract out of the following sections of the PPS Act:
 - 1.3.1 to the extent that Stramit is required to give notice to the Buyer: sections 95, 118, 121(4), 130 and 135; and
 - 1.3.2 sections 125, 132(3)(d) and 132(4).
- 1.4 The Buyer waives its rights to receive notice from Stramit of a registration event under section 157(1) of the PPS Act.
- 1.5 Stramit may at any time, and from time to time vary these Sale Terms and/or Credit Terms by notice in writing to the Buyer, or by updating the Sales Terms and/or Credit Terms found on Stramit's website, www.stramit.com.au. Subject to Clause 2, if the Contract is a Small Business Contract, then the Buyer may consider the variation and, if not acceptable, may elect not to proceed with the purchase of the Goods or Services ordered before the date of the variation but which are intended to be subject to the variation. If the Contract is not a Small Business Contract, the Buyer agrees that Goods delivered and Services performed and/or ordered after the date of a notice of variation will be subject to the variation and acceptance of the Goods or Services or the placing of the Order shall be deemed to be an acceptance of such varied terms and conditions. Sale Terms shall apply from the date of alteration. A copy of current Sale Terms can be found on Stramit's website, www.stramit.com.au. The Buyer acknowledges and warrants that he/she/it will regularly inspect the said website for any updated or altered Sale Terms.

2. ORDERING AND SUPPLY OF GOODS AND/OR SERVICES

- 2.1 The Buyer may place an Order verbally or in writing. An Order constitutes an offer by the Buyer to purchase Goods and/or Services from Stramit pursuant to Clause 1.1.
- 2.2 Stramit may accept or decline, in whole or in part, any Order. Acceptance may be verbal or in writing, or by Stramit delivering or

making the Goods and/or Services available for collection (whichever occurs first). Acceptance of an Order by Stramit gives rise to a Contract for the supply of the ordered Goods and/or Services on these Sale Terms.

- 2.3 Stramit may, in its sole discretion, agree to a written request from the Buyer for cancellation or variation (including variation to delivery times) of a Contract under clause 2.2. Stramit's acceptance must be in writing.

3. PRICES, QUOTATIONS PAYMENT AND DEFAULT

- 3.1 Unless otherwise expressly agreed in writing, the amount payable for the Goods and/or Services will be the price on Stramit's invoice plus any duties, fees, taxes (including GST), delivery charges and levies charged or imposed on or in respect of a Contract referred to in clause 2.2, plus any amount that reflects any increase in exchange rates, costs of labour, materials and overheads in connection with Stramit's supply.
- 3.2 Until Stramit confirms that a credit facility has been granted to the Buyer, all Goods and Services must be paid for on a cash on delivery or performance basis. If a credit facility has been granted, the Buyer must pay Stramit for the Goods and/or Services either:
- 3.2.1 as required by the Credit Terms; or
- 3.2.2 if required by Stramit, prior to Stramit ordering materials or commencing manufacture of the Goods.
- 3.3 A quotation will not constitute an offer to sell Goods or Services to the Buyer. No Contract for the supply of Goods or Services will exist between the Stramit and Buyer until Buyer's order for Goods or Services has been accepted by Stramit (such acceptance of the Buyer's order may be made and communicated by Stramit in writing or by over act of acceptance).
- 3.4 Any written quotation provided by Stramit expires on the date stated or otherwise 30 days after the date the quotation is issued by Stramit. Stramit may withdraw or vary a quotation before accepting an Order. Prior to acceptance of an Order of the Goods by Stramit, if there is an increase in Stramit's costs or pricing, then Stramit may increase its quoted price and the Buyer must pay the increased price.
- 3.5 If the Buyer commits an Event of Default then:-
- 3.5.1 all monies payable (including under a Credit Account, or under any Agreement) by the Buyer to Stramit may, at Stramit's election, become immediately due and payable notwithstanding the due date for payment may not have expired; and
- 3.5.2 Stramit, without prejudice to any other rights Stramit may have, may do any or all of the following:
- (i) suspend or withdraw the Credit Account;
 - (ii) terminate or suspend the whole or any outstanding part of any Contract in force between Stramit and the Buyer;
 - (iii) recover from the Buyer the cost of materials or goods acquired for the purpose of future deliveries Goods or the performance of Services;
 - (iv) immediately re-possess any Goods to which title has not passed.
 - (v) charge interest to the Buyer at the Interest Rate calculated daily on any overdue amount and payable together with the overdue amount;
 - (vi) immediately enforce any security it holds over the land or personal property of the Buyer; and
 - (vii) register a default with any credit reference facility
- 3.6 Stramit may in its sole discretion apply any payment received from the Buyer towards any debt (including interest charged under clause 3.5.2(v)) owed by the Buyer to Stramit at any time.
- 3.7 If in Stramit's reasonable opinion the financial position or status of the Buyer requires it, Stramit may refuse to make a delivery or cancel any contract under clause 2.2.
- 3.8 The Buyer must pay to Stramit on demand all reasonably incurred costs, charges and expenses (including legal expenses on an indemnity basis) that Stramit incurs as a result of any breach of these Sale Terms or Contract by the Buyer.
- 3.9 The Buyer must supply Stramit with its Account Number and Purchaser Order Number at the time of placing the Order. The Buyer is liable to pay the amount of an invoice, regardless of whether the Buyer's Account Number or Purchase Order Number is included on the invoice.
- 3.10 The Buyer is liable for all purchases made under its account number and/or account name. It is not the responsibility of Stramit to confirm authority for the purposes of supplying Goods or Services to Buyer, its agent(s) or those who Stramit deems to be its agents. It is the sole responsibility of Buyer to ensure there is no unauthorised use of their account number or name. A statement on a certificate given by Stramit setting out the quantities, descriptions, prices and dates and other information in respect of Goods and/or Services will be conclusive and binding on the parties in the absence of manifest error.
- 3.11 The Buyer will not assert any right of set-off against Stramit and will pay all sums due and payable without deduction.

4. DELIVERY AND COLLECTION

- 4.1 Stramit may:
- 4.1.1 make the Goods available for collection at Stramit's premises; or
- 4.1.2 deliver (or arrange delivery) of the Goods in the manner it deems fit to the Delivery Site.
- 4.2 The Buyer's Order must specify if the Goods are to be delivered to the Delivery Site or collected from Stramit. If delivery is specified then the Delivery Site must be nominated.
- 4.3 Stramit will advise the Buyer of the estimated delivery or collection date and time and may alter it if necessary. Any times quoted for delivery are estimates only and Stramit may supply by installments. To the extent permitted by law, Stramit will not be liable to the Buyer for any costs, loss or damage whatsoever (including indirect or consequential loss) caused directly or indirectly by any delay or failure to deliver the Goods or to perform the services or to make the Goods available for collection on the date or at the time specified. The Buyer must accept and pay for the Goods and/or the Services notwithstanding any extension or delay in the delivery or the availability of Goods for collection or in the performance of the Services.
- 4.4 If the Buyer does not collect the Goods by the collection date, then Stramit may, without limiting any other rights available to it, store the Goods or deliver them to the Delivery Site and the Buyer must, on demand, pay all costs of delivery and any additional charges (including storage costs) and costs incurred by Stramit.
- 4.5 The Buyer must provide a suitable and safe area at the Delivery Site to unload the Goods and ensure that Stramit's (or its agent, employee or contractor) use of the Delivery Site conforms to occupational health and safety legislation. The Buyer indemnifies and holds harmless Stramit (or its agent, employee or contractor) from any and all claims arising out of delivery of the Goods, except to the extent the Stramit (or its agent, employee or contractor) have been negligent or breached the law or the Contract.
- 4.6 If the Delivery Site is unattended, the Buyer authorises, Stramit or its contractors to deposit the Goods at the Delivery Site or retain the Goods if delivery is, in Stramit's reasonable opinion inappropriate. Stramit will not be obliged to obtain a signed receipt or other acknowledgment from any person at the nominated place for delivery but if a signed receipt or other acknowledgment is obtained from someone believed by Stramit to be authorised by Buyer to sign or otherwise take delivery, then such signed receipt or other acknowledgement will be conclusive evidence of Buyer's acceptance of the good delivered. The Buyer will indemnify and hold Stramit (and its contractors) harmless from any loss or damage caused by the depositing of Goods at an unattended Delivery Site.
- 4.7 To the extent permitted by law, Stramit will not be liable to the Buyer or to its employees or agents for any property damage or personal injury arising from any loading, unloading or delivery of the Goods. The Buyer indemnifies Stramit from any loss or damage suffered by Stramit as a result of any property damage or personal injury caused by the delivery and unloading of Goods except for and to the extent that the loss, damage or liability is caused by a negligent act or omission of Stramit or its contractors.
- 4.8 The Buyer must pay all costs and fees resulting from any or all of the following:
- 4.8.1 any delay in delivery caused by the Buyer or the Delivery Site conditions;
- 4.8.2 unexpected labour costs;
- 4.8.3 Delivery Site conditions resulting in the incurring of additional costs and
- 4.8.4 the nature of the Goods and/or Services ordered by the Buyer.
- 4.9 The Buyer must pay for any permit or licence or other extraordinary costs of transporting or delivering ordered Goods, including wide or long loads.
- 4.10 The Buyer must notify Stramit of any claim in writing within:
- 4.10.1 2 days after delivery or collection that the Goods supplied do not accord with those ordered;
- 4.10.2 14 days of receiving an invoice from Stramit that it disputes the invoice;
- 4.10.3 (if the Buyer is not a Consumer) 2 days of delivery or collection of Goods that it is alleged they are defective or damaged; or
- 4.10.4 (if the Buyer is not a Consumer) 2 days of performance of any allegedly deficient Services, and the Buyer will be taken to have accepted the Goods as delivered and/or the Services as performed or the invoice as rendered if the Buyer fails to so notify Stramit, and must pay for the Goods or Services in full.
- 4.11 If the Buyer is a Consumer, the Buyer must notify Stramit for matters within the contemplation of sub-clauses 4.10.3 and 4.10.4 within a reasonable time, and in any event promptly upon becoming aware of a claim within the contemplation of sub-clauses 4.10.3 and 4.10.4.

5. PASSING OF RISK

The risk of any loss or damage to or deterioration of the Goods from any cause whatsoever passes from Stramit to the Buyer, on the earlier of, when the Buyer takes possession of the Goods or otherwise if:

- 5.1 the Buyer collects the Goods and if Stramit or its contractors have loaded the Goods for the Buyer, when the Goods are fully loaded onto the Buyer's vehicle or vessel;
- 5.2 Stramit delivers the Goods to the Delivery Site and the Buyer unloads the Goods, when the Buyer begins unloading the Goods; or
- 5.3 Stramit delivers the Goods and unloads them at the Delivery Site, when Stramit has finished unloading the Goods.
- 6. RETENTION OF TITLE**
- 6.1 The Buyer agrees that legal and equitable title to the Goods remains with Stramit until the Buyer has paid for the Goods in full and has paid all other money owing for any reason at any time under any contract, agreement or account between Stramit and the Buyer, including all payments to be made under clauses 3.1 and 3.8.
- 6.2 Until title to the Goods passes, the Buyer:
- 6.2.1 holds the Goods as the bailee and fiduciary agent of Stramit;
- 6.2.2 must store the Goods separately and securely and in such manner as to indicate clearly that they remain the property of Stramit;
- 6.2.3 must insure the Goods for their full replacement value;
- 6.2.4 must not create or allow to be created any Security Interest or any other form of encumbrance over the Goods which is inconsistent with Stramit's title to the Goods;
- 6.2.5 must not assign, charge or encumber or grant any interest over any obligations which any third party may owe to the Buyer as a result of the use, manufacture or resale of the Goods;
- 6.2.6 may not claim any lien or interest in the Goods to secure any liquidated or un-liquidated debt or obligation that Stramit owes to the Buyer; and
- 6.2.7 must not remove, deface or obliterate any identifying plate, mark or number on any of the Goods.
- 6.3 Despite clause 6.2, unless Stramit notifies the Buyer to the contrary, the Buyer may, in the ordinary course of its business:
- 6.3.1 re-sell the Goods (Re-sold Goods), but only as a fiduciary agent of Stramit, in which case the Buyer must perform in favour of Stramit all the obligations and assume all of the liabilities of a fiduciary agent. Any right to bind Stramit to any liability to a third party by contract or otherwise is expressly excluded; and
- 6.3.2 use any of the Goods or part of the Goods in a manufacturing or construction process of its own or of a third party which manufactures, processes, assembles or commingles the Goods so that they become part of a product or mass (Manufactured Product), in which case it will hold the Manufactured Product on trust for Stramit as bailee and fiduciary agent of Stramit and may sell the Manufactured Product.
- 6.4 If the Buyer re-sells or deals with the Goods or the Manufactured Product before title to the Goods passes to the Buyer, then the Buyer:
- 6.4.1 assigns absolutely and unconditionally in favour of Stramit the Buyer's entitlement to all the proceeds of the re-sale or dealing, and must notify the purchaser in writing of the assignment at the time of the re-sale or dealing; and
- 6.4.2 will hold such part of the proceeds of the re-sale or dealing on trust for and as the fiduciary agent of Stramit immediately when they are received or receivable.
- 6.5 When referring to "such part" in sub-clause 6.4.2 and/or for the purpose of quantifying the amount of money paid to the Buyer and held in trust for Stramit from the proceeds of the sale of or dealing with the Goods or Manufactured Product, that part or amount will be equal in dollar terms to the value of the Goods on the day on which they become part of the Manufactured Product.
- 6.6 The Buyer must keep the proceeds in a separate bank account until the liability to Stramit is discharged.
- 6.7 If the amount payable for all Goods sold by Stramit to the Buyer is greater than the sum of:
- 6.7.1 the proceeds actually received by Stramit in respect of all dealings by the Buyer with the Goods (including the sale of Re-Sold Goods or Manufactured Product); and
- 6.7.2 all other payments received by Stramit in respect of the Goods, then the difference remains a debt owing by the Buyer to Stramit.
- 6.8 Where the Buyer has not paid for the Goods in full by the due date for payment, then the Buyer irrevocably authorises Stramit to repossess the Goods and to enter any site owned, possessed or controlled by the Buyer at any time and without notice to search for, inspect or repossess the Goods, whether such Goods are in their original form, or in a modified form or mixed with other products of the Buyer. Stramit is not liable to the Buyer as a result of any action taken pursuant to this clause, except to the extent that Stramit has been negligent or breached the law or the Contract. Stramit may delay taking action to dispose of or retain the repossessed Goods under the PPS Act for a period of up to 12 months.
- 6.9 Stramit's property in the Goods remains absolute even if the Goods have become fixtures to the premises of the Buyer or a third party. If Stramit enters those premises to reclaim possession of the Goods and incurs any liability to a third party in connection with the entry or reclamation, or if the Buyer suffers any loss or damage as a result of the entry or reclamation, then Stramit will not be liable to the Buyer for any liability, loss or damage and the Buyer indemnifies Stramit against any liability, loss or damage to any third party except to the extent Stramit has been negligent or breached the law or the Contract.
- 6.10 The provisions of this clause 6 apply despite any arrangement between the parties under which Stramit grants the Buyer credit.
- 7. DESCRIPTION OF BUILDING PRODUCTS AND SAMPLES**
- 7.1 All physical samples and descriptions, specifications, illustrations, drawings, data, dimensions and weights in respect of the Goods contained in catalogues, the Price List or other Stramit advertising material are approximate, and are only intended by Stramit to be a general description.
- 7.2 Stramit may produce Goods with minor modifications from any of its samples, drawings and specifications (within acceptable manufacturing tolerances).
- 7.3 Stramit is not liable to the Buyer for any loss or damage suffered by the Buyer as a result of the Buyer relying upon any such specifications, illustrations, drawings, data, dimensions, weights or the characteristics of any samples except to the extent Stramit has been negligent or breached the law or the Contract.
- 8. TOOLS, EQUIPMENT, PATTERNS, DESIGNS AND SYSTEMS OF MANUFACTURE**
- 8.1 Any tool, equipment, pattern, design or system of manufacture (Manufacturing Devices) acquired and used by Stramit in filling an Order remains the property of Stramit and cannot be used without Stramit's prior written authority.
- 8.2 Stramit may charge the Buyer for Stramit's acquisition and use of any Manufacturing Device. Payment of such charge will not vest in the Buyer any intellectual property rights or other rights in the Manufacturing Device.
- 8.3 Stramit may hire or lend tools or equipment to a Buyer on agreed terms. Stramit will invoice the Buyer for hire and delivery charges after the tools or equipment are in possession of the Buyer. The Buyer must pay the amount invoiced within 30 days of the invoice date.
- 8.4 The Buyer indemnifies and holds harmless Stramit against any claim, demand or suit arising out of any loss, damage or personal injury caused to the Buyer, its employees and agents or a third party by a tool or equipment provided by Stramit to the Buyer except to the extent Stramit has been negligent or breached the law or the Contract.
- 9. BUYER'S SPECIFICATIONS OR MATERIALS AND SPECIAL BUILDING PRODUCTS**
- 9.1 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, then the Buyer agrees that:
- 9.1.1 Stramit will not be responsible for any failure of any Special Building Products or lack of fitness for use or for any property damage or personal injury whatsoever caused by the Special Building Products.
- 9.1.2 the Customer agrees that it does not rely on the skill or judgment of Stramit in relation to the suitability of any Special Building Products goods for a particular purpose; and
- 9.1.3 any advice, recommendation, information or assistance provided by Stramit is provided without liability to Stramit whatsoever.
- 9.2 If the Buyer is a Consumer, or the Contract is a Small Business Contract, and Stramit, then the Buyer acknowledges and agrees that:
- 9.2.1 it must install and operate the Special Building Products goods in accordance with any applicable installation instructions and/or manuals, and with professional skill, competence and due care having regards to the complexity and nature of the work; and
- 9.2.2 any advice, recommendation, information or assistance provided by Stramit, is provided in good faith, relying upon the accuracy and completeness of information provided by Buyer to Stramit.
- 9.3 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract the Buyer will indemnify and hold Stramit harmless from:
- 9.3.1 any direct or indirect loss or damage caused to, or suffered by, the Buyer or to any third party by the Special Building Products and the Buyer releases Stramit from all liability in respect of any fault or defect in any Special Building Product; and
- 9.3.2 any claim, demand or suit arising out of Stramit's use of or reliance upon any design, specification or drawing provided to Stramit by the Buyer.
- 9.4 The Buyer warrants and represents that any designs, specifications or drawings it provides to Stramit for the manufacture of Special Building Products will not breach or infringe any copyright, patent or registered design or any other right of any third party. If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, the Buyer will indemnify and forever hold Stramit harmless from any loss, damage, liability or costs suffered or incurred by Stramit arising from a breach by the Buyer of this warranty and representation.
- 9.5 If Stramit, on request of the Buyer, processes the Buyer's materials, Stramit will not warrant that the materials supplied by the Buyer are suitable for such processing.
- 9.6 Stramit will not be liable for any:
- 9.6.1 failure of any processed Buyer's materials; or
- 9.6.2 failure of any Goods manufactured using the Buyer's materials; or
- 9.6.3 damage caused by or connected with the Buyer's materials at any time during or after processing by Stramit.

- 9.7 The Buyer must bear any additional expense or the cost of:
- 9.7.1 any testing or inspection of Goods manufactured using the Buyer's materials or any Special Building Products; and
- 9.7.2 any delay in processing caused by any defect in the Buyer's materials or by the nature of the Buyer's materials.

10. LIMITATION OF LIABILITY

- 10.1 Unless agreed in writing by Stramit, Stramit will not accept the return of goods. Goods accepted for return by Stramit may attract a charge to recover costs, restocking, disposal and repackaging charges. The amount of this charge will be determined by Stramit and recoverable from the Buyer. Proof of purchase from Buyer must accompany all goods returned to Stramit
- 10.2 If the Buyer is a Consumer or the Contract is a Small Business Contract, the provisions of this clause 10.2 apply:
 - (a) the Goods and Services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the Australian Consumer Law, Stramit's obligations to the Buyer in respect of a breach of any term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - (i) the repair or replacement of the Goods or the supply of equivalent Goods; or
 - (ii) paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - (iii) in the case of Services, the re-supply of Services or paying for the cost of resupplying the Services by a service provider approved in writing by Stramit.
- 10.3 Stramit's obligations, if clause 10.2 applies, do not include:
 - (i) the cost of removing defective Goods whether installed or otherwise;
 - (ii) the cost of installing replacement Goods; or
 - (iii) defects in Goods caused by improper installation or improper maintenance or care of Goods, or related components, or normal wear and tear.
- 10.4 Subject to clause 10.2, if the Buyer is not a Consumer or the Contract is not a Small Business Contract, all terms, representations, guarantees, implied warranties and conditions, whether implied by statute or otherwise, including as to merchantability, description, quality, suitability, or fitness for purpose as to design, assembly, installation, materials or workmanship or otherwise are expressly excluded. Stramit does not exclude, restrict or modify any liability that cannot be excluded, restricted or modified except to a limited extent, as between Stramit and the Buyer by law.
- 10.5 Stramit's obligations to the Buyer in respect of a breach of any a non-excludable term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - 10.5.1 the repair or replacement of the Goods or the supply of equivalent Goods; or
 - 10.5.2 paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - 10.5.3 in the case of Services, the re-supply of Services or paying for the cost of resupplying
- 10.6 Stramit's obligations if clause 10.5 applies do not include:
 - 10.6.1 the cost of removing defective Goods whether installed or otherwise;
 - 10.6.2 the cost of installing replacement Goods; or
 - 10.6.3 defects in Goods caused by improper installation or improper maintenance or care of Goods or related components or normal wear and tear.
- 10.7 To the extent permitted by law, Stramit will not be liable to the Buyer or any other person for any direct, indirect, special, incidental or consequential loss or damage (including loss or damage caused by negligence or any wilful act or default of Stramit, its employees or agents) whatsoever arising from the use of the Goods, or a breach of a contract under clause 2.2 or any statutory implied warranty, term or condition in relation to the Goods. In this clause, "direct, indirect, special, incidental or consequential loss or damage" includes (a) any loss of income, profit or business; (b) any loss of goodwill or reputation; and (c) any loss of value of intellectual property.
- 10.8 To the extent permitted by law, Stramit will not be liable to the Buyer, its employees or agents for any costs, claims, damages or demands arising from personal injury, loss or damage whatsoever occurring by reason of:
 - 10.8.1 the Goods or their design, production or processing;
 - 10.8.2 the Services;
 - 10.8.3 any act or omission of Stramit, its employees or agents; or
 - 10.8.4 any statement, representation, recommendation, advice, supervision or assistance made or given by an employee or agent of Stramit, whether oral or written.
- 10.9 Stramit will not be responsible for the consequences of any technical advice given by its employees or agents in relation to the design, specifications, installation or use of Goods. The Buyer acknowledges that it will not rely and has not relied on any skill or judgment of Stramit, its employees or agents about the suitability of any Goods and/or Services for a particular purpose.
- 10.10 The Buyer acknowledges that Stramit does not make and has not made any representation or warranty regarding the Goods and/or

Services or any matter which is or might be relevant to the Buyer other than as set out in these Sale Terms.

11. INDEMNITIES RELATING TO ACCESSING PREMISES

- 11.1 Any Buyer, or its agent, employee or contractor (Buyer's Representative) who enters Stramit's premises does so at his/her own risk. Stramit will not be liable for any loss, damage or injury caused by any act or omission whatsoever whilst the Buyer's Representative attends Stramit's premises. The Buyer indemnifies and will forever hold Stramit harmless against all claims, demands or suits made by a Buyer's Representative in connection with his/her attendance at Stramit's premises.
- 11.2 Where Stramit or its agent, employee or contractor (Stramit Representative) enters upon a Delivery Site, the Buyer must provide full and safe access to the Delivery Site and ensure that the Delivery Site is compliant with all occupational health and safety legislation and the Buyer will be liable for, and must indemnify Stramit against the costs of any loss or damage to property and personal injury to any Stramit Representative occurring directly or indirectly as a result of the Buyer's failure to comply with this clause.

12. GENERAL MATTERS

- 12.1 Stramit may vary or waive any or all of these Sale Terms at any time and will notify the Buyer in writing of any variation or waiver.
- 12.2 The failure of Stramit to exercise a right or remedy, or any delay by Stramit in exercising a right or remedy, or the exercise by Stramit of only part of a right or remedy, or the granting of any indulgence by Stramit in favour of the Buyer does not:
 - 12.2.1 affect Stramit's rights against the Buyer;
 - 12.2.2 constitute a waiver of any term or condition; or
 - 12.2.3 prohibit Stramit from exercising that right or remedy in relation to that breach or any other breach.
- 12.3 A waiver of a breach of a term or condition does not constitute a waiver of another breach of the same term or any other term.
- 12.4 The Buyer agrees that these Sale Terms shall be construed according to the laws of the State or Territory as Stramit may in its sole discretion determine. Proceedings by either Stramit or the Buyer may be instituted and/or continued in such State or Territory as Stramit may in its sole discretion determine. Failing such determination the Buyer consents to any proceedings being instituted and heard by any appropriate Court sitting in the State of New South Wales applying the laws of that State.
- 12.5 The Buyer must not assign any of its rights or obligations under these Sale Terms without the prior written approval of Stramit.
- 12.6 Stramit will not be liable for any delay or failure to fill an Order to the extent and for so long as performance is prevented or delayed by:
 - (a) any event or circumstance beyond Stramit's power or control;
 - (b) any delay or failure of supply by any of Stramit's suppliers; or
 - (c) a breakdown in Stramit's or its contractor's tools, equipment, vehicles or machinery.
- 12.7 If all or part of a clause in these Sale Terms is void, illegal or unenforceable, it may be severed without affecting the enforceability of any other provision.
- 12.8 If the Buyer is acting as the trustee of any trust (whether disclosed or not), then:
 - 12.8.1 the Buyer declares that it is entering into the Contract both in its own capacity and as trustee of the trust with the ability to bind and the intention of binding, both;
 - 12.8.2 the Buyer shall be liable both in its own name and as trustee of the trust; and
 - 12.8.3 the Buyer acknowledges that the assets of the trust shall be available to meet payment and obligations under the Contract, and of the Buyer's accounts.
- 12.9 A breach of these Sale Terms is a breach of the Credit Terms.

CONTACT US

The Stramit web page can be found at stramit.com.au. Details of many Stramit® products can also be seen on the AIA site 'Product Selector' selector.com.au.

REGION	LOCATION	CONTACT DETAILS	BRANCH OPENING HOURS ¹	ORDER CUT-OFF TIMES ²		
				STANDARD DELIVERY	NEXT DAY DELIVERY ³	PICK-UP HOURS ⁴
NSW & ACT	SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759	Ph 02 9834 0909 Fax 02 9834 0988	7.30am - 5pm	4pm	N/A	6am - 4pm
	CANBERRA 4 Bass St, Queanbeyan NSW 2620	Ph 02 6298 2500 Fax 02 6298 2533	7.30am - 5pm	4pm	N/A	7.30am - 4pm
	COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450	Ph 02 6656 3800 Fax 02 6656 3808	7.30am - 5pm	4pm	N/A	7am - 4pm
	NEWCASTLE 17 Nelson Rd, Cardiff NSW 2285	Ph 02 4041 3400 Fax 02 4041 3423	7.30am - 5pm	4pm	N/A	7am - 4pm
	ORANGE 51 Leewood Dr, Orange NSW 2800	Ph 02 6360 9200 Fax 02 6360 9211	7.30am - 5pm	4pm	N/A	7am - 4pm
VIC	MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180	Ph 03 9237 6300 Fax 03 9237 6399	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	ALBURY 18 Ariel Dr, Albury NSW 2640	Ph 02 6092 3700 Fax 02 6092 3766	7.30am - 5pm	4pm	N/A	7am - 4pm
	BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555	Ph 03 5448 6400 Fax 03 5447 9677	8am - 5pm	4pm	N/A	8am - 4.30pm
TAS	HOBART 57 Crooked Billett Dr, Brighton TAS 7030	Ph 03 6262 8788 Fax 03 6262 8712	7.30am - 5pm	4pm	N/A	7am - 4pm
SA	ADELAIDE 11 Stock Rd, Cavan SA 5094	Ph 08 8219 2000 Fax 08 8219 2021	7.30am - 5pm	4pm	N/A	7am - 4pm
South QLD	BRISBANE 57-71 Platinum St, Crestmead QLD 4132	Ph 07 3803 9999 Fax 07 3803 1499	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	MARYBOROUGH 10 Activity St, Maryborough QLD 4650	Ph 07 4123 9500 Fax 07 4123 9508	7am - 4.30pm	4pm	N/A	7am - 4pm
	ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702	Ph 07 4921 5600 Fax 07 4921 5608	7am - 4.30pm	4pm	N/A	7am - 4pm
North QLD	CAIRNS 53 Vickers St, Edmonton QLD 4869	Ph 07 4034 6555 Fax 07 4034 6511	7am - 4.30pm	4pm	N/A	7am - 4pm
	TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814	Ph 07 4412 3900 Fax 07 4412 3909	7am - 4.30pm	4pm	N/A	7am - 4pm
	MACKAY 6 Brickworks Court, Glenella QLD 4740	Ph 07 4965 4000 Fax 07 4965 4012	7am - 4.30pm	4pm	N/A	7am - 4pm
NT	DARWIN 55 Albatross St, Winnellie NT 0820	Ph 08 7922 4600 Fax 08 7922 4608	7.30am-4.30pm	3.30pm	N/A	7am - 4pm
WA	PERTH 605-615 Bickley Rd, Maddington WA 6109	Ph 08 9493 8800 Fax 08 9493 8899	7.30am - 5pm	4pm	12.30pm	7am - 4pm

¹ Business days only (excludes weekend and public holidays).

² Days only (excludes weekend and public holidays). Standard Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Next Day Delivery refers to order cut-off times for orders to be delivered the next Business Day.

³ Additional charges may apply.

⁴ Orders picked up outside of office hours must be confirmed prior to pick-up.