

WESTERN AUSTRALIA



PRODUCT AND SERVICE GUIDE

EFFECTIVE MAY 2018

Supersedes March 2017



METROPOLITAN

Ph 08 9493 8800

Fax 08 9493 8899

PerthSales@stramit.com.au

COUNTRY

Ph 1800 218 046

Fax 08 9493 8899

stramit.com.au





OUR STEEL-CLAD COMMITMENT TO YOU EVERY TIME YOU WORK WITH US.

Our Declaration of Done is what sets Stramit® apart. It's our set of promises to you that make getting the job done easy. Want on-time delivery? Done. Great quality products? Done. No matter the size of the job, when you work with Stramit, you can Consider It Done.



ON-TIME DELIVERY

We'll deliver in full, on-time and to specification or we'll credit you 5% of the order confirmation value. Give us 2 days' lead time without making a change and we'll double it to 10%.



GREAT QUALITY PRODUCTS

Great quality products every time, or we'll replace them at no cost to you.



BEST STOCK AVAILABILITY

With our most popular items always in stock, we have what you need, when you need it.



AUSTRALIA WIDE COVERAGE

With a national footprint and local teams covering every State and Territory, we'll work together to get your job done.



PERSONAL SERVICE

You'll be supported by an experienced sales team backed by a network of technical experts.



RESPONSIVE SUPPORT

You'll speak to us within 6 rings and we'll always keep you informed.



FAST ORDER CONFIRMATION

Accurate same day order confirmation, allowing an extra day for structural products, or we'll credit you \$50.



ACCURATE INVOICING

Your invoice will be accurate or we'll credit you the difference plus \$50 within 5 days.

INDEX

Ordering Codes – Standards for Use	4-5	CUSTOM FLASHINGS	
ROOFING/CLADDING		Stramit® Standard Flashings	44
Standard Delivery Details	6-11	Stramit® Custom Flashings – Ordering Procedure	45
Selecting Your Product	12	Stramit® Custom Flashings	46-50
Stramit Speed Deck Ultra® FM Approval Certification	13	Stramit® Customer Order – Flashing Detail	51
Stramit MonoClad® FM Approval Certification	13	INSULATING PRODUCTS	
Stramit Speed Deck Ultra®	14	Foil, Blanket, Wire	52
Stramit® Corrugated	15	FENCING	
Stramit® Corrugated Flashings	16	Fencing Accessories	53-54
Stramit® Curving Quality – Corrugated & Tank Iron	17	FIRE RESISTING WALL SYSTEM	
Stramit MonoClad® – Stramit® MonoClad Flashings	18-19	Uniguard	55
Stramit Longspan®	20	AVAILABILITY	
Stramit Longspan® Flashings, Accessories	21	Product Availability – Roofing/Rainwater	56
Stramit Minirib®, Stramit Miniseam™	22	Product Availability – Premium Products	57
General Accessories	23-24	Product Availability – Fencing	57
Stramit Mini Corry®	25	RETURN OF GOODS	
Stramit K-Panel®	25	Stock lines may be returned for Credit, with Stramit's agreement, subject to the following charges:	
Fasteners, Accessories	26-27	i) Where goods are returned by the customer a re-stocking fee of 20% (\$20 minimum) is applicable.	
Stramit® Flat Sheet	28	ii) Where goods are picked up by Stramit for return, Standard Delivery charges plus a re-stocking fee of 20% are applicable.	
Stramit® Patio Components	28	iii) Returns should be no later than 5 working days after delivery date.	
Stramit® MagnaFlow® – Roofing, Cladding, Rainwater	29	Non stock items, such as cut to length products are not returnable to Stramit.	
FORMWORK/STRUCTURAL COMPONENTS		Refer to Terms & Conditions of Sale inside back cover.	
Stramit Condeck HP® composite decking	30	The Company will not accept materials returned for credit under any circumstances unless authorised by the Company and a "Collect/Return of Goods" docket is issued.	
Stramit® Purlins & Girts	31	The Company will not accept any responsibility for materials returned under any other circumstances.	
Purlins - ZAM Coating	32		
Stramit® Bridging	33-34	PRICES – All prices quoted are ex factory and subject to GST and delivery charge.	
Bridging Installation Guide	35-36		
Stramit® Framing Sections	37-38		
Stramit® Flooring System Components	39		
GUTTER/FASCIA/DOWNSPIPE			
Stramit Strongline® Fascia & Accessories	40		
Stramit® Easiline Commercial Gutter	41		
Stramit® Easiline Patio Gutter	41		
Stramit® Easiline Domestic Gutter	41		
Stramit Strongline® Gutter	41		
Stramit Trad-Line™ Gutter	41		
Stramit® Quarter Round Gutter	42		
Stramit® Gutter Accessories	42		
Stramit® Downpipe & Accessories	43		

FOR PRICING OR FURTHER INFORMATION
PLEASE CONTACT YOUR SALES REPRESENTATIVE OR CALL THE SALES HOTLINE.

IMPORTANT NOTE – HANDLING & STORAGE

Roofing and Cladding sheets when stored on site must be kept dry by storing under cover.
Wet storage stains can occur from condensation even in dry weather.

**NOTE: Technical details displayed in this book are a guide only.
For further information, please consult the relevant Stramit Technical Manual.**

COLORBOND STEEL - CARE • MAINTENANCE

Hints and tips to achieve maximum life from your Colorbond® Steel product.

- Colorbond® steel used in areas not washed by rainfall should be cleaned down at regular intervals.
- Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing.
- Never immerse Colorbond® steel in sand, soil or concrete.
- Do not use “touch-up” paint systems on Colorbond® steel.
- Avoid metal debris from cutting and/or drilling.
- Keep material dry when in bundles prior to installation.
- Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
- Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF

The table of Roof Slope Factors below allows quick calculations of roof area, sheet length and hip length.

These methods are for quick estimating purposes only. Accurate measurements must be taken from the actual roof frame before ordering roofing and rainwater products.

As an example, take a typical hipped roof where all four roof sections have the same slope (30°) and all hips are of equal length.

ROOF AREA

First determine the area of the roof plan by multiplying the length of the roof by the width. Before making the calculation, add gutter overhangs of 50mm. In this case, there are gutters on all four sides. To find the area of the hipped roof, simply multiply this plan area by the Roof Slope Factor for Roof Area. The same method is used for gable roofs.

$$19.1 \times 8.1 = 154.7 \times 1.155 = 178.7$$

Therefore, roughly 179m² of sheeting will be needed to cover the roof. On complex roof shapes, extra may need to be added to allow for wastage.

SHEET LENGTH

On the roof plan, measure the distance from the line of the ridge to the outside edge of the fascia, which in the example is half the span or 4000mm. Multiply this measurement by the Sheet Length Roof Slope Factor to find the length of the sheet required to span from the ridge to the fascia. Note that all roof sheeting must extend at least 50mm beyond the fascia line to provide gutter overhang.

$$4000 + 50 \times 1.155 = 4678\text{mm}$$

HIP CAPPING

To find the length of ridge capping required to cover one hip, measure the distance from the ridge line to the fascia on the roof plan (here 4000mm) add the gutter overhang and multiply by the Hip Length Roof Slope Factor for 30°. Multiply by 4.


$$4000 + 50 \times 1.528 \times 4 = 24.8\text{m}$$

RIDGE CAPPING

For hipped roofs where all sides have the same slope, the length of the top ridge is equal to the length of the roof plan minus the width, regardless of slope. Add 5% to all capping to allow for laps.

$$19 - 8 = 11 + 5\% = 11.55\text{m}$$

Typical hipped roof (roof slope = 30°)



ROOF SLOPE FACTORS

Roof Slope (degrees)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Roof Area/Sheet Length	1.000	1.001	1.001	1.002	1.004	1.006	1.008	1.010	1.012	1.015	1.019	1.022	1.026	1.031	1.035
Hip Length	1.414	1.415	1.415	1.416	1.417	1.418	1.420	1.421	1.423	1.425	1.428	1.430	1.433	1.436	1.439

Roof Slope (degrees)	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Roof Area/Sheet Length	1.040	1.046	1.051	1.058	1.064	1.071	1.079	1.086	1.095	1.103	1.113	1.122	1.133	1.143	1.155
Hip Length	1.443	1.447	1.451	1.456	1.460	1.465	1.471	1.477	1.483	1.489	1.496	1.503	1.511	1.519	1.528

Roof Slope (degrees)	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Roof Area/Sheet Length	1.167	1.179	1.192	1.206	1.221	1.236	1.252	1.269	1.287	1.305	1.325	1.346	1.367	1.390	1.414
Hip Length	1.537	1.546	1.556	1.567	1.578	1.590	1.602	1.616	1.630	1.644	1.660	1.677	1.694	1.712	1.732

Roof Slope (degrees)	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Roof Area/Sheet Length	1.440	1.466	1.494	1.524	1.556	1.589	1.624	1.662	1.701	1.743	1.788	1.836	1.887	1.942	2.000
Hip Length	1.753	1.775	1.798	1.823	1.849	1.877	1.907	1.939	1.973	2.010	2.049	2.091	2.136	2.184	2.236

ORDERING CODES – STANDARDS FOR USE

Ordering Codes are used in this Price List and should be used when ordering products from your local branch.

Ordering Codes for COLORBOND® Cut to Length Product ONLY the Order Code comprises four (4) separate categories.

MC 42 X ---

			<div style="background-color: black; color: white; padding: 2px;">COLOUR CODES</div> <p>EXAMPLES SUR Surfmist® CLC Classic Cream™</p>
			<div style="background-color: black; color: white; padding: 2px;">PRODUCT TYPE</div> <p>EXAMPLES U ULTRA X XRW</p>
			<div style="background-color: black; color: white; padding: 2px;">PRODUCT BASE METAL THICKNESS</div> <p>EXAMPLES 42 0.42mm BMT 48 0.48mm BMT</p>
			<div style="background-color: black; color: white; padding: 2px;">PRODUCT DESCRIPTION</div> <p>EXAMPLES MC Stramit Monoclad® sheeting UD Stramit Speed Deck Ultra® decking Alpha Codes</p>

**Therefore the Ordering Code for
Stramit Monoclad® sheeting
0.42mm BMT COLORBOND®**

MC42X---

Ordering Codes for Zinc-aluminium alloy/Galvanised Cut to Length Product ONLY the Order Code comprises three (3) separate categories.

MC 42 --

			<div style="background-color: black; color: white; padding: 2px;">COLOUR CODES</div> <p>EXAMPLES GA Galvanised ZA Zinc/aluminium alloy</p>
			<div style="background-color: black; color: white; padding: 2px;">PRODUCT BASE METAL THICKNESS</div> <p>EXAMPLES 42 0.42mm BMT 48 0.48mm BMT</p>
			<div style="background-color: black; color: white; padding: 2px;">PRODUCT DESCRIPTION</div> <p>EXAMPLES MC Stramit Monoclad® sheeting UD Stramit Speed Deck Ultra® decking Alpha Codes</p>


**Therefore the Ordering Code for
Stramit Monoclad® sheeting
0.42mm BMT Zinc/aluminium alloy**

MC42ZA


ORDERING CODES – STANDARDS FOR USE

Ordering Codes are used in this Price List and should be used when ordering products from your local branch.

Ordering Codes for Colorbond® items either Stock Length or Cut to Length again the Order Code comprises three (3) separate categories.



Ordering Codes for Zinc-aluminium alloy items either Stock Length or Cut to Length again the Order Code comprises two (2) separate categories.



ABBREVIATIONS

POA	Price on Application
BMT	Base Metal Thickness
TCT	Total Coated Thickness
ZA	Zinc-aluminium alloy
COL	Colorbond®
CB	Colorbond®
GA	Galvanised

COLOURS (Colorbond®)

BAS	Basalt®	MNR	Manor Red® (Heritage Red)
CLC	Classic Cream™ (Smooth Cream)	MON	Monument®
CTG	Cottage Green® (Caulfield Green)	NTS	Night Sky®
COV	Cove™	PEC	Pale Eucalypt® (Mist Green)
DOC	Deep Ocean® (Mountain Blue)	PPB	Paperbark® (Merino)
DUN	Dune® (Birch)	SHG	Shale Grey™ (Gull Grey)
EVH	Evening Haze®	SUR	Surfmist® (Off White)
GLY	Gully™	TRN	Terrain®
IST	Ironstone®	WLB	Wallaby®
JAS	Jasper®	WDG	Woodland Grey® (Slate Grey)
MGV	Mangrove®	WSP	Windspray® (Armour Grey)

COLOURS (Ultra)

DUN	Dune®
MON	Monument®
SUR	Surfmist®
WLB	Wallaby®
WSP	Windspray®
WDG	Woodland Grey®

COLOURS (MATT)

BAS	Basalt®
DUN	Dune®
MON	Monument®
SHG	Shale Grey®
SUR	Surfmist®

STANDARD DELIVERY DETAILS

NOTE

- 1) Any Customer who has exceeded their account credit limit or whose payments are overdue, may experience delays in the manufacture and delivery of goods ordered.
- 2) All payments by credit card are subject to a 2% card service fee.
- 3) Due to handling and transport limitations, the maximum length for rainwater goods is 8000mm.

TO ORDER

Made to measure roofing and rainwater products will be delivered within 48 hours.
Orders placed after 4.00 pm will be treated as next day orders.

DELIVERY HOURS

Week days from 7.30 am to 5.30 pm.

Additional charges will apply to deliveries outside these hours, on weekends, and public holidays.

STANDARD DELIVERY CHARGES

DESCRIPTION	CODE	METROPOLITAN AREA
EX MADDINGTON		
To Store up to 9.0 metres	FRSTORE	\$142.43
To Site up to 9.0 metres	FRSITE	\$142.43
Priority Delivery	FR5PRIORITY	\$198.84
7.30am Delivery	FR5EARLY	\$217.20
7.30am Delivery Long	FR5EARLYLONG	\$369.12
Lengths 9.0 metres to 20.0 metres	FR5LONG	\$257.52
Lengths 20.0 metres to 25 metres	FR5XLONG	\$309.28
Lengths 25 metres up to 27.3 metres	FR5XXLONG	\$369.12
Lengths 27.3 metres and over	FRSPEC	POA

HIAB Deliveries - Maximum length 13.0 metres

Deliveries over 20.0 metres

All deliveries over 20.0 metres require Escorts and Permits.

Escorts from Stramit Depot

(Note: Minimum 2.5 hour charge)

Permits

Spreader Bar Hire

FRESCORT
FRRPERM

\$108.90 per hour

\$27.50

\$110.00 per day

EX MADDINGTON

TRANSPORT OUTSIDE METROPOLITAN AREA UP TO 13.0 METRES:

Daily to:

Australind	\$142.43
Bunbury	\$142.43
Capel	\$142.43
Busselton	\$142.43

Weekly to:

Dunsborough	\$142.43
Margaret River	\$142.43
Donnybrook	\$142.43
Collie	\$194.18
Manjimup	\$194.18
Bridgetown	\$194.18
Albany	POA
Geraldton	POA
Northam	POA

Delivery Day

Monday & Thursday
Monday & Thursday
Wednesday
Thursday
Wednesday
Wednesday
Tuesday
Wednesday & Friday
Monday

All other destinations by request.

POA

All deliveries over 13.0 metres

POA

STANDARD DELIVERY DETAILS

DELIVERY INFORMATION

Stramit trucks enter a customer's property at the customer's own risk. The customer will be held responsible for any subsequent damage to either Stramit or their own property as well as other additional costs incurred i.e., towing, etc.

WINTER DELIVERIES

Long Loads will only be after 9am due to curfew regulations and are subject to additional charges.

MAJOR PROJECTS

Major project work deliveries subject to negotiation.
Contact your Area Representative or Stramit Sales Office.

PACKAGING

If special packing is required additional costs will be to the customer's account.
Contact your Area Representative or Stramit Sales Office.

CUSTOMER PICK-UPS

Ex Maddington 7.00 am to 4.00 pm Monday to Friday.

Works are closed Saturday and Sunday.

Pick-up address: 605-615 Bickley Road, Maddington, WA, 6109

Customers picking up orders must comply with the site safety rules regarding personal protective clothing and traffic management. Details are provided at dispatch or on request.

Should you require a special collection service from our premises outside of normal hours, prior arrangement must be made with the Operations Manager, Sales Managers, Dispatch Supervisor or Regional Manager and an OUT OF HOURS SERVICE CHARGE will usually apply.

Refer to Terms and Conditions of Sale inside back cover. In particular item 4.4. for Holding of Goods, which reads as follows:

- 4.4 If the Buyer does not collect the Goods by the collection date, then Stramit may, without limiting any other rights available to it, store the Goods or deliver them to the Delivery Site and the Buyer must, on demand, pay all cost of delivery and any additional charges (including storage costs) and costs incurred by Stramit.

COUNTRY CUSTOMERS

To arrange pick-ups by your carrier, please contact Dispatch to arrange a loading time. Maddington (08) 9493 8800.

Please phone at least one (1) working day before the proposed pick up.

Where you nominate a carrier to pick up on your behalf without our prior agreement, such accounts or charges will be referred to you for payment by way of invoice.

UNLOADING OF DELIVERIES

Customers/receivers are responsible at all times. Our terms are "On lorry at site or store".

UNLOADING/DEMURRAGE (FRDMG)

Unloading at the site is the responsibility of the customer. A maximum time of 30 minutes per truck is allowed for unloading; any additional time will be charged to the customer at the rate of \$146.30 per hour.

UNATTENDED SITES

Where delivery is made to an unattended site, our driver will endeavour to effect delivery as close to the site as possible. In these instances, Stramit will not accept claims for damage to product during unloading, nor claims for pilfering of part of or all of the delivery made.

Refer to Terms and Conditions of Sale, inside back cover.


DELIVERY CONDITIONS

Refer to Terms & Conditions of Sale, inside back cover.

REDELIVERIES

Product refused at the originally delivery and requested to be redelivered will incur a minimum charge of \$150.00 over and above the standard delivery charge.

STANDARD DELIVERY DETAILS




UBD **Gregory's**

MAP KEY

Metropolitan Area

COPYRIGHT © UNIVERSAL PUBLISHERS PTY. LTD 2013

STANDARD DELIVERY DETAILS












LOADING REQUIREMENTS



OVERHANG LIMITS

THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



A 450MM SQUARE BRIGHT RED FLAG IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)

LOADING REQUIREMENTS




SECURE YOUR LOAD!

**DO NOT USE OCCY STRAPS
OR FLEXI STRAPS**

Minimum 2 lashings
per stack for items
longer than 750 mm.

Recommended
Minimum Lashing
1.5m apart



No low friction
surfaces (metal
on metal, plastic
on metal, etc.)

Watch your Lashing Angle!
The More Upright
The More secure

Roof Racks must be secure,
Maximum loads:
Sports Racks - 40kg
Trades Racks - 100kg



*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

VEHICLES CONSIDERED INAPPROPRIATE CANNOT BE LOADED! YOUR SAFETY IS OUR CONCERN

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility









Table 1 - Lashing Requirements

Lashing Angle to Horizontal \angle	25 mm hand tightened webbing	25 mm ratchet webbing	35 mm ratchet webbing	8 mm synthetic rope with single hitch
60 to 90°	52 kg per strap	170 kg	430 kg	87 kg per rope
45 to 60°	46 kg per strap	140 kg	350 kg	71 kg per rope
30 to 45°	30 kg per strap	100 kg	250 kg	50 kg per rope
15 to 30°	15 kg per strap	52 kg	130 kg	26 kg per rope

Key Assumptions in Tables 1

- All lashings are fully tensioned. If not, then more lashings may be required.
- No low friction surfaces (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
- A minimum static coefficient of friction of $\mu = 0.40$ is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
- Round loads require belly wrapping and extra restraints.

SELECTING YOUR PRODUCT

Product Roofing/Cladding	Page	BMT mm	Nominal Cover Width mm	Minimum Pitch	Roof Span		Wall Span	
					Int Span mm	End Span mm	Int Span mm	End Span mm
Stramit Speed Deck Ultra® 	14	0.42 0.48	700	1 Degree (1 in 60)	2100 2700	1750 2250	3000 3000	2500 2500
Fixing Screws required 1/sheet/batten								
Stramit® Corrugated 	15	0.42 0.48 0.60	762	† 5 Degrees (1 in 12)	1200 1600 1600	1000 1300 1300	2600 2850 2850	2150 2350 2350
Fixing Screws required 3/sheet/batten†								
Stramit® Curving Quality 	17	0.60	762	-	1200	1000	2700	2250
Fixing Screws required 3/sheet/batten†								
Stramit Monoclad® 	18	0.35 0.42 0.48	762	Walls only 2 Degrees (1 in 27)	- 1700 2300	- 1400 1900	3000 3000 3000	2500 2500 2500
Fixing Screws required 4/sheet/batten†								
Stramit Longspan® 	20	0.42 0.48	700	1.5 Degrees (1 in 45)	2100 2700	1750 2250	3000 3000	2500 2500
Fixing Screws required 3/sheet/batten†								
Stramit Minirib® 	22	0.42	900	Walls only	-	-	1500	1250
Fixing Screws required 4/sheet/batten†								
Stramit Miniseam™ 	22	0.42	850	Walls only	-	-	1500	1250
Stramit Mini Corry® 	25	0.42 0.48	825 -	Walls only	-	-	1200 1300	1000 1050
Fixing Screws required 7/sheet/batten†								
NOTE: Stramit Mini Corry® panelling available ex East.								
Stramit K-Panel® 	25	0.35	864	Walls only	†	†	1500	1250
Fixing Screws required 4/sheet/batten†								

TCT = Total Coated Thickness. This is a nominal dimension. It should not be used in specifications due to variances in Coating and paint finish.
 BMT = Base Metal Thickness. This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.

† NOT suitable for cyclonic conditions.


Conditions. For N1 wind conditions and normal duty foot traffic.

ROOFING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
---------	-----------------	------	--------	--------	------

FM Approval Certification

Stramit Speed Deck Ultra®




UD42FMZA	ZA	0.42	sq m
UD48FMZA	ZA	0.48	sq m
UD42FMX---	CB	0.42	sq m
UD48FMX---	CB	0.48	sq m

Accessories

S-5-K700 Clamp

each








NOTE: Used for attaching services and frames (eg. PV Panels) without puncturing the cladding with screws

Stramit Monoclad®



MC42FMZA	ZA	0.42	sq m
MC48FMZA	ZA	0.48	sq m
MC42FMX---	CB	0.42	sq m
MC48FMX---	CB	0.48	sq m








SPEED DECK ULTRA • ROOFING • ACCESSORIES

Product Roofing/Accessories	Product Details	Code mm	Finish	BMT	Unit
Stramit Speed Deck Ultra®  <p>NOTE: Minimum length 1 metre Maximum length 30 metres Longer lengths by negotiation Subject to minimum order quantities. Colour availability on application.</p>	Hi-Tensile G550	UD42ZA	ZA	0.42	per m ²
		UD48ZA	ZA	0.48	per m ²
		UD42X---	CB	0.42	per m ²
		UD48X---	CB	0.48	per m ²
		UD42KWHN	CB Coolmax	0.42	per m ²
		UD48KWHN	CB Coolmax	0.48	per m ²
		UD42U---	CB Ultra	0.42	per m ²
		UD48U---	CB Ultra	0.48	per m ²
		UD42T---	CB Matt	0.42	per m ²
		UD42ZM8---	Magnaflow	0.42	per m ²
Fibreglass Roof Sheetting	Suit Stramit Speed Deck Ultra® decking <i>CLR, OPA</i>	TSFGUD24---	2400gsm		lin metre
					<i>Lengths over 11.6m incur extra delivery charges</i>
Fixing Clips	Fixing Clips no fasteners (40 per box)	UDFC	GA		each
					
	FarLap Lapping Accessory	UDFARLAP			each
	SkyLap Joint System for Fibreglass Sheetting	UDSKYLAP			each
	<i>To calculate clip requirements divide sheet length by purlin spacing, round up if required and add 1 for the end clip. Then multiply by the number of sheets. Clip covers full 700mm of sheet width.</i>				
Fasteners	12x30 Hex Head (No Neo) <i>Self Drilling/Tapping (for fixing to metal)</i>	S1230HTNN			per 1000
					
Accessories	Stop Ending tool <i>(Turn up/turn down) Double ended</i>	UDSETD			each
					
	Farlap TurnUp/TurnDown Tool	UDFARLAPSETD			each
Accessories	Filler Strip 700 (Bottom)	UDEFSBTM			each
					
	Filler Strip 700 (Top)	UDEFSSTOP			each
Roof Rack Spacers	75mm	RRISGA			each
					



CORRUGATED • ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding	Product Details	Code	Finish	BMT mm	Unit	
Stramit® Corrugated  <p>762 Nominal Cover 16</p> <p>NOTE: Minimum length 1 metre Maximum length 22 metres Longer lengths by negotiation</p>		C42ZA	ZA	0.42	per m ²	
		C48ZA	ZA	0.48	per m ²	
		C42X---	CB	0.42	per m ²	
		C48X---	CB	0.48	per m ²	
		C42DH	Double Sided	0.42	per m ²	
		C42KWHN	CB Coolmax	0.42	per m ²	
		C48KWHN	CB Coolmax	0.48	per m ²	
		C42IOWHP11	Perforated OW only	0.42	per m ²	
		C42U---	CB Ultra	0.42	per m ²	
		C48U---	CB Ultra	0.48	per m ²	
		C48M---	CB Metallic	0.48	per m ²	
		C42T---	CB Matt	0.42	per m ²	
		C42ZM8---	Magnaflow	0.42	per m ²	
	Translucent Roof Sheeting Suit	Fibreglass <i>Ice Clear, Opal, Haze Green</i>	TSGFC18--- TSGFC24---	1800gsm (6oz) 2400gsm (8oz)		lin metre lin metre
	Stramit® Corrugated	<i>Lengths over 11.9m incur extra delivery charges</i>				
		Polycarbonate <i>Clear, Grey, Opal, Light Bronze and Dark Tint</i>	TSPCC---18	1800mm length	0.80	each
		TSPCC---21	2100mm length	0.80	each	
		TSPCC---24	2400mm length	0.80	each	
		TSPCC---27	2700mm length	0.80	each	
		TSPCC---30	3000mm length	0.80	each	
		TSPCC---33	3300mm length	0.80	each	
		TSPCC---36	3600mm length	0.80	each	
		TSPCC---39	3900mm length	0.80	each	
		TSPCC---42	4200mm length	0.80	each	
		TSPCC---48	4800mm length	0.80	each	
		TSPCC---54	5400mm length	0.80	each	
		TSPCC---60	6000mm length	0.80	each	
		TSPCC---72	7200mm length	0.80	each	
		TSPCC---81	8100mm length	0.80	each	
Note: Not all lengths available in all colours						
Accessories	Superseal Filler Strip (eave & ridge)	CEFS Black	915mm		each	
Fasteners - Class 4 Roof Zip Screws	M6 x 50 Hex Head SDS (for crest fixing to timber and steel) (up to 1.9mm steel)	S0650HZIP4H S0650HZIP4 S0650HZIP---4H S0650HZIP---4	Plain Plain Colour Colour		per pack 100 per box 1000 per pack 100 per box 1000	


CORRUGATED • FLASHINGS

Product Flashings	Product Details	Code	Finish	BMT mm	Unit
Stramit® Roll Top Ridge Cap 	Custom Made 10mm, breaks	RTR40ZA	ZA	0.40	lin metre
	Reverse Roll	RTR40X---	CB	0.40	lin metre
		RTR55ZA	ZA	0.55	lin metre
		RTR55X---	CB	0.55	lin metre
		RTR40RRX---	CB	0.40	lin metre
		RTR55RRX---	CB	0.55	lin metre
Stramit® Stepped Roll Top Ridge Cap 	Custom Made	RTRRIB40ZA	ZA	0.40	lin metre
	Reverse Roll	RTRRIB40X---	CB	0.40	lin metre
		RTRRIB55ZA	ZA	0.55	lin metre
		RTRRIB55X---	CB	0.55	lin metre
		RTRRIB40RRX---	CB	0.40	lin metre
Stramit® Flat Top Ridge Cap 	Custom Made	RFC40ZA	ZA	0.40	lin metre
	10mm, breaks Reverse Roll	RFC40X---	CB	0.40	lin metre
		RFC55ZA	ZA	0.55	lin metre
		RFC55X---	CB	0.55	lin metre
		RFC40RRX	CB	0.40	lin metre
		RFC55RRX---	CB	0.55	lin metre
Stramit® Valley Gutter 	Custom Made	VRIBWA40ZA	ZA	0.40	lin metre
		VRIBWA40X---	CB	0.40	lin metre
		VPF55ZA	ZA	0.55	lin metre
		VPF55X---	CB	0.55	lin metre
Stramit® Barge Capping 	Custom Made	BFC24040ZA	ZA	0.40	lin metre
	10mm, breaks	BFC24040X---	CB	0.40	lin metre
		BFC24055ZA	ZA	0.55	lin metre
		BFC24055X---	CB	0.55	lin metre
Stramit® Under Flashings 	Custom Made	UFC40ZA	ZA	0.40	lin metre
	10mm, breaks	UFC40X---	CB	0.40	lin metre
		UFC55ZA	ZA	0.55	lin metre
		UFC55X---	CB	0.55	lin metre
Stramit® Hookover 	Length 2.4m	PH040ZA	ZA	0.40	lin metre
		PH040X---	CB	0.40	lin metre
Stramit® Secret Gutter 	Length 2.4m	SG40ZA	ZA	0.40	lin metre
Stramit® Rolled Barge 		RTB20055ZA	ZA	0.55	lin metre
		RTB20055X---	CB	0.55	lin metre

CURVED ROOFING • TANK IRON • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Curved Roofing/Tank Iron/Accessories					
Stramit® Curved Roofing	Material costs only	CQ60ZA	ZA	0.60	sq m
		CQ60X---	CB	0.60	sq m
 <p style="text-align: center;">Curving cost per sheet</p> <p>762 Nominal Cover</p>					
Lead Time: 5 working days.					
NOTE: Lengths under 1 metre will be subject to a cutting charge.					
Tank Iron	Aquaplate® 'W'	CT72060AQGA	GA	0.60	sq m
	Aquaplate® 'W'	CT72060AQ---	CB	0.60	sq m
 <p>762</p> <p>Colours available - Pale Eucalypt, Paperbark</p>					
	Flat Sheet Tank Base	FSTB120060AQGA	GA	0.60	sq m
	Flat Sheet Tank Lid	FSTL120060AQGA	GA	0.60	sq m

MONOCLAD • ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Product Details	Code	Finish	BMT mm	Unit	
 <p>762 Nominal Cover</p> <p>NOTE: Minimum length 1 metre Maximum length 24 metres Longer lengths by negotiation</p>	Stramit Monoclad®	MC42ZA	ZA	0.42	per m ²	
	MC48ZA	ZA	0.48	per m ²		
	MC42X---	CB	0.42	per m ²		
	MC48X---	CB	0.48	per m ²		
	MC42RRX---	CB	0.42	per m ²		
	MC42DH	Double Sided	0.42	per m ²		
	MC42KWHN	CB Coolmax	0.42	per m ²		
	MC48KWHN	CB Coolmax	0.48	per m ²		
	MC42IOWHP11	Perforated OW only	0.42	per m ²		
	MC42U---	CB Ultra	0.42	per m ²		
	MC48U---	CB Ultra	0.48	per m ²		
	MC48M---	CB Metallic	0.48	per m ²		
	MC42T---	CB Matt	0.42	per m ²		
	MC42ZM8---	Magnaflow	0.42	per m ²		
	Stramit Monoclad® wall sheeting Light Gauge  <p>762 Nominal Cover</p>		MC35ZA	ZA	0.35	sq m
		MC35X---	CB	0.35	sq m	
Only suitable for wall cladding.						
Translucent Roof Sheeting to suit Stramit Monoclad® sheeting profile  <p>Clear, Grey, Opal, Light Bronze and Dark Tint</p>	Fibreglass	TSFGMC18---	1800gsm (6oz)		lin metre	
	<i>Ice Clear, Opal, Haze Green</i>	TSFGMC24---	2400gsm (8oz)		lin metre	
	<i>Lengths over 11.9m incur extra delivery charges</i>					
	Polycarbonate	TSPCMC---18	1800mm length	0.80	each	
		TSPCMC---21	2100mm length	0.80	each	
		TSPCMC---24	2400mm length	0.80	each	
		TSPCMC---27	2700mm length	0.80	each	
		TSPCMC---30	3000mm length	0.80	each	
		TSPCMC---36	3600mm length	0.80	each	
		TSPCMC---42	4200mm length	0.80	each	
		TSPCMC---48	4800mm length	0.80	each	
		TSPCMC---54	5400mm length	0.80	each	
		TSPCMC---60	6000mm length	0.80	each	
		TSPCMC---72	7200mm length	0.80	each	
		TSPCMC---81	8100mm length	0.80	each	
Note: Not all lengths available in all colours						
Polycarbonate Washers		TSFGWW32H			pkt 100	
Accessories	Suit Stramit Monoclad® sheeting profile					
	Superseal Filler Strip (under eave)	MCEFSBTM	900mm	Black	each	
	Superseal Filler Strip (under ridge)	MCEFSTOP	900mm	Black	each	
Fasteners - Class 4 	M6 x 65 Hex Head SDS (for crest fixing to timber and steel)	S0665HZIP4H	Plain		per pack100	
		S0665HZIP4	Plain		per box 1000	
		S0665HZIP---4H	Colour		per pack 100	
		S0665HZIP---4	Colour		per box 1000	
Note: Not all colours kept in stock please check availability at time of order.						

MONOCLAD • FLASHINGS


Product Roofing/Cladding/Accessories/Flashings	Product Details	Code	Finish	BMT mm	Unit
Flashings					
Stramit® Roll Top Ridge Cap 	Custom Made	RTR30B40ZA	ZA	0.40	lin metre
		RTR30B40X---	CB	0.40	lin metre
with 10mm, 30mm, breaks					
Stramit® Stepped Roll Top Ridge Cap 	Custom Made	RTRRIB40ZA	ZA	0.40	lin metre
		RTRRIB40X---	CB	0.40	lin metre
		RTRRIB55ZA	ZA	0.55	lin metre
		RTRRIB55X---	CB	0.55	lin metre
		RTRRIB40RRX---	CB	0.40	lin metre
Reverse Roll					
Stramit® Flat Top Ridge Cap 	Custom Made 30mm, breaks Reverse Roll	RFMC40ZA	ZA	0.40	lin metre
		RFMC40X---	CB	0.40	lin metre
		RFMC40RRX---	CB	0.40	lin metre
Stramit® Valley Gutter 	Custom Made	VRIBWA40ZA	ZA	0.40	lin metre
		VRIBWA40X---	CB	0.40	lin metre
		VPF55ZA	ZA	0.55	lin metre
		VPF55X---	CB	0.55	lin metre
Stramit® Barge Capping 	Custom Made 30mm, breaks	BFMC40ZA	ZA	0.40	lin metre
		BFMC40X---	CB	0.40	lin metre
Stramit® Under Flashings 	Custom Made 30mm, breaks	UFMC30040ZA	ZA	0.40	lin metre
		UFMC30040X---	CB	0.40	lin metre

LONGSPAN • ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories/Flashings	Product Details	Code	Finish	BMT	Unit mm
Stramit Longspan®  <p>700 Nominal Cover 27</p>		LS42ZA	ZA	0.42	per m ²
		LS42ZA	ZA	0.42	per m ²
		LS42X---	CB	0.42	per m ²
		LS48X---	CB	0.48	per m ²
		LS42DH---	CB Double Sided	0.42	per m ²
		LS42KWHN	CB Coolmax	0.42	per m ²
		LS48KWHN	CB Coolmax	0.48	per m ²
		LS42U---	CB Ultra	0.42	per m ²
		LS48U---	CB Ultra	0.48	per m ²
		LS48M---	CB Metallic	0.48	per m ²
	LS42T---	CB Matt	0.42	per m ²	
	LS42ZM8---	Magnaflow	0.42	per m ²	
Polycarbonate Washers		TSGVW32H			pkt 100
Accessories	Suit Stramit Longspan® sheeting profile				
	Eave Fill Strip Bottom	LSEFSBTM	915mm		each
	Eave Fill Strip Top	LSEFSTOP	915mm		each

NOTE:
Minimum length 1 metre
Maximum length 15.4 metres
Longer lengths by negotiation

ROOFING • ACCESSORIES

Product Roofing/Accessories	Product Details	Code	Finish	Stock Length	BMT mm	Unit
Stramit Longspan® Gutter Board  <p>700 Nominal Cover 27</p>		LSGBZA6000	ZA	6.0 m	0.42	per length
Fasteners - Class 4 	M6 x 65 Hex Head SDS (for crest fixing to timber and steel)	S0665HZIP4H	Plain			per 100
		S0665HZIP4	Plain			per 1000
		S0665HZIP***4H	Painted			per 100
		S0665HZIP***4	Painted			per 1000
Note: Not all colours kept in stock please check availability at time of order.						

LONGSPAN • FLASHINGS

Product Roofing/Cladding/Accessories/Flashings	Product Details	Code	Finish	BMT mm	Unit
Stramit® Flat Top Ridge Cap 		RFMC40ZA	ZA		lin metre
		RFMC40X---	CB		lin metre
Stramit® Valley Gutter 	Custom Made	VRIBWA40ZA	ZA	0.40	lin metre
		VRIBWA40X---	CB	0.40	lin metre
		VPF55ZA	ZA	0.55	lin metre
		VPF55X---	CB	0.55	lin metre
Stramit® Under Flashings 	Custom Made 30mm, breaks	UFMC30040ZA	ZA	0.40	lin metre
		UFMC30040X---	CB	0.40	lin metre


MINIRIB + MINISEAM • CLADDING • ACCESSORIES

Product Cladding/Accessories	Product Details	Code	Finish	BMT mm	Unit
Stramit Minirib®		MR42ZA	ZA	0.42	sq m
		MR42X---	CB	0.42	sq m




NOTE:
Minimum length 1 metre
Maximum length 8 metres

Stramit Miniseam™		MRS42ZA	ZA	0.42	sq m
		MRS42X---	CB	0.42	sq m






NOTE:
Minimum length 1 metre
Maximum length 8 metres



Stramit Minirib® Profiled Flashing		BFMR01ZA	ZA	0.55	lin metre
		BFMR01X ---	CB	0.55	lin metre
		BFMR01U ---	CB Ultra	0.55	lin metre
		BFMR02ZA	ZA	0.55	lin metre
		BFMR02X ---	CB	0.55	lin metre
		BFMR02U ---	CB Ultra	0.55	lin metre
		BFMR03ZA	ZA	0.55	lin metre
		BFMR03X ---	CB	0.55	lin metre
		BFMR03U ---	CB Ultra	0.55	lin metre
		BFMR04ZA	ZA	0.55	lin metre
		BFMR04X ---	CB	0.55	lin metre
		BFMR04U ---	CB Ultra	0.55	lin metre
		BFMR05ZA	ZA	0.55	lin metre
		BFMR05X ---	CB	0.55	lin metre
		BFMR05U ---	CB Ultra	0.55	lin metre



GENERAL ACCESSORIES

Product General Accessories	Product Details	Code	Finish	Unit	
Fasteners 	Pop Rivets 3.2 x 7.5mm (4-3)	PR3275 PR3275--- PR3275ALBX PR3275---BX	ZA Painted ZA Painted	pkt 100 pkt 100 Box 1000 Box 1000	
	Flumes with Flange (Stormproof) 	600 x 150 x 0.40 to suit 24 or 25 deg roof pitch	FLUMSTM24CNZA FLUMSTM24CNX---	ZA CB	each each
		600 x 150 x 0.40 600 x 150 x 0.40	FLUMSTM CNZA FLUMSTM CNX---	ZA CB	each each
		Pre-punched flumes Flashing 600mm	FLUMFCPPZA FLUMFCPPX---	ZA CB	each each
Non-notched Flume to Suit 24° roof pitch	600 x 150 x 0.40 600 x 150 x 0.40	FLUMSTM24ZA FLUMSTM24X---	ZA CB	each each	
Non-notched Flume	600 x 150 x 0.40 600 x 150 x 0.40	FLUMSTMZA FLUMSTM---	ZA CB	each each	
Ember-Shield Corrie-notched	600 x 150 x 0.40 600 x 150 x 0.40	FLUMSTMESCENZA FLUMSTMESCNX---	ZA CB	each each	
Ultra Finish	600 x 150 x 0.55	FLUMSTMU---	CB Ultra	each	
Roof Vent 	300mm	RV300MF	Plain	each	
	300mm	RV300---	CB	each	
Stramit® Rainheads 	Size - Contact your local Stramit Office Size - Contact your local Stramit Office				
	200 x 200 x 200 200 x 200 x 200	RWH200200200ZA RWH200200200---	ZA CB	each each	
Stramit® Sumps 	Size - Contact your local Stramit Office Size - Contact your local Stramit Office				
			ZA CB	each each	

GENERAL ACCESSORIES

Product	Product Details	Code	Finish	Unit
Adjustable Box Gutter Brackets	250-400 401-650 651-1000	BGBA1EAZA BGBA2EAZA BGBA3EAZA	ZA ZA ZA	each each each
 <p>NOTE: Also known as "box gutter saddles"</p>				
Builder's Strap	32 x 1.2 x 30 32 x 1.2 x 50 32 x 1.6 x 30 38 x 1.2 x 30 38 x 1.2 x 50 50 x 1.2 x 50	BST321230 BST321250 BST321630 BST381230 BST381250 BST501250		each each each each each each
				
Dektite Watertight flashing for metal roof penetrations	No.1 5-55mm No.2 50-70mm No.3 5-127mm No.4 75-175mm No.5 100-200mm No.6 125-230mm No.7 150-300mm	DEK1BLK DEK2BLK DEK3BLK DEK4BLK DEK5BLK DEK6BLK DEK7BLK	Black Black Black Black Black Black Black	each each each each each each each
	No.1 5-55mm No.2 50-70mm No.3 5-127mm No.4 75-175mm No.5 100-200mm No.6 125-230mm No.7 150-300mm	DEK1GRY DEK2GRY DEK3GRY DEK4GRY DEK5GRY DEK6GRY DEK7GRY	Grey Grey Grey Grey Grey Grey Grey	each each each each each each each
Dimension is pipe outside diameter				
Wakaflex Flexible roof flashing	280mm x 5.0m 280mm x 5.0m 280mm x 5.0m 280mm x 5.0m	FRF280BLK50 FRF280BRN50 FRF280GRY50 FRF280TCA50	Black Brown Grey Terracotta	each each each each
Silicone Sealant		SILCLR SILGRY	Clear Grey	each each
 <p>Available individually or boxes of 20</p>				

CLADDING • ACCESSORIES

Product Cladding/Accessories	Product Details	Code	Finish	BMT mm	Unit
		MK42ZA	ZA	0.42	per m ²
		MK42X---	CB	0.42	per m ²
		MK42ZA12	ZA	0.42	each - Stock length 1.2
		MK42ZA18	ZA	0.42	each - Stock length 1.8
		MK42ZA24	ZA	0.42	each - Stock length 2.4
		MK42ZA36	ZA	0.42	each - Stock length 3.6

Maximum Length 6m or on truck limitations.

NOTE: **Stramit Mini Corry**® panelling available ex East (allow 7-10 working days). Minimum order quantity applies

Product Cladding/Accessories	Product Details	Code	Finish	BMT mm	Unit
	13Rib	KP35ZA	ZA	0.35	per m ²
		KP35X---	CB	0.35	per m ²


Recommended maximum length 6.0m

Intended for wall cladding only. Not suitable for roofing.

NOTE: **Stramit K-Panel**® available ex East (allow 7-10 working days). Minimum order quantity applies

VERMASEAL

Product Flooring/Accessories	Details	Code	BMT mm	Unit
Stramit® Flooring Vermaseal	Vermin and weatherproof flashing	VMSEALGRY30 Grey (3 metre lengths)		per 3 metres




FASTENERS • ACCESSORIES


Product Fasteners/Accessories	Product Details	Code	Finish	Unit
Fasteners				
	12 x 30 Hex Head	S1230HT---	Painted	per 1000
	12 x 20 Hex Head SDS Class 4	S1220HT4 S1220HT---4	Painted	per 500 per 500
	10 x 16 Hex Head SDS Class 4 (for valley fixing to steel) Class 4 (for valley fixing to steel)	S1016HT4 S1016HT---4	Painted	per 1000 per 1000
	12 x 25 Hex Head SDS Type 17 Class 4 (for crest fixing to timber) Class 4 (for crest fixing to timber)	S1225H174 S1225H17---4	Painted	per 500 per 500
	12 x 50 Hex Head SDS Type 17 (for crest fixing to timber) (for crest fixing to timber)	S1250H174 S1250H17---4	Painted	per 1000 per 1000
	12 x 65 Hex Head Type 17 (for crest fixing to timber)	S1265H174 S1265H17---4	Class 4 Painted	per 1000 per 1000
	Skylight Washer M6 x 65 Hex Zip Class 4 suit Stramit Corrugated/Monoclad	S0665HZIP4 S0665HZIP---4	Painted	per 1000 per 1000
	Roof Zip M6 x 50 Hex Zip Class 4	S0650HZIP---4	Painted	per 1000
	M6 11 x 50 Hex Roof Zip Hi-Grip & Seal Class 5	S0650HZIP5 S0650HZIP---5	Painted	per 1000 per 1000
	Ridge Assembly 6 x 55 Hex Zip 25 BW Class 4	S1455HZPB25 S1455HZPB25---	Painted	per 250 per 250
	14 x 55 Hex Cyclonic Rooflok Zip Square Lok Class 4 Corrie & Square Profile	S1455HZPCA4 S1455HZPCA---4	Painted	per 250 per 250

Prices subject to increase without notification. NOTE: Minimum order quantity applies.

FASTENERS • ACCESSORIES

Product Fasteners/Accessories	Product Details	Code	Finish	Unit
Fasteners for fixing Polycarbonate	M6.5 (14g) - 14 x 50mm Hex Washer Face with 26mm EPDM Seal	TSPC0650DW26PK		per 50
				
Fasteners for fixing Fibreglass	M6.5 (14g) - 14 x 65mm Hex Washer Face with 32mm Weatherlock Washer			
				
Rivets	Pop Rivets 3.2 x 7.5mm (4-3)	PR3275 PR3275---	ZA CB	pkt 100 pkt 100
		PR3275ALBX PR3275---BX	ZA CB	per 1000 per 1000
Fasteners	12 x 30 Hex Head No Neo Self Drilling/Tapping (for fixing to metal)	S1230HTNN		per 1000
				
Nylon Anchors	5mm x 25mm	NYAN0525 NYAN06538		per 100 per 100
Stitching Screws	8 x 16 Hex Tek	S0816HTNN		per 1000

PATIO COMPONENTS

Product	Product Details	Code	Finish	Unit
Roofing/Cladding/Accessories				
Stramit® Patio Back Angle	50 x 50	BAF505012GA	GA	per metre
	50 x 30	BAF503012I---24	Stock Length 2.4	each
	50 x 30	BAF503012I---30	Stock Length 3.0	each
	50 x 30	BAF503012I---45	Stock Length 4.5	each
	50 x 30	AF503012GA	GA	per metre
*Available in Off White, Wheat & Smooth Cream.				
Stramit® Easiline Patio	Cut to length	EPGUZA	ZA	per metre
		EPGUX---	CB	per metre
ECSA = 6800mm ²	Corners (Internal)	EPGUICZA	ZA	each
		EPGUICX---	CB	each
	Corners (External)	EPGUECZA	ZA	each
		EPGUECX---	CB	each
Stop Ends		ELGUSEZA	ZA	each
		ELGUSEX---	CB	each
All standard colours available.				

FLAT SHEET

Product	Product Details	Code	Finish	BMT	Unit
Roofing/Accessories					
Stramit® Flat Sheet		FS120040ZA	ZA	0.40	m
		FS120040X---	CB	0.40	m
		FS120055ZA	ZA	0.55	m
		FS120055X---	CB	0.55	m

MAGNAFLOW® • ROOFING • CLADDING • RAINWATER

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)
Stramit® Corrugated	0.42
Stramit Monoclad®	0.42
Stramit Longspan®	0.42
Stramit Speed Deck Ultra®	0.42
Stramit® Roll Top Ridge	0.42 / 0.55
Stramit® Valley Folded	0.55
Stramit® Flashings & Others	0.55
Stramit® Downpipes 95 x 45	0.55
Stramit® Downpipes 100 x 50	0.55
Stramit® Downpipes 100 x 75	0.55
Stramit® Downpipes 100 x 100	0.55

Please refer to Sales office for lead times and availability.
Residential gutters are also available, please contact your local office for details.
0.48 Roofing available on selected colours.

COLOUR AVAILABILITY

Off White	Armour Grey
Birch	Monolith
Slate Grey	

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

SUBSTRATE

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.

RECOMMENDED END USES

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.

MAGNAFLOW® WARRANTIES



A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.

THE MAGIC OF MAGNESIUM

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area.

As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products



FORMWORK • ACCESSORIES

Product Formwork/Accessories	Product Details	Code	Finish	BMT mm	Unit
	300mm effective cover	CONHP75GA	GA	0.75	sq m
		CONHP100GA	GA	1.00	sq m
	Low Glare	CONHP100LG	LG	1.00	sq m

Note:
Minimum length 1 metre
Maximum length 15.4 metres
Longer lengths by negotiation


Stramit® HP Plus Accessory	Condeck HP® Plus	CONHPP100GA75			each
-----------------------------------	------------------	----------------------	--	--	------

Stramit® Edgeforma 	100mm	CONEF100GA	0.95	lin metre
	125mm	CONEF125GA	0.95	lin metre
	150mm	CONEF150GA	0.95	lin metre
	175mm	CONEF175GA	0.95	lin metre
	200mm	CONEF200GA	0.95	lin metre
	250mm	CONEF250GA	1.20	lin metre

Available cut to length to of 4.5m at listed rates.
*Stramit® Edgeforma can be custom made to slab height.

Ceiling Hangers (Pair)	CONEHANG	each
-------------------------------	-----------------	------

Single Span maximum span (mm)		
slab thickness (mm)	Stramit Condeck HP® decking thickness	
	0.75mm	1.00mm
90	2100	2450
100	2040	2380
110	1990	2310
120	1940	2250
125	1920	2220
130	1900	2200
140	1860	2150
150	1820	2100
160	1780	2060
170	1750	2020
180	1720	1990
190	1690	1960
200	1660	1920
210	1610	1890
220	1600	1870
230	1580	1840
240	1560	1820
250	1540	1790




Span tables for temporary props

Calculated for concrete density of 2400 kg/m³, reo mass 50 kg/m³, stacked material load of 1.5kPa in pans, 100mm wide prop bearers and rib deflection limit of span/240. Maximum spans for finished composite slabs must be checked using the **Stramit Condeck HP® Technical Manual** or the **Stramit Condeck HP™ Slab Designer** software. Props or propping frames must be spaced approximately equally within the span.

— Cases below this line not recommended for exposed ceilings

PURLINS & GIRTS

Product	Product Details	Code Standard	Code Exacta	BMT mm	Unit
Stramit® C & Z Purlins (Z350 Coating) 	C & Z 10010 Sections	C/Z10010*	NA	1.0	per metre
	C & Z 10012 Sections	C/Z10012*	NA	1.2	per metre
	C & Z 10015 Sections	C/Z10015*	NA	1.5	per metre
	C & Z 10019 Sections	C/Z10019*	NA	1.9	per metre
	C & Z 15010 Sections	NA	•C/Z15010EX*	1.0	per metre
	C & Z 15012 Sections	C/Z15012*	C/Z15012EX*	1.2	per metre
	C & Z 15015 Sections	C/Z15015*	C/Z15015EX*	1.5	per metre
	C & Z 15019 Sections	C/Z15019*	C/Z15019EX*	1.9	per metre
	C & Z 15024 Sections	C/Z15024*	C/Z15024EX*	2.4	per metre
	C & Z 20012 Sections	NA	•C/Z20012EX*	1.2	per metre
	C & Z 20015 Sections	C/Z20015*	C/Z20015EX*	1.5	per metre
	C & Z 20019 Sections	C/Z20019*	C/Z20019EX*	1.9	per metre
	C & Z 20024 Sections	C/Z20024*	C/Z20024EX*	2.4	per metre
	C & Z 25015 Sections	NA	•C/Z25015EX*	1.5	per metre
	C & Z 25019 Sections	C/Z25019*	C/Z25019EX*	1.9	per metre
	C & Z 25024 Sections	C/Z25024*	C/Z25024EX*	2.4	per metre
	C & Z 30019 Sections	NA	•C/Z30019EX* Ex Qld	1.9	per metre
	C & Z 30024 Sections	C/Z30024*	C/Z30024EX* Ex Qld	2.4	per metre
	C & Z 30030 Sections	C/Z30030*	C/Z30030EX* Ex Qld	3.0	per metre
	C & Z 35030 Sections	C/Z35030*	C/Z35030EX* Ex Qld	3.0	per metre
	C & Z 40030 Sections	C/Z40030*	NA	3.0	per metre

*P = PUNCHED U = UNPUNCHED EXP = EXACTA PUNCHED EXU = EXACTA UNPUNCHED

NOTE:

Minimum length 1.5 metres
Maximum length 15 metres

NOTES: Sizes over 300 and above require longer lead times.

Standard coating is Z350. Heavy Duty Z450 coating available subject to special order (POA).

LIMITED STOCK AVAILABLE IN THE FOLLOWING SIZES:

C 10012 Unpunched 8000	C10012U8000	NA	1.2	each
C 10015 Unpunched 8000	C10015U8000	NA	1.5	each
C 15015 Unpunched 8000	C15015U8000	NA	1.5	each
Z 15015 Unpunched 8000	Z15015U8000	NA	1.5	each
C 15019 Unpunched 8000	C15019U8000	NA	1.9	each
C 20019 Unpunched 8000	C20019U8000	NA	1.9	each

Stramit Exacta® C&Z Purlins are subtly but importantly different to standard Stramit® Z&C purlins. The distinction between the two types is that **Stramit Exacta® C&Z** Purlins have been performance optimised for the most commonly used spans. This simple change, enabled by Stramit's state-of-the-art manufacturing equipment and high standards of quality control, can lead to capacity improvements of up to 18%.

Complimentry **Stramit® EX-facta™** moment capacity design software is available for alternative purlin span configurations.

PURLINS - ZAM COATING

Product Purlins & Girts	Product Details	Code	m/Tonne	BMT mm	Unit
	C & Z 10015 Sections	C/Z10015*IZM	383	1.5	per metre
	C & Z 10019 Sections	C/Z10019*IZM	304	1.9	per metre
	C & Z 15015 Sections	C/Z15015*IZM	279	1.5	per metre
	C & Z 15019 Sections	C/Z15019*IZM	220	1.9	per metre
	C & Z 15024 Sections	C/Z15024*IZM	177	2.4	per metre
	C & Z 20015 Sections	C/Z20015*IZM	222	1.5	per metre
	C & Z 20019 Sections	C/Z20019*IZM	175	1.9	per metre
	C & Z 20024 Sections	C/Z20024*IZM	140	2.4	per metre
	C & Z 25019 Sections	C/Z25019*IZM	153	1.9	per metre
	C & Z 25024 Sections	C/Z25024*IZM	122	2.4	per metre

Other section sizes and gauges available on request.

Check availability - Ext lead times may apply

*** P = PUNCHED U = UNPUNCHED EXP = EXACTA PUNCHED EXU = EXACTA UNPUNCHED**

NOTE:

Minimum length 1.5 metres

Maximum length 15 metres



New high-tech coating for severe environments

Stramit Building Products now offers the next generation of steel purlin and Condeck HP products manufactured from ZAM[®] coated steel.

ZAM[®] is a technologically advanced coated steel that allows new installation possibilities in corrosive environments. By replacing the need for post-galvanising, ZAM[®] products also lower material costs and reduce project lead times.

ZAM[®] coated steel offers better corrosion protection than conventional galvanised steel (around three times the design life) at a lower cost than products with comparable performance.

ZAM[®] products perform well in salt or marine atmospheres and are superior to galvanised steel in acid rain, sulphur dioxide or ammonia conditions. They also perform well in alkaline environments. They are appropriate for use near marine environments, in enclosed swimming pool complexes, in poultry, cattle and pig shed environments, as well as in high industrial environments.

The superior scratch resistance of ZAM[®] products helps corrosion resistance in applications subject to repeated wear. ZAM[®] coated steel is also concrete compatible, making it an ideal material for steel formwork decking products.




ZAM[®] is offered by Stramit Building Products with a 20 year warranty, subject to standard terms and conditions. Call Stramit Building Products for more information.

Custom Sections Subject to special enquiry – POA. They are cut to length, custom punched from galvanised material. Alternative materials are available upon request.







STRAMIT® PURLIN DIMENSIONS

C SECTIONS						Z SECTIONS						
Section	Web Depth mm	Flange Width mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m	Section	Web Depth mm	Broad Flange mm	Narrow Flange mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
C10010	102	51	12.5	1.0	1.74	Z10010	102	53	49	12.5	1.0	1.74
C10012	102	51	13.0	1.2	2.07	Z10012	102	53	49	13.0	1.2	2.07
C10015	102	51	14.0	1.5	2.58	Z10015	102	53	49	14.0	1.5	2.58
C10019	102	51	15.0	1.9	3.25	Z10019	102	53	49	15.0	1.9	3.25
C15012	152	64	15.0	1.2	2.84	Z15012	152	65	61	15.0	1.2	2.84
C15015	152	64	16.0	1.5	3.54	Z15015	152	65	61	16.0	1.5	3.54
C15019	152	64	17.0	1.9	4.46	Z15019	152	65	61	17.0	1.9	4.46
C15024	152	64	18.5	2.4	5.62	Z15024	152	65	61	18.5	2.4	5.62
C20015	203	76	16.0	1.5	4.44	Z20015	203	79	74	16.0	1.5	4.44
C20019	203	76	19.5	1.9	5.68	Z20019	203	79	74	19.5	1.9	5.68
C20024	203	76	21.0	2.4	7.15	Z20024	203	79	74	21.0	2.4	7.15
C25019	254	76	19.0	1.9	6.43	Z25019	254	79	74	19.0	1.9	6.43
C25024	254	76	20.5	2.4	8.10	Z25024	254	79	74	20.5	2.4	8.10
C30024	300	96	28.0	2.4	10.01	Z30024	300	100	93	28.0	2.4	10.01
C30030	300	96	31.5	3.0	12.60	Z35024	350	129	121	27.0	2.4	12.10
C35024	350	125	27.0	2.4	12.10	Z35030	350	129	121	30.0	3.0	15.09
C35030	350	125	30.0	3.0	15.09							
C40024	400	96	30.5	2.4	12.10							
C40030	400	96	32.5	3.0	15.09							

BRIDGING • ACCESSORIES

Product Bridging/Accessories	Product Details	Code	Unit
	General Purpose Bracket	BGPB100GA	each
		BGPB150GA	each
		BGPB200GA	each
		BGPB250GA	each
	Clamp Plate	BCP100GA	each
	BCP150GA	each	
	BCP200GA	each	
	BCP250GA	each	
	Angle Connector	BAC100	each
		BAC150	each
		BAC200	each
		BAC250	each
	Raking Girt Bracket	BRGB---	each
	Tie Rod Angle	BTRA	each
	M12 x 30 (Grade 4.6)	PB1230ZP	each
	M16 x 45 (Grade 4.6)	PB1645ZP	each
	Fascia Bolt	PBF1230GA	each
Miscellaneous	Purlin Flaring	PURLBENDM	per metre

BRIDGING • ACCESSORIES

Product Bridging/Accessories	Product Details	Code	Unit
	Intermediate Bridging	BI100 BI150/BI150IZM BI200/BI200IZM BI250/BI250IZM	per metre
	Offset Bridging	BIS100 BIS150 BIS200 BIS250	per metre
	Ridge Bridging	BR100 BR150 BR200 BR250	per metre
	Fascia Bridging	BF100 BF150 BF200 BF250	per metre
	Girt Hanger	BGHTB100 BGHTB150 BGHTB200 BGHTB250	per metre
	Girt Foot	BGF100 BGF150 BGF200 BGF250	per metre
	Tie Rod 12mm	BSR12	per metre
	Lock	BLK100/BLK100IZM BLK150/BLK150IZM BLK200/BLK200IZM BLK250/BLK250IZM	each
	Locator	BLR100/BLR100IZM BLR150/BLR150IZM BLR200/BLR200IZM BLR250/BLR250IZM	each
	Starter Clip	BSC100 BSC150/BSC150IZM BSC200 BSC250/BSC250IZM	each

Bridging Installation Guide

Good Practice

Stramit recommends that good trade practice be followed when using these products. Examples can be found in AS3828, ASI/Australian Standards HB39 and state regulations and guidelines, and work practices.

Inspection

Inspection of purlins and girts should be carried out prior to installation. The ease of inspection, and cost and time lost if remedial action is required, will be substantially less favourable once the purlins have been installed.

Inspection should comprise of checks that labelling is in line with specifications and detailing, and that the section dimensions, hole positions and thickness are exactly to the manufacturer's stated values.

Even small deviations to these values may lead to significant variations in performance from that used in design. It is imperative that this be resolved immediately and prior to installation.

Purlins and Girts supplied by Stramit will be made from high tensile galvanised steel.

Final inspection of the installed purlin, girt and bridging system should check for correct bolting of laps and that bridging is correctly in place. If practical, a check of bolt tightness is highly desirable, both on the purlins and on bolted bridging connections.

Walking

Stramit® Purlins, Girts and Bridging are not designed for walking on and will be flexible and twist until both bridging and roofing are fully fixed. Residual oil may be present on these components from manufacturing. The use of appropriate cradles or cherry pickers is recommended. As a minimum, follow these rules:

- Never walk on purlins without safety mesh in place.
- Always use a safety harness if walking on girts.
- Never walk or place body weight on to bridging.


Bridging

Stramit® Boltless Bridging can be installed either up or down the roof slope. However, as the starting and finishing components will be different, the direction of fixing must be established at the design/procurement phase.


For walls, where more than one row is to be installed, always complete the bridging for each girt before commencing on the next (i.e. Do not complete one row of bridging before starting the next).

Fixing Up the Slope

Fix Fascia Bridging




Insert Intermediate Bridging




Repeat for subsequent bridging


Fix Ridge Bridging.





Adjust Fascia Bridging



Typical Bridging Assembly Arrangement




FRAMING SECTIONS

Product	Product Details	Code	Finish	BMT mm	Unit	
Framing Sections/Accessories						
 	Standard Stud	SBS7510UTC	TC	1	per metre	
	Standard Stud	SBS7512UTC7400	TC (7.4m)	1.2	per length	
		SBS7512UTC	TC (CTL)	1.2	per metre	
	Nogging	SBN7212UTC74	TC (7.4m only)	1.2	per length	
	Plate	SBP7812UTC74	TC (7.4m only)	1.2	per length	
	STUD FRAMING					
	Cyclonic Stud	SBSC7516UTC	TC (CTL)	1.6	per metre	
	Jumbo Stud	SBSJ14012ZA	ZA	1.2	per metre	
		SBSC7516UTC7400	TC (7.4m)	1.6	per length	
	CRIMPING					
	Crimped One End	SBS7512C1ETC	TC	1.2	per metre	
	Crimped Both End	SBS7512C2ETC	TC	1.2	per metre	

* U = UNPUNCHED
P = PUNCHED

Note:
Minimum length 4 metre
Maximum length 14 metres
Longer lengths by negotiation


Stramit® Top Hat



64mm Top Hat	TH6475ZA		0.75	per metre
64mm Top Hat	TH64100ZA		1.0	per metre
*96mm Top Hat	TH9675ZA		0.75	per metre
*96mm Top Hat	TH96100ZA		1.0	per metre
*96mm Top Hat	TH96120ZA		1.2	per metre
*120mm Top Hat	TH12070ZA		0.70	per metre
*120mm Top Hat	TH12090ZA		0.90	per metre
64mm Top Hat	TH6475ZA6100	6.1 m	0.75	each
64mm Top Hat	TH64100ZA6100	6.1 m	1.00	each
120mm Top Hat	TH12090ZA6100	6.1 m	0.90	each


* Available ex East (allow minimum 10 working days)

Stramit® Battens









Roof Batten 50mm	RB50TC61	6.1 m	0.80	each
Ceiling Batten 25mm	CBTC61	6.1 m	0.42	each
Tile Batten 40mm	RB40TC6100	6.1 m	0.55	each
Roof Batten (Cyclonic) 40mm	RBC40TC7500	7.5 m	0.75	each

FRAMING SECTIONS • ACCESSORIES






Product	Product Details	Code	Finish	m/Tonne	BMT mm	Unit
Stramit® Valley Boards		VB120ZA	ZA		1.20	lin metre
						
Stramit® Valley Ends	LH RH	VBELZA VERZA	Washcoat only Washcoat only		0.60 0.60	each each
Stramit® Eaves Angles	40 x 25mm 32 x 32mm	AF402580ZA AF3280ZA	ZA only ZA only		0.80 0.80	lin metre lin metre
Fasteners	10 x 16mm Hex Head SDS	S1016HT4				per 1000

NOTE: Minimum Fastener Order in increments of 1000.

FASCIA • ACCESSORIES


Product	Product Details	Code	Finish	Unit	
Fascia/Accessories					
Stramit Strongline® Fascia 		FBWAZA 0.53mm TCT	ZA	per metre	
		FBWAX---	CB	per metre	
		FBWAU---	CB Ultra	per metre	
		FBWAT---	CB Matt	per metre	
		FBWAZM8---	Magnaflow	per metre	
<p>Note: Minimum length 1 metre Maximum length 8 metres</p>					
General Accessories					
	Splice Plates	FBWASPZA	ZA	each	
		Barge Corners LH	FBWABCLZA	ZA	each
			FBWABCLX---	CB	each
			FBWABCLU---	CB Ultra	each
		FBWABCLT---	CB Matt	each	
	Barge Corners RH	FBWABCRZA	ZA	each	
		FBWABCRX---	CB	each	
		FBWABCRU---	CB Ultra	each	
		FBWABCRT---	CB Matt	each	
 <p>External Corners</p>	Corners 90° External	FBWAECZA	ZA	each	
		FBWAECX---	CB	each	
		FBWAECU---	CB Ultra	each	
		FBWAECT---	CB Matt	each	
	Corners 135° External	FBWAEC135ZA	ZA	each	
		FBWAEC135X---	CB	each	
 <p>Internal Corners</p>	Corners 90° Internal	FBWAICZA	ZA	each	
		FBWAICX---	CB	each	
		FBWAICU---	CB Ultra	each	
		FBWAICT---	CB Matt	each	
	Corners 135° Internal	FBWAIC135ZA	ZA	each	
		FBWAIC135X---	CB	each	
	Stramit® End Fix Clip	FBWAEFCGA	GA	each	
		Rafter Brackets	FBWARBZA	ZA	each

GUTTERS

Product Gutters	Product Details	Code	Finish	Unit
Stramit® Easiline Commercial ECSA = 8000mm ² 	Cut to length	ECRPZA	ZA	per metre
		ECRPX---	CB	per metre
	Stock length	ECRPZA70	ZA	each
	Stop Ends LH	ECRPSELZA	ZA	each
		ECRPSELX---	CB	each
	Stop Ends RH	ECRPSErza	ZA	each
	ECRPSErX---	CB	each	
All standard colours available - 6 day lead time.				
Stramit® Easiline Patio ECSA = 6800mm ² 	Cut to length	EPGUZA	ZA	per metre
		EPGUX---	CB	per metre
	Corners (Internal)	EPGUICZA	ZA	each
		EPGUICX---	CB	each
	Corners (External)	EPGUECZA	ZA	each
		EPGUECX---	CB	each
Stop Ends	ELGUSEZA	ZA	each	
	ELGUSEX---	CB	each	
All standard colours available.				
Stramit® Easiline Domestic ECSA = 6800mm ² 	Cut to length	EDGUZA	ZA	per metre
		EDGUX---	CB	per metre
	Corners (Internal)	EDGUICZA	ZA	each
		EDGUICX---	CB	each
	Corners (External)	EDGUECZA	ZA	each
		EDGUECX---	CB	each
Stop Ends	ELGUSEZA	ZA	each	
	ELGUSEX---	CB	each	
All standard colours available.				
Stramit Strongline® ECSA = 6000mm ² 	Cut to length	SLGPZA	ZA	per metre
		SLGPX---	CB	per metre
	Slotted	SLGSZA	ZA	per metre
		SLGSX---	CB	per metre
	Corners (Internal)	SLGUICZA	ZA	each
		SLGUICX---	CB	each
	Corners (External)	SLGUECZA	ZA	each
		SLGUECX---	CB	each
	Stop Ends LH	SLGUSELZA	ZA	each
		SLGUSELX---	CB	each
Stop Ends RH	SLGUSERZA	ZA	each	
	SLGUSERX---	CB	each	
All standard colours available.				
Stramit Trad-Line™ ECSA = 5200mm ² 	Cut to length	TLGPZA	ZA	per metre
		TLGPX---	CB	per metre
		TLGPT---	CB Matt	per metre
	Slotted	TLGPZM8---	Magnaflow	per metre
		TLGSZA	ZA	per metre
		TLGSX---	CB	per metre
		TLGST---	CB Matt	per metre
		TLGSZM8---	Magnaflow	per metre
	Corners (Internal)	TLGUICZA	ZA	each
		TLGUICX---	CB	each
	Corners (External)	TLGUECZA	ZA	each
		TLGUECX---	CB	each
	Stop Ends LH	TLGUSELZA	ZA	each
		TLGUSELX---	CB	each
		TLGUSELT---	CB Matt	each
	Stop Ends RH	TLGUSELZM8---	Magnaflow	each
		TLGUSERZA	ZA	each
		TLGUSERX---	CB	each
	TLGUSERT---	CB Matt	each	
	TLGUSERZM8---	Magnaflow	each	
Cut to length	TLGPU---	CB Ultra	per metre	
Slotted	TLGSU---	CB Ultra	per metre	
Corners (Internal)	TLGUICU---	CB Ultra	each	
Corners (External)	TLGUECU---	CB Ultra	each	
Stop Ends LH	TLGUSELU---	CB Ultra	each	
Stop Ends RH	TLGUSERU---	CB Ultra	each	
All standard colours available.				

Note:
 Minimum length 1 metre
 Maximum length 8 metres

GUTTERS

Product Gutters	Product Details	Code	Finish	Unit
Stramit® Quarter Round ECSA = 5200mm ² 	Cut to length	QRG55ZA	ZA	per metre
		QRG55X---	CB	per metre
		QRG55U---	CB Ultra	per metre
	Stop Ends LH	QRGSELZA	ZA	each
		QRGSELX---	CB	each
		QRGSELU---	CB Ultra	each
	Stop Ends RH	QRGSERZA	ZA	each
		QRGSERX---	CB	each
		QRGSERU---	CB Ultra	each



Note:
Minimum length 1 metre
Maximum length 8 metres

All standard colours available.










GUTTER ACCESSORIES

Product Gutter Accessories	Product Details	Code	Finish	Unit
Accessories 	General Purpose Brackets Suit Easiline Commercial Gutter	GCECGPBGA	GA	per 100
	T Pattern internal Suit Stramit Strongline® & Stramit Trad-Line™ gutters Timber Fix	GCDTZA	ZA	per 100
	M Pattern internal Suit Stramit Strongline® & Stramit Trad-Line™ gutters Metal Fix	GCDMZA	ZA	per 100
	Universal Gutter Clips For Easiline Gutters	GCSGA	GA	per 100
	Clip C suit Easiline Patio & Easiline Domestic Gutters	ESSBZA	ZA	per 100
	Quarter Round Concealed Bracket Timber Fix	QRGCBTZA	ZA	per 100
	Quarter Round Concealed Bracket Metal Fix	QRGCBMZA	ZA	per 100

DOWNPIPE • ACCESSORIES

Product Downpipe/Accessories	Product Details	Code	Finish	unit
	95 x 45 x 1800mm	DP9545ZA18	ZA	each
	95 x 45 x 1800mm	DP9545X---18	CB	each
	95 x 45 x 2400mm	DP9545T---18	CB Matt	
		DP9545ZA24	ZA	each
	95 x 45 x 2400mm	DP9545X---24	CB	each
		DP9545T---24	CB Matt	
	100 x 50 x 1800mm	DP10050ZA18	ZA	each
	100 x 50 x 1800mm	DP10050X---18	CB	each
	100 x 50 x 2400mm	DP10050ZA24	ZA	each
	100 x 50 x 2400mm	DP10050X---24	CB	each
	100 x 75 x 1800mm	DP10075ZA18	ZA	each
	100 x 75 x 1800mm	DP10075X---18	CB	each
	100 x 75 x 2400mm	DP10075ZA24	ZA	each
	100 x 75 x 2400mm	DP10075X---24	CB	each
	100 x 100 x 1800mm	DP100100ZA18	ZA	each
	100 x 100 x 1800mm	DP100100X---18	CB	each
	100 x 100 x 2400mm	DP100100ZA24	ZA	each
	100 x 100 x 2400mm	DP100100X---24	CB	each
	75 x 50 x 1800mm	DP7550ZA18	ZA	each
	75 x 50 x 1800mm	DP7550X---18	CB	each
	75 x 50 x 2400mm	DP7550ZA24	ZA	each
	75 x 50 x 2400mm	DP7550X---24	CB	each
	75 Round x 1800mm	DP75ZA18	ZA	each
	75 Round x 1800mm	DP75X---18	CB	each
	75 Round x 1800mm	DP75T---18	CB Matt	each
	75 Round x 2400mm	DP75ZA24	ZA	each
	100 Round x 1800mm	DP100ZA18	ZA	each
		DP100X---18	CB	each
Ultra Finish	95 x 45 x 1800mm	DP9545U---18	CB Ultra	each
	95 x 45 x 2400mm	DP9545U---24	CB Ultra	each
Accessories	Downpipe Pops			
	75 x 50	NOZ7550ZA	ZA	each
	95 x 45	NOZ9545ZA	ZA	each
	100 x 50	NOZ10050ZA	ZA	each
	100 x 75	NOZ10075ZA	ZA	each
	100 x 100	NOZ100100ZA	ZA	each
	75 Round	NOZ75ZA	ZA	each
	50 Round	NOZ50ZA	ZA	each
	90 Round	NOZ90ZA	ZA	each
	100 Round	NOZ100ZA	ZA	each
		Downpipe Strap	DPCLIPZA24	ZA
		DPCLIPX---24	CB	2400mm
	Downpipe Stand Off Bracket 75	DPSB75ZA	ZA	each
		DPSB75X---	CB	each
	Downpipe Shoe 75 x 50	SHOE7550ZA	ZA	each
		SHOE7550X---	CB	each
	Clip 95 x 45	AST9545ZA	ZA	each
		AST9545X---	CB	each
		AST9545U---	CB Ultra	each
		AST9545T---	CB Matt	each
	Clip 75 x 50	AST7550ZA	ZA	each
		AST7550X---	CB	each
	Clip 75 Round	AST75ZA	ZA	each
		AST75X---	CB	each
		AST75T	CB Matt	each
	Clip 100 x 50	AST10050ZA	ZA	each
		AST10050X---	CB	each
	Clip 100 Round	AST100ZA	ZA	each
		AST100X---	CB	each
	Clip 100 x 75	AST10075ZA	ZA	each
		AST10075X---	CB	each
	Clip 100 x 100	AST100100ZA	ZA	each
		AST100100X---	CB	each
	Downpipe Shoe 75x50	SHOE7550ZA	ZA	each
		SHOE7550X---	CB	each

STANDARD FLASHINGS

Product	Product Details	Code	Finish	TCT mm
Stramit® Roll Top Ridge Cap	Custom Made  Reverse Roll with 10mm, 30mm, breaks Reverse Roll Custom Made	RTR40ZA RTR40X--- RTR40T--- RTR40RRX--- RTR55ZA RTR55RRX--- RTR55U--- RTR55T---	ZA CB CB Matt CB ZA CB CB Ultra CB Matt	0.40mm 0.40mm 0.40mm 0.40mm 0.55mm 0.55mm 0.55mm 0.55mm
Stramit® Stepped Roll Top Ridge Cap	Custom Made  Reverse Roll Custom Made	RTRRIB40ZA RTRRIB40X--- RTRRIB55ZA RTRRIB55X--- RTRRIB40RRX--- RTRRIB55U---	ZA CB ZA CB CB CB Ultra	0.40mm 0.40mm 0.55mm 0.55mm 0.40mm 0.55mm
Stramit® Flat Top Ridge Cap	Custom Made  Reverse Roll with 10mm, 30mm, breaks Custom Made	RFC40ZA RFC40X--- RFC40RRX--- RFC55ZA RFC55X--- RFMC40ZA RFMC40X--- RFMC55ZA RFMC55X--- RFC55U--- RFMC55U---	ZA CB CB ZA CB ZA CB ZA CB CB Ultra CB Ultra	0.40mm 0.40mm 0.40mm 0.55mm 0.55mm 0.40mm 0.40mm 0.55mm 0.55mm 0.55mm 0.55mm
Stramit® Valley Gutter	Custom Made  Custom Made	VRIBWA40ZA VRIBWA40X--- VRIBWA40T--- VPF55ZA VPF55X--- VPF55T--- VPF55U---	ZA CB CB Matt ZA CB CB Matt CB Ultra	0.40mm 0.40mm 0.40mm 0.55mm 0.55mm 0.55mm 0.55mm
Stramit® Barge Capping	Custom Made Stramit® Corrugated sheeting  with 10mm, 30mm, breaks Custom Made Stramit® Monoclad sheeting	BFC24040ZA BFC24040X--- BFC24055ZA BFC24055X--- BFMC40ZA BFMC40X---	ZA CB ZA CB ZA CB	0.40mm 0.40mm 0.55mm 0.55mm 0.40mm 0.40mm
Stramit® 'E' Type Barge Capping	Custom Made Stramit® Corrugated sheeting  with 10mm, 30mm, breaks Custom Made Stramit® Monoclad sheeting	BFCE40ZA BFCE40X--- BFMCE40ZA BFMCE40X---	ZA CB ZA CB	0.40mm 0.40mm 0.40mm 0.40mm
Stramit® Under Flashings	Custom Made  with 10mm, 30mm, breaks Custom Made	UFC40ZA UFC40X--- UFMC30040ZA UFMC30040X--- UFC55ZA UFC55X--- UFC55U---	ZA CB ZA CB ZA CB CB Ultra	0.40mm 0.40mm 0.40mm 0.40mm 0.55mm 0.55mm 0.55mm
Stramit® Corner Mould	Custom Made 	CMFC7540ZA CMFC7540X--- CMFC10040ZA CMFC10040X--- CMFC10055ZA CMFC10055X--- CMFC15040ZA CMFC15040X--- CMFC15055ZA CMFC15055X--- CMFMC15040ZA CMFMC15040X---	ZA CB ZA CB ZA CB ZA CB ZA CB ZA CB	0.40mm 0.40mm 0.40mm 0.40mm 0.55mm 0.55mm 0.40mm 0.40mm 0.55mm 0.55mm 0.40mm 0.40mm
Stramit® Hookover	Length 2.4m 	PHO40ZA PHO40X--- PHO4024	ZA CB	0.40mm 0.40mm 0.40mm
Stramit® Secret Gutter	Length 2.4m 	SG40ZA	ZA	0.40mm

CUSTOM FLASHINGS – ORDERING PROCEDURE

ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If Colour, nominate the side on which colour is required
3. Nominate the dimensions by the letters shown on diagrams
4. Nominate the angles on all bends
5. Nominate the quantity
6. Nominate length up to a maximum of 8 metres

EXAMPLE

1. Type 4, Off White
2. Colour on side C
3. A – 15mm, B – 100mm, C – 150mm, D – 150mm
4. CB = 90°, AB = 90°, AD = 45°, EC = 45°
5. 1 off, 2.8m

GUTTERS

Type 1 	Type 2 	Type 3 	Type 4 	Type 5
Type 6 	Type 7 	Type 8 	Type 9 	Type 10
Type 11 	Type 12 	Type 13 	Type 14 	Type 15
Type 16 	Type 17 	Type 18 	Type 19 	Type 20

CAPPINGS

Type 21 	Type 22 	Type 23 	Type 24 	Type 25
Type 26 	Type 27 	Type 28 	Type 29 	Type 30
Type 31 	Type 32 	Type 33 	Type 34 	Type 35

FLASHINGS

Type 36 	Type 37 	Type 38 	Type 39 	Type 40
Type 41 	Type 42 	Type 43 	Type 44 	Type 45
Type 46 	Type 47 	Type 48 	Type 49 	Type 50

CUSTOM FLASHINGS

ZINC 0.40 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF040B00ZA	CF040B01ZA	CF040B02ZA	CF040B03ZA	CF040B04ZA
101-150 (C)	CF040C00ZA	CF040C01ZA	CF040C02ZA	CF040C03ZA	CF040C04ZA
151-200 (D)	CF040D00ZA	CF040D01ZA	CF040D02ZA	CF040D03ZA	CF040D04ZA
201-250 (E)	CF040E00ZA	CF040E01ZA	CF040E02ZA	CF040E03ZA	CF040E04ZA
251-300 (F)	CF040F00ZA	CF040F01ZA	CF040F02ZA	CF040F03ZA	CF040F04ZA
301-350 (G)	CF040G00ZA	CF040G01ZA	CF040G02ZA	CF040G03ZA	CF040G04ZA
351-400 (H)	CF040H00ZA	CF040H01ZA	CF040H02ZA	CF040H03ZA	CF040H04ZA
401-500 (J)	CF040J00ZA	CF040J01ZA	CF040J02ZA	CF040J03ZA	CF040J04ZA
501-600 (L)	CF040L00ZA	CF040L01ZA	CF040L02ZA	CF040L03ZA	CF040L04ZA
601-700 (N)	CF040N00ZA	CF040N01ZA	CF040N02ZA	CF040N03ZA	CF040N04ZA
701-800 (P)	CF040P00ZA	CF040P01ZA	CF040P02ZA	CF040P03ZA	CF040P04ZA
801-900 (R)	CF040R00ZA	CF040R01ZA	CF040R02ZA	CF040R03ZA	CF040R04ZA
901-1000 (T)	CF040T00ZA	CF040T01ZA	CF040T02ZA	CF040T03ZA	CF040T04ZA
1001-1100 (V)	CF040V00ZA	CF040V01ZA	CF040V02ZA	CF040V03ZA	CF040V04ZA
1101-1200 (X)	CF040X00ZA	CF040X01ZA	CF040X02ZA	CF040X03ZA	CF040X04ZA

ZINC 0.55 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF055B00ZA	CF055B01ZA	CF055B02ZA	CF055B03ZA	CF055B04ZA
101-150 (C)	CF055C00ZA	CF055C01ZA	CF055C02ZA	CF055C03ZA	CF055C04ZA
151-200 (D)	CF055D00ZA	CF055D01ZA	CF055D02ZA	CF055D03ZA	CF055D04ZA
201-250 (E)	CF055E00ZA	CF055E01ZA	CF055E02ZA	CF055E03ZA	CF055E04ZA
251-300 (F)	CF055F00ZA	CF055F01ZA	CF055F02ZA	CF055F03ZA	CF055F04ZA
301-350 (G)	CF055G00ZA	CF055G01ZA	CF055G02ZA	CF055G03ZA	CF055G04ZA
351-400 (H)	CF055H00ZA	CF055H01ZA	CF055H02ZA	CF055H03ZA	CF055H04ZA
401-500 (J)	CF055J00ZA	CF055J01ZA	CF055J02ZA	CF055J03ZA	CF055J04ZA
501-600 (L)	CF055L00ZA	CF055L01ZA	CF055L02ZA	CF055L03ZA	CF055L04ZA
601-700 (N)	CF055N00ZA	CF055N01ZA	CF055N02ZA	CF055N03ZA	CF055N04ZA
701-800 (P)	CF055P00ZA	CF055P01ZA	CF055P02ZA	CF055P03ZA	CF055P04ZA
801-900 (R)	CF055R00ZA	CF055R01ZA	CF055R02ZA	CF055R03ZA	CF055R04ZA
901-1000 (T)	CF055T00ZA	CF055T01ZA	CF055T02ZA	CF055T03ZA	CF055T04ZA
1001-1100 (V)	CF055V00ZA	CF055V01ZA	CF055V02ZA	CF055V03ZA	CF055V04ZA
1101-1200 (X)	CF055X00ZA	CF055X01ZA	CF055X02ZA	CF055X03ZA	CF055X04ZA

ZINC 0.75 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF075B00ZA	CF075B01ZA	CF075B02ZA	CF075B03ZA	CF075B04ZA
101-150 (C)	CF075C00ZA	CF075C01ZA	CF075C02ZA	CF075C03ZA	CF075C04ZA
151-200 (D)	CF075D00ZA	CF075D01ZA	CF075D02ZA	CF075D03ZA	CF075D04ZA
201-250 (E)	CF075E00ZA	CF075E01ZA	CF075E02ZA	CF075E03ZA	CF075E04ZA
251-300 (F)	CF075F00ZA	CF075F01ZA	CF075F02ZA	CF075F03ZA	CF075F04ZA
301-350 (G)	CF075G00ZA	CF075G01ZA	CF075G02ZA	CF075G03ZA	CF075G04ZA
351-400 (H)	CF075H00ZA	CF075H01ZA	CF075H02ZA	CF075H03ZA	CF075H04ZA
401-500 (J)	CF075J00ZA	CF075J01ZA	CF075J02ZA	CF075J03ZA	CF075J04ZA
501-600 (L)	CF075L00ZA	CF075L01ZA	CF075L02ZA	CF075L03ZA	CF075L04ZA
601-700 (N)	CF075N00ZA	CF075N01ZA	CF075N02ZA	CF075N03ZA	CF075N04ZA
701-800 (P)	CF075P00ZA	CF075P01ZA	CF075P02ZA	CF075P03ZA	CF075P04ZA
801-900 (R)	CF075R00ZA	CF075R01ZA	CF075R02ZA	CF075R03ZA	CF075R04ZA
901-1000 (T)	CF075T00ZA	CF075T01ZA	CF075T02ZA	CF075T03ZA	CF075T04ZA
1001-1100 (V)	CF075V00ZA	CF075V01ZA	CF075V02ZA	CF075V03ZA	CF075V04ZA
1101-1200 (X)	CF075X00ZA	CF075X01ZA	CF075X02ZA	CF075X03ZA	CF075X04ZA

CUSTOM FLASHINGS

ZINC 1.20 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF120B00ZA	CF120B01ZA	CF120B02ZA	CF120B03ZA	CF120B04ZA
101-150 (C)	CF120C00ZA	CF120C01ZA	CF120C02ZA	CF120C03ZA	CF120C04ZA
151-200 (D)	CF120D00ZA	CF120D01ZA	CF120D02ZA	CF120D03ZA	CF120D04ZA
201-250 (E)	CF120E00ZA	CF120E01ZA	CF120E02ZA	CF120E03ZA	CF120E04ZA
251-300 (F)	CF120F00ZA	CF120F01ZA	CF120F02ZA	CF120F03ZA	CF120F04ZA
301-350 (G)	CF120G00ZA	CF120G01ZA	CF120G02ZA	CF120G03ZA	CF120G04ZA
351-400 (H)	CF120H00ZA	CF120H01ZA	CF120H02ZA	CF120H03ZA	CF120H04ZA
401-500 (J)	CF120J00ZA	CF120J01ZA	CF120J02ZA	CF120J03ZA	CF120J04ZA
501-600 (L)	CF120L00ZA	CF120L01ZA	CF120L02ZA	CF120L03ZA	CF120L04ZA
601-700 (N)	CF120N00ZA	CF120N01ZA	CF120N02ZA	CF120N03ZA	CF120N04ZA
701-800 (P)	CF120P00ZA	CF120P01ZA	CF120P02ZA	CF120P03ZA	CF120P04ZA
801-900 (R)	CF120R00ZA	CF120R01ZA	CF120R02ZA	CF120R03ZA	CF120R04ZA
901-1000 (T)	CF120T00ZA	CF120T01ZA	CF120T02ZA	CF120T03ZA	CF120T04ZA
1001-1100 (V)	CF120V00ZA	CF120V01ZA	CF120V02ZA	CF120V03ZA	CF120V04ZA
1101-1200 (X)	CF120X00ZA	CF120X01ZA	CF120X02ZA	CF120X03ZA	CF120X04ZA

CUSTOM FLASHINGS

GALVANISED 0.40 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF040B00GA	CF040B01GA	CF040B02GA	CF040B03GA	CF040B04GA
101-150 (C)	CF040C00GA	CF040C01GA	CF040C02GA	CF040C03GA	CF040C04GA
151-200 (D)	CF040D00GA	CF040D01GA	CF040D02GA	CF040D03GA	CF040D04GA
201-250 (E)	CF040E00GA	CF040E01GA	CF040E02GA	CF040E03GA	CF040E04GA
251-300 (F)	CF040F00GA	CF040F01GA	CF040F02GA	CF040F03GA	CF040F04GA
301-350 (G)	CF040G00GA	CF040G01GA	CF040G02GA	CF040G03GA	CF040G04GA
351-400 (H)	CF040H00GA	CF040H01GA	CF040H02GA	CF040H03GA	CF040H04GA
401-500 (J)	CF040J00GA	CF040J01GA	CF040J02GA	CF040J03GA	CF040J04GA
501-600 (L)	CF040L00GA	CF040L01GA	CF040L02GA	CF040L03GA	CF040L04GA
601-700 (N)	CF040N00GA	CF040N01GA	CF040N02GA	CF040N03GA	CF040N04GA
701-800 (P)	CF040P00GA	CF040P01GA	CF040P02GA	CF040P03GA	CF040P04GA
801-900 (R)	CF040R00GA	CF040R01GA	CF040R02GA	CF040R03GA	CF040R04GA
901-1000 (T)	CF040T00GA	CF040T01GA	CF040T02GA	CF040T03GA	CF040T04GA
1001-1100 (V)	CF040V00GA	CF040V01GA	CF040V02GA	CF040V03GA	CF040V04GA
1101-1200 (X)	CF040X00GA	CF040X01GA	CF040X02GA	CF040X03GA	CF040X04GA

GALVANISED 0.55 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF055B00GA	CF055B01GA	CF055B02GA	CF055B03GA	CF055B04GA
101-150 (C)	CF055C00GA	CF055C01GA	CF055C02GA	CF055C03GA	CF055C04GA
151-200 (D)	CF055D00GA	CF055D01GA	CF055D02GA	CF055D03GA	CF055D04GA
201-250 (E)	CF055E00GA	CF055E01GA	CF055E02GA	CF055E03GA	CF055E04GA
251-300 (F)	CF055F00GA	CF055F01GA	CF055F02GA	CF055F03GA	CF055F04GA
301-350 (G)	CF055G00GA	CF055G01GA	CF055G02GA	CF055G03GA	CF055G04GA
351-400 (H)	CF055H00GA	CF055H01GA	CF055H02GA	CF055H03GA	CF055H04GA
401-500 (J)	CF055J00GA	CF055J01GA	CF055J02GA	CF055J03GA	CF055J04GA
501-600 (L)	CF055L00GA	CF055L01GA	CF055L02GA	CF055L03GA	CF055L04GA
601-700 (N)	CF055N00GA	CF055N01GA	CF055N02GA	CF055N03GA	CF055N04GA
701-800 (P)	CF055P00GA	CF055P01GA	CF055P02GA	CF055P03GA	CF055P04GA
801-900 (R)	CF055R00GA	CF055R01GA	CF055R02GA	CF055R03GA	CF055R04GA
901-1000 (T)	CF055T00GA	CF055T01GA	CF055T02GA	CF055T03GA	CF055T04GA
1001-1100 (V)	CF055V00GA	CF055V01GA	CF055V02GA	CF055V03GA	CF055V04GA
1101-1200 (X)	CF055X00GA	CF055X01GA	CF055X02GA	CF055X03GA	CF055X04GA

GALVANISED 0.95 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF095B00GA	CF095B01GA	CF095B02GA	CF095B03GA	CF095B04GA
101-150 (C)	CF095C00GA	CF095C01GA	CF095C02GA	CF095C03GA	CF095C04GA
151-200 (D)	CF095D00GA	CF095D01GA	CF095D02GA	CF095D03GA	CF095D04GA
201-250 (E)	CF095E00GA	CF095E01GA	CF095E02GA	CF095E03GA	CF095E04GA
251-300 (F)	CF095F00GA	CF095F01GA	CF095F02GA	CF095F03GA	CF095F04GA
301-350 (G)	CF095G00GA	CF095G01GA	CF095G02GA	CF095G03GA	CF095G04GA
351-400 (H)	CF095H00GA	CF095H01GA	CF095H02GA	CF095H03GA	CF095H04GA
401-500 (J)	CF095J00GA	CF095J01GA	CF095J02GA	CF095J03GA	CF095J04GA
501-600 (L)	CF095L00GA	CF095L01GA	CF095L02GA	CF095L03GA	CF095L04GA
601-700 (N)	CF095N00GA	CF095N01GA	CF095N02GA	CF095N03GA	CF095N04GA
701-800 (P)	CF095P00GA	CF095P01GA	CF095P02GA	CF095P03GA	CF095P04GA
801-900 (R)	CF095R00GA	CF095R01GA	CF095R02GA	CF095R03GA	CF095R04GA
901-1000 (T)	CF095T00GA	CF095T01GA	CF095T02GA	CF095T03GA	CF095T04GA
1001-1100 (V)	CF095V00GA	CF095V01GA	CF095V02GA	CF095V03GA	CF095V04GA
1101-1200 (X)	CF095X00GA	CF095X01GA	CF095X02GA	CF095X03GA	CF095X04GA

CUSTOM FLASHINGS

GALVANISED 1.15 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF115B00GA	CF115B01GA	CF115B02GA	CF115B03GA	CF115B04GA
101-150 (C)	CF115C00GA	CF115C01GA	CF115C02GA	CF115C03GA	CF115C04GA
151-200 (D)	CF115D00GA	CF115D01GA	CF115D02GA	CF115D03GA	CF115D04GA
201-250 (E)	CF115E00GA	CF115E01GA	CF115E02GA	CF115E03GA	CF115E04GA
251-300 (F)	CF115F00GA	CF115F01GA	CF115F02GA	CF115F03GA	CF115F04GA
301-350 (G)	CF115G00GA	CF115G01GA	CF115G02GA	CF115G03GA	CF115G04GA
351-400 (H)	CF115H00GA	CF115H01GA	CF115H02GA	CF115H03GA	CF115H04GA
401-500 (J)	CF115J00GA	CF115J01GA	CF115J02GA	CF115J03GA	CF115J04GA
501-600 (L)	CF115L00GA	CF115L01GA	CF115L02GA	CF115L03GA	CF115L04GA
601-700 (N)	CF115N00GA	CF115N01GA	CF115N02GA	CF115N03GA	CF115N04GA
701-800 (P)	CF115P00GA	CF115P01GA	CF115P02GA	CF115P03GA	CF115P04GA
801-900 (R)	CF115R00GA	CF115R01GA	CF115R02GA	CF115R03GA	CF115R04GA
901-1000 (T)	CF115T00GA	CF115T01GA	CF115T02GA	CF115T03GA	CF115T04GA
1001-1100 (V)	CF115V00GA	CF115V01GA	CF115V02GA	CF115V03GA	CF115V04GA
1101-1200 (X)	CF115X00GA	CF115X01GA	CF115X02GA	CF115X03GA	CF115X04GA

GALVANISED 1.55 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF155B00GA	CF155B01GA	CF155B02GA	CF155B03GA	CF155B04GA
101-150 (C)	CF155C00GA	CF155C01GA	CF155C02GA	CF155C03GA	CF155C04GA
151-200 (D)	CF155D00GA	CF155D01GA	CF155D02GA	CF155D03GA	CF155D04GA
201-250 (E)	CF155E00GA	CF155E01GA	CF155E02GA	CF155E03GA	CF155E04GA
251-300 (F)	CF155F00GA	CF155F01GA	CF155F02GA	CF155F03GA	CF155F04GA
301-350 (G)	CF155G00GA	CF155G01GA	CF155G02GA	CF155G03GA	CF155G04GA
351-400 (H)	CF155H00GA	CF155H01GA	CF155H02GA	CF155H03GA	CF155H04GA
401-500 (J)	CF155J00GA	CF155J01GA	CF155J02GA	CF155J03GA	CF155J04GA
501-600 (L)	CF155L00GA	CF155L01GA	CF155L02GA	CF155L03GA	CF155L04GA
601-700 (N)	CF155N00GA	CF155N01GA	CF155N02GA	CF155N03GA	CF155N04GA
701-800 (P)	CF155P00GA	CF155P01GA	CF155P02GA	CF155P03GA	CF155P04GA
801-900 (R)	CF155R00GA	CF155R01GA	CF155R02GA	CF155R03GA	CF155R04GA
901-1000 (T)	CF155T00GA	CF155T01GA	CF155T02GA	CF155T03GA	CF155T04GA
1001-1100 (V)	CF155V00GA	CF155V01GA	CF155V02GA	CF155V03GA	CF155V04GA
1101-1200 (X)	CF155X00GA	CF155X01GA	CF155X02GA	CF155X03GA	CF155X04GA

CUSTOM FLASHINGS

COLORBOND 0.40 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF040B00X***	CF040B01X***	CF040B02X***	CF040B03X***	CF040B04X***
101-150 (C)	CF040C00X***	CF040C01X***	CF040C02X***	CF040C03X***	CF040C04X***
151-200 (D)	CF040D00X***	CF040D01X***	CF040D02X***	CF040D03X***	CF040D04X***
201-250 (E)	CF040E00X***	CF040E01X***	CF040E02X***	CF040E03X***	CF040E04X***
251-300 (F)	CF040F00X***	CF040F01X***	CF040F02X***	CF040F03X***	CF040F04X***
301-350 (G)	CF040G00X***	CF040G01X***	CF040G02X***	CF040G03X***	CF040G04X***
351-400 (H)	CF040H00X***	CF040H01X***	CF040H02X***	CF040H03X***	CF040H04X***
401-500 (J)	CF040J00X***	CF040J01X***	CF040J02X***	CF040J03X***	CF040J04X***
501-600 (L)	CF040L00X***	CF040L01X***	CF040L02X***	CF040L03X***	CF040L04X***
601-700 (N)	CF040N00X***	CF040N01X***	CF040N02X***	CF040N03X***	CF040N04X***
701-800 (P)	CF040P00X***	CF040P01X***	CF040P02X***	CF040P03X***	CF040P04X***
801-900 (R)	CF040R00X***	CF040R01X***	CF040R02X***	CF040R03X***	CF040R04X***
901-1000 (T)	CF040T00X***	CF040T01X***	CF040T02X***	CF040T03X***	CF040T04X***
1001-1100 (V)	CF040V00X***	CF040V01X***	CF040V02X***	CF040V03X***	CF040V04X***
1101-1200 (X)	CF040X00X***	CF040X01X***	CF040X02X***	CF040X03X***	CF040X04X***




COLORBOND 0.55 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF055B00X***	CF055B01X***	CF055B02X***	CF055B03X***	CF055B04X***
101-150 (C)	CF055C00X***	CF055C01X***	CF055C02X***	CF055C03X***	CF055C04X***
151-200 (D)	CF055D00X***	CF055D01X***	CF055D02X***	CF055D03X***	CF055D04X***
201-250 (E)	CF055E00X***	CF055E01X***	CF055E02X***	CF055E03X***	CF055E04X***
251-300 (F)	CF055F00X***	CF055F01X***	CF055F02X***	CF055F03X***	CF055F04X***
301-350 (G)	CF055G00X***	CF055G01X***	CF055G02X***	CF055G03X***	CF055G04X***
351-400 (H)	CF055H00X***	CF055H01X***	CF055H02X***	CF055H03X***	CF055H04X***
401-500 (J)	CF055J00X***	CF055J01X***	CF055J02X***	CF055J03X***	CF055J04X***
501-600 (L)	CF055L00X***	CF055L01X***	CF055L02X***	CF055L03X***	CF055L04X***
601-700 (N)	CF055N00X***	CF055N01X***	CF055N02X***	CF055N03X***	CF055N04X***
701-800 (P)	CF055P00X***	CF055P01X***	CF055P02X***	CF055P03X***	CF055P04X***
801-900 (R)	CF055R00X***	CF055R01X***	CF055R02X***	CF055R03X***	CF055R04X***
901-1000 (T)	CF055T00X***	CF055T01X***	CF055T02X***	CF055T03X***	CF055T04X***
1001-1100 (V)	CF055V00X***	CF055V01X***	CF055V02X***	CF055V03X***	CF055V04X***
1101-1200 (X)	CF055X00X***	CF055X01X***	CF055X02X***	CF055X03X***	CF055X04X***

ULTRA 0.55 BMT

Girth Width (mm)	No of Bends				
	0	1	2	3	4
001-100 (B)	CF055B00U***	CF055B01U***	CF055B02U***	CF055B03U***	CF055B04U***
101-150 (C)	CF055C00U***	CF055C01U***	CF055C02U***	CF055C03U***	CF055C04U***
151-200 (D)	CF055D00U***	CF055D01U***	CF055D02U***	CF055D03U***	CF055D04U***
201-250 (E)	CF055E00U***	CF055E01U***	CF055E02U***	CF055E03U***	CF055E04U***
251-300 (F)	CF055F00U***	CF055F01U***	CF055F02U***	CF055F03U***	CF055F04U***
301-350 (G)	CF055G00U***	CF055G01U***	CF055G02U***	CF055G03U***	CF055G04U***
351-400 (H)	CF055H00U***	CF055H01U***	CF055H02U***	CF055H03U***	CF055H04U***
401-500 (J)	CF055J00U***	CF055J01U***	CF055J02U***	CF055J03U***	CF055J04U***
501-600 (L)	CF055L00U***	CF055L01U***	CF055L02U***	CF055L03U***	CF055L04U***
601-700 (N)	CF055N00U***	CF055N01U***	CF055N02U***	CF055N03U***	CF055N04U***
701-800 (P)	CF055P00U***	CF055P01U***	CF055P02U***	CF055P03U***	CF055P04U***
801-900 (R)	CF055R00U***	CF055R01U***	CF055R02U***	CF055R03U***	CF055R04U***
901-1000 (T)	CF055T00U***	CF055T01U***	CF055T02U***	CF055T03U***	CF055T04U***
1001-1100 (V)	CF055V00U***	CF055V01U***	CF055V02U***	CF055V03U***	CF055V04U***
1101-1200 (X)	CF055X00U***	CF055X01U***	CF055X02U***	CF055X03U***	CF055X04U***

FOIL • BLANKET • WIRE

Product Foil/Blanket/Wire	Product Details	Code	Cover	Unit
Aluminium Foil 1.35m x 60m Rolls 	Lightweight Anti-glare	FLLWAG600	81m ²	per roll
	Medium Anti-glare	FLMWAG600	81m ²	per roll
	Heavy Anti-glare	FLHWAG600	81m ²	per roll
Fibreglass Building Blanket Plain 	R1.20 x 30m (55mm thick)	• BB55PLN300	36m ²	per roll
	R1.75 x 15m (75mm thick)	• BB75PLN150	18m ²	per roll
	R2.00 x 10m (100mm thick)	• BB100PLN100	12m ²	per roll
Fibreglass Building Blanket Lightweight foil adhered 	R1.30 x 15m (55mm thick)	BB55LW150	18m ²	per roll
	R1.3 x 15m (50mm thick)	• BB55HW150	18m ²	per roll
	R1.30 x 20m (55mm thick)	• BB55LW200	24m ²	per roll
	R1.80 x 15m (75mm thick)	• BB75LW150	18m ²	per roll
	R2.50 x 10m (100mm thick)	• BB100LW100	12m ²	per roll
Roofing Wire 	1.8m x 50m Roof Safe Mesh 150 x 300 x 2.0mm	WMAUS500	90m ²	per roll
	1.8m x 50m Industrial Wire Netting 100 x 115 x 1.25m	WMCHICKEN500	90m ²	per roll
InsulBubble / Anti Glare Reflective Insulation	R0.11 x 22.25 (4.5mm thick)	FLIB100AG2225	30m ²	per roll
Tape	72mm x 50m	FLTAPE72500	50m	per roll

• Items not normally stocked – available to order.


FENCING • ACCESSORIES

Product Fencing/Accessories	Product Details	Code	Finish	BMT mm	TCT mm	Unit
	Stramit Monoclad® sheeting	MC35F---	Double Sided	0.35	0.40	sq m
	Stock lengths	SFMCF---1790	Double Sided	0.35	0.40	each
	Only available in Domain, Grey Ridge, Meadow, Summershade, Terrace					
	Stramit/Gramline Sawtooth sheeting	SFGLST---1490	Double Sided	0.35	0.40	each
		SFGLST---1790	Double Sided	0.35	0.40	each
	Rails Top & Bottom					
	GA 2370mm	SFRGA2370	GA			each
	CB 2370mm	SFGLR---2370	Painted			each
	CB 2360mm	SFR---2360	Painted			each
	Post					
	GA 2400mm	SFPGA2400	GA			each
	CB 1800mm	SFGLSP---1800	Painted			each
	CB 2100mm	SFGLSP---2100	Painted			each
	CB 2400mm	SFGLSP---2400	Painted			each
	CB 2700mm	SFGLSP---2700	Painted			each
	CB 2400mm	SFP---2400	Painted			each
	Accessories	Fasteners* (14 per Panel)				
		10 x 16 Hex Head SDS (per 1000)	S1016HTNN			Per 1000
			S1016HTNN---4H	Painted		Per 100
	*No Neoprene washers.					
	Lattice					
	2355mm x 300mm	SFGLL300---2355	Painted	3D profile		each
	CB Post Extension	SFGLL300---	Painted			each
Post Caps		SFGLPCD---	Painted	3D profile		each
Decorative Post Balls	Aluminium - Single Post	SFGLPBS---	Painted			each
	- Double Post	SFGLPBD---	Painted			each
Gate Post	Support Posts					
	50mm x 50mm x 2.4m	SFGLGP50---2400	CB			each
	65mm x 65mm x 2.4m	SFGLGP65---2400	CB			each
	Panel 2.400 x 1.800					
	Standard Panel includes	-with Monoclad	-with Sawtooth			
	2 x Rails 2.370					
2 x Fence Posts 2.400						
3 x Infill Sheets 1.790						
	Total Price Std Panel					
	14 x Fasteners 10 x 16 Hex Head					
	NB: Price does not include screws or rail caps					

FENCING • ACCESSORIES

Product Fencing/Accessories	Product Details	Code	Finish	Unit
	Base			
	55mm x 2.4m (maximum)	SFGLSB55	Painted	lin m
	80mm x 2.4m (maximum)	SFGLSB80	Painted	lin m
	Cover			
	55mm	SFGLSC55	Painted	lin m
	80mm	SFGLSC80	Painted	lin m
	End Cap			
	55mm	SFGLSEC55	Painted	each
80mm	SFGLSEC80	Painted	each	

SmartSlat Offset Louvre Bracket are also available




Available in all standard fencing colours.
Available ex East only - allow 10 working days.

Note: Maximum Length 2.4 metres.

lin m



Plinth



SFGLP155---2365 Painted

each

STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM



Stramit Uniguard™ Fire resisting wall system is a superior fire rated wall cladding product that combines the single layer of specialist fireboard **Promina®60** with your choice from **Stramit Monoclad®**, **Stramit Corrugated®** and **Stramit Longspan®** wall cladding products.

The **Stramit Uniguard™ Fire resisting wall system** is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).

Note: System must be designed and installed strictly in accordance with **Stramit Uniguard™ Fire Resisting Wall System Technical Manual**.

Using only the products specified and certified for the application as detailed in the technical manual and/or accreditation report.

Promina® 60 board can not be purchased independently of other Stramit Uniguard™ wall system components.

Product	Size mm	Code	BMT mm	Unit
Promina®60 	15 x 2400 x 1200	PB601224		each
Fasteners 	10 x 40 Wing Tek (For fixing Promina®60 to girts)	S1040WNGT		per 500
Sheeting	Available in your choice of: Stramit® Corrugated Stramit Monoclad® Stramit Longspan®			
Accessories 	Spacing Batten For Stramit Uniguard™		0.55	lin metre

WESTERN AUSTRALIA STANDARD PRODUCT OFFER

PRODUCT – Roofing/Cladding	BMT	BAS	CLC	COV	CTG	DCLC	DOC	DPPB	DSUR	DUN	EVH	GA	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	TVTS	WDG	WLB	WSP	ZA
Stramit MonoClad®	0.35	A	A	A	A		A			A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
	0.42	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
	0.48	A	A	A	A	A	A			A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit Corrugated®	0.42	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
	0.48	A	A	A	A		A			A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Curving Quality	0.60	A	A	A	A		A			A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit Speed Deck Ultra®	0.42	A	A	A	A	A	A	A	A	A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
	0.48	A	A	A	A		A			A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit Longspan®	0.42	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
	0.48	A	A	A	A		A			A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

RAINWATER PRODUCTS

PRODUCT	BMT (mm)	BAS	CLC	COV	CTG	DOC	DUN	EVH	GA	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	TVTS	WDG	WLB	WSP	ZA		
Stramit® Roll Top Ridge	0.40	A	A	A	A	A	A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Valley Folded	0.40	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Flashings & Others	0.40	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Roll Top Ridge	0.55	A	A	A	A	A	A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Valley Folded	0.55	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Flashings & Others	0.55	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit Easiline® Commercial Gutter	0.55	A	A	A	A	A	A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit Easiline® Patio Gutter	0.42	A	A	A	A	A	A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit Easiline® Domestic Gutter	0.42	A	A	A	A	A	A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit Strongline® Gutter	0.55	A	A	A	A	A	A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit Trad-Line™ Gutter	0.55	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit Strongline® Fascia	0.60	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Downpipes 95x45		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Downpipes 100x50		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Downpipes 100x100		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Downpipes 75x50		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Downpipes 75 round		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Stramit® Downpipes 100 round		A	A	A	A	A	A	A		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

A = AVAILABLE

Other non standard colours may be available subject to minimum order quantities. Please refer to our nearest sales office.

PREMIUM PRODUCTS – ULTRA

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)	Dune	Monument	Surfmist	Windspray	Wallaby	Woodland Grey
Stramit® Corrugated	0.42	A	A	A	A	A	A
Stramit® Corrugated	0.48	A	A	A	A	A	A
Stramit Monoclad®	0.42	A	A	A	A	A	A
Stramit Monoclad®	0.48	A	A	A	A	A	A
Stramit Longspan®	0.42	A	A	A	A	A	A
Stramit Longspan®	0.48	A	A	A	A	A	A
Stramit Speed Deck Ultra®	0.42	A	A	A	A	A	A
Stramit Speed Deck Ultra®	0.48	A	A	A	A	A	A
Stramit® Roll Top Ridge	0.55	A	A	A	A	A	A
Stramit® Valley Folded	0.55	A	A	A	A	A	A
Stramit® Flashings & Others	0.55	A	A	A	A	A	A
Stramit® Downpipes 95 x 45	0.55	A	A	A	A	A	A
Stramit® Downpipes 100 x 50	0.55	A	A	A	A	A	A
Stramit® Downpipes 100 x 75	0.55	A	A	A	A	A	A
Stramit® Downpipes 100 x 100	0.55	A	A	A	A	A	A

Please refer to Sales office for lead times and availability.

PREMIUM PRODUCTS – METALLIC

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)	Citi	Cortex	Conservatory	Skybridge	Axis	Facade
Stramit® Corrugated	0.48	A	A	A	A	A	A
Stramit Monoclad®	0.48	A	A	A	A	A	A
Stramit Longspan®	0.48	A	A	A	A	A	A
Stramit Speed Deck Ultra®	0.48	A	A	A	A	A	A
Stramit® Roll Top Ridge	0.55	A	A	A	A	A	A
Stramit® Valley Folded	0.55	A	A	A	A	A	A
Stramit® Flashings & Others	0.55	A	A	A	A	A	A
Stramit® Downpipes 95 x 45	0.55	A	A	A	A	A	A
Stramit® Downpipes 100 x 50	0.55	A	A	A	A	A	A
Stramit® Downpipes 100 x 75	0.55	A	A	A	A	A	A
Stramit® Downpipes 100 x 100	0.55	A	A	A	A	A	A

Please refer to Sales office for lead times and availability.

FENCING

PRODUCT – Cladding/Accessories	BMT (mm)	Harvest	Terrace	Meadow	Willow	Evergreen	Red Oak	Domain	Hedge	Teatree	Grey Ridge	Bluestone	Riversand	Estate	Summershade	Eclipse
Stramit Monoclad® Double Sided	0.35	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Post & Rails		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Lattice		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Decorative Post Balls		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Gates		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

Please refer to Sales office for lead times and availability of non standard colours.

TERMS AND CONDITIONS OF SALE

EFFECTIVE DATE: 1 APRIL 2018

IN THIS DOCUMENT THE FOLLOWING WORDS HAVE THE FOLLOWING MEANINGS:

Account Number means the computer-generated identification number given by Stramit to the Buyer;

All Present and After Acquired Property have the meanings given to those terms under the PPS Act;

Any Other Agreement means any deed, guarantee, indemnity, security, contract, terms, conditions or agreement between any of Stramit, the Buyer, a guarantor and/or a co-surety or any of their related bodies corporate (as defined in the Corporations Act 2001) in respect of or in connection with any contract for sale of Goods and/or Services and the Guaranteed Debt;

Credit Application means the application for a Credit Account made by the Buyer;

Australian Consumer Law means the Australian Consumer Law in the Competition and Consumer Act 2010 (Cth);

Buyer means the person or entity who has applied for a Credit Account and includes the person, partnership, corporation or other legal entity which places an Order with Stramit for the supply of Goods and/or Services;

Circulating and Non-Circulating Assets have the meanings given to those terms under the PPS Act;

Contract has the meaning given to that term in clause 1.1 of the Sale Terms;

Consumer means a consumer as that term is defined in the Australian Consumer Law;

Credit Account means the commercial credit account the Buyer has with Stramit under the Credit Terms;

Credit Limit means the maximum cumulative monetary limit for all debts owed by the Buyer to Stramit at any time for Goods and Services purchased on credit;

Credit Terms means the terms and conditions of the Credit Account as set out below;

Delivery Site means the Buyer's premises or a site nominated by the Buyer for delivery of Goods;

Event of Default means any means any one or more of the following: (a) if the Buyer fails to take delivery of, or to pay for Goods and/or Services by the due date or otherwise breached any other term of any Contract; or (b) if an administrator, liquidator or provisional liquidator or external manager is appointed in respect of the Buyer; or (c) the Buyer enters into any composition or arrangement with its creditors; or (d) Stramit has reasonable grounds for suspecting that an event in (b) or (c) has occurred; Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (e) Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (f) contractual performance by either Stramit or the Buyer is delayed or prevented due to any Force Majeure Event.

Force Majeure Event means any event outside a party's reasonable control including acts of God, declared or undeclared war, act of terrorism, fire, flood, storm, earthquake, hurricane, cyclone, riot, power failure, industrial action, defaults of manufacturers or suppliers, the inability to obtain equipment, supplies or other facilities that are not caused by a failure to pay, labour disputes, theft, any criminal act or other similar events beyond a party's control that may prevent or delay a party from performing their obligations under any Contract;

Goods means the building products requested by the Buyer in its Order and includes Special Building Products and the proceeds (as defined in the PPS Act) of those Goods;

Guaranteed Debts means the debts guaranteed by a guarantor;

GST means goods and services tax as defined under the A New Tax System (Goods and Services Tax) 1999;

Interest Rate means the rate of 6% above the cash rate last published by the Reserve Bank of Australia (as at the due date).

Order means a request by the Buyer to Stramit for the supply of Goods and/or Services;

Part means any part of the Credit Account;

PPS Act means the Personal Property Securities Act 2009, and includes the Personal Property Securities Regulations 2010 and any amendments or re-enactments of the PPS Act or the Regulations;

PPS Register means the personal properties security register established under the PPS Act;

Price List means the Customer price list issued by Stramit from time to time in the particular Stramit region in which an Order is placed;

Purchase Order Number is the Buyer's identifier to be supplied by the Buyer to Stramit when placing an Order;

Sale Terms means the terms and conditions of sale and supply of Goods and Services by Stramit to the Buyer as set out below and the terms set out in the Price List;

Security Interest has the meaning given to it under the PPS Act;

Services means any services performed by Stramit for the Buyer associated with

Stramit's supply of Goods, including delivery of the Goods;

Small Business Contract means a contract for the supply of goods or services where:

(1) at the time the contract is entered into, at least one party to the contract is a business that employs fewer than 20 persons; and

(2) either of the following applies:

(A) the upfront price payable under the contract does not exceed \$300,000;

(B) the contract has a duration of more than 12 months and the upfront price payable under the contract does not exceed \$1,000,000.

However, if the relevant parts of the definition of 'Small Business Contract' under the Australian Consumer Law are amended at any time, this definition is also amended accordingly;

Special Building Products means building products produced by Stramit which the Buyer requests Stramit to produce according to a design, drawing or specification provided to Stramit by the Buyer and goods and materials which the Buyer requests Stramit to process, purchase or supply;

Stramit means: (a) Stramit Corporation Pty Ltd ABN 57 005 010 195; (b) its successors and assigns; and (c) the seller of Goods and Services under the business names 'Stramit Building Products', 'Eziform Sheetmetal' and 'Taurean Door Systems'.

SALE TERMS

Words commencing with a capital letter and in bold are defined in these Sales Terms.

1. TERMS APPLICABLE TO THE SUPPLY OF GOODS AND/OR SERVICES

1.1 The contract between the Buyer and Stramit is constituted by: (i) the Sale Terms; (ii) the Credit Terms; (iii) each other Part (excluding the Guarantee); and (iv) to the extent to which Stramit accepts an order in accordance with clause 2.2 (each a "Contract"). The Sales Terms, the Credit Terms, each other Part (excluding the Guarantee) and the extent to which Stramit accepts the Order govern all contracts for the supply of Goods and/or Services by Stramit to the Buyer and constitute the entire agreement in connection with the supply of Goods and/or Services between Stramit and the Buyer.

1.2 All prior representations, trade custom or previous dealings between Stramit and the Buyer are excluded and are not applicable in the interpretation of the contract. No modification or variation to the Sale Terms or Credit Terms, any additional terms or conditions or any terms inconsistent with the Sale Terms or Credit Terms provided by the Buyer (whether put forward in the Order, the Buyer's specification or otherwise) will bind Stramit, unless expressly and specifically agreed to in writing by Stramit. These Sale Terms and Credit Terms supersede any terms and conditions which have previously governed a contract for the sale of Goods and/or supply of Services by Stramit to the Buyer. The Sale Terms and Credit Terms will prevail to the extent of any inconsistency between them and any quotation, Order or other documents from the Buyer. These Sale Terms and Credit Terms bind the Buyer even if Stramit or the Buyer do not sign them promptly or at all.

1.3 To the extent permitted by the PPS Act the parties agree to contract out of the following sections of the PPS Act:

1.3.1 to the extent that Stramit is required to give notice to the Buyer: sections 95, 118, 121(4), 130 and 135; and

1.3.2 sections 125, 132(3)(d) and 132(4).

1.4 The Buyer waives its rights to receive notice from Stramit of a registration event under section 157(1) of the PPS Act.

1.5 Stramit may at any time, and from time to time vary these Sale Terms and/or Credit Terms by notice in writing to the Buyer, or by updating the Sales Terms and/or Credit Terms found on Stramit's website, www.stramit.com.au. Subject to Clause 2, if the Contract is a Small Business Contract, then the Buyer may consider the variation and, if not acceptable, may elect not to proceed with the purchase of the Goods or Services ordered before the date of the variation but which are intended to be subject to the variation. If the Contract is not a Small Business Contract, the Buyer agrees that Goods delivered and Services performed and/or ordered after the date of a notice of variation will be subject to the variation and acceptance of the Goods or Services or the placing of the Order shall be deemed to be an acceptance of such varied terms and conditions. Sale Terms shall apply from the date of alteration. A copy of current Sale Terms can be found on Stramit's website, www.stramit.com.au. The Buyer acknowledges and warrants that he/she/it will regularly inspect the said website for any updated or altered Sale Terms.

2. ORDERING AND SUPPLY OF GOODS AND/OR SERVICES

2.1 The Buyer may place an Order verbally or in writing. An Order constitutes an offer by the Buyer to purchase Goods and/or Services from Stramit pursuant to Clause 1.1.

2.2 Stramit may accept or decline, in whole or in part, any Order. Acceptance may be verbal or in writing, or by Stramit delivering or

making the Goods and/or Services available for collection (whichever occurs first). Acceptance of an Order by Stramit gives rise to a Contract for the supply of the ordered Goods and/or Services on these Sale Terms.

- 2.3 Stramit may, in its sole discretion, agree to a written request from the Buyer for cancellation or variation (including variation to delivery times) of a Contract under clause 2.2. Stramit's acceptance must be in writing.

3. PRICES, QUOTATIONS PAYMENT AND DEFAULT

- 3.1 Unless otherwise expressly agreed in writing, the amount payable for the Goods and/or Services will be the price on Stramit's invoice plus any duties, fees, taxes (including GST), delivery charges and levies charged or imposed on or in respect of a Contract referred to in clause 2.2, plus any amount that reflects any increase in exchange rates, costs of labour, materials and overheads in connection with Stramit's supply.
- 3.2 Until Stramit confirms that a credit facility has been granted to the Buyer, all Goods and Services must be paid for on a cash on delivery or performance basis. If a credit facility has been granted, the Buyer must pay Stramit for the Goods and/or Services either:
- 3.2.1 as required by the Credit Terms; or
- 3.2.2 if required by Stramit, prior to Stramit ordering materials or commencing manufacture of the Goods.
- 3.3 A quotation will not constitute an offer to sell Goods or Services to the Buyer. No Contract for the supply of Goods or Services will exist between the Stramit and Buyer until Buyer's order for Goods or Services has been accepted by Stramit (such acceptance of the Buyer's order may be made and communicated by Stramit in writing or by over act of acceptance).
- 3.4 Any written quotation provided by Stramit expires on the date stated or otherwise 30 days after the date the quotation is issued by Stramit. Stramit may withdraw or vary a quotation before accepting an Order. Prior to acceptance of an Order of the Goods by Stramit, if there is an increase in Stramit's costs or pricing, then Stramit may increase its quoted price and the Buyer must pay the increased price.
- 3.5 If the Buyer commits an Event of Default then:-
- 3.5.1 all monies payable (including under a Credit Account, or under any Agreement) by the Buyer to Stramit may, at Stramit's election, become immediately due and payable notwithstanding the due date for payment may not have expired; and
- 3.5.2 Stramit, without prejudice to any other rights Stramit may have, may do any or all of the following:
- (i) suspend or withdraw the Credit Account;
 - (ii) terminate or suspend the whole or any outstanding part of any Contract in force between Stramit and the Buyer;
 - (iii) recover from the Buyer the cost of materials or goods acquired for the purpose of future deliveries Goods or the performance of Services;
 - (iv) immediately re-possess any Goods to which title has not passed.
 - (v) charge interest to the Buyer at the Interest Rate calculated daily on any overdue amount and payable together with the overdue amount;
 - (vi) immediately enforce any security it holds over the land or personal property of the Buyer; and
 - (vii) register a default with any credit reference facility
- 3.6 Stramit may in its sole discretion apply any payment received from the Buyer towards any debt (including interest charged under clause 3.5.2(v)) owed by the Buyer to Stramit at any time.
- 3.7 If in Stramit's reasonable opinion the financial position or status of the Buyer requires it, Stramit may refuse to make a delivery or cancel any contract under clause 2.2.
- 3.8 The Buyer must pay to Stramit on demand all reasonably incurred costs, charges and expenses (including legal expenses on an indemnity basis) that Stramit incurs as a result of any breach of these Sale Terms or Contract by the Buyer.
- 3.9 The Buyer must supply Stramit with its Account Number and Purchaser Order Number at the time of placing the Order. The Buyer is liable to pay the amount of an invoice, regardless of whether the Buyer's Account Number or Purchase Order Number is included on the invoice.
- 3.10 The Buyer is liable for all purchases made under its account number and/or account name. It is not the responsibility of Stramit to confirm authority for the purposes of supplying Goods or Services to Buyer, its agent(s) or those who Stramit deems to be its agents. It is the sole responsibility of Buyer to ensure there is no unauthorised use of their account number or name. A statement on a certificate given by Stramit setting out the quantities, descriptions, prices and dates and other information in respect of Goods and/or Services will be conclusive and binding on the parties in the absence of manifest error.
- 3.11 The Buyer will not assert any right of set-off against Stramit and will pay all sums due and payable without deduction.

4. DELIVERY AND COLLECTION

- 4.1 Stramit may:
- 4.1.1 make the Goods available for collection at Stramit's premises; or
- 4.1.2 deliver (or arrange delivery) of the Goods in the manner it deems fit to the Delivery Site.
- 4.2 The Buyer's Order must specify if the Goods are to be delivered to the Delivery Site or collected from Stramit. If delivery is specified then the Delivery Site must be nominated.
- 4.3 Stramit will advise the Buyer of the estimated delivery or collection date and time and may alter it if necessary. Any times quoted for delivery are estimates only and Stramit may supply by installments. To the extent permitted by law, Stramit will not be liable to the Buyer for any costs, loss or damage whatsoever (including indirect or consequential loss) caused directly or indirectly by any delay or failure to deliver the Goods or to perform the services or to make the Goods available for collection on the date or at the time specified. The Buyer must accept and pay for the Goods and/or the Services notwithstanding any extension or delay in the delivery or the availability of Goods for collection or in the performance of the Services.
- 4.4 If the Buyer does not collect the Goods by the collection date, then Stramit may, without limiting any other rights available to it, store the Goods or deliver them to the Delivery Site and the Buyer must, on demand, pay all costs of delivery and any additional charges (including storage costs) and costs incurred by Stramit.
- 4.5 The Buyer must provide a suitable and safe area at the Delivery Site to unload the Goods and ensure that Stramit's (or its agent, employee or contractor) use of the Delivery Site conforms to occupational health and safety legislation. The Buyer indemnifies and holds harmless Stramit (or its agent, employee or contractor) from any and all claims arising out of delivery of the Goods, except to the extent the Stramit (or its agent, employee or contractor) have been negligent or breached the law or the Contract.
- 4.6 If the Delivery Site is unattended, the Buyer authorises, Stramit or its contractors to deposit the Goods at the Delivery Site or retain the Goods if delivery is, in Stramit's reasonable opinion inappropriate. Stramit will not be obliged to obtain a signed receipt or other acknowledgment from any person at the nominated place for delivery but if a signed receipt or other acknowledgment is obtained from someone believed by Stramit to be authorised by Buyer to sign or otherwise take delivery, then such signed receipt or other acknowledgement will be conclusive evidence of Buyer's acceptance of the good delivered. The Buyer will indemnify and hold Stramit (and its contractors) harmless from any loss or damage caused by the depositing of Goods at an unattended Delivery Site.
- 4.7 To the extent permitted by law, Stramit will not be liable to the Buyer or to its employees or agents for any property damage or personal injury arising from any loading, unloading or delivery of the Goods. The Buyer indemnifies Stramit from any loss or damage suffered by Stramit as a result of any property damage or personal injury caused by the delivery and unloading of Goods except for and to the extent that the loss, damage or liability is caused by a negligent act or omission of Stramit or its contractors.
- 4.8 The Buyer must pay all costs and fees resulting from any or all of the following:
- 4.8.1 any delay in delivery caused by the Buyer or the Delivery Site conditions;
- 4.8.2 unexpected labour costs;
- 4.8.3 Delivery Site conditions resulting in the incurring of additional costs and
- 4.8.4 the nature of the Goods and/or Services ordered by the Buyer.
- 4.9 The Buyer must pay for any permit or licence or other extraordinary costs of transporting or delivering ordered Goods, including wide or long loads.
- 4.10 The Buyer must notify Stramit of any claim in writing within:
- 4.10.1 2 days after delivery or collection that the Goods supplied do not accord with those ordered;
- 4.10.2 14 days of receiving an invoice from Stramit that it disputes the invoice;
- 4.10.3 (if the Buyer is not a Consumer) 2 days of delivery or collection of Goods that it is alleged they are defective or damaged; or
- 4.10.4 (if the Buyer is not a Consumer) 2 days of performance of any allegedly deficient Services, and the Buyer will be taken to have accepted the Goods as delivered and/or the Services as performed or the invoice as rendered if the Buyer fails to so notify Stramit, and must pay for the Goods or Services in full.
- 4.11 If the Buyer is a Consumer, the Buyer must notify Stramit for matters within the contemplation of sub-clauses 4.10.3 and 4.10.4 within a reasonable time, and in any event promptly upon becoming aware of a claim within the contemplation of sub-clauses 4.10.3 and 4.10.4.

5. PASSING OF RISK

The risk of any loss or damage to or deterioration of the Goods from any cause whatsoever passes from Stramit to the Buyer, on the earlier of, when the Buyer takes possession of the Goods or otherwise if:

- 5.1 the Buyer collects the Goods and if Stramit or its contractors have loaded the Goods for the Buyer, when the Goods are fully loaded onto the Buyer's vehicle or vessel;
- 5.2 Stramit delivers the Goods to the Delivery Site and the Buyer unloads the Goods, when the Buyer begins unloading the Goods; or
- 5.3 Stramit delivers the Goods and unloads them at the Delivery Site, when Stramit has finished unloading the Goods.
- 6. RETENTION OF TITLE**
- 6.1 The Buyer agrees that legal and equitable title to the Goods remains with Stramit until the Buyer has paid for the Goods in full and has paid all other money owing for any reason at any time under any contract, agreement or account between Stramit and the Buyer, including all payments to be made under clauses 3.1 and 3.8.
- 6.2 Until title to the Goods passes, the Buyer:
- 6.2.1 holds the Goods as the bailee and fiduciary agent of Stramit;
- 6.2.2 must store the Goods separately and securely and in such manner as to indicate clearly that they remain the property of Stramit;
- 6.2.3 must insure the Goods for their full replacement value;
- 6.2.4 must not create or allow to be created any Security Interest or any other form of encumbrance over the Goods which is inconsistent with Stramit's title to the Goods;
- 6.2.5 must not assign, charge or encumber or grant any interest over any obligations which any third party may owe to the Buyer as a result of the use, manufacture or resale of the Goods;
- 6.2.6 may not claim any lien or interest in the Goods to secure any liquidated or un-liquidated debt or obligation that Stramit owes to the Buyer; and
- 6.2.7 must not remove, deface or obliterate any identifying plate, mark or number on any of the Goods.
- 6.3 Despite clause 6.2, unless Stramit notifies the Buyer to the contrary, the Buyer may, in the ordinary course of its business:
- 6.3.1 re-sell the Goods (Re-sold Goods), but only as a fiduciary agent of Stramit, in which case the Buyer must perform in favour of Stramit all the obligations and assume all of the liabilities of a fiduciary agent. Any right to bind Stramit to any liability to a third party by contract or otherwise is expressly excluded; and
- 6.3.2 use any of the Goods or part of the Goods in a manufacturing or construction process of its own or of a third party which manufactures, processes, assembles or commingles the Goods so that they become part of a product or mass (Manufactured Product), in which case it will hold the Manufactured Product on trust for Stramit as bailee and fiduciary agent of Stramit and may sell the Manufactured Product.
- 6.4 If the Buyer re-sells or deals with the Goods or the Manufactured Product before title to the Goods passes to the Buyer, then the Buyer:
- 6.4.1 assigns absolutely and unconditionally in favour of Stramit the Buyer's entitlement to all the proceeds of the re-sale or dealing, and must notify the purchaser in writing of the assignment at the time of the re-sale or dealing; and
- 6.4.2 will hold such part of the proceeds of the re-sale or dealing on trust for and as the fiduciary agent of Stramit immediately when they are received or receivable.
- 6.5 When referring to "such part" in sub-clause 6.4.2 and/or for the purpose of quantifying the amount of money paid to the Buyer and held in trust for Stramit from the proceeds of the sale of or dealing with the Goods or Manufactured Product, that part or amount will be equal in dollar terms to the value of the Goods on the day on which they become part of the Manufactured Product.
- 6.6 The Buyer must keep the proceeds in a separate bank account until the liability to Stramit is discharged.
- 6.7 If the amount payable for all Goods sold by Stramit to the Buyer is greater than the sum of:
- 6.7.1 the proceeds actually received by Stramit in respect of all dealings by the Buyer with the Goods (including the sale of Re-Sold Goods or Manufactured Product); and
- 6.7.2 all other payments received by Stramit in respect of the Goods, then the difference remains a debt owing by the Buyer to Stramit.
- 6.8 Where the Buyer has not paid for the Goods in full by the due date for payment, then the Buyer irrevocably authorises Stramit to repossess the Goods and to enter any site owned, possessed or controlled by the Buyer at any time and without notice to search for, inspect or repossess the Goods, whether such Goods are in their original form, or in a modified form or mixed with other products of the Buyer. Stramit is not liable to the Buyer as a result of any action taken pursuant to this clause, except to the extent that Stramit has been negligent or breached the law or the Contract. Stramit may delay taking action to dispose of or retain the repossessed Goods under the PPS Act for a period of up to 12 months.
- 6.9 Stramit's property in the Goods remains absolute even if the Goods have become fixtures to the premises of the Buyer or a third party. If Stramit enters those premises to reclaim possession of the Goods and incurs any liability to a third party in connection with the entry or reclamation, or if the Buyer suffers any loss or damage as a result of the entry or reclamation, then Stramit will not be liable to the Buyer for any liability, loss or damage and the Buyer indemnifies Stramit against any liability, loss or damage to any third party except to the extent Stramit has been negligent or breached the law or the Contract.
- 6.10 The provisions of this clause 6 apply despite any arrangement between the parties under which Stramit grants the Buyer credit.
- 7. DESCRIPTION OF BUILDING PRODUCTS AND SAMPLES**
- 7.1 All physical samples and descriptions, specifications, illustrations, drawings, data, dimensions and weights in respect of the Goods contained in catalogues, the Price List or other Stramit advertising material are approximate, and are only intended by Stramit to be a general description.
- 7.2 Stramit may produce Goods with minor modifications from any of its samples, drawings and specifications (within acceptable manufacturing tolerances).
- 7.3 Stramit is not liable to the Buyer for any loss or damage suffered by the Buyer as a result of the Buyer relying upon any such specifications, illustrations, drawings, data, dimensions, weights or the characteristics of any samples except to the extent Stramit has been negligent or breached the law or the Contract.
- 8. TOOLS, EQUIPMENT, PATTERNS, DESIGNS AND SYSTEMS OF MANUFACTURE**
- 8.1 Any tool, equipment, pattern, design or system of manufacture (Manufacturing Devices) acquired and used by Stramit in filling an Order remains the property of Stramit and cannot be used without Stramit's prior written authority.
- 8.2 Stramit may charge the Buyer for Stramit's acquisition and use of any Manufacturing Device. Payment of such charge will not vest in the Buyer any intellectual property rights or other rights in the Manufacturing Device.
- 8.3 Stramit may hire or lend tools or equipment to a Buyer on agreed terms. Stramit will invoice the Buyer for hire and delivery charges after the tools or equipment are in possession of the Buyer. The Buyer must pay the amount invoiced within 30 days of the invoice date.
- 8.4 The Buyer indemnifies and holds harmless Stramit against any claim, demand or suit arising out of any loss, damage or personal injury caused to the Buyer, its employees and agents or a third party by a tool or equipment provided by Stramit to the Buyer except to the extent Stramit has been negligent or breached the law or the Contract.
- 9. BUYER'S SPECIFICATIONS OR MATERIALS AND SPECIAL BUILDING PRODUCTS**
- 9.1 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, then the Buyer agrees that:
- 9.1.1 Stramit will not be responsible for any failure of any Special Building Products or lack of fitness for use or for any property damage or personal injury whatsoever caused by the Special Building Products.
- 9.1.2 The Customer agrees that it does not rely on the skill or judgment of Stramit in relation to the suitability of any Special Building Products goods for a particular purpose; and
- 9.1.3 any advice, recommendation, information or assistance provided by Stramit is provided without liability to Stramit whatsoever.
- 9.2 If the Buyer is a Consumer, or the Contract is a Small Business Contract, and Stramit, then the Buyer acknowledges and agrees that:
- 9.2.1 it must install and operate the Special Building Products goods in accordance with any applicable installation instructions and/or manuals, and with professional skill, competence and due care having regard to the complexity and nature of the work; and
- 9.2.2 any advice, recommendation, information or assistance provided by Stramit, is provided in good faith, relying upon the accuracy and completeness of information provided by Buyer to Stramit.
- 9.3 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract the Buyer will indemnify and hold Stramit harmless from:
- 9.3.1 any direct or indirect loss or damage caused to, or suffered by, the Buyer or to any third party by the Special Building Products and the Buyer releases Stramit from all liability in respect of any fault or defect in any Special Building Product; and
- 9.3.2 any claim, demand or suit arising out of Stramit's use of or reliance upon any design, specification or drawing provided to Stramit by the Buyer.
- 9.4 The Buyer warrants and represents that any designs, specifications or drawings it provides to Stramit for the manufacture of Special Building Products will not breach or infringe any copyright, patent or registered design or any other right of any third party. If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, the Buyer will indemnify and forever hold Stramit harmless from any loss, damage, liability or costs suffered or incurred by Stramit arising from a breach by the Buyer of this warranty and representation.
- 9.5 If Stramit, on request of the Buyer, processes the Buyer's materials, Stramit will not warrant that the materials supplied by the Buyer are suitable for such processing.
- 9.6 Stramit will not be liable for any:
- 9.6.1 failure of any processed Buyer's materials; or
- 9.6.2 failure of any Goods manufactured using the Buyer's materials; or
- 9.6.3 damage caused by or connected with the Buyer's materials at any time during or after processing by Stramit.

- 9.7 The Buyer must bear any additional expense or the cost of:
- 9.7.1 any testing or inspection of Goods manufactured using the Buyer's materials or any Special Building Products; and
- 9.7.2 any delay in processing caused by any defect in the Buyer's materials or by the nature of the Buyer's materials.

10. LIMITATION OF LIABILITY

- 10.1 Unless agreed in writing by Stramit, Stramit will not accept the return of goods. Goods accepted for return by Stramit may attract a charge to recover costs, restocking, disposal and repackaging charges. The amount of this charge will be determined by Stramit and recoverable from the Buyer. Proof of purchase from Buyer must accompany all goods returned to Stramit
- 10.2 If the Buyer is a Consumer or the Contract is a Small Business Contract, the provisions of this clause 10.2 apply:
 - (a) the Goods and Services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the Australian Consumer Law, Stramit's obligations to the Buyer in respect of a breach of any term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - (i) the repair or replacement of the Goods or the supply of equivalent Goods; or
 - (ii) paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - (iii) in the case of Services, the re-supply of Services or paying for the cost of resupplying the Services by a service provider approved in writing by Stramit.
- 10.3 Stramit's obligations, if clause 10.2 applies, do not include:
 - (i) the cost of removing defective Goods whether installed or otherwise;
 - (ii) the cost of installing replacement Goods; or
 - (iii) defects in Goods caused by improper installation or improper maintenance or care of Goods, or related components, or normal wear and tear.
- 10.4 Subject to clause 10.2, if the Buyer is not a Consumer or the Contract is not a Small Business Contract, all terms, representations, guarantees, implied warranties and conditions, whether implied by statute or otherwise, including as to merchantability, description, quality, suitability, or fitness for purpose as to design, assembly, installation, materials or workmanship or otherwise are expressly excluded. Stramit does not exclude, restrict or modify any liability that cannot be excluded, restricted or modified except to a limited extent, as between Stramit and the Buyer by law.
- 10.5 Stramit's obligations to the Buyer in respect of a breach of any a non-excludable term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - 10.5.1 the repair or replacement of the Goods or the supply of equivalent Goods; or
 - 10.5.2 paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - 10.5.3 in the case of Services, the re-supply of Services or paying for the cost of resupplying
- 10.6 Stramit's obligations if clause 10.5 applies do not include:
 - 10.6.1 the cost of removing defective Goods whether installed or otherwise;
 - 10.6.2 the cost of installing replacement Goods; or
 - 10.6.3 defects in Goods caused by improper installation or improper maintenance or care of Goods or related components or normal wear and tear.
- 10.7 To the extent permitted by law, Stramit will not be liable to the Buyer or any other person for any direct, indirect, special, incidental or consequential loss or damage (including loss or damage caused by negligence or any wilful act or default of Stramit, its employees or agents) whatsoever arising from the use of the Goods, or a breach of a contract under clause 2.2 or any statutory implied warranty, term or condition in relation to the Goods. In this clause, "direct, indirect, special, incidental or consequential loss or damage" includes (a) any loss of income, profit or business; (b) any loss of goodwill or reputation; and (c) any loss of value of intellectual property.
- 10.8 To the extent permitted by law, Stramit will not be liable to the Buyer, its employees or agents for any costs, claims, damages or demands arising from personal injury, loss or damage whatsoever occurring by reason of:
 - 10.8.1 the Goods or their design, production or processing;
 - 10.8.2 the Services;
 - 10.8.3 any act or omission of Stramit, its employees or agents; or
 - 10.8.4 any statement, representation, recommendation, advice, supervision or assistance made or given by an employee or agent of Stramit, whether oral or written.
- 10.9 Stramit will not be responsible for the consequences of any technical advice given by its employees or agents in relation to the design, specifications, installation or use of Goods. The Buyer acknowledges that it will not rely and has not relied on any skill or judgment of Stramit, its employees or agents about the suitability of any Goods and/or Services for a particular purpose.
- 10.10 The Buyer acknowledges that Stramit does not make and has not made any representation or warranty regarding the Goods and/or

Services or any matter which is or might be relevant to the Buyer other than as set out in these Sale Terms.

11. INDEMNITIES RELATING TO ACCESSING PREMISES

- 11.1 Any Buyer, or its agent, employee or contractor (Buyer's Representative) who enters Stramit's premises does so at his/her own risk. Stramit will not be liable for any loss, damage or injury caused by any act or omission whatsoever whilst the Buyer's Representative attends Stramit's premises. The Buyer indemnifies and will forever hold Stramit harmless against all claims, demands or suits made by a Buyer's Representative in connection with his/her attendance at Stramit's premises.
- 11.2 Where Stramit or its agent, employee or contractor (Stramit Representative) enters upon a Delivery Site, the Buyer must provide full and safe access to the Delivery Site and ensure that the Delivery Site is compliant with all occupational health and safety legislation and the Buyer will be liable for, and must indemnify Stramit against the costs of any loss or damage to property and personal injury to any Stramit Representative occurring directly or indirectly as a result of the Buyer's failure to comply with this clause.

12. GENERAL MATTERS

- 12.1 Stramit may vary or waive any or all of these Sale Terms at any time and will notify the Buyer in writing of any variation or waiver.
- 12.2 The failure of Stramit to exercise a right or remedy, or any delay by Stramit in exercising a right or remedy, or the exercise by Stramit of only part of a right or remedy, or the granting of any indulgence by Stramit in favour of the Buyer does not:
 - 12.2.1 affect Stramit's rights against the Buyer;
 - 12.2.2 constitute a waiver of any term or condition; or
 - 12.2.3 prohibit Stramit from exercising that right or remedy in relation to that breach or any other breach.
- 12.3 A waiver of a breach of a term or condition does not constitute a waiver of another breach of the same term or any other term.
- 12.4 The Buyer agrees that these Sale Terms shall be construed according to the laws of the State or Territory as Stramit may in its sole discretion determine. Proceedings by either Stramit or the Buyer may be instituted and/or continued in such State or Territory as Stramit may in its sole discretion determine. Failing such determination the Buyer consents to any proceedings being instituted and heard by any appropriate Court sitting in the State of New South Wales applying the laws of that State.
- 12.5 The Buyer must not assign any of its rights or obligations under these Sale Terms without the prior written approval of Stramit.
- 12.6 Stramit will not be liable for any delay or failure to fill an Order to the extent and for so long as performance is prevented or delayed by:
 - (a) any event or circumstance beyond Stramit's power or control;
 - (b) any delay or failure of supply by any of Stramit's suppliers; or
 - (c) a breakdown in Stramit's or its contractor's tools, equipment, vehicles or machinery.
- 12.7 If all or part of a clause in these Sale Terms is void, illegal or unenforceable, it may be severed without affecting the enforceability of any other provision.
- 12.8 If the Buyer is acting as the trustee of any trust (whether disclosed or not), then:
 - 12.8.1 the Buyer declares that it is entering into the Contract both in its own capacity and as trustee of the trust with the ability to bind and the intention of binding, both;
 - 12.8.2 the Buyer shall be liable both in its own name and as trustee of the trust; and
 - 12.8.3 the Buyer acknowledges that the assets of the trust shall be available to meet payment and obligations under the Contract, and of the Buyer's accounts.
- 12.9 A breach of these Sale Terms is a breach of the Credit Terms.

CONTACT US

The Stramit web page can be found at stramit.com.au. Details of many Stramit® products can also be seen on the AIA site 'Product Selector' selector.com.au.

REGION	LOCATION	CONTACT DETAILS	BRANCH OPENING HOURS ¹	ORDER CUT-OFF TIMES ²		
				STANDARD DELIVERY	NEXT DAY DELIVERY ³	PICK-UP HOURS ⁴
NSW & ACT	SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759	Ph 02 9834 0909 Fax 02 9834 0988	7.30am - 5pm	4pm	N/A	6am - 4pm
	CANBERRA 4 Bass St, Queanbeyan NSW 2620	Ph 02 6298 2500 Fax 02 6298 2533	7.30am - 5pm	4pm	N/A	7.30am - 4pm
	COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450	Ph 02 6656 3800 Fax 02 6656 3808	7.30am - 5pm	4pm	N/A	7am - 4pm
	NEWCASTLE 17 Nelson Rd, Cardiff NSW 2285	Ph 02 4041 3400 Fax 02 4041 3423	7.30am - 5pm	4pm	N/A	7am - 4pm
	ORANGE 51 Leewood Dr, Orange NSW 2800	Ph 02 6360 9200 Fax 02 6360 9211	7.30am - 5pm	4pm	N/A	7am - 4pm
VIC	MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180	Ph 03 9237 6300 Fax 03 9237 6399	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	ALBURY 18 Ariel Dr, Albury NSW 2640	Ph 02 6092 3700 Fax 02 6092 3766	7.30am - 5pm	4pm	N/A	7am - 4pm
	BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555	Ph 03 5448 6400 Fax 03 5447 9677	8am - 5pm	4pm	N/A	8am - 4.30pm
TAS	HOBART 57 Crooked Billett Dr, Brighton TAS 7030	Ph 03 6262 8788 Fax 03 6262 8712	7.30am - 5pm	4pm	N/A	7am - 4pm
SA	ADELAIDE 11 Stock Rd, Cavan SA 5094	Ph 08 8219 2000 Fax 08 8219 2021	7.30am - 5pm	4pm	N/A	7am - 4pm
South QLD	BRISBANE 57-71 Platinum St, Crestmead QLD 4132	Ph 07 3803 9999 Fax 07 3803 1499	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	MARYBOROUGH 10 Activity St, Maryborough QLD 4650	Ph 07 4123 9500 Fax 07 4123 9508	7am - 4.30pm	4pm	N/A	7am - 4pm
	ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702	Ph 07 4921 5600 Fax 07 4921 5608	7am - 4.30pm	4pm	N/A	7am - 4pm
North QLD	CAIRNS 53 Vickers St, Edmonton QLD 4869	Ph 07 4034 6555 Fax 07 4034 6511	7am - 4.30pm	4pm	N/A	7am - 4pm
	TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814	Ph 07 4412 3900 Fax 07 4412 3909	7am - 4.30pm	4pm	N/A	7am - 4pm
	MACKAY 6 Brickworks Court, Glenella QLD 4740	Ph 07 4965 4000 Fax 07 4965 4012	7am - 4.30pm	4pm	N/A	7am - 4pm
NT	DARWIN 55 Albatross St, Winnellie NT 0820	Ph 08 7922 4600 Fax 08 7922 4608	7.30am - 4.30pm	3.30pm	N/A	7am - 4pm
WA	PERTH 605-615 Bickley Rd, Maddington WA 6109	Ph 08 9493 8800 Fax 08 9493 8899	7.30am - 5pm	4pm	12.30pm	7am - 4pm

¹ Business days only (excludes weekend and public holidays).

² Days only (excludes weekend and public holidays). Standard Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Next Day Delivery refers to order cut-off times for orders to be delivered the next Business Day.

³ Additional charges may apply.

⁴ Orders picked up outside of office hours must be confirmed prior to pick-up.