

SOUTH AUSTRALIA



PRODUCT AND SERVICE GUIDE

EFFECTIVE MAY 2018

Supersedes March 2017



11 Stock Road, Cavan SA
Ph 08 8219 2000
Fax 08 8219 2021

stramit.com.au





OUR STEEL-CLAD COMMITMENT TO YOU EVERY TIME YOU WORK WITH US.

Our Declaration of Done is what sets Stramit® apart. It's our set of promises to you that make getting the job done easy. Want on-time delivery? Done. Great quality products? Done. No matter the size of the job, when you work with Stramit, you can Consider It Done.



ON-TIME DELIVERY

We'll deliver in full, on-time and to specification or we'll credit you 5% of the order confirmation value. Give us 2 days' lead time without making a change and we'll double it to 10%.



GREAT QUALITY PRODUCTS

Great quality products every time, or we'll replace them at no cost to you.



BEST STOCK AVAILABILITY

With our most popular items always in stock, we have what you need, when you need it.



AUSTRALIA WIDE COVERAGE

With a national footprint and local teams covering every State and Territory, we'll work together to get your job done.



PERSONAL SERVICE

You'll be supported by an experienced sales team backed by a network of technical experts.



RESPONSIVE SUPPORT

You'll speak to us within 6 rings and we'll always keep you informed.



FAST ORDER CONFIRMATION

Accurate same day order confirmation, allowing an extra day for structural products, or we'll credit you \$50.



ACCURATE INVOICING

Your invoice will be accurate or we'll credit you the difference plus \$50 within 5 days.

INDEX

PRODUCTS AND SERVICE GUIDE

Site Delivery Instructions • Pickup Loading Detail	2
Flashing Detail Order Form	3
Stramit® Purlins & Bridging Order Pads	4-6
Important Notice	7
Standard Delivery – Nominated Days	8-10
Loading Requirements	11-12
Product availability	13
Care & Maintenance	14
Ordering Codes – Standards for Use	15
Selecting Your Product – Cover, Spans & Pitch	16

ROOFING • CLADDING • ACCESSORIES

Stramit® Corrugated	17
Stramit® Curving Quality • Tank Iron	18
Stramit Monoclad®	19
Stramit Longspan®	20
Stramit Speed Deck Ultra®	21
Stramit Monopanel® • Stramit Mini Corry® • Stramit MiniRib®	24
Stramit Uniguard® Fire Resisting Wall System	25
Sundry Products	26
PA Doors	26

INSULATING PRODUCTS

Foil • Blanket • Batts • Wire Mesh	27
------------------------------------	----

FASCIA • GUTTER • DOWNPIPE

Stramit® Fascia	28
Stramit® Quad 115 • Stramit® Quad 125	29
Stramit O-Gee™ • Stramit® Finline Guttering	30
Half Round Gutter Flatback	31
Fasteners	32
Stramit® Downpipe – Rectangular	33-34
Stramit® Downpipe – Round	35

CUSTOM FLASHINGS

Stramit® Custom Flashings – Ordering Procedure	36
Stramit® Custom Flashings & Flat Sheet – Price Schedule	37-40
Rainheads • Sumps	41

STRUCTURAL COMPONENTS

Stramit® C & Z Purlins	42
Stramit Exacta® Purlins	43
Stramit® Custom Sections	44
Stramit® Bridging General	45
Stramit® Bridging • Accessories	46-48
Stramit® Formwork - Condeck & PrimeForm™ + Edgeform	49
Stramit® Framing	50
Stramit® Top Hats	51
Stramit® Flooring	52-53
Patio Roofing Decking	54
Colorbeam	55-56

PREMIUM PRODUCTS

Stramit® MagnaFlow® – Roofing, Cladding, Rainwater	22
Stramit® Roofing • Stramit® Cladding • Accessories	23

TERMS AND CONDITIONS OF SALE	58-61
------------------------------	-------

PRICING GENERAL

DELIVERY CHARGE – Refer P8-10 – Standard Delivery Details.

RETURN OF GOODS

Stock line items may be returned for Credit, with Stramit's agreement, subject to the following charges & conditions:

- i) Where goods are returned by the customer a re-stocking fee of 20% (\$20 minimum) is applicable.
- ii) Where goods are picked up by Stramit for return, Standard Delivery charges plus a re-stocking fee of 20% (\$45 minimum) are applicable.
- iii) Returns should be no later than 7 days after delivery date.

Non stock items, such as cut to length products are not returnable to Stramit. Naturally where Stramit is at fault, freight or re-stocking fees would not be applicable and a full credit given. Refer to Terms & Conditions of Sale inside back cover.

CLAIMS FOR FAULTY GOODS, DAMAGED GOODS OR SHORT DELIVERY OF GOODS MUST BE LODGED WITHIN 48 HOURS OF DELIVERY.

STRAMIT ADELAIDE CONTACTS

PHONE (08) 8219 2000
FAX (Admin) (08) 8219 2021

IMPORTANT NOTICE

This publication sets out Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.

Technical details displayed in this book are a guide only. For further information please consult the relevant Stramit Technical Manual.

IMPORTANT NOTE – HANDLING & STORAGE Roofing and Cladding sheets when stored on site must be kept dry by storing under cover. Wet storage stains can occur from condensation, even in dry weather.



FLASHING DETAIL

		SPA		CO:	
Customer code:		Delivery address:		Date required:	
Customer:				Time off:	
Cust O/N:		Special instructions:		Your ref:	
Date ordered:					
Product Code			Girth	Gauge	
Qty.	Length mm	Fold	Finish		
Mark Number			C F Taper (Length)		
Product Code			Girth	Gauge	
Qty.	Length mm	Fold	Finish		
Mark Number			C F Taper (Length)		
Product Code			Girth	Gauge	
Qty.	Length mm	Fold	Finish		
Mark Number			C F Taper (Length)		

Mark all dimensions and specify degree of angles for all bends on the drawing.

Indicate side of colour with an arrow. Remember to read back the order.

Maximum length: 8.000m Minimum fold: 10mm

Freight Charge	FRSTORE	FRSITE	FRSPEC	\$	Page 1 of
----------------	---------	--------	--------	----	-----------

Purlins/Girts

Page	of
Job No.	Purch. Order No.


Customer _____ Project _____

Delivery address _____


Purlin Section
C/Z

Del. Date	Finish	Drawn	Date
-----------	--------	-------	------


	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres		
As Drawn				40	60	70	110	160	210	260		
Opp. Hand				40	60	70	110	160	210	260		



	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres		
As Drawn				40	60	70	110	160	210	260		
Opp. Hand				40	60	70	110	160	210	260		



	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres		
As Drawn				40	60	70	110	160	210	260		
Opp. Hand				40	60	70	110	160	210	260		








Indicate web, flange holes and dimensions from hole to hole Standard holes : 18mm x 22mm slots.




CUSTOMER _____ Project _____


Delivery address _____

Bridging System
Rod & Strut/
Stramit Bridging

Del. Date	Finish	Drawn	Date
-----------	--------	-------	------

	Part No. No.	Bracket Size	Purlin Centres	No. Reqd.	Mark No.
GIRT STOOL/FOOT ASSEMBLIES Stramit - locator  Part No. 024					
Stramit - lock  Part No. 025					
Strut & Rod  Part No. 026					
Raking Girt Bracket  No. Reqd. <input style="width: 50px;" type="text"/>					
Tie Rod Angle  No. Reqd. <input style="width: 50px;" type="text"/>					

GIRT HANGER ASSEMBLIES											
▼ Turnbuckle	▼ Tie Rod										
Stramit - locator  Part No. 027	 Part No. 028										
Stramit - lock  Part No. 029	 Part No. 030										
Strut & Rod - bolted  Part No. 031	 Part No. 032										
General Purpose Bracket  <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">Purlin Size</th> <th style="width: 40%;">No. Reqd.</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		Purlin Size	No. Reqd.								
Purlin Size	No. Reqd.										
Angle Connector  <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">Purlin Size</th> <th style="width: 40%;">No. Reqd.</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		Purlin Size	No. Reqd.								
Purlin Size	No. Reqd.										

	Size	Length	No. Reqd.	Mark No.
Tie Rod Assemblies 				

Clamp Plate	
Purlin Size	No. Reqd.

IMPORTANT NOTICE

It is the Customer's responsibility to advise Stramit at the time of ordering if the order is for ULTRA Colorbond® or MATT Colorbond®.

Unless this notification is made at the time of order (in writing) then the order **will be supplied as Standard XRW Colorbond®.**

EG. An order for SURFMIST® will be supplied as **STANDARD XRW COLORBOND SURFMIST®** IN ALL INSTANCES UNLESS IDENTIFIED OTHERWISE.

EG. To order Ultra Surfmist® the order must clearly state **ULTRA COLORBOND SURFMIST®.**

This publication sets out Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.

COLOUR NAMES

BAS	Basalt®	IST	Ironstone®	SHG	Shale Grey™ (Gull Grey)
CLC	Classic Cream™ (Smooth Cream)	JAS	Jasper®	SUR	Surfmist® (Off White)
COV	Cove™	MGV	Mangrove®	TRN	Terrain®
CTG	Cottage Green® (Caulfield Green)	MNR	Manor Red® (Heritage Red)	WDG	Woodland Grey® (Slate Grey)
DOC	Deep Ocean® (Mountain Blue)	MON	Monument®	WLB	Wallaby®
DUN	Dune® (Birch)	NTS	Night Sky®	WSP	Windspray® (Armour Grey)
EVH	Evening Haze®	PEC	Pale Eucalypt® (Mist Green)	GAL	Galvanised
GLY	Gully™	PPB	Paperbark® (Merino)	ZA	Zincalume®

STANDARD DELIVERY CHARGES

1. Any customer who has exceeded their Credit Limit or whose payments are overdue may experience delays in the manufacture and delivery of goods ordered.
2. Due to transport limitations the maximum length of rainwater goods is 8.0m.
3. Customers/receivers are responsible for unloading. Stramit's terms are "On lorry at site or store".
4. **UNATTENDED SITES** – Stramit drivers will endeavour to effect delivery as close to site as possible. In these instances Stramit will not accept claims for damage to product during unloading nor claims for pilfering of part or all of the delivery made.

Product Length / Delivery Cost Guide				
LENGTH	CODE	COST PER DELIVERY	ESCORT REQ'D	AREA
Up to 13.000	FR4SAA1	\$98	-	Greater Adelaide
Up to 13.000	FR4SAA2	\$116	-	Barossa Valley
Up to 13.000	FR4SAA3	\$135	-	Fleurieu Penninsula
Up to 13.000	FR4SAA4	\$116	-	Adelaide Hills
Up to 30.000	FRSPEC	POA	-	York Penninsula, Mid North
13.001 + STORE	FRSPEC	POA	-	Eyre Penninsula & South East
FRSTORE	FRSTORE	POA	-	

Packaging

Standard packs will be used. If special packing is required by customer, the following additional cost will be placed on the customer's account.

- Country packaging in steel envelope – \$129 min.
- Steel packaging sheets – POA

Timber Crates

Rainwater, Sheeting + Flat Sheet Crate \$15.00 per lin metre. Maximum length 6 metres.

Escort Costs

*Escort charges depend on the length of product transported and are additional to Delivery Charge POA.

Hi-Ab Facility

Hi Ab deliveries cannot be guaranteed on all consignments.
If a Hi Ab must be used please discuss with Stramit staff at time of order placement.
(please note this facility is additional to other charges)

Ordering Product

Order close off is 4.00 pm for standard 48 hour product lead time.
(Made to measure roofing and rainwater products will be delivered 48 hours).
For urgent orders required under 48 hour contact your area account manager or the sales office.
ORDERS PLACED AFTER THIS DEADLINE WILL BE TREATED AS ORDERS BEING RECEIVED THE NEXT DAY.

Demurrage

Unloading at customers premises or site in excess of one(1) hour will be charged at the rate of \$75 per hour or part thereof.

Redelivery

Product refused at the original delivery and requested to be redelivered will incur a minimum charge of \$150 over and above the standard delivery charges.

DELIVERY INFORMATION

Delivery Hours

Week days from 7.30 am to 5.30 pm. Additional charges will apply to deliveries outside these hours, on weekends, and public holidays.

Delivery Information

Stramit trucks enter a customer's property at the customer's own risk. The customer will be held responsible for any subsequent damage to either Stramit or their own property as well as other additional costs incurred i.e., towing, etc.

Special requests for delivery outside these times will incur charges. (POA)

Winter Deliveries

Long Loads will only be after 9am due to curfew regulations and are subject to additional charges.

Minimum Purchase Surcharge

Minimum order value \$100 (excluding GST), a handling fee of \$25 (plus GST) will be added to orders below \$100.

Delivery Conditions

All deliveries will be in accordance with local Council or site requirements.

Driver is solely responsible for unloading if:

- Can be handled by the driver alone.
- Can be craned off to ground level using truck mounted crane (max product length 13.5 metres).

Customer is responsible for unloading if:

- Product over 13.5 metres long.
- Product exceeds truck mounted crane reach and loading.

Customer supplied safe lifting device MUST be used.

Product Return

Product that has been manufactured or purchased specifically to your requirements CANNOT be returned.

Stock line items may be returned for credit, subject to the following charges:

- Where goods are returned by the customer, a re-stocking fee of 20% (\$20 minimum) is applicable.
- Where goods are picked up by Stramit for return, standard delivery charges plus a re-stocking fee of 20% (\$45 minimum) are applicable. **Damaged goods will not be accepted for credit.**

Major Projects

Major project work deliveries subject to negotiation. Contact your Area Representative or Stramit Sales Office.

Minimum delivery value for goods is \$100. Orders below that value subject to a surcharge of \$5.00.

Customer Pick Ups

Ex Adelaide 7.00 am to 4.00 pm Monday to Friday. Works are closed Saturday and Sunday. Should you require a special collection service from our premises outside of normal hours, prior arrangement must be made with the Operations Manager, Dispatch Supervisor or State Manager and an OUT OF HOURS SERVICE CHARGE will usually apply. Refer to Terms and Conditions of Sale inside back cover.

Item 3.3. for Holding of Goods.


COUNTRY CUSTOMERS

To arrange pick-ups by your carrier, please contact Dispatch to arrange a loading time. Please phone at least one (1) day before the proposed pick up.

Where you nominate a carrier to pick up on your behalf without our prior agreement, such accounts or charges will be referred to you for payment by way of invoice.

Refer to Terms and Conditions of Sale, inside back cover.

DELIVERY SERVICES – NOMINATED DAYS











LOADING REQUIREMENTS



OVERHANG LIMITS

THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



A 450MM SQUARE BRIGHT RED FLAG IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)

LOADING REQUIREMENTS




SECURE YOUR LOAD!

**DO NOT USE OCCY STRAPS
OR FLEXI STRAPS**

Minimum 2 lashings
per stack for items
longer than 750 mm.

Recommended
Minimum Lashing
1.5m apart



No low friction
surfaces (metal
on metal, plastic
on metal, etc.)

Watch your Lashing Angle!
The More Upright
The More secure

Roof Racks must be secure,
Maximum loads:
Sports Racks - 40kg
Trades Racks - 100kg



Belly Wrapping



Lashing
Angle

*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

VEHICLES CONSIDERED INAPPROPRIATE CANNOT BE LOADED!

YOUR SAFETY IS OUR CONCERN

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility

Table 1 - Lashing Requirements

Lashing Angle to Horizontal \triangle	25 mm hand tightened webbing	25 mm ratchet webbing	35 mm ratchet webbing	8 mm synthetic rope with single hitch
60 to 90°	52 kg per strap	170 kg	430 kg	87 kg per rope
45 to 60°	46 kg per strap	140 kg	350 kg	71 kg per rope
30 to 45°	30 kg per strap	100 kg	250 kg	50 kg per rope
15 to 30°	15 kg per strap	52 kg	130 kg	26 kg per rope

Key Assumptions in Tables 1

- All lashings are fully tensioned. If not, then more lashings may be required.
- No low friction surfaces (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
- A minimum static coefficient of friction of $\mu = 0.40$ is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
- Round loads require belly wrapping and extra restraints.

PRODUCT AVAILABILITY – FINISH AND COLOUR

Product	BMT mm	ZA 6550S	ZA 6300S	GAL 2275	GAL 2450	GAL 2600	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP
Stramit Speed Deck Ultra®	0.42	✓			✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓					✓	✓	✓	✓	✓	✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Corrugated/ Stramit Monoclad	0.35	✓					✓	✓	✓	✓	✓	✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.42	✓			✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓					▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Stramit® Curving Quality	0.60		✓		✓		✓		✓		✓			✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tank Iron Z600	0.60					✓																						
Aquaplate® Z275	0.60					✓															✓	✓						
<i>Curving Quality, Tank Iron and Aquaplate rolled interstate on Tuesdays only</i>																												
Stramit Longspan®	0.42	✓			✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓					✓	✓	✓	✓	✓	✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Longspan rolled interstate only, allow extra lead time</i>																												
Stramit Monopanel®	0.48	✓		✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Monopanel rolled interstate only, allow extra lead time</i>																												
Stramit Minirib®	0.42	▲		▲			▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
<i>Minirib source interstate, allow extra lead time, subject to minimum order quantity</i>																												
Stramit Mini Corry®	0.42	▲		▲			▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
<i>Mini Corry stock lengths and some cut to length available interstate</i>																												
Stramit K-Panel®	0.35	✓	✓				✓	✓	✓	✓	✓	✓	▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fascia Board	0.42	✓		✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Flashings	0.40		✓																									
	0.55		✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.75		✓																									
Stramit® Roll Top Ridge	0.55	✓		✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit O-Gee™ Gutter	0.55		✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Quad 115	0.42	✓		✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fineline Gutter	0.55	✓		✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Half Round Gutter	0.55		✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Copper Gutter, Downpipe & Accessories	<i>In plain copper available made to order interstate</i>																											
Stramit® Downpipe Rect/Round	0.40		✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.55		✓	✓																								
Stramit® Roof Batten	0.48	✓																										
Stramit® Valley	0.55		✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

BMT – Base Metal Thickness.
Colorbond premium products (Ultra and Stainless Steel), refer to premium products section page 40.
Refer to page 7 for Colour Names

- ✓ Normal stock item
- ▲ Subject to minimum set purchasing quantities and lead times


FIBREGLASS COLOURS		POLYCARB COLOURS	
CLR	Clear	CLR	Clear
OPA	Opal	GRY	Grey
HGN	Haze Green	OPL	Opal
		LBZ	light Bronze
		DKT	Dark Tint

COLORBOND / ZINC-ALUMINIUM ALLOY STEEL – CARE & MAINTENANCE

Hints and tips to achieve maximum life from your Colorbond® / Zinc-aluminium alloy product.

- Colorbond®/Zinc-aluminium alloy used in areas not washed by rainfall should be cleaned down at regular intervals.
- Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing and walling.
- Never immerse Colorbond®/Zinc-aluminium alloy in sand, soil or concrete.
- Do not use “touch-up” spray can on Colorbond® steel.
- Avoid “swarf” damage remove metal debris from cutting and/or drilling.
- Keep material dry when in bundles prior to installation.
- Prepainted metal roofing components are often supplied with a protective plastic film. This can be affected by sunlight and should be stored in the shade. Removal can be difficult, if not impossible, if exposure to sunlight has occurred.
- Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
- Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

Water Flow Guide Chart



ORDERING CODES – STANDARDS FOR USE

Ordering Codes are used in this Product List and should be used when ordering products from your local branch.






For COLORBOND® Cut to Length Product ONLY the Order Code comprises four (4) separate categories.

MC	42	X	---
PRODUCT DESCRIPTION		PRODUCT TYPE	
EXAMPLES MC Stramit Mono clad ® sheeting UD Stramit Speed Deck Ultra® Alpha Codes		EXAMPLES U ULTRA X XRW	
PRODUCT BASE METAL THICKNESS		COLOUR CODES	
EXAMPLES 42 0.42mm BMT 48 0.48mm BMT		EXAMPLES SUR Surf mist ® CLC Classic Cream™	
Therefore the Ordering Code for Stramit Mono clad ® sheeting 0.42mm BMT COLORBOND®			
MC42X---			

For ZINC-ALUMINIUM ALLOY/GALVANISED Cut to Length Product ONLY the Order Code comprises three (3) separate categories.

MC	42	--
PRODUCT DESCRIPTION		COLOUR CODES
EXAMPLES MC Stramit Mono clad ® sheeting UD Stramit Speed Deck Ultra® Alpha Codes		EXAMPLES GA Glavanised ZA Zinc/aluminium alloy
PRODUCT BASE METAL THICKNESS		
EXAMPLES 42 0.42mm BMT 48 0.48mm BMT		
Therefore the Ordering Code for Stramit Mono clad ® sheeting 0.42mm BMT Zinc/aluminium alloy		
MC42ZA		

SELECTING YOUR PRODUCT

Product/Roofing/Cladding	Page	BMT	Steel Grade	Cover Width mm	Minimum Pitch	Roof Span		Wall Span	
						Int Span mm	End Span mm	Int Span mm	End Span mm
G300 – Mild Steel G550 – Hi-Tensile Steel									
Stramit® Corrugated 	17	0.42 0.48 0.55	G550 G550 G550	762	5 Degrees (1 in 12)	1200 1600 1600	1000 1300 1300	2600 2850 2850	2150 2350 2350
Fixing screw required 3/sheet/batten									
Stramit® Curving Quality 	18	0.60	G300	762		1200	1000	2700	2250
Tank Iron Z600		0.60	G300	610		-	-	-	-
Fixing screw required 3/sheet/batten									
Stramit Monoclad® 	19	0.35 0.42 0.48 0.55	G550 G550 G550 G550	762	† 2 Degrees (1 in 27)	† 1700 2300 2300	† 1400 1900 1900	3000 3000 3000 3000	2500 2500 2500 2400
Fixing screw required 4/sheet/batten									
Stramit K-Panel® 	24	0.35	G550	864	†	†	†	1500	1250
Fixing screw required 4/sheet/batten									
Stramit Longspan® 	20	0.42 0.48	G550 G550	700	1.5 Degrees (1 in 45)	2100 2700	1750 2250	3000 3000	2500 2500
Fixing screw required 3/sheet/batten									
Stramit Speed Deck Ultra® 	21	0.42 0.48	G550 G550	700	1 Degree (1 in 60)	2100 2700	1750 2250	3000 3000	2500 2500
Fixing clips required 1/sheet/batten									
Stramit Monopanel® 	24	0.48	G550	250	†	†	†	3000	2500
Fixing screw required 1/sheet/batten									
Stramit Mini Corry® 	24	0.42 0.48	G550 G550	825	† †	† †	† †	1200 1300	1000 1050
Fixing screw required 7/sheet/batten									
Stramit Minirib® 	24	0.42	G550	900	†	†	†	1500	1250
Fixing screw required 4/sheet/batten									





BMT Base Metal Thickness. This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.
† NOT suitable for roofing.

Conditions:


For N1 wind conditions and normal duty foot traffic

- Installation of wall sheets is not to include concrete slab poured against wall sheeting.

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit		
Stramit® Corrugated 	Hi Tensile G550	C42ZA	ZA	0.42	per m ²		
		C48ZA		0.48	per m ²		
		C42T---	MATT	0.42	per m ²		
		C42X---	CB	0.42	per m ²		
		C48X---		0.48	per m ²		
		C42ZM8---	ZM8	0.42	per m ²		
		C48ZM8---	ZM8	0.48	per m ²		
		C42GA	Z450 GA	0.42	per m ²		
		Stramit® Corrugated also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 40					
		<i>Lengths under 1.2m incur a cutting charge</i>					
CUTBACKLTH each							
Wall Cladding 	Hi-Tensile G550 Acoustic Perf. Mild Steel G300	C42X---P11	CB	0.42	per m ²		
		C48X---P11	CB	0.48	per m ²		
		Not all colours available					
		CUTBACKLTH each					
<i>Lengths under 1.2m incur a cutting charge</i>							
Translucent Roof Sheeting Suit Stramit® Corrugated sheeting 	Fibreglass	TSFGC12---	1200gsm (4oz)	lin metre			
	CLR, OPA, HGN	TSFGC18---	1800gsm (6oz)	lin metre			
		TSFGC24---	2400gsm (8oz)	lin metre			
	<i>Lengths over 11.9m incur extra delivery charges</i>						
	Polycarbonate	TSPCC---LL	(0.80mm)	lin metre (not CTL)			
CLR, GRY, OPL, LBZ and DKT Available in standard lengths only: 1.8, 2.1, 2.4, 2.7m, 3.0m, 3.3m, 3.6m, 3.9m, 4.2m, 4.8m, 5.4m, 6.0m							
"Clearfix" screws - 12x50mm Wing Tek screws with 22mm grey dome seals, specifically for Polycarb sheets - timber or steel.							
<i>50 screws and washers in a bag</i>							
TSPCFWPK per pack 50							
Fasteners 	6x50 Hex Head Roof Zip Class 4 <i>(crest fixing to timber and steel)</i>	S0650HZIP4	plain	per 1000			
		S0650HZIP---4	Colour head	per 1000			
	10x16 Hex Head SD <i>(valley fixing to steel)</i>	S1016HT4	plain	per 1000			
		S1016HT---4	Colour head	per 1000			
	Accessories  Filler Strip (eave & ridge) CEFS 915mm each <i>*Also available in fire retardant material as per standard AS1530.3-1999 -</i>						
Flashings 	Stramit® Roll Top Ridge						
	SA Roll Top Ridge	RTRRIB55ZA	CTL ZA	0.55	lin metre		
		RTRRIB55GA	CTL GA	0.55	lin metre		
		RTRRIB55X---	CTL CB	0.55	lin metre		
		RTRRIB55ZM8---	CTL ZM	0.55	lin metre		
	Maximum length 9m						
	SA Valley	VPFS55ZA	CTL ZA	0.95	lin metre		
		VPFS55GA	CTL GA	0.55	lin metre		
		VPFS55X---	CTL CB	0.55	lin metre		
	SA Barge	BFCS55ZA	CTL ZA	0.55	lin metre		
BFCS55GA		CTL GA	0.55	lin metre			
BFCS55X---		CTL CB	0.55	lin metre			
<i>8.0m maximum length on folded flashings</i>							
Roof Batten 	Roof Batten 6.0m	RB40TC6000	40x40x15	each			
	Roof Batten 7.5m	RB40TC7500	40x40x15	each			

CURVED ROOFING • TANK IRON • ACCESSORIES

Product Curved Roofing/Tank Iron/Accessories	Details	Code	Finish	BMT	Unit
Stramit® Curving Quality 	Mild Steel G300	CD*/CQ60ZA	ZA	0.60	per m ²
		CD/CQ60X---	CB	0.60	per m ²
		CD/CQ60GA	GA	0.60	per m ²
	Material Costs Only	Reverse roll available, at an extra cost			

Add curving cost below, to material cost for total price
When end lapping occurs, please liaise with your Stramit® office for additional details
Manufactured in Melbourne, allow extra lead time

Costs (up to 90° curve)	Sheet lengths up to 3.5m	CURV40035		per curve
	Sheet lengths 3.5m to 7m	CURV43570		per curve
	Sheet lengths 7m to 10m	CURV47010		per curve
	Sheet lengths 10m to 13m	CURV41013		per curve
	Docking of curved sheet (less than 2.5metres only)	CUTBACKLTH		per cut

Lengths over 13m are subject to special pricing. Special freight prices apply to lengths over 7 metres
Curves over 90° or double curves are priced at sheet length x 2 curves
 *Prefix CD Corry-decking, Flat sheet only

Bullnosing & Curving

Please supply template & all information wherever possible.
 For all bullnosed curved sheets **under 400mm radius**, a straight section (A) of 110mm is required, and will be charged in the price of the sheet. If all part of this dimension is not required on finished sheet, then the sheet will be cut back and a docking fee will apply.

Templates

Curving Templates


Must include customer name and PO number
 Customer contact name & telephone number
 Sheet length and number of sheets required

Template Material Must Be Only -

Colorbond, Zinc-aluminium alloy or Galvanised Steel sheet already curved to requirement
 Plywood, masonite, Corflute, timber or cardboard with correct profile drawn or cut
Material NOT Acceptable as Templates -
 Copper tube, Cement Sheet, and sheet painted with a lead based paint

Bullnosing


A Straight section into gutter _____ mm
B Radius of curve _____ mm
C Angle of roof pitch _____ degrees
D Wall to fascia _____ mm
 Number of sheets required _____
 Direction of laying (left to right/right to left) _____
 Colour _____
 Other information (eg. docking, endlapping) _____



Concave & Convex

E Wall to fascia _____ mm
F Height _____ mm Required if X not available
G Total sheet length _____ mm
X Radius _____ mm Required if F not available
 Type of curve (concave/convex) _____
 Number of sheets required _____
 Colour _____
 Other information (eg. docking, endlapping) _____

Flashings



Steel Curved Pittsburgh Flashings

Barge	CAMETCBL---	ZA/GA/Colour	lin metre
	CAMETCBR---	ZA/GA/Colour	lin metre
	CAMETCAL---	ZA/GA/Colour	lin metre
	CAMETCAR---	ZA/GA/Colour	lin metre

Fibreglass Flashings

Hip only **CAPVCHrrr*---**
 (available ex Melbourne stock in 300,400 and 500mm radius in selected colours – Caulfield Green, Heritage Red, Rivergum and Slate Grey), other colours available to order.

Barge **CAPVCBrrr*---**
Valley **CAPVCVrrr*---**






rrr* = radius in mm

PVC Straight Section Only **CAPVCST---26** Colour matched 2.6m

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit	
Stramit Monoclad® 	Hi-Tensile G550	MC42ZA	ZA	0.42	per m ²	
		MC48ZA		0.48	per m ²	
		MC42X---	CB	0.42	per m ²	
		MC42T---	MATT	0.42	per m ²	
		MC48X---		0.48	per m ²	
		MC42ZM8---	ZM8	0.42	per m ²	
		MC48ZM8---	ZM8	0.48	per m ²	
		MC42GA	GA Z450	0.42	per m ²	
		CUTBACKLTH			each	
<i>Stramit Monoclad® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 40 Lengths under 1.2m incur a cutting charge. Reverse rolled available on request</i>						
Wall Cladding 	Hi-Tensile G550	MC35ZA	ZA	0.35	per m ²	
	Hi-Tensile G550	MC35X---	CB	0.35	per m ²	
			Acoustic Perf.			
			CB	0.42	per m ²	
				0.38	per m ²	
<i>Lengths under 1.2m incur a cutting charge. Reverse rolled available on request</i>						
Translucent Roof Sheeting Suit Stramit Monoclad® sheeting 	Fibreglass	TSGM18---		1800gsm (6oz)	lin metre	
	CLR, OPA, HGN	TSGM24---		2400gsm (8oz)	lin metre	
<i>Lengths over 11.9m incur extra delivery charges</i>						
	Polycarbonate	TSPCMC---LL	(0.80mm)		lin metre (not CTL)	
		TSPCGR---LL	Greca 760mm		lin metre (not CTL)	
<i>CLR, GRY, OPL, LBZ and DKT Available in standard lengths only: 1.8, 2.1, 2.4, 2.7m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m</i>						
Fasteners 	6x50 Hex Head Roof Zip Class 4 (crest fixing to timber and steel)	S0665HZIP4H	plain		per 1000	
		S0665HZIP---4H	Colour head		per 1000	
	10x16 Hex Head SD (for valley fixing to steel)	S1016HT4	Plain		per 1000	
		S1016HT---4	Colour head		per 1000	
<i>Minimum issue 100 per size – increments of 100 applicable</i>						
Accessories 	Filler Strip (under eave)	MCEFSBTM		760mm bottom each		
	Filler Strip (under ridge)	MCEFSTOP		950mm top	each	
	*Also available in fire retardant material as per standard AS1530.3-1999 -					
	Reinforcing Plate & Seal	TSGMCRPM14H		suit fibreglass	per 100	
Stop Ending Tool	MCSETD			each		
Flashings 	Ridge MCR	RFMC40ZA	CTL ZA	0.40	lin metre	
		RFMC55ZA	CTL ZA	0.55	lin metre	
		RFMC55GA	CTL GA	0.55	lin metre	
		RFMC55X---	CTL CB	0.55	lin metre	
<i>8.0m maximum length</i>						
Super Six Profile Sheet 	Sheet width 620mm Sheet height 50mm	5 corrugations to match Fibro cement super six sheeting Rib Height 40mm, Rib Centres 145mm <i>ex Melbourne, 3.0 metre lengths only, allow extra lead time</i>	SSRSGA30	GA	0.55	3.0m

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit		
 <p>Stramit Longspan®</p>	Hi-Tensile G550	LS42ZA	ZA	0.42	per m ²		
		LS48ZA		0.48	per m ²		
		LS42T---	MATT	0.428	per m ²		
		LS42X---	CB	0.42	per m ²		
		LS48X---		0.48	per m ²		
		LS42ZM8---	ZM8	0.42	per m ²		
		LS48ZM8---	ZM8	0.48	per m ²		
		LS42GA	GA Z450	0.42	per m ²		
			Acoustic Perforated		CB	0.42	per m ²
					CB	0.35	per m ²
 <p>Box Gutter Brackets & Gutterboard</p>	Longspan Gutterboard 550W	LSGB55ZA6100	ZA	0.42	each		
	Longspan Gutterboard 750W	LSGB75ZA6100	ZA	0.42	each		
	6.1m length 27rib height						
		CUTBACKLTH			each		
<p>Manufactured in Melbourne, allow extra lead time Stramit Longspan® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 40. <i>Lengths under 1.2m incur a cutting charge. Reverse rolled available on request</i></p>							
 <p>Fibreglass Roof Sheeting</p>	Suit Stramit Longspan® sheeting CLR, OPA	TSGFLS24---		2400gsm (8oz)lin metre			
<p><i>Lengths over 11.9m incur extra delivery charges</i></p>							
<p>Fasteners</p>  	6x50 Hex Head Roof Zip Class 4 (crest fixing to timber and steel)	S0665HZIP4H S0665HZIP---4H	plain Colour head		per 1000 per 1000		
	10x16 Hex Head SD (for valley fixing to steel)	S1016HT4 S1016HT---4	Plain Colour		per 1000 per 1000		
<p><i>Minimum issue 100 per size – increments of 100 applicable</i></p>							
<p>Accessories</p>  	Filler Strip (under eave)	LSEFS		900mm bottomeach			
	Filler Strip (under ridge)	LSEFSTOP		900mm top	each		
	*Also available in fire retardant material as per standard AS1530.3-1999 - Reinforcing Plate & Seal	TSGMCRPM14H		suit fibreglass	per 100		
<p>Flashings</p> 	Ridge MCR	RFMC40ZA	CTL ZA	0.40	lin metre		
		RFMC55ZA	CTL ZA	0.55	lin metre		
		RFMC55X---	CTL CB	0.55	lin metre		
<p><i>8.0m maximum length</i></p>							
<p>Adjustable Box Gutter Brackets</p> 	24 per box	BGBA1EAZA		250mm - 400mm	each		
	24 per box	BGBA2EAZA		400mm - 650mm	each		
	16 per box	BGBA3EAZA		650mm - 1100mm	each		

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish	BMT	Unit
Stramit Speed Deck Ultra® 	Hi-Tensile G550	UD42ZA	ZA	0.42	per m ²
		UD48ZA	ZA	0.48	per m ²
		UD42GA	GA	0.42	per m ²
		UD42T---	MATT	0.42	per m ²
		UD42X---	CB	0.42	per m ²
		UD48X---	CB	0.48	per m ²
		UD42ZM8--	ZM8	0.42	per m ²
		UD48ZM8---	ZM8	0.48	per m ²
		CUTBACKLTH			each

Stramit Speed Deck Ultra® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 40. Lengths under 1.2m incur a cutting charge. Reverse rolled available on request

Fibreglass Roof Sheeting 	Suit Stramit Speed Deck Ultra® decking CLR, OPA	TSGUD24---	2400gsm	lin metre
-------------------------------------	---	------------	---------	-----------

Lengths over 11.9m incur extra delivery charges

Fixing Clips (40 per box) 	Fixing Clips no fasteners	UDFC	GA	each
<p>To calculate clip requirements divide sheet length by purlin spacing, round up if required and add 1 for the end clip. Then multiply by the number of sheets. Clip covers full 700mm of sheet width.</p>				
		Farlap Lapping Accessory	UDFARLAP	each
		Farlap Lapping Accessory Roll	UDFARLAP70	7m roll
		Farlap TurnUp/TurnDown Tool	UDFARLAPSETD	each

Fasteners 	12x50 Hex Head Type 17 (for fixing to timber)	S1250H17H		100
	12x30 Hex Head Self Drilling/Tapping (for fixing to metal)	S1230HTNN		1000
<p>Minimum issue 100 per size – increments of 100 applicable</p>				

Accessories 	Filler Strip 700 (Bottom) Filler Strip 700 (Top)	UDEFSBTM UDEFSTOP		each each
		Stop Ending tool (Turn up/turn down) Double ended	UDSETD	each

Flashings 	Ridge SDRV	RFSD40055ZA RFSD40055GA RFSD40055X---	CTL ZA CTL GA CTL CB	lin metre lin metre lin metre
<p>8.0m maximum length</p>				

MAGNAFLOW® • ROOFING • CLADDING • RAINWATER

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)
Stramit® Corrugated	0.42
Stramit Monoclad®	0.42
Stramit Longspan®	0.42
Stramit Speed Deck Ultra®	0.42
Stramit® Roll Top Ridge	0.42 / 0.55
Stramit® Valley Folded	0.55
Stramit® Flashings & Others	0.55
Stramit® Downpipes 95 x 45	0.55
Stramit® Downpipes 100 x 50	0.55
Stramit® Downpipes 100 x 75	0.55
Stramit® Downpipes 100 x 100	0.55

Please refer to Sales office for lead times and availability.
Residential gutters are also available, please contact your local office for details.
0.48 Roofing available on selected colours.

COLOUR AVAILABILITY

Off White Armour Grey
Birch Monolith
Slate Grey

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

SUBSTRATE

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.

RECOMMENDED END USES

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.



MAGNAFLOW® WARRANTIES

A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.

THE MAGIC OF MAGNESIUM

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area. As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products



PREMIUM PRODUCTS • ROOFING • CLADDING • ACCESSORIES

Product	Details	BMT mm	Finish	Code	Unit
Roofing/Cladding/Accessories					

Available in BlueScope Steel Premium range of colours for severe environments refer page 40.

Premium Products manufactured at Knoxfield, allow extra 2 days lead time for country areas, more for interstate – ask for details.


Lengths under 1.2m incur a cutback charge.

CUTBACKLTH

Reverse roll roofing/cladding available on request


See standard product pages for other accessories, flashing profiles, fibreglass.

Stramit® Corrugated




0.48	CB Ultra	C48U---	per m ²
0.48	CB Metallic	C48M---	per m ²
0.42	CB Coolmax	C42K---	per m ²
0.48	CB Coolmax	C48K---	per m ²

Stramit Monoclad®



0.48	CB Ultra	MC48U---	per m ²
0.48	CB Metallic	MC48M---	per m ²
0.42	CB Coolmax	MC42K---	per m ²
0.48	CB Coolmax	MC48K---	per m ²

Stramit Longspan®




0.48	CB Ultra	LS48U---	per m ²
0.48	CB Metallic	LS48M---	per m ²
0.42	CB Coolmax	LS42K---	per m ²
0.48	CB Coolmax	LS48K---	per m ²

Screws to suit above
(sold in multiples of 100 only)

Class 4 - crest fixing to timber – or steel
Class 4 - crest fixing to steel – corrugated

S0650HZIP---4 per 1000
S0539HAT4 per 1000

Stramit Speed Deck Ultra®




0.48	CB Ultra	UD48U---	per m ²
0.48	CB Metallic	UD48M---	per m ²
0.42	CB Coolmax	UD42K---	per m ²
0.48	CB Coolmax	UD48K---	per m ²

Stramit Mini Corry®

manufactured in NSW – allow extra lead time, minimum length 1.2m


0.48	CB Metallic	MK48M---	per m ²
------	-------------	----------	--------------------



Stramit Monopanel®

Hi-Tensile G550







0.48	CB Metallic	MP48M---	per m ²
------	-------------	----------	--------------------





Project based material, min order 1.2 tonne, allow extra leadtime.

Recommended maximum length 6.0m, beyond 6.0m at customer responsibility as handling damage is likely
Minimum length 500mm

ROOFING • CLADDING • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish	BMT	Unit
Stramit Monopanel® 	Hi-Tensile G550 <i>All Stramit Monopanel® rolled in Melbourne, allow extra lead time</i> Recommended maximum length 6.0m, beyond 6.0m at customer responsibility <i>Minimum length 600mm</i>	MP48ZA	ZA	0.48	per m ²
		MP48X---	CB	0.48	per m ²
		CUTBACKLTH			each
		CONPACKER			per m ²
Fasteners  	10 x 16 Hex Head SD <i>(fix to steel)</i>	S1016HT	plain		per 1000
		S1016HT---	colour head		per 1000
	P3 Starter Clips <i>(for use with Stramit Monopanel® sheeting)</i> <i>Minimum issue 100 per size – increments of 100 applicable</i>	MPSC			each
Flashings Suit Stramit Monopanel® 	Foot Mould P1	FM155X---	CB*		per LM
	Foot Mould P2	FM255X---	CB*		per LM
	Outside Corner Trim P4	OCT55X---	CB*		per LM
	Inside Corner Trim P5	ICT55X---	CB*		per LM
	Fixing Purlin	CBTC61	ZA		6.1 LM
		<i>*Non stock items – manufactured to order</i>			
Stramit Mini Corry® 		MK42ZA	ZA	0.42	per m ²
		MK42X---	CB	0.42	per m ²
		MK42T---	MATT	0.42	per m ²
		MK42ZM8---	ZM8	0.42	per m ²
		Packaging charge	PACKAGING		
<i>Stramit Mini Corry® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 40.</i> <i>Maximum length 9.0m. Minimum length 0.4m.</i> <i>Minimum order quantity 100m², one colour – for cut to length product</i> <i>This product is manufactured in NSW – allow additional lead times</i> <i>Prices are subject to minimum quantity and packaging charges</i>					
Stramit Minirib® 	Rectangular profile	MR42ZA	ZA	0.42	per m ²
		MR42X---	CB	0.42	per m ²
		MR42T---	MATT	0.42	per m ²
		Packaging charge	PACKAGING		
<i>This product is manufactured in NSW – allow additional lead times. Prices are subject to minimum quantity and packaging charges.</i>					
Garage Barge 		GBZA	CTL ZA	0.40	lin metre
		GBX---	CTL CB	0.40	lin metre
<i>Minimum length 1.000 metres.</i>					
Stramit K-Panel® 	Hi-Tensile G550	KP35ZA	ZA	0.35	per m ²
		KP35X---	CB	0.35	per m ²
	Acoustic Perforated	KP35X---P11	CB	0.35	per m ²
		CUTBACKLTH			
<i>Lengths under 1.2m incur a cutting charge. Reverse rolled available on request</i> Stramit K-Panel® manufactured to order in Adelaide daily, extra lead time required on perforated material – ask for details Recommended maximum length 6.0m – above 6.0m at customers responsibility. <i>Packing charges apply – refer local office</i>					
Fasteners	use S1016 screws for valley fixing to steel				

STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM




Stramit Uniguard™ Fire resisting wall system is a superior fire rated wall cladding product that combines the single layer of specialist fireboard **Promina®60** with your choice from **Stramit Monoclad®**, **Stramit Corrugated®** and **Stramit Longspan®** wall cladding products.


The **Stramit Uniguard™ Fire resisting wall system** is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).

Note: System must be designed and installed strictly in accordance with **Stramit Uniguard™ Fire Resisting Wall System Technical Manual**.

Using only the products specified and certified for the application as detailed in the technical manual and/or accreditation report.

Promina® 60 board can not be purchased independently of other Stramit Uniguard™ wall system components.

Product	Size mm	Code	Finish	BMT mm	Unit
Promina®60					
	15 x 2400 x 1200	PB601224			each
	Promaseal Acrylic Sealant 300ml Cartridge - White 300ml Cartridge - Grey	PBSEAL300			each each

Stramit® Fixing Battens	Stock length 6100				
	20 x 30 x 10 x 6.1m	CBGA61		0.42	each


Note: Zincolume Battens cannot be in contact with this system.

Fasteners				
	10 x 45 Wing Tek (For fixing Promina®60 to girts)	S1045WNGT		per 500
	12 x 55 Hex Head (For pan fixing cladding to purlin/girts)	S1255HTH	Plain	per 100

SUNDRY PRODUCTS




Product General Accessories	Details	Code	Finish	Unit
Fasteners	Pop Rivets 3.2 x 7.5mm (4-3)	PR3275AL	Aluminium	pkt 100
	 Pop Rivets 3.2 x 7.5mm (4-3)	PR3275---	Coloured*	pkt 100
Sealants	Silicon Clear	SILCLR	Clear	each
	Silicon Grey	SILGRY	Grey	each
Adjustable Box Gutter Brackets	24 per box	BGBA1EAZA	250mm - 400mm	each
	24 per box	BGBA2EAZA	400mm - 650mm	each
	12 per box	BGBA3EAZA	650mm - 1100mm	each

P.A. DOOR

Product P.A. Door	Size mm	Code	Finish	Unit
Deluxe P.A. Door	P.A. Doors in jamb - Zinc-aluminium	PADJ2040820ZA	ZA	each
	P.A. Doors in jamb - Colour	PADJ2040820X---	CB	each
<div style="display: flex; align-items: flex-start;"> <div style="flex: 1;">  </div> <div style="flex: 2;"> <p>Pre Hung in 4 sided Powercoated Frame 180° Outward Opening Lever Handle to inside</p> <p>Made To Order - Allow Extra Lead Time</p> </div> </div>				














*Item not normally stocked – available to order.

INSULATION • ROOFING MESH

Product Insulation/Roofing Mesh	Details	Code	Cover	Unit
Aluminium Foil Sisalation 1.35m x 60m Rolls 	439/203 Light Gr. Anti-glare	FLLWAG600	72m ²	per roll
	433/233 Med. Gr. Anti-glare	FLMWAG600	72m ²	per roll
Fibreglass Building Blanket Plain 	50mm x 20m *(R1.3)	BB55PLN200	24m ²	per roll
	75mm x 15m *(R1.8)	BB75PLN150	18m ²	per roll
	100mm x 7.5m *(R2.5)		9m ²	per roll
Fibreglass Building Blanket Light Weight Foil Adhered 	50mm x 20m *(R1.3)	BB55LW200	24m ²	per roll
	75mm x 15m *(R1.8)	BB75LW150	18m ²	per roll
Fibreglass Building Blanket Medium Weight Foil Adhered 	50mm x 20m *(R1.3)	BB55MW200	24m ²	per roll
	50mm x 15m *(R1.3)	BB55MW150	18m ²	per roll
	75mm x 15m *(R1.8)	BB75MW150	18m ²	per roll
Fibreglass Insulation Batts Walls & Ceilings (1160mm x 430mm) 	Walls 75mm x 16 Batts *(R1.5)	BBW430R15		per pack
	Ceilings 125mm x 16 Batts *(R2.5)	BBC430R25		per pack
Roofing Wire/Mesh 	1.8m x 50m Ausmesh 300mm x 150mm (2.0mm thick)	WMAUS500	90m ²	per roll
	<p><i>Cut to length Mesh is not normally stocked</i></p> <p><i>Powder coated Ausmesh is available in selected colours at an extra charge</i></p> <p><i>Both are subject to additional lead times.</i></p>			

* **R-Values** To achieve an R-Value, Sisalation must have a minimum 20mm still air gap. R-Values are approximate indicators only and are based on winter values.





FASCIA • ACCESSORIES

Product Fascia/Accessories	Details	Code	Finish	Unit
Stramit® Fascia Board 	Cut to length	FBZA	ZA	lin metre
		FBX---	CB	lin metre
		FBT---	MATT	lin metre
		FBZM8---	ZM8	lin metre
		<i>Minimum length 800mm Maximum length 9.0m</i>		
Accessories				
	Rafter Bracket	FBRBZA	GA	each
	Fascia Splice Plate	FBSPZA	GA	each
	External Corner 90°	FBECZA	ZA	each
		FBECX---	CB	each
	External Corner 45°	FBECT---	MATT	each
		FBECZM8---	ZM8	each
	Internal Corner <i>(Piece)</i>	FBEC45ZA	ZA	each
		FBEC45X---	CB	each
	Snap Clip <i>(Stramit O-Gee™, Stramit® Quad, Stramit® Finline Gutters)</i>	FBICZA	ZA	each
		FBICX--	CB	each
	Stiffener Bracket <i>(For gutter profiles please specify)</i>	FBICT---	MATT	each
		FBICZM8---	ZM8	each
	Barge Corner (Left)	FBSCZA		each
		QV115HSBZA	ZA	each
	Barge Corner (Right)	EGSB	ZA	each
		FBBCLZA	ZA	each
	Barge Bracket	FBBCLX---	CB	each
		FBBCLT---	MATT	each
	Apex Cover Plate	FBBCLZM8---	ZM8	each
		FBBCRZA	ZA	each
	Fasteners	FBBCRX---	CB	each
		FBBCRT---	MATT	each
	Fasteners	FBBCRZM8---	ZM8	each
		FBBGZA	ZA	lin metre
	Fasteners	FBBGXA---	CB	lin metre
		FBAJZA	ZA	each
	Fasteners	FBAJX---	CB	each
		FBAJT---	MATT	each
	Fasteners	FBAJZM8---	ZM8	each
		S0625BUGNPH	Plain	per 100
	Fasteners	S1016WT4	Plain	per 1000





GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish	BMT	Unit	
Stramit® Quad 115 	CTL - Plain	QV115PGA	GA		lin metre	
		QV115PZA	ZA		lin metre	
		QV115PX---	CB		lin metre	
		QV115PT---	MATT		lin metre	
		QV115PZM8---	ZM8		lin metre	
	CTL - Slotted	QV115SX---	CB		lin metre	
		QV115ST---	MATT		lin metre	
		QV115SZM8---	ZM8		lin metre	
	ECSA = 5200mm ²		Minimum length 800mm Maximum length 9.0m			
	Accessories 	Concealed Bracket	QV115CBZA	ZA		each
External Bracket		QV115EBZA	ZA		each	
		QV115EBX---	Colour		each	
		QV115EBT---	Matt		each	
Stiffener Bracket (for <i>Stramit® Fascia</i>)		QV115SBZA	ZA		each	
Snap Clip (for <i>Stramit® Fascia</i>)		FBSCZA	Coated		each	
Corner Angles 90° (Int/Ext cast)		QV115CAEMF	Plain		each	
		QV115CAEX---	Colour		each	
		QV115CAET---	Matt		each	
Corner Angles 90° (Int/Ext cast)		QV115CAIMF	Plain		each	
		QV115CAIX---	Colour		each	
		QV115CAIT---	Matt		each	
Corner Angles 45° (Int/Ext cast)		QV115CAE45MF	Plain		each	
		QV115CAE45X---	Colour		each	
		QV115CAE45T---	Matt		each	
Corner Angles 45° (Int/Ext cast)		QV115CAI45MF	Plain		each	
		QV115CAI45X---	Colour		each	
		QV115CAI45T---	Matt		each	
Stop End Plates (LH)		QV115SELZA	ZA		each	
		QV115SELX---	CB		each	
	QV115SELT---	MATT		each		
	QV115SELZM8---	ZM8		each		
Stop End Plates (RH)	QV115SERZA	ZA		each		
	QV115SERX---	CB		each		
	QV115SERT---	MATT		each		
	QV115SERZM8---	ZM8		each		
Quad Gutter 125mm (SOFT 0.55 bmt) Manufactured Thursday only Also available in slotted 	Cut to length	QS125GA	GA	0.55	lin metre	
		QS125ZA	ZA	0.55	lin metre	
		QS125X---	CB	0.55	lin metre	
	Minimum length 800mm, Maximum length 9.0m.					
	Concealed Bracket	QS125CBZA	ZA		each	
	External Bracket	QS125EBGA	GA		each	
		QS125EBZA	ZA		each	
		QS125EBX---	CB		each	
	Stop End Plates (LH/RH)	QS125SELGA	GA		each	
		QS125SELZA	ZA		each	
QS125SELX---		CB		each		
QS125SERGA		GA		each		
QS125SERZA		ZA		each		
QS125SERX---		CB		each		
ECSA = 6200mm ²						
Quad Overstrap 	QOSGA	GAL		each		


GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish	BMT	Unit
Stramit O-Gee™ 	Cut to length	OGSZA	ZA	0.55	lin metre
		OGSGA	GA	0.55	lin metre
		OGSX---	CB	0.55	lin metre
		<i>Minimum length 800mm Maximum length 9.0m</i>			
ECSA = 4700mm²					
Accessories 	Concealed Bracket	QV115CBZA	ZA		each
	External Bracket	OGSEBZA	ZA		each
	External Bracket	OGSEBX---	CB		each
	Stiffener Bracket <i>(for Stramit® Fascia)</i>	QV115HSBZA	ZA		each
	Internal Strap (PGN)	OGISGA	GAL		each
	Snap Clip <i>(for Stramit® Fascia)</i>	FBSCZA	Coated		each
	Cast Corner Angles 90° External	OGSCAEZA	Plain		each
	Internal	OGSCAEX--- OGSCAIZA OGSCAIX---	Colour Plain Colour		each each each
	Stop End Plates (LH/RH)	OGSSELZA OGSSELX--- OGSSERZA OGSSERX---	ZA CB ZA CB		each each each each
	Fineline Guttering 	Cut to length	FLZA	GA	0.55
FLGA			ZA	0.55	lin metre
FLX---			CB	0.55	lin metre
FLZM8---			ZM8	0.55	lin metre
<i>Maximum length 9.0m</i>					
ECSA = 7900mm²					
Accessories 	Concealed Brackets	EGCBZA	ZA		each
	Stiffener Bracket <i>(for Stramit® Fascia)</i>	EGSB	GA		each
	Stop End Plates	FLSEZA FLSEGA FLSEX---	ZA GA CB		each each each
	Snap Clip <i>(for Stramit® Fascia)</i>	FBSCZA	Coated		each


GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish	Unit
Flatback  ECSA = 7800mm ²	<i>Available to order only</i> Minimum length 9.0m	FBG133ZA	ZA*	lin metre
		FBG133X---	CB*	lin metre
Accessories   	Concealed Bracket <i>(to suit Flatback Roundline only)</i>	FBG133CBZA	GA*	each
	Manuf. Angles (Ext) <i>To suit Flatback Roundline</i>	FBG133ECZA	ZA/GA*	each
		FBG133EGX---	CB*	each
	Manuf. Angles (Int) <i>To suit Flatback Roundline</i>	FBG133ICZA	ZA/GA*	each
		FBG133ICX---	CB*	each
	Stop End Plates (LH) <i>To suit Flatback Roundline</i>	FBG133SELZA	ZA/GA*	each
		FBG133SELX---	CB*	each
Stop End Plates (RH) <i>To suit Flatback Roundline</i>	FBG133SERZA	ZA/GA*	each	
	FBG133SERX---	CB*	each	
150mm Half Round  ECSA = 7700mm ²	<i>Available to order only</i> Maximum length 9.0m	HRG150ZA	ZA*	lin metre
		HRG150X---	CB*	lin metre
Accessories   	External Bracket <i>(to suit 150mm Half Round only)</i>	HRG150EBGA	GA*	each
	Manuf. Angles (Ext) <i>To suit 150mm Half Round</i>	HRG150ECZA	ZA/GA*	each
		HRG150ECX---	CB*	each
	Manuf. Angles (Int) <i>To suit 150mm Half Round</i>	HRG150ICZA	ZA/GA*	each
		HRG150ICX---	CB*	each
	Stop End Plates (LH) <i>To suit 150mm Half Round</i>	HRG150SELZA	ZA/GA*	each
		HRG150SELX---	CB*	each
Stop End Plates (RH) <i>To suit 150mm Half Round</i>	HRG150SERZA	ZA/GA*	each	
	HRG150SERX---	CB*	each	


FASTENERS

Product	Details	Code	Finish	Unit
Fasteners				
Timber Fixing				
	12 x 25 Hex Head Type 17	S1225H174 S1225H17---4	plain Colour	Per 500 Per 500
	12 x 50 Hex Head Type 17	S1250H174H S1250H17---4H	plain Colour	Per 100 Per 100
	12 x 65 Hex Head Type 17	S1265H174H S1265H17---4H	plain Colour	Per 100 Per 100
	6 x 25 Hex Head Type 17	S0625BUGNPH	plain	Per 100
Metal Fixing				
	10 x 16 Hex Head SD	S1016HT4 S1016HT---4	plain colour	Per 1000 Per 1000
	10 x 16 Wafer Tek	S1016WTH	plain	Per 100
	12 x 30 Hex Head SD No Neo	S1230HTNN	plain	Per 1000
Roof Zips (Timber & Metal up to 1.9mm)				
	6 x 25 Roof Zips	S0625HZIP4H S0625HZIP---4H	plain colour	Per 100 Per 100
	6 x 50 Roof Zips	S0650HZIP4 S0650HZIP---4	plain colour	Per 1000 Per 1000
	12 x 40 Batten Zips	S1240H17NNH	plain	Per 100
	6 x 65 Roof Zips	S0665HZIP4H S0665HZIP---4H	plain colour	Per 100 Per 100
Special Purpose				
	12 x 65 Polycarb Screws	TSPC1SH0TPK TSPC1SH0TT		Per 50 Per 250
	10 x 45 Wing Tek (for fixing Promina 60)	S1045WNGT	plain	Per 500

RECTANGULAR DOWNPIPE & ACCESSORIES • GA/ZA

Product Downpipe/Accessories	Size	Code
Stramit® Downpipe 	Plain Face 0.40BMT	
	100 x 50 x 1800	DP10050ZA18
	100 x 50 x 2400	DP10050ZA24
	100 x 75 x 1800	DP10075ZA18
	100 x 75 x 2400	DP10075ZA24
	Special Sizes 0.40BMT	
	75 x 50 x 1800	DP7550ZA18
	75 x 50 x 2400	DP7550ZA24
	75 x 75 x 1800	DP7575ZA18
	75 x 75 x 2400	DP7575ZA24
	100 x 100 x 1800	DP100100ZA18
	100 x 100 x 2400	DP100100ZA24


RECTANGULAR DOWNPIPE & ACCESSORIES • COLOUR

Product Downpipe/Accessories	Size	Code
Stramit® Downpipe 	Plain Face 0.40BMT	
	100 x 50 x 1800	DP10050X---18
		DP10050T---18
	100 x 50 x 2400	DP10050X---24
		DP10050T---24
	100 x 75 x 1800	DP10075X---18
		DP10075T---18
	100 x 75 x 2400	DP10075X---24
		DP10075T---24
	Special Sizes 0.55BMT	
	75 x 50 x 1800	DP7550MX---18
	75 x 50 x 2400	DP7550MX---24
100 x 100 x 1800	DP100100MX---18	
100 x 100 x 2400	DP100100MX---24	
150 x 100 x 1800	DP150100MX---18	
150 x 100 x 2400	DP150100MX---24	

RECTANGULAR DOWNPIPE ACCESSORIES • GA/ZA

Product Downpipe/Accessories Size Code

Accessories



Stramit® Astragal (Strap)

Standard Sizes

100 x 50 **AST10050ZA**
100 x 75 **AST10075ZA**

Special Sizes

75 x 50 **AST7550ZA**
100 x 100 **AST100100ZA**
150 x 100 **AST150100ZA**

Stramit® Nozzle (Pop)

Standard Sizes

100 x 50 **NOZ10050ZA**
100 x 75 **NOZ10075ZA**

Special Sizes

75 x 50 **NOZ7550ZA**
75 x 75 **NOZ7575ZA**
100 x 100 **NOZ100100ZA**
150 x 100 **NOZ150100ZA**

Galvanised Downpipe Accessories

RECTANGULAR DOWNPIPE ACCESSORIES • COLOUR



Stramit® Astragal (Strap)

Standard Sizes

100 x 50 **AST10050X---**
 AST10050T---
100 x 75 **AST10075X---**
 AST10075T---

Special Sizes

100 x 100 **AST100100X---**

ROUND DOWNPIPE & ACCESSORIES • GA/ZA

Stramit® Downpipe
Round



Standard Sizes 0.40 BMT

75 x 1800	DP75GA/ZA18
75 x 2400	DP75GA/ZA24

Special Sizes 0.40 BMT

90 x 1800	DP90ZA18
90 x 2400	DP90ZA24
100 x 1800	DP100ZA18
100 x 2400	DP100ZA24
125 x 1800	DP125GA/ZA18
125 x 2400	DP125GA/ZA24

ROUND DOWNPIPE & ACCESSORIES • COLOUR

Product Downpipe/Accessories

Size Code

Standard Sizes 0.40 BMT

75 x 1800	DP75X---18
75 x 2400	DP75X---24

Special Sizes 0.55 BMT

90 x 1800	DP90MX---18
90 x 2400	DP90MX---24
100 x 1800	DP100MX---18
100 x 2400	DP100MX---24

ROUND DOWNPIPE ACCESSORIES • GA/ZA

Product Downpipe/Accessories

Size Code

Accessories



Stramit® Astragal (Strap)

75mm	AST75ZA
90mm	AST90ZA
100mm	AST100ZA
125mm	AST125ZA
150mm	AST150ZA



Pop (Nozzle)

75mm	NOZ75ZA
90mm	NOZ90ZA
100mm	NOZ100ZA
125mm	NOZ125ZA
150mm	NOZ150ZA

Galvanised Downpipe Accessories

ROUND DOWNPIPE ACCESSORIES • COLOUR



Stramit® Astragal (Strap)

75mm	AST75X---
90mm	AST90X---
100mm	AST100X---

CUSTOM FLASHINGS – ORDERING PROCEDURE

ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If Coloured, nominate the side which colour is required
3. Nominate the dimensions by the letters shown on diagrams
4. Nominate the angles on all bends
5. Nominate the quantity and length of profile

EXAMPLE

1. Type 4, Pale Eucalypt
2. Colour on side C
3. A - 15mm, B - 100mm, C - 150mm, D - 150mm
4. CB = 90°, CD = 90°, AB = 45°
5. 1 off, 4.800m

CF 1 	CF 2 	CF 3 	CF 4 	CF 5 								
CF 6 	CF 7 	CF 8 	CF 9 	CF 10 								
CF 11 	CF 12 	CF 13 	CF 14 	CF 15 								
CF 16 	CF 17 	CF 18 	CF 19 	CF 20 								
CF 21 	CF 22 	CF 23 	CF 24 	CF 25 								
CF 26 	CF 27 	CF 28 	CF 29 	CF 30 								
CF 31 	CF 32 	CF 33 	CF 34 	CF 35 								
CF 36 	CF 37 (TAPERED) 	TRAY 	DRIPMOULD (HOOK) 	GAUGES <table border="1"> <thead> <tr> <th>IMPERIAL</th> <th>METRIC</th> </tr> </thead> <tbody> <tr> <td>26</td> <td>45</td> </tr> <tr> <td>24</td> <td>60</td> </tr> <tr> <td>22</td> <td>80</td> </tr> </tbody> </table> Check this conversion chart before ordering your guttering, flashing or downpipes.	IMPERIAL	METRIC	26	45	24	60	22	80
IMPERIAL	METRIC											
26	45											
24	60											
22	80											

ALL AVAILABLE IN GALVANISED, ZINCALUME, COLORBOND, COLORBOND ULTRA, COLORBOND METALLIC, STAINLESS STEEL & COPPER

CUSTOM FLASHINGS & FLAT SHEET

GA 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00GA	CF055B01GA	CF055B02GA	CF055B03GA	CF055B04GA	CF055B05GA	CF055B06GA	CF055B07GA
101-150 (C)	CF055C00GA	CF055C01GA	CF055C02GA	CF055C03GA	CF055C04GA	CF055C05GA	CF055C06GA	CF055C07GA
151-200 (D)	CF055D00GA	CF055D01GA	CF055D02GA	CF055D03GA	CF055D04GA	CF055D05GA	CF055D06GA	CF055D07GA
201-250 (E)	CF055E00GA	CF055E01GA	CF055E02GA	CF055E03GA	CF055E04GA	CF055E05GA	CF055E06GA	CF055E07GA
251-300 (F)	CF055F00GA	CF055F01GA	CF055F02GA	CF055F03GA	CF055F04GA	CF055F05GA	CF055F06GA	CF055F07GA
301-350 (G)	CF055G00GA	CF055G01GA	CF055G02GA	CF055G03GA	CF055G04GA	CF055G05GA	CF055G06GA	CF055G07GA
351-400 (H)	CF055H00GA	CF055H01GA	CF055H02GA	CF055H03GA	CF055H04GA	CF055H05GA	CF055H06GA	CF055H07GA
401-500 (J)	CF055J00GA	CF055J01GA	CF055J02GA	CF055J03GA	CF055J04GA	CF055J05GA	CF055J06GA	CF055J07GA
501-600 (L)	CF055L00GA	CF055L01GA	CF055L02GA	CF055L03GA	CF055L04GA	CF055L05GA	CF055L06GA	CF055L07GA
601-700 (N)	CF055N00GA	CF055N01GA	CF055N02GA	CF055N03GA	CF055N04GA	CF055N05GA	CF055N06GA	CF055N07GA
701-800 (P)	CF055P00GA	CF055P01GA	CF055P02GA	CF055P03GA	CF055P04GA	CF055P05GA	CF055P06GA	CF055P07GA
801-900 (R)	CF055R00GA	CF055R01GA	CF055R02GA	CF055R03GA	CF055R04GA	CF055R05GA	CF055R06GA	CF055R07GA
901-1000 (T)	CF055T00GA	CF055T01GA	CF055T02GA	CF055T03GA	CF055T04GA	CF055T05GA	CF055T06GA	CF055T07GA
1001-1100 (V)	CF055V00GA	CF055V01GA	CF055V02GA	CF055V03GA	CF055V04GA	CF055V05GA	CF055V06GA	CF055V07GA
1101-1200 (X)	CF055X00GA	CF055X01GA	CF055X02GA	CF055X03GA	CF055X04GA	CF055X05GA	CF055X06GA	CF055X07GA

ZA 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00ZA	CF055B01ZA	CF055B02ZA	CF055B03ZA	CF055B04ZA	CF055B05ZA	CF055B06ZA	CF055B07ZA
101-150 (C)	CF055C00ZA	CF055C01ZA	CF055C02ZA	CF055C03ZA	CF055C04ZA	CF055C05ZA	CF055C06ZA	CF055C07ZA
151-200 (D)	CF055D00ZA	CF055D01ZA	CF055D02ZA	CF055D03ZA	CF055D04ZA	CF055D05ZA	CF055D06ZA	CF055D07ZA
201-250 (E)	CF055E00ZA	CF055E01ZA	CF055E02ZA	CF055E03ZA	CF055E04ZA	CF055E05ZA	CF055E06ZA	CF055E07ZA
251-300 (F)	CF055F00ZA	CF055F01ZA	CF055F02ZA	CF055F03ZA	CF055F04ZA	CF055F05ZA	CF055F06ZA	CF055F07ZA
301-350 (G)	CF055G00ZA	CF055G01ZA	CF055G02ZA	CF055G03ZA	CF055G04ZA	CF055G05ZA	CF055G06ZA	CF055G07ZA
351-400 (H)	CF055H00ZA	CF055H01ZA	CF055H02ZA	CF055H03ZA	CF055H04ZA	CF055H05ZA	CF055H06ZA	CF055H07ZA
401-500 (J)	CF055J00ZA	CF055J01ZA	CF055J02ZA	CF055J03ZA	CF055J04ZA	CF055J05ZA	CF055J06ZA	CF055J07ZA
501-600 (L)	CF055L00ZA	CF055L01ZA	CF055L02ZA	CF055L03ZA	CF055L04ZA	CF055L05ZA	CF055L06ZA	CF055L07ZA
601-700 (N)	CF055N00ZA	CF055N01ZA	CF055N02ZA	CF055N03ZA	CF055N04ZA	CF055N05ZA	CF055N06ZA	CF055N07ZA
701-800 (P)	CF055P00ZA	CF055P01ZA	CF055P02ZA	CF055P03ZA	CF055P04ZA	CF055P05ZA	CF055P06ZA	CF055P07ZA
801-900 (R)	CF055R00ZA	CF055R01ZA	CF055R02ZA	CF055R03ZA	CF055R04ZA	CF055R05ZA	CF055R06ZA	CF055R07ZA
901-1000 (T)	CF055T00ZA	CF055T01ZA	CF055T02ZA	CF055T03ZA	CF055T04ZA	CF055T05ZA	CF055T06ZA	CF055T07ZA
1001-1100 (V)	CF055V00ZA	CF055V01ZA	CF055V02ZA	CF055V03ZA	CF055V04ZA	CF055V05ZA	CF055V06ZA	CF055V07ZA
1101-1200 (X)	CF055X00ZA	CF055X01ZA	CF055X02ZA	CF055X03ZA	CF055X04ZA	CF055X05ZA	CF055X06ZA	CF055X07ZA

GA BMT 0.75

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF075B00GA	CF075B01GA	CF075B02GA	CF075B03GA	CF075B04GA	CF075B05GA	CF075B06GA	CF075B07GA
101-150 (C)	CF075C00GA	CF075C01GA	CF075C02GA	CF075C03GA	CF075C04GA	CF075C05GA	CF075C06GA	CF075C07GA
151-200 (D)	CF075D00GA	CF075D01GA	CF075D02GA	CF075D03GA	CF075D04GA	CF075D05GA	CF075D06GA	CF075D07GA
201-250 (E)	CF075E00GA	CF075E01GA	CF075E02GA	CF075E03GA	CF075E04GA	CF075E05GA	CF075E06GA	CF075E07GA
251-300 (F)	CF075F00GA	CF075F01GA	CF075F02GA	CF075F03GA	CF075F04GA	CF075F05GA	CF075F06GA	CF075F07GA
301-350 (G)	CF075G00GA	CF075G01GA	CF075G02GA	CF075G03GA	CF075G04GA	CF075G05GA	CF075G06GA	CF075G07GA
351-400 (H)	CF075H00GA	CF075H01GA	CF075H02GA	CF075H03GA	CF075H04GA	CF075H05GA	CF075H06GA	CF075H07GA
401-500 (J)	CF075J00GA	CF075J01GA	CF075J02GA	CF075J03GA	CF075J04GA	CF075J05GA	CF075J06GA	CF075J07GA
501-600 (L)	CF075L00GA	CF075L01GA	CF075L02GA	CF075L03GA	CF075L04GA	CF075L05GA	CF075L06GA	CF075L07GA
601-700 (N)	CF075N00GA	CF075N01GA	CF075N02GA	CF075N03GA	CF075N04GA	CF075N05GA	CF075N06GA	CF075N07GA
701-800 (P)	CF075P00GA	CF075P01GA	CF075P02GA	CF075P03GA	CF075P04GA	CF075P05GA	CF075P06GA	CF075P07GA
801-900 (R)	CF075R00GA	CF075R01GA	CF075R02GA	CF075R03GA	CF075R04GA	CF075R05GA	CF075R06GA	CF075R07GA
901-1000 (T)	CF075T00GA	CF075T01GA	CF075T02GA	CF075T03GA	CF075T04GA	CF075T05GA	CF075T06GA	CF075T07GA
1001-1100 (V)	CF075V00GA	CF075V01GA	CF075V02GA	CF075V03GA	CF075V04GA	CF075V05GA	CF075V06GA	CF075V07GA
1101-1200 (X)	CF075X00GA	CF075X01GA	CF075X02GA	CF075X03GA	CF075X04GA	CF075X05GA	CF075X06GA	CF075X07GA

Flat Sheet Orders. Flat sheets cannot be supplied as a "roll up" and will incur a palletisation charge.

CUSTOM FLASHINGS & FLAT SHEET

ZA BMT 0.75

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF075B00ZA	CF075B01ZA	CF075B02ZA	CF075B03ZA	CF075B04ZA	CF075B05ZA	CF075B06ZA	CF075B07ZA
101-150 (C)	CF075C00ZA	CF075C01ZA	CF075C02ZA	CF075C03ZA	CF075C04ZA	CF075C05ZA	CF075C06ZA	CF075C07ZA
151-200 (D)	CF075D00ZA	CF075D01ZA	CF075D02ZA	CF075D03ZA	CF075D04ZA	CF075D05ZA	CF075D06ZA	CF075D07ZA
201-250 (E)	CF075E00ZA	CF075E01ZA	CF075E02ZA	CF075E03ZA	CF075E04ZA	CF075E05ZA	CF075E06ZA	CF075E07ZA
251-300 (F)	CF075F00ZA	CF075F01ZA	CF075F02ZA	CF075F03ZA	CF075F04ZA	CF075F05ZA	CF075F06ZA	CF075F07ZA
301-350 (G)	CF075G00ZA	CF075G01ZA	CF075G02ZA	CF075G03ZA	CF075G04ZA	CF075G05ZA	CF075G06ZA	CF075G07ZA
351-400 (H)	CF075H00ZA	CF075H01ZA	CF075H02ZA	CF075H03ZA	CF075H04ZA	CF075H05ZA	CF075H06ZA	CF075H07ZA
401-500 (J)	CF075J00ZA	CF075J01ZA	CF075J02ZA	CF075J03ZA	CF075J04ZA	CF075J05ZA	CF075J06ZA	CF075J07ZA
501-600 (L)	CF075L00ZA	CF075L01ZA	CF075L02ZA	CF075L03ZA	CF075L04ZA	CF075L05ZA	CF075L06ZA	CF075L07ZA
601-700 (N)	CF075N00ZA	CF075N01ZA	CF075N02ZA	CF075N03ZA	CF075N04ZA	CF075N05ZA	CF075N06ZA	CF075N07ZA
701-800 (P)	CF075P00ZA	CF075P01ZA	CF075P02ZA	CF075P03ZA	CF075P04ZA	CF075P05ZA	CF075P06ZA	CF075P07ZA
801-900 (R)	CF075R00ZA	CF075R01ZA	CF075R02ZA	CF075R03ZA	CF075R04ZA	CF075R05ZA	CF075R06ZA	CF075R07ZA
901-1000 (T)	CF075T00ZA	CF075T01ZA	CF075T02ZA	CF075T03ZA	CF075T04ZA	CF075T05ZA	CF075T06ZA	CF075T07ZA
1001-1100 (V)	CF075V00ZA	CF075V01ZA	CF075V02ZA	CF075V03ZA	CF075V04ZA	CF075V05ZA	CF075V06ZA	CF075V07ZA
1101-1200 (X)	CF075X00ZA	CF075X01ZA	CF075X02ZA	CF075X03ZA	CF075X04ZA	CF075X05ZA	CF075X06ZA	CF075X07ZA

ZA BMT 0.40

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF040B00ZA	CF040B01ZA	CF040B02ZA	CF040B03ZA	CF040B04ZA	CF040B05ZA	CF040B06ZA	CF040B07ZA
101-150 (C)	CF040C00ZA	CF040C01ZA	CF040C02ZA	CF040C03ZA	CF040C04ZA	CF040C05ZA	CF040C06ZA	CF040C07ZA
151-200 (D)	CF040D00ZA	CF040D01ZA	CF040D02ZA	CF040D03ZA	CF040D04ZA	CF040D05ZA	CF040D06ZA	CF040D07ZA
201-250 (E)	CF040E00ZA	CF040E01ZA	CF040E02ZA	CF040E03ZA	CF040E04ZA	CF040E05ZA	CF040E06ZA	CF040E07ZA
251-300 (F)	CF040F00ZA	CF040F01ZA	CF040F02ZA	CF040F03ZA	CF040F04ZA	CF040F05ZA	CF040F06ZA	CF040F07ZA
301-350 (G)	CF040G00ZA	CF040G01ZA	CF040G02ZA	CF040G03ZA	CF040G04ZA	CF040G05ZA	CF040G06ZA	CF040G07ZA
351-400 (H)	CF040H00ZA	CF040H01ZA	CF040H02ZA	CF040H03ZA	CF040H04ZA	CF040H05ZA	CF040H06ZA	CF040H07ZA
401-500 (J)	CF040J00ZA	CF040J01ZA	CF040J02ZA	CF040J03ZA	CF040J04ZA	CF040J05ZA	CF040J06ZA	CF040J07ZA
501-600 (L)	CF040L00ZA	CF040L01ZA	CF040L02ZA	CF040L03ZA	CF040L04ZA	CF040L05ZA	CF040L06ZA	CF040L07ZA
601-700 (N)	CF040N00ZA	CF040N01ZA	CF040N02ZA	CF040N03ZA	CF040N04ZA	CF040N05ZA	CF040N06ZA	CF040N07ZA
701-800 (P)	CF040P00ZA	CF040P01ZA	CF040P02ZA	CF040P03ZA	CF040P04ZA	CF040P05ZA	CF040P06ZA	CF040P07ZA
801-900 (R)	CF040R00ZA	CF040R01ZA	CF040R02ZA	CF040R03ZA	CF040R04ZA	CF040R05ZA	CF040R06ZA	CF040R07ZA
901-1000 (T)	CF040T00ZA	CF040T01ZA	CF040T02ZA	CF040T03ZA	CF040T04ZA	CF040T05ZA	CF040T06ZA	CF040T07ZA
1001-1100 (V)	CF040V00ZA	CF040V01ZA	CF040V02ZA	CF040V03ZA	CF040V04ZA	CF040V05ZA	CF040V06ZA	CF040V07ZA
1101-1200 (X)	CF040X00ZA	CF040X01ZA	CF040X02ZA	CF040X03ZA	CF040X04ZA	CF040X05ZA	CF040X06ZA	CF040X07ZA

CB BMT 0.55

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00X---	CF055B01X---	CF055B02X---	CF055B03X---	CF055B04X---	CF055B05X---	CF055B06X---	CF055B07X---
101-150 (C)	CF055C00X---	CF055C01X---	CF055C02X---	CF055C03X---	CF055C04X---	CF055C05X---	CF055C06X---	CF055C07X---
151-200 (D)	CF055D00X---	CF055D01X---	CF055D02X---	CF055D03X---	CF055D04X---	CF055D05X---	CF055D06X---	CF055D07X---
201-250 (E)	CF055E00X---	CF055E01X---	CF055E02X---	CF055E03X---	CF055E04X---	CF055E05X---	CF055E06X---	CF055E07X---
251-300 (F)	CF055F00X---	CF055F01X---	CF055F02X---	CF055F03X---	CF055F04X---	CF055F05X---	CF055F06X---	CF055F07X---
301-350 (G)	CF055G00X---	CF055G01X---	CF055G02X---	CF055G03X---	CF055G04X---	CF055G05X---	CF055G06X---	CF055G07X---
351-400 (H)	CF055H00X---	CF055H01X---	CF055H02X---	CF055H03X---	CF055H04X---	CF055H05X---	CF055H06X---	CF055H07X---
401-500 (J)	CF055J00X---	CF055J01X---	CF055J02X---	CF055J03X---	CF055J04X---	CF055J05X---	CF055J06X---	CF055J07X---
501-600 (L)	CF055L00X---	CF055L01X---	CF055L02X---	CF055L03X---	CF055L04X---	CF055L05X---	CF055L06X---	CF055L07X---
601-700 (N)	CF055N00X---	CF055N01X---	CF055N02X---	CF055N03X---	CF055N04X---	CF055N05X---	CF055N06X---	CF055N07X---
701-800 (P)	CF055P00X---	CF055P01X---	CF055P02X---	CF055P03X---	CF055P04X---	CF055P05X---	CF055P06X---	CF055P07X---
801-900 (R)	CF055R00X---	CF055R01X---	CF055R02X---	CF055R03X---	CF055R04X---	CF055R05X---	CF055R06X---	CF055R07X---
901-1000 (T)	CF055T00X---	CF055T01X---	CF055T02X---	CF055T03X---	CF055T04X---	CF055T05X---	CF055T06X---	CF055T07X---
1001-1100 (V)	CF055V00X---	CF055V01X---	CF055V02X---	CF055V03X---	CF055V04X---	CF055V05X---	CF055V06X---	CF055V07X---
1101-1200 (X)	CF055X00X---	CF055X01X---	CF055X02X---	CF055X03X---	CF055X04X---	CF055X05X---	CF055X06X---	CF055X07X---

NOTE: Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre even if multiple lengths are ordered.

PREMIUM PRODUCTS • FLASHINGS

CB ULTRA 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00U---	CF055B01U---	CF055B02U---	CF055B03U---	CF055B04U---	CF055B05U---	CF055B06U---	CF055B07U---
101-150 (C)	CF055C00U---	CF055C01U---	CF055C02U---	CF055C03U---	CF055C04U---	CF055C05U---	CF055C06U---	CF055C07U---
151-200 (D)	CF055D00U---	CF055D01U---	CF055D02U---	CF055D03U---	CF055D04U---	CF055D05U---	CF055D06U---	CF055D07U---
201-250 (E)	CF055E00U---	CF055E01U---	CF055E02U---	CF055E03U---	CF055E04U---	CF055E05U---	CF055E06U---	CF055E07U---
251-300 (F)	CF055F00U---	CF055F01U---	CF055F02U---	CF055F03U---	CF055F04U---	CF055F05U---	CF055F06U---	CF055F07U---
301-350 (G)	CF055G00U---	CF055G01U---	CF055G02U---	CF055G03U---	CF055G04U---	CF055G05U---	CF055G06U---	CF055G07U---
351-400 (H)	CF055H00U---	CF055H01U---	CF055H02U---	CF055H03U---	CF055H04U---	CF055H05U---	CF055H06U---	CF055H07U---
401-500 (J)	CF055J00U---	CF055J01U---	CF055J02U---	CF055J03U---	CF055J04U---	CF055J05U---	CF055J06U---	CF055J07U---
501-600 (L)	CF055L00U---	CF055L01U---	CF055L02U---	CF055L03U---	CF055L04U---	CF055L05U---	CF055L06U---	CF055L07U---
601-700 (N)	CF055N00U---	CF055N01U---	CF055N02U---	CF055N03U---	CF055N04U---	CF055N05U---	CF055N06U---	CF055N07U---
701-800 (P)	CF055P00U---	CF055P01U---	CF055P02U---	CF055P03U---	CF055P04U---	CF055P05U---	CF055P06U---	CF055P07U---
801-900 (R)	CF055R00U---	CF055R01U---	CF055R02U---	CF055R03U---	CF055R04U---	CF055R05U---	CF055R06U---	CF055R07U---
901-1000 (T)	CF055T00U---	CF055T01U---	CF055T02U---	CF055T03U---	CF055T04U---	CF055T05U---	CF055T06U---	CF055T07U---
1001-1100 (V)	CF055V00U---	CF055V01U---	CF055V02U---	CF055V03U---	CF055V04U---	CF055V05U---	CF055V06U---	CF055V07U---
1101-1200 (X)	CF055X00U---	CF055X01U---	CF055X02U---	CF055X03U---	CF055X04U---	CF055X05U---	CF055X06U---	CF055X07U---

CB METALLIC 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00M---	CF055B01M---	CF055B02M---	CF055B03M---	CF055B04M---	CF055B05M---	CF055B06M---	CF055B07M---
101-150 (C)	CF055C00M---	CF055C01M---	CF055C02M---	CF055C03M---	CF055C04M---	CF055C05M---	CF055C06M---	CF055C07M---
151-200 (D)	CF055D00M---	CF055D01M---	CF055D02M---	CF055D03M---	CF055D04M---	CF055D05M---	CF055D06M---	CF055D07M---
201-250 (E)	CF055E00M---	CF055E01M---	CF055E02M---	CF055E03M---	CF055E04M---	CF055E05M---	CF055E06M---	CF055E07M---
251-300 (F)	CF055F00M---	CF055F01M---	CF055F02M---	CF055F03M---	CF055F04M---	CF055F05M---	CF055F06M---	CF055F07M---
301-350 (G)	CF055G00M---	CF055G01M---	CF055G02M---	CF055G03M---	CF055G04M---	CF055G05M---	CF055G06M---	CF055G07M---
351-400 (H)	CF055H00M---	CF055H01M---	CF055H02M---	CF055H03M---	CF055H04M---	CF055H05M---	CF055H06M---	CF055H07M---
401-500 (J)	CF055J00M---	CF055J01M---	CF055J02M---	CF055J03M---	CF055J04M---	CF055J05M---	CF055J06M---	CF055J07M---
501-600 (L)	CF055L00M---	CF055L01M---	CF055L02M---	CF055L03M---	CF055L04M---	CF055L05M---	CF055L06M---	CF055L07M---
601-700 (N)	CF055N00M---	CF055N01M---	CF055N02M---	CF055N03M---	CF055N04M---	CF055N05M---	CF055N06M---	CF055N07M---
701-800 (P)	CF055P00M---	CF055P01M---	CF055P02M---	CF055P03M---	CF055P04M---	CF055P05M---	CF055P06M---	CF055P07M---
801-900 (R)	CF055R00M---	CF055R01M---	CF055R02M---	CF055R03M---	CF055R04M---	CF055R05M---	CF055R06M---	CF055R07M---
901-1000 (T)	CF055T00M---	CF055T01M---	CF055T02M---	CF055T03M---	CF055T04M---	CF055T05M---	CF055T06M---	CF055T07M---
1001-1100 (V)	CF055V00M---	CF055V01M---	CF055V02M---	CF055V03M---	CF055V04M---	CF055V05M---	CF055V06M---	CF055V07M---
1101-1200 (X)	CF055X00M---	CF055X01M---	CF055X02M---	CF055X03M---	CF055X04M---	CF055X05M---	CF055X06M---	CF055X07M---

NOTE:

Stramit® Custom Flashings now sold/invoiced by Finish, Girth and number of bends.

Extra charge for Tapered Cutting per Length (CFTAPER).

Stramit® Custom Flashings available on 24hr lead time in Metro Area if ordered by 12.30pm.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

Minimum flashing length 300mm.

Maximum flashing length 8m.

Subject to suitability of shape and delivery arrangements.

See Delivery Details, page 9.

Order by Fax

For best results, send your profile details by fax (refer nos. on top of page).

Ask for our Stramit Flashing Detail Pad (see page 3).

PREMIUM PRODUCTS • FLASHINGS

CB COOLMAX 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00KWHN	CF055B01KWHN	CF055B02KWHN	CF055B03KWHN	CF055B04KWHN	CF055B05KWHN	CF055B06KWHN	CF055B07KWHN
101-150 (C)	CF055C00KWHN	CF055C01KWHN	CF055C02KWHN	CF055C03KWHN	CF055C04KWHN	CF055C05KWHN	CF055C06KWHN	CF055C07KWHN
151-200 (D)	CF055D00KWHN	CF055D01KWHN	CF055D02KWHN	CF055D03KWHN	CF055D04KWHN	CF055D05KWHN	CF055D06KWHN	CF055D07KWHN
201-250 (E)	CF055E00KWHN	CF055E01KWHN	CF055E02KWHN	CF055E03KWHN	CF055E04KWHN	CF055E05KWHN	CF055E06KWHN	CF055E07KWHN
251-300 (F)	CF055F00KWHN	CF055F01KWHN	CF055F02KWHN	CF055F03KWHN	CF055F04KWHN	CF055F05KWHN	CF055F06KWHN	CF055F07KWHN
301-350 (G)	CF055G00KWHN	CF055G01KWHN	CF055G02KWHN	CF055G03KWHN	CF055G04KWHN	CF055G05KWHN	CF055G06KWHN	CF055G07KWHN
351-400 (H)	CF055H00KWHN	CF055H01KWHN	CF055H02KWHN	CF055H03KWHN	CF055H04KWHN	CF055H05KWHN	CF055H06KWHN	CF055H07KWHN
401-500 (J)	CF055J00KWHN	CF055J01KWHN	CF055J02KWHN	CF055J03KWHN	CF055J04KWHN	CF055J05KWHN	CF055J06KWHN	CF055J07KWHN
501-600 (L)	CF055L00KWHN	CF055L01KWHN	CF055L02KWHN	CF055L03KWHN	CF055L04KWHN	CF055L05KWHN	CF055L06KWHN	CF055L07KWHN
601-700 (N)	CF055N00KWHN	CF055N01KWHN	CF055N02KWHN	CF055N03KWHN	CF055N04KWHN	CF055N05KWHN	CF055N06KWHN	CF055N07KWHN
701-800 (P)	CF055P00KWHN	CF055P01KWHN	CF055P02KWHN	CF055P03KWHN	CF055P04KWHN	CF055P05KWHN	CF055P06KWHN	CF055P07KWHN
801-900 (R)	CF055R00KWHN	CF055R01KWHN	CF055R02KWHN	CF055R03KWHN	CF055R04KWHN	CF055R05KWHN	CF055R06KWHN	CF055R07KWHN
901-1000 (T)	CF055T00KWHN	CF055T01KWHN	CF055T02KWHN	CF055T03KWHN	CF055T04KWHN	CF055T05KWHN	CF055T06KWHN	CF055T07KWHN
1001-1100 (V)	CF055V00KWHN	CF055V01KWHN	CF055V02KWHN	CF055V03KWHN	CF055V04KWHN	CF055V05KWHN	CF055V06KWHN	CF055V07KWHN
1101-1200 (X)	CF055X00KWHN	CF055X01KWHN	CF055X02KWHN	CF055X03KWHN	CF055X04KWHN	CF055X05KWHN	CF055X06KWHN	CF055X07KWHN

COLOUR AVAILABILITY

ULTRA		METALLIC		COOLMAX		MATT		MAGNAFLOW	
DUN	DEEP OCEAN®	ARI	ARIES®	WHN	WHITEHAVEN	BAS	BASALT	AGY	ARMOUR GREY
MON	MONUMENT™	AST	ASTRO®			DUN	DUNE	BCH	BIRCH
SUR	SURFMIST®	CEL	CELESTIAN®			MON	MONUMENT	MLH	MONOLEITH
WLB	WALLABY™	COS	COSMIC®			SHG	SHALE GREY	OWH	OFF WHITE
WSP	WINDSPRAY®	GLT	GALACTIC®			SUR	SURFMIST	SLG	SLATE GREY
WDG	WOODLAND GREY®	RHE	RHEA®						

Minimum length 1.0 metre.
Maximum length 8.0 metres.
Subject to suitability of profile.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

NOTE:

Stramit® Custom Flashings now sold/invoiced by Finish, Girth and number of bends.

Extra charge for Tapered Cutting per Length (TAPER).

Stramit® Custom Flashings available on 24hr lead time in Metro Area if ordered by 12.30pm.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

Minimum flashing length 300mm.

Maximum flashing length 8m.

Subject to suitability of shape and delivery arrangements.

See Delivery Details, page 9.

Order by Fax

For best results, send your profile details by fax (refer nos. on top of page).

Ask for our Stramit Flashing Detail Pad (see page 3).

RAINHEADS • SUMPS

Product	Size	Code	Finish	Unit
Rainwater Caps/Crimped Bends/Rainheads/Sumps				
Rainheads				
	(A x B x C)			
	300 x 150 x 150mm	RWH300150150	GA/ZA	each
	300 x 225 x 225mm	RWH300225225	GA/ZA	each
	375 x 225 x 225mm	RWH375225225	GA/ZA	each
	375 x 375 x 300mm	RWH375375300	GA/ZA	each
	450 x 225 x 225mm	RWH450225225	GA/ZA	each
	450 x 300 x 300mm	RWH450300300	GA/ZA	each
	600 x 225 x 225mm	RWH600225225	GA/ZA	each
	600 x 300 x 300mm	RWH600300300	GA/ZA	each
	300 x 150 x 150mm	RWH300150150xxx	CB	each
	300 x 225 x 225mm	RWH300225225xxx	CB	each
	375 x 225 x 225mm	RWH375225225xxx	CB	each
	375 x 375 x 300mm	RWH375375300xxx	CB	each
	450 x 225 x 225mm	RWH450225225xxx	CB	each
	450 x 300 x 300mm	RWH450300300xxx	CB	each
	600 x 225 x 225mm	RWH600225225xxx	CB	each
600 x 300 x 300mm	RWH600300300xxx	CB	each	
Sumps				
	(A x B x C)			
	250 x 250 x 100mm	SUF252510	GA/ZA	each
	300 x 225 x 225mm	SUF300225225	GA/ZA	each
	300 x 300 x 150mm	SUF303015	GA/ZA	each
	375 x 225 x 225mm	SUF375225225	GA/ZA	each
	375 x 375 x 300mm	SUF375375300	GA/ZA	each
	375 x 375 x 150mm	SUF375375150	GA/ZA	each
	400 x 400 x 300mm	SUF404015	GA/ZA	each
	450 x 300 x 300mm	SUF453030	GA/ZA	each
	450 x 450 x 150mm	SUF454515	GA/ZA	each
600 x 600 x 100mm	SUF606010	GA/ZA	each	
	250 x 250 x 100mm	SUF252510xxx	CB	each
	300 x 225 x 225mm	SUF300225225xxx	CB	each
	300 x 300 x 150mm	SUF303015xxx	CB	each
	375 x 225 x 225mm	SUF375225225xxx	CB	each
	375 x 375 x 300mm	SUF375375300xxx	CB	each
	375 x 375 x 150mm	SUF375375150xxx	CB	each
	400 x 400 x 300mm	SUF404015xxx	CB	each
	450 x 300 x 300mm	SUF453030xxx	CB	each
	450 x 450 x 150mm	SUF454515xxx	CB	each
	600 x 600 x 100mm	SUF606010xxx	CB	each

Allow extra lead time for country and interstate.

C & Z PURLINS

Product C & Z Purlins Details Code m/tonne Unit Punched or Unpunched

Stramit® Purlins and Girts


Lightweight

(all purlins below available in C & Z profile)

C10010U	565.83	lin metre
C10012U	475.09	lin metre
C15012U	346.25	lin metre

**WHEN ORDERING
USE STRAMIT DETAIL PAD. SEE P.7**

Available unpunched or punched *
substitute "U" with "P" in code for
punched purlins



C10015U	382.97	lin metre
C10019U	304.30	lin metre
C15015U	279.11	lin metre
C15019U	211.77	lin metre
C15024U	176.46	lin metre
C20015U	222.54	lin metre
C20019U	174.46	lin metre
C20024U	138.82	lin metre
C25019U	153.94	lin metre
C25024U	122.49	lin metre

300/400 Series C30024U	99.15	lin metre
C30030U	79.63	lin metre
C35024U	81.98	lin metre
C35030U	65.84	lin metre
C40024U	81.98	lin metre
C40030U	65.84	lin metre

Minimum length 1.6 metre

Cutback fee for lengths under 1.7m –
Downturn Lip available. Setup charge:



CUTBACKLTH

Coating note: Coating supplied is Z350 galvanised.

Purlin Dimension		C Sections				Z Sections						
Section	Web Depth mm	Flange Width mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m	Section	Web Depth mm	Broad Flange mm	Narrow Flange mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
C10010	102	51	12.5	1.0	1.77	Z10010	102	53	49	12.5	1.0	1.77
C10012	102	51	13.0	1.2	2.10	Z10012	102	53	49	13.0	1.2	2.10
C10015	102	51	14.0	1.5	2.61	Z10015	102	53	49	14.0	1.5	2.61
C10019	102	51	15.0	1.9	3.29	Z10019	102	53	49	15.0	1.9	3.29
C15012	152	64	15.0	1.2	2.89	Z15012	152	65	61	15.0	1.2	2.89
C15015	152	64	16.0	1.5	3.58	Z15015	152	65	61	16.0	1.5	3.58
C15019	152	64	17.0	1.9	4.51	Z15019	152	65	61	17.0	1.9	4.51
C15024	152	64	18.5	2.4	5.67	Z15024	152	65	61	18.5	2.4	5.67
C20015	203	76	16.0	1.5	4.49	Z20015	203	79	74	16.0	1.5	4.49
C20019	203	76	19.5	1.9	5.73	Z20019	203	79	74	19.5	1.9	5.73
C20024	203	76	21.0	2.4	7.20	Z20024	203	79	74	21.0	2.4	7.20
C25019	254	76	19.0	1.9	6.50	Z25019	254	79	74	19.0	1.9	6.50
C25024	254	76	20.5	2.4	8.16	Z25024	254	79	74	20.5	2.4	8.16
C30024	300	96	28.0	2.4	10.18	Z30024	300	100	93	28.0	2.4	10.18
C30030	300	96	31.5	3.0	12.68	Z30030	300	100	93	31.5	3.0	12.68
C35024	350	125	29.5	2.4	12.26	Z35024	350	129	122	29.5	2.4	12.26
C35030	350	125	30.0	3.0	15.19	Z35030	350	129	121	30.0	3.0	15.19
C40024	400	96	35.0	2.4	12.26	Z40024	400	100	93	35.0	2.4	12.26
C40030	400	96	33.5	3.0	15.19	Z40030	400	100	93	33.5	3.0	15.19

Purlins Ordering Available to order on approximately 5-8 days lead time subject to delivery days. No extra charge for hole punching. Notching and mitre cut charges do apply – POA. Allow 2 extra days. Downturn lip purlins incur extra charge.

C & Z PURLINS - EXACTA RANGE

Product C & Z Purlins	Details	Code	Unit	Punched or Unpunched
 	'Z' Profile Range	Z15012EXP	* substitute "P" with "U" in	lin metre
		Z15015EXP	code for unpunched purlins	lin metre
		Z15019EXP		lin metre
		Z15024EXP		lin metre
		Z20012EXP		lin metre
		Z20015EXP		lin metre
		Z20019EXP		lin metre
		Z20024EXP		lin metre
		Z25015EXP		lin metre
		Z25019EXP		lin metre
		Z25024EXP		lin metre
		Z30024EXP		lin metre
		Z30030EXP		lin metre
		Z35024EXP		lin metre
	Z35030EXP		lin metre	
	'C' Profile Range	C15010EXP	* substitute "P" with "U" in	lin metre
		C15015EXP	code for unpunched purlins	lin metre
		C15019EXP		lin metre
		C15024EXP		lin metre
		C20012EXP		lin metre
		C20015EXP		lin metre
		C20019EXP		lin metre
		C20024EXP		lin metre
		C25015EXP		lin metre
		C25019EXP		lin metre
		C25024EXP		lin metre
		C30024EXP		lin metre
		C30030EXP		lin metre
C35024EXP			lin metre	
C35030EXP		lin metre		

Coatings note: Coating supplied is z350 galvanised

Lengths under 1.7LM incur a cutback charge

Downturn Lip Available

Stramit Exacta® purlins are dimensionally optimised for the most commonly used spans, with big improvements in capacity. The associated moment capacity tables have been developed strictly using the stramit interlocking bridging system.

CUTBACKLTH

each

SETUP CHARGE

STRAMIT EXACTA® C-PURLINS AND GIRTS – Size range

Section	Web (mm)	Flange (mm)	Thickness (mm)
EC150-10	150	58	1.0
EC150-12	150	58	1.2
EC150-15	150	58	1.5
EC150-19	150	58	1.9
EC150-24	150	58	2.4
EC200-12	200	72	1.2
EC200-15	200	72	1.5
EC200-19	200	72	1.9
EC200-24	200	72	2.4
EC250-15	250	73	1.5
EC250-19	250	73	1.9
EC250-24	250	73	2.4
EC300-24	300	93	2.4
EC300-30	300	93	3.0
EC350-30	350	120	3.0

STRAMIT EXACTA® Z-PURLINS AND GIRTS – Size range

Section	Web (mm)	Flange (mm)	Flange (mm)	Thickness (mm)
EZ150-10	150	57	61	1.0
EZ150-12	150	57	61	1.2
EZ150-15	150	57	61	1.5
EZ150-19	150	57	61	1.9
EZ150-24	150	57	61	2.4
EZ200-12	200	69	74	1.2
EZ200-15	200	69	74	1.5
EZ200-19	200	69	74	1.9
EZ200-24	200	69	74	2.4
EZ250-15	250	71	76	1.5
EZ250-19	250	71	76	1.9
EZ250-24	250	71	76	2.4
EZ300-24	300	91	98	2.4
EZ300-30	300	91	98	3.0
EZ350-30	350	116	124	3.0

C & Z PURLINS - ZAM Coating for superior protection in severe environments

Zam Purlins - available in C or Z profile

C10015PIZM	* substitute "P" with "U" in	lin metre
C10019PIZM	code for unpunched purlins	lin metre
C15015PIZM		lin metre
C15019PIZM		lin metre
C15024PIZM		lin metre
C20015PIZM		lin metre
C20019PIZM		lin metre
C20024PIZM		lin metre
C25019PIZM		lin metre
C25024PIZM		lin metre
C30024PIZM		lin metre
C30030PIZM		lin metre
CUTBACKLTH		each
SETUP CHARGE		

Please check availability at time of order

Lengths under 1.7LM incur a cutback charge

Downturn Lip Available

CUSTOM SECTIONS

Stramit® Custom Sections

GENERAL

At the forefront of technology, Stramit has designed the latest in computer technology roll forming equipment. This technology allows quick and easy profile changes to be made within the production cycle.

This allows the production of special purlins or other shapes designed specifically for individual projects giving the best balance in performance and economy.

SIZE RANGE

Sections can be produced within the following parameters:

Web size	100mm	–	400mm
Flange size	30mm	–	130mm
Lip size	9mm	–	35mm *
Thickness	1.0mm	–	3.0mm
Material type	G300	–	G550#

*Zero lip (i.e. plain channels) also available.

17mm is maximum lip size on 100mm deep sections.

May vary dependent upon material thickness.

MODIFIED PURLINS

Modified purlins, Z, C or plain channel, use existing strip widths. This advantage of modifying sections within the bounds of existing strip materials allows improvements in performance – either strength or deflection – with ready access to available materials.

Lead times are, particularly if standard flange sizes are used, no more than for normal purlin orders.

CUSTOM SHAPES

Designed for specific purposes, these sections may be used for a variety of applications but usually require a specific strip size, which requires extended lead times for ordering and are subject to a minimum order quantity criteria.

TOOLING

Contact your local Stramit office for cost estimates for tooling of special flange sizes and any special holes.


HOLES

The facility to provide special holes at almost any location is also available.


LOAD TABLES

Section properties and load tables for modified or custom profiles may be possible for larger projects by means of the latest in computer programs written for this purpose.

SIZES AVAILABLE



TYPICAL CUSTOM SHAPES



DOWNTURN LIP – Standard & Lapped Z

These features are available on purlin projects – POA

BRIDGING GENERAL

Stramit® Bridging

GENERAL INFORMATION

To enhance performance in longer spans, bridging is generally used. Where wind uplift loading is dominant, greater economy can generally be achieved by using additional bridging in the end spans. The performance of purlins is improved considerably when the roof or wall cladding is attached, so bridging is normally required to ensure easy installation of cladding. Generally, bridging spacing should not exceed 20 times the section's depth, (eg. over 3000mm for a 150mm deep section).

CONVENTIONAL BRIDGING/STRUTS

Conventional bridging usually consists of a suitable channel section fitted with end plates which is bolted between parallel purlins.

INSTALLATION OF STRAMIT BRIDGING

Stramit® Bridging can be installed up or down the roof slope. The system includes adjustable ridge and fascia bridging and boltless intermediate members.

For convenience, start by installing the fascia bridging by bolting to the fascia purlin. Pass the locator end of the bridging through the purlin bridging holes, swing the bridge around to be perpendicular to the web of the purlin and lock any preceding bridge in place.

Proceed up the slope to the ridge and install the ridge bridging. The adjustable ridge bridge (turnbuckle) allows the purlins to be pulled straight and the adjustment mechanism in the fascia bridging can adjust the fascia purlin for straightness and twist.

Please contact your local Stramit office for details of component assemblies suitable for other installation procedures.


HOLING

Stramit® Purlins and Girts have standard 18mm x 22mm holes punched to details supplied. Refer to punching schedule below.

Stramit® Purlin/Girt	'A' mm
C100	40 (A)
C150	60 (A)
C200	110 (A)
C250	160 (A)
C300	210 (A)
C350	260 (A)


'A' = A.I.S.C. > Hole Spacing

- NOTE: 1. Non standard hole centres are available.
 2. Holes can be punched anywhere on purlin. (including Flange)








SAMPLE LAYOUT

Mark No.	Overall length	No. Required	Hole Centres (d)						Total Metres
As Drawn PI	6000	1	40	60	110	160	210	260	6
Opp. Hand PA	6000	1	40	60	110	160	210	260	6



BRIDGING • ACCESSORIES








Product Bridging/Accessories	Details	Code	Hole Ctrs (mm)	Unit	
Stramit® Bridging Intermediate Fixed Bridging Assemblies	WHEN ORDERING USE STRAMIT DETAIL PAD. SEE P.4,5 & 6				
		Locator/Lock Part #001	BI100	40	lin metre
			BI150	60	lin metre
			BI200	110	lin metre
			BI250	160	lin metre
		Lock/Lock Part #002	BI100	40	lin metre
		BI150	60	lin metre	
		BI200	110	lin metre	
		BI250	160	lin metre	
	Locator/Bolted Part #003	BI100	40	lin metre	
		BI150	60	lin metre	
		BI200	110	lin metre	
		BI250	160	lin metre	
	Lock/Bolted Part #004	BI100	40	lin metre	
		BI150	60	lin metre	
		BI200	110	lin metre	
		BI250	160	lin metre	
	Bolted/Bolted Part #005	BI100	40	lin metre	
		BI150	60	lin metre	
		BI200	110	lin metre	
		BI250	160	lin metre	
	Starter Clip Part #006	BSC100	40	each	
		BSC150	60	each	
		BSC200	110	each	
		BSC250	160	each	

Threaded Rod

	Sag Rod – Cut to Length <i>Fully Threaded</i>	BSR16	Galvanised 16mm	lin metre
	Stock Sag Rods <i>Fully Threaded</i> <i>(lengths 300-1900 in 50mm increments)</i> <i>Allow 10 days lead time for non stock sizes and refer Stramit office for prices.</i>	BSR12GA	Galvanised 12mm	lin metre

Bridging Codes Start with 'B' and use the part No. and the purlin size. Maximum bridging length 3.0 metres.

BRIDGING • ACCESSORIES


Product Bridging/Accessories	Details	Code	Unit	
Stramit® Bridging Ridge/Intermediate Bolted Bridging Assemblies				
WHEN ORDERING USE STRAMIT DETAIL PAD. SEE P.4,5 & 6				
Adjustable 	Fixed 	Locator/Lock Part #007 Part #008 Lock/Lock Part #009 Part #010 Locator/Locator Part #011 Part #012 Locator/Bolted Part #013 Part #014 Lock/Bolted Part #015 Part #016 Bolted/Bolted Part #017 Part #018	BR--- (Adjustable) BIS--- (Fixed) BR--- (Adjustable) BIS--- (Fixed) BR--- (Adjustable) BIS--- (Fixed) BR--- (Adjustable) BIS--- (Fixed) BR--- (Adjustable) BIS--- (Fixed)	lin metre lin metre lin metre lin metre lin metre lin metre lin metre lin metre lin metre
Fascia Bridging Assemblies				
	Locator Part #019	BF---	lin metre	
	Lock Part #020	BF---	lin metre	
	Locator/Lock Part #021	BF---	lin metre	
	Lock/Lock Part #022	BF---	lin metre	
	Bolted Part #023	BF---	lin metre	

BRIDGING • ACCESSORIES

Product Bridging/Accessories Details Code Unit


Stramit® Bridging
Girt Stool/Foot Assemblies

**WHEN ORDERING
USE STRAMIT DETAIL PAD. SEE P.4,5 & 6**




Locator Part #024	BGF---	each
Lock Part #025	BGF---	each
Strut & Rod Part #026	BGF---	each

Girt Hanger Assemblies
Turnbuckle/Tie Rod




Locator Part #027	BGHTB--- (Adjustable)	each
Part #028	BGHTB--- (Fixed)	each
Lock Part #029	BGHTB--- (Adjustable)	each
Part #030	BGHTB--- (Fixed)	each
Strut & Rod – bolted Part #031	BGHTB--- (Adjustable)	each
Part #032	BGHTB--- (Fixed)	each

Accessories



General Purpose Bracket	BGPB100GA	100GPB	each
	BGPB150GA	150GPB	each
	BGPB200GA	200GPB	each
	BGPB250GA	250GPB	each
Clamp Plate	BCP100GA	100CP	each
	BCP150GA	150CP	each
	BCP200GA	200CP	each
	BCP250GA	250CP	each
Angle Connector	BAC100	100AC	each
	BAC150	150AC	each
	BAC200	200AC	each
	BAC250	250AC	each
Raking Girt Bracket	BRGB100	100	each
Tie Rod Bracket	BTRA		each
Purlin & Fascia Bolts	M12 x 30 (GR4.6) Flanged	PB1230ZP	each
	M12 x 30 Fascia Bolts	PBF1230GA	each

FORMWORK

Product Formwork	Product Details	Code	BMT	Unit
Stramit Condeck HP® 	Hi Tensile steel G550 (300mm effective cover)	CONHP75GA	0.75	per m ²
		CONHP90GA	0.90	per m ²
		CONHP100GA	1.00	per m ²
	10 x 16 Hex Tekes (no neoprene washers)	S1016HTNNH		per 100
For lap fixing refer to Stramit Condeck HP® composite decking brochures Other thicknesses available subject to quantity and lead time				
Stramit Condeck HP® ZAM	Hi Tensile steel G550 300mm effective cover	CONHP75IZM	0.75	per m ²
		CONHP90IZM	0.90	per m ²
		CONHP100IZM	1.00	per m ²
	10 x 16 Hex Tekes (no neoprene washers)	S1016HNNH		per 100
For lap fixing refer to Stramit Condeck HP® composite decking brochures				

ZAM COATED CONDECK HP


The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.


*Based on results from a comparison test of ZAM coating 380gsm (grams per square metre, nominal coating weight for both sides) with standard galvanised steel Z350gsm.

ZAM, the highly corrosion-resistant hot dip coated steel sheet, is

- A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3%
- The designation "ZAM" comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.


Condeck HP® Plus	CONHPP100GA	lin metre
-------------------------	--------------------	-----------





Stramit® Edgeforma 	100mm	CONEF100GA	0.95	lin m
	125mm	CONEF125GA	0.95	in m
	150mm	CONEF150GA	0.95	lin m
	175mm	CONEF175GA	0.95	lin m
	200mm	CONEF200GA	0.95	lin m
	250mm	CONEF250GA	1.20	lin m

Available cut to length to maximum of 8.0m at listed rates.


* Edgeforma can be custom made to slab height.

Stramit PrimeForm™ 	Hi Tensile steel G550 600mm effective cover	PF60GA		per m ²
		PF75GA		per m ²

FRAMING • BATTENS

Product Framing/Battens	Details	Code	Size	BMT	Unit
Builders Strapping 	32mm x 1.2mm 50M Roll	BST321250			per roll
	32mm x 1.6mm 50M Roll	BST321650			per roll
	38mm x 1.2mm 50M Roll	BST381250			per roll
	38mm x 1.6mm 50M Roll	BST381650			per roll
Roof Batten 	Roof Batten 6.0m	RB40TC6000	40x40x15		each
	Roof Batten 7.5m	RB40TC7500	40x40x15		each
	Roof Batten Screws	S1240H17NN			per 1000
	Ceiling Batten 6.1m	CBTC61	24x26x10	0.42	each
<i>Steel framing sections are cut to length to order. Manufactured in Melbourne, allow extra lead time.</i>					
Stramit® Trim Angle 	30 x 30	TA3012GA	GA	1.2mm	lin metre
	50 x 50	TA5012GA	GA	1.2mm	lin metre
	38 x 38	TA3875ZA	ZA	0.75mm	lin metre
<i>Manufactured in Melbourne, allow extra lead time.</i>					

TOP HATS

Product Top Hats/Eave Purlins	Details	Code	Finish	BMT	Unit
Stramit® Top Hat Batten Tapered End 	<i>NOTE: Minimum Length 1.500 metres</i> (A x B x C x D)				
	50mm Top Hat (50 x 34 x 20 x 6)	TH5075ZA TH50100ZA	ZA ZA	0.75mm 1.00mm	lin metre* lin metre*
	64mm Top Hat (64 x 34 x 20 x 6)	TH6475ZA TH64100ZA	ZA ZA	0.75mm 1.00mm	lin metre* lin metre*
	75mm Top Hat (75 x 34 x 20 x 6)	TH7575ZA TH75100ZA	ZA ZA	0.75mm 1.00mm	lin metre* lin metre*
	96mm Top Hat (96 x 34 x 20 x 6)	TH9675ZA TH96100ZA	ZA ZA	0.75mm 1.00mm	lin metre* lin metre*
	120mm Top Hat (120 x 34 x 20 x 6)	TH12070ZA TH12090ZA	ZA ZA	0.70mm 0.90mm	lin metre* lin metre*

*Cut to length product available on standard lead times ex Melbourne.
 120mm (only) Top Hat manufactured in Sydney, min length 1.5m / max length 9m
 – 12 working day lead time, other sizes available cut to length or in stock sizes.*

ROOF VENTILATION

Product Roof Ventilation	Details	Code	Finish	Unit
Ventilated Ridge Factory Type (Tapered)	150mm Throat	PURSPEC PURSPEC	ZA	lin metre
	Standard		CB	lin metre
	225mm Throat	PURSPEC PURSPEC	ZA	lin metre
			CB	lin metre
	300mm Throat	PURSPEC PURSPEC	ZA	lin metre
			CB	lin metre
	380mm Throat	PURSPEC PURSPEC	ZA	lin metre
			CB	lin metre
	Stop Ends	PURSPEC PURSPEC	ZA	
	150mm		CB	
	225mm	PURSPEC PURSPEC	ZA	
			CB	
	All other sizes loose	PURSPEC PURSPEC	ZA	
	CB			

**Refer to Sales for Vent Ridge packing charge – this will vary with length and quantity.
 Allow additional lead time.
 Maximum Length 4.5 metres.
 Type of roof and pitch must be specified.*

FLOORING • ACCESSORIES


Designed to meet the needs of domestic and light commercial construction, **Stramit®** Metal Floor Sections offer an economical, easy to use solution to floor framing and construction.

With a wide range of section sizes offering freedom in design of floor joists, bearers, pier sizes and location, the **Stramit®** Metal Floor Sections adapt to a variety of house designs and conditions.





These new section shapes also offer up to 30% more load capacity or 9% greater spanning performance than conventional C-sections.

The in-plane system saves building height or headroom and reduces brick or cladding costs.



- High tensile steel – for high strength and low weight
- Z350 Galvanised coating – to give long term protection to the steel base. Z350 coating exceeds requirements of the Building Code of Australia for most building areas
- Deeper sections – 235mm and 283mm joists allow for over 100mm pipe penetrations and standard toilet bends under floor
- 235mm joist – matches 3 courses of bricks
- Full range of sections – for economic design
- Designed to resist bounce – uses the latest technology to prevent low frequency vibration in the floor structure
- A complete system – with joists, bearers, brackets and accessories



Product Flooring/Accessories




	Details	Code	Unit
Stramit® Flooring			
Joists 	182 x 15	J18215	lin metre
	182 x 19	J18219	lin metre
	182 x 24	J18224	lin metre
	235 x 15	J23515	lin metre
	235 x 19	J23519	lin metre
	235 x 24	J23524	lin metre
	283 x 19	J28319	lin metre
283 x 24	J28324	lin metre	
Bearers 	182 x 19	B18219	lin metre
	182 x 24	B18224	lin metre
	235 x 19	B23519	lin metre
	235 x 24	B23524	lin metre
	283 x 19	B28319	lin metre
283 x 24	B28324	lin metre	
<i>Manufactured in Melbourne, allow extra lead time.</i>			
Brackets  	Angle Brackets	FCB1B (for B235/283)	each
	FCB3A 140mm (suit B182)	FCB3A	each
	FCB3B 190mm (suit B235)	FCB3B	each
Steel Stumps			
Steel stumps & other subfloor systems supplied by others. Refer next page for accessories. [Contact the Help Desk for supplier advice if required].			
Fasteners	10 x 16 Hex Head no neo	S1016HTNN4	per 1000
	Floor Screw 10G x 45	S1045WNGT	per 500
	Floor Screw 14G x 22	S1422HTNN4	per 500

FLOORING • ACCESSORIES

Product	Details	Ordering Code	Unit
Structural Sections			
	75mm stump base*	FSMBS75B75	each
	90mm high fin plate*	FSMBS75T75	each
	180mm fin plate*	FSMBS75T180	each
	230mm fin plate*	FSMBS75T230	each
	280mm fin plate*	FSMBS75T280	each
	75mm stump multi-top*	FSMBS75MT75	each
	centre fin plate tops*	FSMBS75CT180	each
	75mm light duty base*	FSMBS75LDB75	each
	75mm post sleeve	FSMDPS75	each
	90mm post sleeve	FSMDPS90	each
	50mm bracing bracket & washer	FSMEBUB50	each
	75mm bracing bracket & washer	FSMEBUB75	each
	90mm bracing bracket & washer	FSMEBUB90	each
	Heavy duty connector bracket	FSMAS50B50	each
	Inline Flooring Connector	FSMHIB12050GA	each
	3mm G-bond hinged connectors	FSMHCBH90GA	each
	55mm wide x 90mm high joist bracket	FSMHCBWB90GA	each
	55mm wide x 140mm high joist bracket	FSMHCBWB140GA	each
	180mm Fin Plate	FSMJAST90200	each
	230mm Fin Plate	FSMJAST90250	each
	180mm Fin Plate	FSMJAST75180	each
	180mm Centre Top Fin Plate	FSMJAST75CT180	each
	Centre column	FSMKBPMB90A	each
	Corner column	FSMKBPMB90B	each

*A complete flooring system take off service is now available upon request. Please contact your Stramit Account Manager.

PATIO ROOFING DECKING

Product	Details	Ordering Code	BMT mm	Unit
Roofing/Cladding/Accessories				
Stramit Sunset®				
 <p>290 Overall Sheet Width 335</p>	Sunset Decking GLS Classic Crm/Classic Crm	SS42DLCLC		per m ²
	Sunset Decking GLS Classic Crm/WIL	SS42DL07		per m ²
	Sunset Decking GLS Dover White/SUR	SS42DL05		per m ²
	Sunset Decking GLS Paperbark/Paperbark	SS42DLPPB		per m ²
	Sunset Decking GLS ClassicCrm/WDG	SS42DL09		per m ²
	<p>To convert prices to linear metres multiply by cover of sheet (ie 0.290). Supply ex Erskine Park. **Gloss colour is on the bottom. Please confirm at time of order. All Product packaged for maximum protection. Price quoted is an effective cover per square metre price.</p>			
Fibreglass	To suit Stramit Sunset® sheeting (available in opal only)	TSGSS240PA		lin metre
				
Sunset® Foam Insert	Infill strip for Stramit Sunset® sheeting (310mm)	SSWS3787		each
				
Fibreglass Foam Insert	Infill strip for Stramit Sunset® fibreglass sheeting (290mm)	SSWS3788		each
				
Sunset® Back Channel	Available in 3.0 & 5.0m stock lengths only			
		RCSSHCLC30/50		each
		RCSSHDVW30/50		each
		RCSSXPPB30/50		each
		RCSSZA30/50		each
Fasteners	10 x 16 Hex Head SDS (for fixing to steel) NOTE: Class 4 screws available on request. All fasteners comply with Australian Standard AS3566 Class 3.	S1016HT4 S1016HT***4	Plain Colour	per pack 1000 per pack 1000
				

DOUBLE SIDED ROOFING

	Gloss Dover White/Surfmist	C42DL05	0.42	m ²
	Gloss Classic Cream/Classic Cream	C42DLCLC	0.42	m ²
	Gloss Paperbark/Paperbark	C42DLPPB	0.42	m ²
	Gloss Dover White/Surfmist	MC42DL05	0.42	m ²
	Gloss Classic Cream/Classic Cream	MC42DLCLC	0.42	m ²
	Gloss Paperbark/Paperbark	MC42DLPPB	0.42	m ²
	Gloss Dover White/Surfmist	LS42DL05	0.42	m ²
	Gloss Classic Cream/Classic Cream	LS42DLCLC	0.42	m ²
	Gloss Paperbark/Paperbark	LS42DLPPB	0.42	m ²
	Price quoted is an effective cover per square metre price.			













COLORBEAM

Details	Ordering Code	Finish	BMT mm	Flange Thickness mm	Unit	
	Colorbeam 100x50 4.0m	CSB10011GA40	GA	0.55	1.1	each
	Colorbeam 100x50 4.5m	CSB10011GA45	GA	0.55	1.1	each
	Colorbeam 100x50 5.0m	CSB10011GA50	GA	0.55	1.1	each
	Colorbeam 100x50 5.5m	CSB10011GA55	GA	0.55	1.1	each
	Colorbeam 100x50 6.0m	CSB10011GA60	GA	0.55	1.1	each
	Colorbeam 100x50 6.5m	CSB10011GA65	GA	0.55	1.1	each
	Colorbeam 100x50 7.0m	CSB10011GA70	GA	0.55	1.1	each
	Colorbeam 100x50 7.5m	CSB10011GA75	GA	0.55	1.1	each
	Colorbeam 100x50 8.0m	CSB10011GA80	GA	0.55	1.1	each
	Colorbeam 100x50 4.0m	CSB10011CLC40	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 4.5m	CSB10011CLC45	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 5.0m	CSB10011CLC50	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 5.5m	CSB10011CLC55	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 6.0m	CSB10011CLC60	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 6.5m	CSB10011CLC65	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 7.0m	CSB10011CLC70	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 7.5m	CSB10011CLC75	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 8.0m	CSB10011CLC80	Classic Cream	0.55	1.1	each
	Colorbeam 150x50 4.0m	CSB15015GA40	GA	0.75	1.5	each
	Colorbeam 150x50 4.5m	CSB15015GA45	GA	0.75	1.5	each
	Colorbeam 150x50 5.0m	CSB15015GA50	GA	0.75	1.5	each
	Colorbeam 150x50 5.5m	CSB15015GA55	GA	0.75	1.5	each
	Colorbeam 150x50 6.0m	CSB15015GA60	GA	0.75	1.5	each
	Colorbeam 150x50 6.5m	CSB15015GA65	GA	0.75	1.5	each
	Colorbeam 150x50 7.0m	CSB15015GA70	GA	0.75	1.5	each
	Colorbeam 150x50 7.5m	CSB15015GA75	GA	0.75	1.5	each
	Colorbeam 150x50 8.0m	CSB15015GA80	GA	0.75	1.5	each
	Colorbeam 150x50 4.0m	CSB15015CLC40	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 4.5m	CSB15015CLC45	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 5.0m	CSB15015CLC50	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 5.5m	CSB15015CLC55	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 6.0m	CSB15015CLC60	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 6.5m	CSB15015CLC65	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 7.0m	CSB15015CLC70	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 7.5m	CSB15015CLC75	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 8.0m	CSB15015CLC80	Classic Cream	0.75	1.5	each
	Colorbeam 200x50 4.0m	CSB20020GA40	GA	1.0	2.0	each
	Colorbeam 200x50 5.0m	CSB20020GA50	GA	1.0	2.0	each
	Colorbeam 200x50 6.0m	CSB20020GA60	GA	1.0	2.0	each
	Colorbeam 200x50 7.0m	CSB20020GA70	GA	1.0	2.0	each
	Colorbeam 200x50 8.0m	CSB20020GA80	GA	1.0	2.0	each
	Colorbeam 200x50 4.0m	CSB20020CLC40	Classic Cream	1.0	2.0	each
	Colorbeam 200x50 5.0m	CSB20020CLC50	Classic Cream	1.0	2.0	each
	Colorbeam 200x50 6.0m	CSB20020CLC60	Classic Cream	1.0	2.0	each
	Colorbeam 200x50 7.0m	CSB20020CLC70	Classic Cream	1.0	2.0	each
Colorbeam 200x50 8.0m	CSB20020CLC80	Classic Cream	1.0	2.0	each	

Lead Time 10 Days

10 Units Per Pack

COLORBEAM

	Details	Ordering Code	Finish	Unit
	Colorbeam Framing Bracket 100	CSAFB100GA	GA	each
	Colorbeam Framing Bracket 150	CSAFB150GA	GA	each
	Colorbeam Framing Bracket 200	CSAFB200GA	GA	each
	Colorbeam Framing Bracket 100	CSAFB100CLC	Classic Cream	each
	Colorbeam Framing Bracket 150	CSAFB150CLC	Classic Cream	each
	Colorbeam Framing Bracket 200	CSAFB200CLC	Classic Cream	each
	Colorbeam Frame Bracket 100 15deg	CSAFB10015GA	GA	each
	Colorbeam Frame Bracket 150 15deg	CSAFB15015GA	GA	each
	Colorbeam Frame Bracket 200 15deg	CSAFB20015GA	GA	each
	Colorbeam Frame Bracket 100 15deg	CSAFB10015CLC	Classic Cream	each
	Colorbeam Frame Bracket 150 15deg	CSAFB15015CLC	Classic Cream	each
	Colorbeam Frame Bracket 200 15deg	CSAFB20015CLC	Classic Cream	each
 <p>(15° and 22.5°)</p>	Colorbeam Frame Bracket 100 22deg	CSAFB10022GA	GA	each
	Colorbeam Frame Bracket 150 22deg	CSAFB15022GA	GA	each
	Colorbeam Frame Bracket 200 22deg	CSAFB20022GA	GA	each
	Colorbeam Frame Bracket 100 22deg	CSAFB10022CLC	Classic Cream	each
	Colorbeam Frame Bracket 150 22deg	CSAFB15022CLC	Classic Cream	each
	Colorbeam Frame Bracket 200 22deg	CSAFB20022CLC	Classic Cream	each
 <p>(15° and 22.5°)</p>	Colorbeam Apex 100 15deg	CSAB10015GA	GA	each
	Colorbeam Apex 150 15deg	CSAB15015GA	GA	each
	Colorbeam Apex 200 15deg	CSAB20015GA	GA	each
	Colorbeam Apex 100 22deg	CSAB10022GA	GA	each
	Colorbeam Apex 150 22deg	CSAB15022GA	GA	each
	Colorbeam Apex 200 22deg	CSAB20022GA	GA	each
	Colorbeam Apex Plate Cover 100 15deg	CSACP10015GA	GA	each
	Colorbeam Apex Plate Cover 150 15deg	CSACP15015GA	GA	each
	Colorbeam Apex Plate Cover 200 15deg	CSACP20015GA	GA	each
	Colorbeam Apex Plate Cover 100 22.5deg	CSACP10022GA	GA	each
	Colorbeam Apex Plate Cover 150 22.5deg	CSACP15022GA	GA	each
	Colorbeam Apex Plate Cover 200 22.5deg	CSACP20022GA	GA	each
	Colorbeam Suspension Bracket 100	CSSB100GA	GA	each
	Colorbeam Suspension Bracket 150	CSSB150GA	GA	each
	Colorbeam Suspension Bracket 200	CSSB200GA	GA	each
	Colorbeam Suspension Bracket 100	CSSB100CLC	Classic Cream	each
	Colorbeam Suspension Bracket 150	CSSB150CLC	Classic Cream	each
	Colorbeam Suspension Bracket 200	CSSB200CLC	Classic Cream	each
	Colorbeam Corner Bracket 100	CSCB100GA	GA	each
	Colorbeam Corner Bracket 150	CSCB150GA	GA	each
	Colorbeam Corner Bracket 200	CSCB200GA	GA	each

NOTES

TERMS AND CONDITIONS OF SALE

EFFECTIVE DATE: 1 APRIL 2018

IN THIS DOCUMENT THE FOLLOWING WORDS HAVE THE FOLLOWING MEANINGS:

Account Number means the computer-generated identification number given by Stramit to the Buyer;

All Present and After Acquired Property have the meanings given to those terms under the PPS Act;

Any Other Agreement means any deed, guarantee, indemnity, security, contract, terms, conditions or agreement between any of Stramit, the Buyer, a guarantor and/or a co-surety or any of their related bodies corporate (as defined in the Corporations Act 2001) in respect of or in connection with any contract for sale of Goods and/or Services and the Guaranteed Debt;

Credit Application means the application for a Credit Account made by the Buyer;

Australian Consumer Law means the Australian Consumer Law in the Competition and Consumer Act 2010 (Cth);

Buyer means the person or entity who has applied for a Credit Account and includes the person, partnership, corporation or other legal entity which places an Order with Stramit for the supply of Goods and/or Services;

Circulating and Non-Circulating Assets have the meanings given to those terms under the PPS Act;

Contract has the meaning given to that term in clause 1.1 of the Sale Terms;

Consumer means a consumer as that term is defined in the Australian Consumer Law;

Credit Account means the commercial credit account the Buyer has with Stramit under the Credit Terms;

Credit Limit means the maximum cumulative monetary limit for all debts owed by the Buyer to Stramit at any time for Goods and Services purchased on credit;

Credit Terms means the terms and conditions of the Credit Account as set out below;

Delivery Site means the Buyer's premises or a site nominated by the Buyer for delivery of Goods;

Event of Default means any means any one or more of the following: (a) if the Buyer fails to take delivery of, or to pay for Goods and/or Services by the due date or otherwise breached any other term of any Contract; or (b) if an administrator, liquidator or provisional liquidator or external manager is appointed in respect of the Buyer; or (c) the Buyer enters into any composition or arrangement with its creditors; or (d) Stramit has reasonable grounds for suspecting that an event in (b) or (c) has occurred; Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (e) Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (f) contractual performance by either Stramit or the Buyer is delayed or prevented due to any Force Majeure Event.

Force Majeure Event means any event outside a party's reasonable control including acts of God, declared or undeclared war, act of terrorism, fire, flood, storm, earthquake, hurricane, cyclone, riot, power failure, industrial action, defaults of manufacturers or suppliers, the inability to obtain equipment, supplies or other facilities that are not caused by a failure to pay, labour disputes, theft, any criminal act or other similar events beyond a party's control that may prevent or delay a party from performing their obligations under any Contract;

Goods means the building products requested by the Buyer in its Order and includes Special Building Products and the proceeds (as defined in the PPS Act) of those Goods;

Guaranteed Debts means the debts guaranteed by a guarantor;

GST means goods and services tax as defined under the A New Tax System (Goods and Services Tax) 1999;

Interest Rate means the rate of 6% above the cash rate last published by the Reserve Bank of Australia (as at the due date).

Order means a request by the Buyer to Stramit for the supply of Goods and/or Services;

Part means any part of the Credit Account;

PPS Act means the Personal Property Securities Act 2009, and includes the Personal Property Securities Regulations 2010 and any amendments or re-enactments of the PPS Act or the Regulations;

PPS Register means the personal properties security register established under the PPS Act;

Price List means the Customer price list issued by Stramit from time to time in the particular Stramit region in which an Order is placed;

Purchase Order Number is the Buyer's identifier to be supplied by the Buyer to Stramit when placing an Order;

Sale Terms means the terms and conditions of sale and supply of Goods and Services by Stramit to the Buyer as set out below and the terms set out in the Price List;

Security Interest has the meaning given to it under the PPS Act;

Services means any services performed by Stramit for the Buyer associated with

Stramit's supply of Goods, including delivery of the Goods;

Small Business Contract means a contract for the supply of goods or services where:

(1) at the time the contract is entered into, at least one party to the contract is a business that employs fewer than 20 persons; and

(2) either of the following applies:

(A) the upfront price payable under the contract does not exceed \$300,000;

(B) the contract has a duration of more than 12 months and the upfront price payable under the contract does not exceed \$1,000,000.

However, if the relevant parts of the definition of 'Small Business Contract' under the Australian Consumer Law are amended at any time, this definition is also amended accordingly;

Special Building Products means building products produced by Stramit which the Buyer requests Stramit to produce according to a design, drawing or specification provided to Stramit by the Buyer and goods and materials which the Buyer requests Stramit to process, purchase or supply;

Stramit means: (a) Stramit Corporation Pty Ltd ABN 57 005 010 195; (b) its successors and assigns; and (c) the seller of Goods and Services under the business names 'Stramit Building Products', 'Eziform Sheetmetal' and 'Taurean Door Systems'.

SALE TERMS

Words commencing with a capital letter and in bold are defined in these Sales Terms.

1. TERMS APPLICABLE TO THE SUPPLY OF GOODS AND/OR SERVICES

1.1 The contract between the Buyer and Stramit is constituted by: (i) the Sale Terms; (ii) the Credit Terms; (iii) each other Part (excluding the Guarantee); and (iv) to the extent to which Stramit accepts an order in accordance with clause 2.2 (each a "Contract"). The Sales Terms, the Credit Terms, each other Part (excluding the Guarantee) and the extent to which Stramit accepts the Order govern all contracts for the supply of Goods and/or Services by Stramit to the Buyer and constitute the entire agreement in connection with the supply of Goods and/or Services between Stramit and the Buyer.

1.2 All prior representations, trade custom or previous dealings between Stramit and the Buyer are excluded and are not applicable in the interpretation of the contract. No modification or variation to the Sale Terms or Credit Terms, any additional terms or conditions or any terms inconsistent with the Sale Terms or Credit Terms provided by the Buyer (whether put forward in the Order, the Buyer's specification or otherwise) will bind Stramit, unless expressly and specifically agreed to in writing by Stramit. These Sale Terms and Credit Terms supersede any terms and conditions which have previously governed a contract for the sale of Goods and/or supply of Services by Stramit to the Buyer. The Sale Terms and Credit Terms will prevail to the extent of any inconsistency between them and any quotation, Order or other documents from the Buyer. These Sale Terms and Credit Terms bind the Buyer even if Stramit or the Buyer do not sign them promptly or at all.

1.3 To the extent permitted by the PPS Act the parties agree to contract out of the following sections of the PPS Act:

1.3.1 to the extent that Stramit is required to give notice to the Buyer: sections 95, 118, 121(4), 130 and 135; and

1.3.2 sections 125, 132(3)(d) and 132(4).

1.4 The Buyer waives its rights to receive notice from Stramit of a registration event under section 157(1) of the PPS Act.

1.5 Stramit may at any time, and from time to time vary these Sale Terms and/or Credit Terms by notice in writing to the Buyer, or by updating the Sales Terms and/or Credit Terms found on Stramit's website, www.stramit.com.au. Subject to Clause 2, if the Contract is a Small Business Contract, then the Buyer may consider the variation and, if not acceptable, may elect not to proceed with the purchase of the Goods or Services ordered before the date of the variation but which are intended to be subject to the variation. If the Contract is not a Small Business Contract, the Buyer agrees that Goods delivered and Services performed and/or ordered after the date of a notice of variation will be subject to the variation and acceptance of the Goods or Services or the placing of the Order shall be deemed to be an acceptance of such varied terms and conditions. Sale Terms shall apply from the date of alteration. A copy of current Sale Terms can be found on Stramit's website, www.stramit.com.au. The Buyer acknowledges and warrants that he/she/it will regularly inspect the said website for any updated or altered Sale Terms.

2. ORDERING AND SUPPLY OF GOODS AND/OR SERVICES

2.1 The Buyer may place an Order verbally or in writing. An Order constitutes an offer by the Buyer to purchase Goods and/or Services from Stramit pursuant to Clause 1.1.

2.2 Stramit may accept or decline, in whole or in part, any Order. Acceptance may be verbal or in writing, or by Stramit delivering or

making the Goods and/or Services available for collection (whichever occurs first). Acceptance of an Order by Stramit gives rise to a Contract for the supply of the ordered Goods and/or Services on these Sale Terms.

- 2.3 Stramit may, in its sole discretion, agree to a written request from the Buyer for cancellation or variation (including variation to delivery times) of a Contract under clause 2.2. Stramit's acceptance must be in writing.

3. PRICES, QUOTATIONS PAYMENT AND DEFAULT

- 3.1 Unless otherwise expressly agreed in writing, the amount payable for the Goods and/or Services will be the price on Stramit's invoice plus any duties, fees, taxes (including GST), delivery charges and levies charged or imposed on or in respect of a Contract referred to in clause 2.2, plus any amount that reflects any increase in exchange rates, costs of labour, materials and overheads in connection with Stramit's supply.
- 3.2 Until Stramit confirms that a credit facility has been granted to the Buyer, all Goods and Services must be paid for on a cash on delivery or performance basis. If a credit facility has been granted, the Buyer must pay Stramit for the Goods and/or Services either:
- 3.2.1 as required by the Credit Terms; or
- 3.2.2 if required by Stramit, prior to Stramit ordering materials or commencing manufacture of the Goods.
- 3.3 A quotation will not constitute an offer to sell Goods or Services to the Buyer. No Contract for the supply of Goods or Services will exist between the Stramit and Buyer until Buyer's order for Goods or Services has been accepted by Stramit (such acceptance of the Buyer's order may be made and communicated by Stramit in writing or by over act of acceptance).
- 3.4 Any written quotation provided by Stramit expires on the date stated or otherwise 30 days after the date the quotation is issued by Stramit. Stramit may withdraw or vary a quotation before accepting an Order. Prior to acceptance of an Order of the Goods by Stramit, if there is an increase in Stramit's costs or pricing, then Stramit may increase its quoted price and the Buyer must pay the increased price.
- 3.5 If the Buyer commits an Event of Default then:-
- 3.5.1 all monies payable (including under a Credit Account, or under any Agreement) by the Buyer to Stramit may, at Stramit's election, become immediately due and payable notwithstanding the due date for payment may not have expired; and
- 3.5.2 Stramit, without prejudice to any other rights Stramit may have, may do any or all of the following:
- (i) suspend or withdraw the Credit Account;
 - (ii) terminate or suspend the whole or any outstanding part of any Contract in force between Stramit and the Buyer;
 - (iii) recover from the Buyer the cost of materials or goods acquired for the purpose of future deliveries Goods or the performance of Services;
 - (iv) immediately re-possess any Goods to which title has not passed.
 - (v) charge interest to the Buyer at the Interest Rate calculated daily on any overdue amount and payable together with the overdue amount;
 - (vi) immediately enforce any security it holds over the land or personal property of the Buyer; and
 - (vii) register a default with any credit reference facility
- 3.6 Stramit may in its sole discretion apply any payment received from the Buyer towards any debt (including interest charged under clause 3.5.2(v)) owed by the Buyer to Stramit at any time.
- 3.7 If in Stramit's reasonable opinion the financial position or status of the Buyer requires it, Stramit may refuse to make a delivery or cancel any contract under clause 2.2.
- 3.8 The Buyer must pay to Stramit on demand all reasonably incurred costs, charges and expenses (including legal expenses on an indemnity basis) that Stramit incurs as a result of any breach of these Sale Terms or Contract by the Buyer.
- 3.9 The Buyer must supply Stramit with its Account Number and Purchaser Order Number at the time of placing the Order. The Buyer is liable to pay the amount of an invoice, regardless of whether the Buyer's Account Number or Purchase Order Number is included on the invoice.
- 3.10 The Buyer is liable for all purchases made under its account number and/or account name. It is not the responsibility of Stramit to confirm authority for the purposes of supplying Goods or Services to Buyer, its agent(s) or those who Stramit deems to be its agents. It is the sole responsibility of Buyer to ensure there is no unauthorised use of their account number or name. A statement on a certificate given by Stramit setting out the quantities, descriptions, prices and dates and other information in respect of Goods and/or Services will be conclusive and binding on the parties in the absence of manifest error.
- 3.11 The Buyer will not assert any right of set-off against Stramit and will pay all sums due and payable without deduction.

4. DELIVERY AND COLLECTION

- 4.1 Stramit may:
- 4.1.1 make the Goods available for collection at Stramit's premises; or
- 4.1.2 deliver (or arrange delivery) of the Goods in the manner it deems fit to the Delivery Site.
- 4.2 The Buyer's Order must specify if the Goods are to be delivered to the Delivery Site or collected from Stramit. If delivery is specified then the Delivery Site must be nominated.
- 4.3 Stramit will advise the Buyer of the estimated delivery or collection date and time and may alter it if necessary. Any times quoted for delivery are estimates only and Stramit may supply by installments. To the extent permitted by law, Stramit will not be liable to the Buyer for any costs, loss or damage whatsoever (including indirect or consequential loss) caused directly or indirectly by any delay or failure to deliver the Goods or to perform the services or to make the Goods available for collection on the date or at the time specified. The Buyer must accept and pay for the Goods and/or the Services notwithstanding any extension or delay in the delivery or the availability of Goods for collection or in the performance of the Services.
- 4.4 If the Buyer does not collect the Goods by the collection date, then Stramit may, without limiting any other rights available to it, store the Goods or deliver them to the Delivery Site and the Buyer must, on demand, pay all costs of delivery and any additional charges (including storage costs) and costs incurred by Stramit.
- 4.5 The Buyer must provide a suitable and safe area at the Delivery Site to unload the Goods and ensure that Stramit's (or its agent, employee or contractor) use of the Delivery Site conforms to occupational health and safety legislation. The Buyer indemnifies and holds harmless Stramit (or its agent, employee or contractor) from any and all claims arising out of delivery of the Goods, except to the extent the Stramit (or its agent, employee or contractor) have been negligent or breached the law or the Contract.
- 4.6 If the Delivery Site is unattended, the Buyer authorises, Stramit or its contractors to deposit the Goods at the Delivery Site or retain the Goods if delivery is, in Stramit's reasonable opinion inappropriate. Stramit will not be obliged to obtain a signed receipt or other acknowledgment from any person at the nominated place for delivery but if a signed receipt or other acknowledgment is obtained from someone believed by Stramit to be authorised by Buyer to sign or otherwise take delivery, then such signed receipt or other acknowledgement will be conclusive evidence of Buyer's acceptance of the good delivered. The Buyer will indemnify and hold Stramit (and its contractors) harmless from any loss or damage caused by the depositing of Goods at an unattended Delivery Site.
- 4.7 To the extent permitted by law, Stramit will not be liable to the Buyer or to its employees or agents for any property damage or personal injury arising from any loading, unloading or delivery of the Goods. The Buyer indemnifies Stramit from any loss or damage suffered by Stramit as a result of any property damage or personal injury caused by the delivery and unloading of Goods except for and to the extent that the loss, damage or liability is caused by a negligent act or omission of Stramit or its contractors.
- 4.8 The Buyer must pay all costs and fees resulting from any or all of the following:
- 4.8.1 any delay in delivery caused by the Buyer or the Delivery Site conditions;
- 4.8.2 unexpected labour costs;
- 4.8.3 Delivery Site conditions resulting in the incurring of additional costs and
- 4.8.4 the nature of the Goods and/or Services ordered by the Buyer.
- 4.9 The Buyer must pay for any permit or licence or other extraordinary costs of transporting or delivering ordered Goods, including wide or long loads.
- 4.10 The Buyer must notify Stramit of any claim in writing within:
- 4.10.1 2 days after delivery or collection that the Goods supplied do not accord with those ordered;
- 4.10.2 14 days of receiving an invoice from Stramit that it disputes the invoice;
- 4.10.3 (if the Buyer is not a Consumer) 2 days of delivery or collection of Goods that it is alleged they are defective or damaged; or
- 4.10.4 (if the Buyer is not a Consumer) 2 days of performance of any allegedly deficient Services, and the Buyer will be taken to have accepted the Goods as delivered and/or the Services as performed or the invoice as rendered if the Buyer fails to so notify Stramit, and must pay for the Goods or Services in full.
- 4.11 If the Buyer is a Consumer, the Buyer must notify Stramit for matters within the contemplation of sub-clauses 4.10.3 and 4.10.4 within a reasonable time, and in any event promptly upon becoming aware of a claim within the contemplation of sub-clauses 4.10.3 and 4.10.4.

5. PASSING OF RISK

The risk of any loss or damage to or deterioration of the Goods from any cause whatsoever passes from Stramit to the Buyer, on the earlier of, when the Buyer takes possession of the Goods or otherwise if:

- 5.1 the Buyer collects the Goods and if Stramit or its contractors have loaded the Goods for the Buyer, when the Goods are fully loaded onto the Buyer's vehicle or vessel;
- 5.2 Stramit delivers the Goods to the Delivery Site and the Buyer unloads the Goods, when the Buyer begins unloading the Goods; or
- 5.3 Stramit delivers the Goods and unloads them at the Delivery Site, when Stramit has finished unloading the Goods.

6. RETENTION OF TITLE

- 6.1 The Buyer agrees that legal and equitable title to the Goods remains with Stramit until the Buyer has paid for the Goods in full and has paid all other money owing for any reason at any time under any contract, agreement or account between Stramit and the Buyer, including all payments to be made under clauses 3.1 and 3.8.
- 6.2 Until title to the Goods passes, the Buyer:
 - 6.2.1 holds the Goods as the bailee and fiduciary agent of Stramit;
 - 6.2.2 must store the Goods separately and securely and in such manner as to indicate clearly that they remain the property of Stramit;
 - 6.2.3 must insure the Goods for their full replacement value;
 - 6.2.4 must not create or allow to be created any Security Interest or any other form of encumbrance over the Goods which is inconsistent with Stramit's title to the Goods;
 - 6.2.5 must not assign, charge or encumber or grant any interest over any obligations which any third party may owe to the Buyer as a result of the use, manufacture or resale of the Goods;
 - 6.2.6 may not claim any lien or interest in the Goods to secure any liquidated or un-liquidated debt or obligation that Stramit owes to the Buyer; and
 - 6.2.7 must not remove, deface or obliterate any identifying plate, mark or number on any of the Goods.
- 6.3 Despite clause 6.2, unless Stramit notifies the Buyer to the contrary, the Buyer may, in the ordinary course of its business:
 - 6.3.1 re-sell the Goods (Re-sold Goods), but only as a fiduciary agent of Stramit, in which case the Buyer must perform in favour of Stramit all the obligations and assume all of the liabilities of a fiduciary agent. Any right to bind Stramit to any liability to a third party by contract or otherwise is expressly excluded; and
 - 6.3.2 use any of the Goods or part of the Goods in a manufacturing or construction process of its own or of a third party which manufactures, processes, assembles or commingles the Goods so that they become part of a product or mass (Manufactured Product), in which case it will hold the Manufactured Product on trust for Stramit as bailee and fiduciary agent of Stramit and may sell the Manufactured Product.
- 6.4 If the Buyer re-sells or deals with the Goods or the Manufactured Product before title to the Goods passes to the Buyer, then the Buyer:
 - 6.4.1 assigns absolutely and unconditionally in favour of Stramit the Buyer's entitlement to all the proceeds of the re-sale or dealing, and must notify the purchaser in writing of the assignment at the time of the re-sale or dealing; and
 - 6.4.2 will hold such part of the proceeds of the re-sale or dealing on trust for and as the fiduciary agent of Stramit immediately when they are received or receivable.
- 6.5 When referring to "such part" in sub-clause 6.4.2 and/or for the purpose of quantifying the amount of money paid to the Buyer and held in trust for Stramit from the proceeds of the sale of or dealing with the Goods or Manufactured Product, that part or amount will be equal in dollar terms to the value of the Goods on the day on which they become part of the Manufactured Product.
- 6.6 The Buyer must keep the proceeds in a separate bank account until the liability to Stramit is discharged.
- 6.7 If the amount payable for all Goods sold by Stramit to the Buyer is greater than the sum of:
 - 6.7.1 the proceeds actually received by Stramit in respect of all dealings by the Buyer with the Goods (including the sale of Re-Sold Goods or Manufactured Product); and
 - 6.7.2 all other payments received by Stramit in respect of the Goods, then the difference remains a debt owing by the Buyer to Stramit.
- 6.8 Where the Buyer has not paid for the Goods in full by the due date for payment, then the Buyer irrevocably authorises Stramit to repossess the Goods and to enter any site owned, possessed or controlled by the Buyer at any time and without notice to search for, inspect or repossess the Goods, whether such Goods are in their original form, or in a modified form or mixed with other products of the Buyer. Stramit is not liable to the Buyer as a result of any action taken pursuant to this clause, except to the extent that Stramit has been negligent or breached the law or the Contract. Stramit may delay taking action to dispose of or retain the repossessed Goods under the PPS Act for a period of up to 12 months.
- 6.9 Stramit's property in the Goods remains absolute even if the Goods have become fixtures to the premises of the Buyer or a third party. If Stramit enters those premises to reclaim possession of the Goods and incurs any liability to a third party in connection with the entry or reclamation, or if the Buyer suffers any loss or damage as a result of the entry or reclamation, then Stramit will not be liable to the Buyer for any liability, loss or damage and the Buyer indemnifies Stramit against any liability, loss or damage to any third party except to the extent Stramit

has been negligent or breached the law or the Contract.

- 6.10 The provisions of this clause 6 apply despite any arrangement between the parties under which Stramit grants the Buyer credit.

7. DESCRIPTION OF BUILDING PRODUCTS AND SAMPLES

- 7.1 All physical samples and descriptions, specifications, illustrations, drawings, data, dimensions and weights in respect of the Goods contained in catalogues, the Price List or other Stramit advertising material are approximate, and are only intended by Stramit to be a general description.
- 7.2 Stramit may produce Goods with minor modifications from any of its samples, drawings and specifications (within acceptable manufacturing tolerances).
- 7.3 Stramit is not liable to the Buyer for any loss or damage suffered by the Buyer as a result of the Buyer relying upon any such specifications, illustrations, drawings, data, dimensions, weights or the characteristics of any samples except to the extent Stramit has been negligent or breached the law or the Contract.

8. TOOLS, EQUIPMENT, PATTERNS, DESIGNS AND SYSTEMS OF MANUFACTURE

- 8.1 Any tool, equipment, pattern, design or system of manufacture (Manufacturing Devices) acquired and used by Stramit in filling an Order remains the property of Stramit and cannot be used without Stramit's prior written authority.
- 8.2 Stramit may charge the Buyer for Stramit's acquisition and use of any Manufacturing Device. Payment of such charge will not vest in the Buyer any intellectual property rights or other rights in the Manufacturing Device.
- 8.3 Stramit may hire or lend tools or equipment to a Buyer on agreed terms. Stramit will invoice the Buyer for hire and delivery charges after the tools or equipment are in possession of the Buyer. The Buyer must pay the amount invoiced within 30 days of the invoice date.
- 8.4 The Buyer indemnifies and holds harmless Stramit against any claim, demand or suit arising out of any loss, damage or personal injury caused to the Buyer, its employees and agents or a third party by a tool or equipment provided by Stramit to the Buyer except to the extent Stramit has been negligent or breached the law or the Contract.

9. BUYER'S SPECIFICATIONS OR MATERIALS AND SPECIAL BUILDING PRODUCTS

- 9.1 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, then the Buyer agrees that:
 - 9.1.1 Stramit will not be responsible for any failure of any Special Building Products or lack of fitness for use or for any property damage or personal injury whatsoever caused by the Special Building Products.
 - 9.1.2 the Customer agrees that it does not rely on the skill or judgment of Stramit in relation to the suitability of any Special Building Products goods for a particular purpose; and
 - 9.1.3 any advice, recommendation, information or assistance provided by Stramit is provided without liability to Stramit whatsoever.
- 9.2 If the Buyer is a Consumer, or the Contract is a Small Business Contract, and Stramit, then the Buyer acknowledges and agrees that:
 - 9.2.1 it must install and operate the Special Building Products goods in accordance with any applicable installation instructions and/or manuals, and with professional skill, competence and due care having regards to the complexity and nature of the work; and
 - 9.2.2 any advice, recommendation, information or assistance provided by Stramit, is provided in good faith, relying upon the accuracy and completeness of information provided by Buyer to Stramit.
- 9.3 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract the Buyer will indemnify and hold Stramit harmless from:
 - 9.3.1 any direct or indirect loss or damage caused to, or suffered by, the Buyer or to any third party by the Special Building Products and the Buyer releases Stramit from all liability in respect of any fault or defect in any Special Building Product; and
 - 9.3.2 any claim, demand or suit arising out of Stramit's use of or reliance upon any design, specification or drawing provided to Stramit by the Buyer.
- 9.4 The Buyer warrants and represents that any designs, specifications or drawings it provides to Stramit for the manufacture of Special Building Products will not breach or infringe any copyright, patent or registered design or any other right of any third party. If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, the Buyer will indemnify and forever hold Stramit harmless from any loss, damage, liability or costs suffered or incurred by Stramit arising from a breach by the Buyer of this warranty and representation.
- 9.5 If Stramit, on request of the Buyer, processes the Buyer's materials, Stramit will not warrant that the materials supplied by the Buyer are suitable for such processing.
 - 9.6 Stramit will not be liable for any:
 - 9.6.1 failure of any processed Buyer's materials; or
 - 9.6.2 failure of any Goods manufactured using the Buyer's materials; or
 - 9.6.3 damage caused by or connected with the Buyer's materials at any time during or after processing by Stramit.

- 9.7 The Buyer must bear any additional expense or the cost of:
- 9.7.1 any testing or inspection of Goods manufactured using the Buyer's materials or any Special Building Products; and
- 9.7.2 any delay in processing caused by any defect in the Buyer's materials or by the nature of the Buyer's materials.

10. LIMITATION OF LIABILITY

- 10.1 Unless agreed in writing by Stramit, Stramit will not accept the return of goods. Goods accepted for return by Stramit may attract a charge to recover costs, restocking, disposal and repackaging charges. The amount of this charge will be determined by Stramit and recoverable from the Buyer. Proof of purchase from Buyer must accompany all goods returned to Stramit
- 10.2 If the Buyer is a Consumer or the Contract is a Small Business Contract, the provisions of this clause 10.2 apply:
 - (a) the Goods and Services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the Australian Consumer Law, Stramit's obligations to the Buyer in respect of a breach of any term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - (i) the repair or replacement of the Goods or the supply of equivalent Goods; or
 - (ii) paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - (iii) in the case of Services, the re-supply of Services or paying for the cost of resupplying the Services by a service provider approved in writing by Stramit.
- 10.3 Stramit's obligations, if clause 10.2 applies, do not include:
 - (i) the cost of removing defective Goods whether installed or otherwise;
 - (ii) the cost of installing replacement Goods; or
 - (iii) defects in Goods caused by improper installation or improper maintenance or care of Goods, or related components, or normal wear and tear.
- 10.4 Subject to clause 10.2, if the Buyer is not a Consumer or the Contract is not a Small Business Contract, all terms, representations, guarantees, implied warranties and conditions, whether implied by statute or otherwise, including as to merchantability, description, quality, suitability, or fitness for purpose as to design, assembly, installation, materials or workmanship or otherwise are expressly excluded. Stramit does not exclude, restrict or modify any liability that cannot be excluded, restricted or modified except to a limited extent, as between Stramit and the Buyer by law.
- 10.5 Stramit's obligations to the Buyer in respect of a breach of any a non-excludable term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - 10.5.1 the repair or replacement of the Goods or the supply of equivalent Goods; or
 - 10.5.2 paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - 10.5.3 in the case of Services, the re-supply of Services or paying for the cost of resupplying
- 10.6 Stramit's obligations if clause 10.5 applies do not include:
 - 10.6.1 the cost of removing defective Goods whether installed or otherwise;
 - 10.6.2 the cost of installing replacement Goods; or
 - 10.6.3 defects in Goods caused by improper installation or improper maintenance or care of Goods or related components or normal wear and tear.
- 10.7 To the extent permitted by law, Stramit will not be liable to the Buyer or any other person for any direct, indirect, special, incidental or consequential loss or damage (including loss or damage caused by negligence or any wilful act or default of Stramit, its employees or agents) whatsoever arising from the use of the Goods, or a breach of a contract under clause 2.2 or any statutory implied warranty, term or condition in relation to the Goods. In this clause, "direct, indirect, special, incidental or consequential loss or damage" includes (a) any loss of income, profit or business; (b) any loss of goodwill or reputation; and (c) any loss of value of intellectual property.
- 10.8 To the extent permitted by law, Stramit will not be liable to the Buyer, its employees or agents for any costs, claims, damages or demands arising from personal injury, loss or damage whatsoever occurring by reason of:
 - 10.8.1 the Goods or their design, production or processing;
 - 10.8.2 the Services;
 - 10.8.3 any act or omission of Stramit, its employees or agents; or
 - 10.8.4 any statement, representation, recommendation, advice, supervision or assistance made or given by an employee or agent of Stramit, whether oral or written.
- 10.9 Stramit will not be responsible for the consequences of any technical advice given by its employees or agents in relation to the design, specifications, installation or use of Goods. The Buyer acknowledges that it will not rely and has not relied on any skill or judgment of Stramit, its employees or agents about the suitability of any Goods and/or Services for a particular purpose.
- 10.10 The Buyer acknowledges that Stramit does not make and has not made any representation or warranty regarding the Goods and/or

Services or any matter which is or might be relevant to the Buyer other than as set out in these Sale Terms.

11. INDEMNITIES RELATING TO ACCESSING PREMISES

- 11.1 Any Buyer, or its agent, employee or contractor (Buyer's Representative) who enters Stramit's premises does so at his/her own risk. Stramit will not be liable for any loss, damage or injury caused by any act or omission whatsoever whilst the Buyer's Representative attends Stramit's premises. The Buyer indemnifies and will forever hold Stramit harmless against all claims, demands or suits made by a Buyer's Representative in connection with his/her attendance at Stramit's premises.
- 11.2 Where Stramit or its agent, employee or contractor (Stramit Representative) enters upon a Delivery Site, the Buyer must provide full and safe access to the Delivery Site and ensure that the Delivery Site is compliant with all occupational health and safety legislation and the Buyer will be liable for, and must indemnify Stramit against the costs of any loss or damage to property and personal injury to any Stramit Representative occurring directly or indirectly as a result of the Buyer's failure to comply with this clause.

12. GENERAL MATTERS

- 12.1 Stramit may vary or waive any or all of these Sale Terms at any time and will notify the Buyer in writing of any variation or waiver.
- 12.2 The failure of Stramit to exercise a right or remedy, or any delay by Stramit in exercising a right or remedy, or the exercise by Stramit of only part of a right or remedy, or the granting of any indulgence by Stramit in favour of the Buyer does not:
 - 12.2.1 affect Stramit's rights against the Buyer;
 - 12.2.2 constitute a waiver of any term or condition; or
 - 12.2.3 prohibit Stramit from exercising that right or remedy in relation to that breach or any other breach.
- 12.3 A waiver of a breach of a term or condition does not constitute a waiver of another breach of the same term or any other term.
- 12.4 The Buyer agrees that these Sale Terms shall be construed according to the laws of the State or Territory as Stramit may in its sole discretion determine. Proceedings by either Stramit or the Buyer may be instituted and/or continued in such State or Territory as Stramit may in its sole discretion determine. Failing such determination the Buyer consents to any proceedings being instituted and heard by any appropriate Court sitting in the State of New South Wales applying the laws of that State.
- 12.5 The Buyer must not assign any of its rights or obligations under these Sale Terms without the prior written approval of Stramit.
- 12.6 Stramit will not be liable for any delay or failure to fill an Order to the extent and for so long as performance is prevented or delayed by:
 - (a) any event or circumstance beyond Stramit's power or control;
 - (b) any delay or failure of supply by any of Stramit's suppliers; or
 - (c) a breakdown in Stramit's or its contractor's tools, equipment, vehicles or machinery.
- 12.7 If all or part of a clause in these Sale Terms is void, illegal or unenforceable, it may be severed without affecting the enforceability of any other provision.
- 12.8 If the Buyer is acting as the trustee of any trust (whether disclosed or not), then:
 - 12.8.1 the Buyer declares that it is entering into the Contract both in its own capacity and as trustee of the trust with the ability to bind and the intention of binding, both;
 - 12.8.2 the Buyer shall be liable both in its own name and as trustee of the trust; and
 - 12.8.3 the Buyer acknowledges that the assets of the trust shall be available to meet payment and obligations under the Contract, and of the Buyer's accounts.
- 12.9 A breach of these Sale Terms is a breach of the Credit Terms.

CONTACT US

The Stramit web page can be found at stramit.com.au. Details of many Stramit® products can also be seen on the AIA site 'Product Selector' selector.com.au.

REGION	LOCATION	CONTACT DETAILS	BRANCH OPENING HOURS ¹	ORDER CUT-OFF TIMES ²		
				STANDARD DELIVERY	NEXT DAY DELIVERY ³	PICK-UP HOURS ⁴
NSW & ACT	SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759	Ph 02 9834 0909 Fax 02 9834 0988	7.30am - 5pm	4pm	N/A	6am - 4pm
	CANBERRA 4 Bass St, Queanbeyan NSW 2620	Ph 02 6298 2500 Fax 02 6298 2533	7.30am - 5pm	4pm	N/A	7.30am - 4pm
	COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450	Ph 02 6656 3800 Fax 02 6656 3808	7.30am - 5pm	4pm	N/A	7am - 4pm
	NEWCASTLE 17 Nelson Rd, Cardiff NSW 2285	Ph 02 4041 3400 Fax 02 4041 3423	7.30am - 5pm	4pm	N/A	7am - 4pm
	ORANGE 51 Leewood Dr, Orange NSW 2800	Ph 02 6360 9200 Fax 02 6360 9211	7.30am - 5pm	4pm	N/A	7am - 4pm
VIC	MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180	Ph 03 9237 6300 Fax 03 9237 6399	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	ALBURY 18 Ariel Dr, Albury NSW 2640	Ph 02 6092 3700 Fax 02 6092 3766	7.30am - 5pm	4pm	N/A	7am - 4pm
	BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555	Ph 03 5448 6400 Fax 03 5447 9677	8am - 5pm	4pm	N/A	8am - 4.30pm
TAS	HOBART 57 Crooked Billett Dr, Brighton TAS 7030	Ph 03 6262 8788 Fax 03 6262 8712	7.30am - 5pm	4pm	N/A	7am - 4pm
SA	ADELAIDE 11 Stock Rd, Cavan SA 5094	Ph 08 8219 2000 Fax 08 8219 2021	7.30am - 5pm	4pm	N/A	7am - 4pm
South QLD	BRISBANE 57-71 Platinum St, Crestmead QLD 4132	Ph 07 3803 9999 Fax 07 3803 1499	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	MARYBOROUGH 10 Activity St, Maryborough QLD 4650	Ph 07 4123 9500 Fax 07 4123 9508	7am - 4.30pm	4pm	N/A	7am - 4pm
	ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702	Ph 07 4921 5600 Fax 07 4921 5608	7am - 4.30pm	4pm	N/A	7am - 4pm
North QLD	CAIRNS 53 Vickers St, Edmonton QLD 4869	Ph 07 4034 6555 Fax 07 4034 6511	7am - 4.30pm	4pm	N/A	7am - 4pm
	TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814	Ph 07 4412 3900 Fax 07 4412 3909	7am - 4.30pm	4pm	N/A	7am - 4pm
	MACKAY 6 Brickworks Court, Glenella QLD 4740	Ph 07 4965 4000 Fax 07 4965 4012	7am - 4.30pm	4pm	N/A	7am - 4pm
NT	DARWIN 55 Albatross St, Winnellie NT 0820	Ph 08 7922 4600 Fax 08 7922 4608	7.30am-4.30pm	3.30pm	N/A	7am - 4pm
WA	PERTH 605-615 Bickley Rd, Maddington WA 6109	Ph 08 9493 8800 Fax 08 9493 8899	7.30am - 5pm	4pm	12.30pm	7am - 4pm

¹ Business days only (excludes weekend and public holidays).

² Days only (excludes weekend and public holidays). Standard Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Next Day Delivery refers to order cut-off times for orders to be delivered the next Business Day.

³ Additional charges may apply.

⁴ Orders picked up outside of office hours must be confirmed prior to pick-up.