

SOUTH QUEENSLAND



PRODUCT AND SERVICE GUIDE

EFFECTIVE AUGUST 2019

Supersedes May 2018



BRISBANE

Ph 07 3803 9999

Fax 07 3803 1499

sales.crestmead@stramit.com.au

MARYBOROUGH

Ph 07 4123 9500

Fax 07 4123 9508

maryboroughsales@stramit.com.au

ROCKHAMPTON

Ph 07 4921 5600

Fax 07 4921 5608

sales.rockhampton@stramit.com.au

stramit.com.au





OUR STEEL-CLAD COMMITMENT TO YOU EVERY TIME YOU WORK WITH US.

Our Declaration of Done is what sets Stramit® apart. It's our set of promises to you that make getting the job done easy. Want on-time delivery? Done. Great quality products? Done. No matter the size of the job, when you work with Stramit, you can Consider It Done.



ON-TIME DELIVERY

We'll deliver in full, on-time and to specification or we'll credit you 5% of the order confirmation value. Give us 2 days' lead time without making a change and we'll double it to 10%.



GREAT QUALITY PRODUCTS

Great quality products every time, or we'll replace them at no cost to you.



BEST STOCK AVAILABILITY

With our most popular items always in stock, we have what you need, when you need it.



AUSTRALIA WIDE COVERAGE

With a national footprint and local teams covering every State and Territory, we'll work together to get your job done.



PERSONAL SERVICE

You'll be supported by an experienced sales team backed by a network of technical experts.



RESPONSIVE SUPPORT

You'll speak to us within 6 rings and we'll always keep you informed.



FAST ORDER CONFIRMATION

Accurate same day order confirmation, allowing an extra day for structural products, or we'll credit you \$50.



ACCURATE INVOICING

Your invoice will be accurate or we'll credit you the difference plus \$50 within 5 days.

INDEX

PRODUCTS AND SERVICE GUIDE

Selecting Your Product (Cover, Spans & Pitch)	2
Product Availability (Roofing & Cladding) - Thickness & Colour	3
Product Availability (Rainwater) - Thickness & Colour	4
Production Days Crestmead	5
Standard Delivery Charges	6
Delivery Information / Maryborough & Rockhampton Schedule	7
Brisbane Metropolitan & Country Area Delivery Schedule	8
Loading Requirements	9-10
Quick Roofing Estimate	11-12

ROOFING/CLADDING

Stramit® Corrugated	13
Stramit Monoclad®	14
Stramit Longspan®	15
Stramit Speed Deck Ultra®	16
Accessories (Farlap, Fiberglass Sheeting, Clips & Fasteners)	16
Stramit CapacityPLUS™ 660	17
Stramit Capacity Plus & Acoustic Products	17
Stramit® Curving Quality, Stramit® C-Clad 280, Premier 300	18
Stramit K-Panel®, Stramit Minirib®	19
Stramit Mini Corry®	19
Tank Iron	20
Accessories (Touch-Up Paint, Silicone & Rotary Vents, Roof Racks)	21
Fasteners – Cyclonic Areas	22-23

INSULATING PRODUCTS

Reflective Insulation	24
Sisalation, Building Blanket, Batts, Wire, Roof Rack	25

VALLEYS, RIDGES, EDGE ROLL & METAL FASCIA

Stramit® Valley, Ridges, Edge Roll	26
Stramit Metal Fascia, Accessories	27

GUTTERS & DOWNPIPES

Stramit® Queensland Quad®, Stramit Compact	28
Stramit® M Pattern, M Pattern Barge, S Pattern	29
Stramit® Quad 150	30
Stramit® Quad 175	31
Stramit® Quad 100, 125	32
Stramit Flatback & Half Round Gutter 150, Accessories	33
Half Round Gutter 200, Accessories	34
PVC Downpipe & Accessories	34
Stramit® Downpipe - Rectangular	36
Stramit® Downpipe - Round & Accessories	37-38

STANDARD FLASHINGS

Stramit® Custom Flashings – Ordering Procedure	39
Stramit® Custom Flashings	40-45
Stramit® Custom Flashings – Order Detail Sheet	46

PREMIUM PRODUCTS

Product Availability (Ultra, Matt & Metallic) - Thickness & Colour	47
Stramit® MagnaFlow® – Roofing, Cladding, Rainwater	48
Stramit® Roofing, Cladding, Valleys, Ridges	49
Stramit® Fascia, Gutters	50
Stramit® Custom Flashings	51-54

NON-STANDARD RAINWATER & FLASHINGS

Rainwater Head Guide	55
Sumps, Adjustable Box Gutters Brackets, Rainwater Caps	56
Damp Course Liners (Shower Trays), Safe Trays	57
Rainwater Special	57
Vented Ridge, Fixed Metal Louvres	58
Colonial Window Awnings	59

BUILDER'S PRODUCTS

Stump Caps, Ant Caps, Vent Pipe Stays, Drip Strip, Window Flashings	60
Sparrow Proofing, Metal Surrounds, Builders Strapping, Trim Angle, PA Doors	61

STRUCTURAL COMPONENTS

Stramit Steel Framing Sections, Stramit Top Hats, Stramit Roof Battens, Stramit Ceiling Battens	62
Stramit Condeck HP®, Stramit® Edgeforma	63
Stramit Uniguard™ Fire Resisting Wall System	64
Stramit® Flooring, Vermaseal	65
Stramit® C & Z Purlins (Z350 Coating), Stramit® Eave Purlins	66
Stramit® Purlin Bridging Hole Punching	67
C & Z Purlins - Downturn Lip	68
Stramit® Purlins & Girts AISC Bridging System	69-70
Stramit® Purlins & Girts General Accessories,	71-72
Stramit Purlins Stock Sizes	72
Modified Purlins / Advanced Materials	73
Stramit® C & Z Purlins (ZAM Coating)	74
Stramit® Purlins & Girts	
AISC Bridging System (ZAM Coating)	75-76
Stramit® Purlins & Girts Accessories (Zam Coating)	77

STRAMIT HOME IMPROVEMENT PRODUCTS

Stramit Fencing & Accessories	78
Stramit Sunset® Patio Deck,	79
Stramit Standard Patio Deck, Accessories	80
Residential Roller Doors	81
Light Industrial Roller Doors	82
Residential Sectional Doors	83-84
Roller Door Accessories	85-86
Roller Door Motor Accessories	86-87

GENERAL ORDER INFORMATION












Stramit Sales Order Form	88
Colorbond®, Zinc-aluminium alloy Steel Care and Maintenance	89
Site Delivery Instruction Form	90
Stramit® Purlins & Girts Order Form	91
Stramit® Accessories Order Form	92
Stramit® Bridging Order Forms	93

TERMS AND CONDITIONS OF SALE	94-97
------------------------------	-------

Prices in this Product & Service Guide DO NOT include GST.

**NOTE: Technical details displayed in this book are a guide only.
For further information, please consult the relevant Stramit Technical Manual.**

SELECTING YOUR PRODUCT

Product Roofing/Cladding	Page	BMT mm	TCT mm	Cover Width	Weight kg/m ²	Minimum Pitch	Roof Span*		Wall Span*	
							Int Span mm	End Span mm	Int Span mm	End Span mm
Stramit® Corrugated 	13	0.42 0.48	0.47 0.53	762	4.35 4.93	5 Degrees (1 in 12)	1200 1600	1000 1300	2350 2450	1950 2050
Fixing Screws required = 3/sheet/batten										
Stramit Monoclad® 	14	0.35 0.42 0.48	0.40 0.47 0.53	762	3.59 4.35 4.93	2 Degrees (1 in 30)	- 1700 2300	- 1400 1900	3000 3000 3000	2500 2500 2500
Fixing Screws required = 4/sheet/batten										
Stramit Longspan® 	15	0.42 0.48	0.47 0.53	700	4.73 5.37	1.5 Degrees (1 in 40)	2100 2700	1750 2250	3000 3000	2500 2500
Fixing Screws required = 4/sheet/batten										
Stramit Speed Deck Ultra® 	16	0.42 0.48	0.47 0.53	700	4.73 5.41	1 Degrees (1 in 60)	2100 2700	1750 2250	3000 3000	2500 2500
Stramit CapacityPLUS™ 660 	17	0.42 0.48	0.47 0.53	660	4.97 5.64	1 Degrees (1 in 60)	3150 3700	2500 2950	3800 4300	3000 3400
Fixing Screws required = 3/sheet/batten										
Stramit® Curving Quality 	18	0.60	0.65	762	6.09	5 Degrees (1 in 12)	1200	1000	2400	2000
Fixing Screws required = 3/sheet/batten										
Stramit® C-Clad 280 	18	0.55	0.60†	280	5.66	Walls only	-	-	1700	1400
Fixing Screws required = 1/sheet/batten										
Stramit® Premier 300 	18	0.55	0.60†	300	6.03	Walls only	-	-	2150	1750
Fixing Screws required = 1/sheet/batten										
Stramit K-Panel® 	19	0.35 0.42	0.40† 0.47†	864 864	3.17 3.84	Walls only -	- -	- -	1500 1700	1250 1400
Fixing Screws required = 4/sheet/batten										
Stramit Minirib® 	19	0.35 0.42	0.40† 0.47†	900 900	2.799 3.68	Walls only Walls only	- -	- -	- 1200	- 1000
Fixing Screws required = 4/sheet/batten										
Stramit Mini Corry® 	19	0.42	0.47†	825	4.01	Walls only	-	-	1200	1000
Fixing Screws required = 7/sheet/batten										

TCT = Total Coated Thickness. This is a nominal dimension. It should not be used in specifications due to variances in Coating and paint finish.
BMT = Base Metal Thickness. This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.

† NOT suitable for roofing.

* For N2 Wind Condition and Normal Duty Foot Traffic. Seek further technical advice for cyclonic regions.

Masses are for Colorbond

ROOFING/CLADDING PRODUCT AVAILABILITY

Product/Roofing/Cladding	BMT	ZA	GA	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PPB	PEC	SHG	SUR	TRN	WLB	WDG	WSP	DSUR	DCLC
Stramit® Corrugated	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Stramit® Curving Quality	0.60	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	0.35	✓			✓		✓	✓	✓	✓		✓	✓		✓			✓	✓	✓	✓				✓		
Stramit Monoclad®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Stramit Longspan®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Stramit® Speed Deck	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Stramit CapacityPLUS™ 660	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Stramit Mini Corry®	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Stramit Minirib®	0.35	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓		✓		
	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit K-Panel®	0.35	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓		✓		
	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® C-Clad 280	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Stramit® Premier 300	0.55	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Product/Roofing/Cladding	BMT	ZA	GA	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PPB	PEC	SHG	SUR	TRN	WLB	WDG	WSP	DSUR	DCLC

✓ Product Available - Check relevant section of Product & Service Guide for Stock & Lead Time.

NOTE: 0.48 Bmt - Please check availability for large quantities.

ABBREVIATION CODE AND COLOUR NAMES

BMT Base Metal Thickness	DOC Deep Ocean® (Mountain Blue)	PEC Pale Eucalypt® (Mist Green)
TCT Total Coated Thickness	DUN Dune® (Birch)	PPB Paperbark® (Merino)
ZA Zinalume	EVH Evening Haze®	SHG Shale Grey™ (Gull Grey)
COL Colorbond®	GLY Gully™	SUR Surfmist® (Off White)
CB Colorbond®	IST Ironstone®	TRN Terrain®
GA Galvanised	JAS Jasper®	WLB Wallaby®
BAS Basalt®	MGV Mangrove®	WDG Woodland Grey® (Slate Grey)
CLC Classic Cream™ (Smooth Cream)	MNR Manor Red® (Heritage Red)	WSP Windspray® (Armour Grey)
CTG Cottage Green® (Caulfield Green)	MON Monument®	
COV Cove™	NTS Night Sky®	

RAINWATER PRODUCT AVAILABILITY

Product/Roofing/Cladding	BMT	ZA	GA	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PPB	PEC	SHG	SUR	TRN	WLB	WDG	WSP
Stramit® Fascia	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Valley (Ribbed)	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Valley 400 (Rolled)	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Valley 450 (Folded)	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Valley (Folded)	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Roll Top Ridge 400	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Roll Top Ridge 450	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Ridge Cap (3 Break)	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Ridge Cap (3 Break)	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Edge Roll 38mm 1.8m	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Edge Roll 50mm 2m	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Edge Roll 50mm 3m	0.40	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Roll Barge Cap	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® M Pattern	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® S Pattern	0.42	✓			✓		✓	✓	✓			✓			✓	✓	✓	✓	✓	✓	✓			✓	✓
Stramit® 200 Half Round (Plain only)	0.42	✓			✓		✓	✓	✓			✓			✓	✓	✓	✓	✓	✓	✓			✓	✓
Stramit® QLD Slotted Quad	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Compact 0.42	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Quad 100 6m only	0.42		✓																						
Stramit® Quad 125 6.0m only	0.42	✓																							
Stramit® Quad 150	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® 150 Half Round (Plain/Slotted)	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Flatback Half Round (Plain/Slotted)	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Quad 175	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Downpipe 100 X 75	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Downpipe Round 85 / 100	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Product/Roofing/Cladding	BMT	ZA	GA	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PPB	PEC	SHG	SUR	TRN	WLB	WDG	WSP

✓ Product Available - Check relevant section of Product & Service Guide for Stock & Lead Time.

PRODUCTION DAYS CRESTMEAD

TO ORDER

Refer to the schedule below and order before 4.00pm Monday to Friday prior to nominated production day.

Subject to minimum order quantities & product lead time.

NOTE: These are Production Days – delivery would normally be carried out on the next scheduled day, as per page 8
Exceptions apply - refer to specific product page.

Sheeting	Mon	Tues	Wed	Thurs	Fri
Stramit® Corrugated	•	•	•	•	•
Stramit® Curving Quality	•	•	•	•	•
Stramit Monoclad®	•	•	•	•	•
Stramit Longspan®	•	•	•	•	•
Stramit Speed Deck Ultra®	•	•	•	•	•
Stramit Mini Corry® (ex Erskine Park)	lead time 10 working days				
Stramit CapacityPLUS™ 660	•	•	•	•	•
Stramit Minirib®	•	•	•	•	•
Stramit K-Panel®	•		•		
Stramit C-Clad 280®	lead time 3-5 days subject to mill capacity				
Stramit Premier 300® (Subject to availability)	lead time 3-5 days subject to mill capacity				
Stramit® Tankiron			•		

Rainwater

Stramit® Fascia	•	•	•	•	•
Stramit® MPattern Gutter	•	•	•	•	•
Stramit® M Pattern Barge Capping	•	•	•	•	•
Stramit® Queensland Quad	•	•	•	•	•
Stramit® Quad 150 Gutter	•	•	•	•	•
Stramit® Quad 175 Gutter	•	•	•	•	•
Stramit® Compact Barge Gutter	•	•	•	•	•
Stramit® Half Round Gutter 150	•	•	•	•	•
Stramit® Half Round Gutter 200*	•	•	•	•	•
Stramit S Gutter	•		•		•

Other

Stramit® Custom Flashings	•	•	•	•	•
Stramit® Valley	•	•	•	•	•
Stramit® Roll Top Ridge	•	•	•	•	•
Stramit® Steel Framing Section	•	•	•	•	•
Stramit Condeck HP® composite decking	•	•	•	•	•
Stramit® Purlins	lead time 5 working days				
Stramit® Top Hat 64/96	•	•	•	•	•
Stramit® Top Hat 120 (ex Erskine Park)	Check lead time when ordering				

- **Stramit® Stainless Steel & Copper Products** – Check lead time when ordering.
- **Stramit® Premium Product Range** – Check lead time when ordering.

STANDARD DELIVERY CHARGES

- Any customer who has exceeded their Credit Limit or whose payments are overdue may experience delays in the manufacture and delivery of goods ordered.
- Due to transport limitations the maximum length of rainwater goods is 8.5m.
- Customers/receivers are responsible for unloading. Stramit's terms are "On lorry at site or store".
- UNATTENDED SITES – Stramit drivers will endeavour to effect delivery as close to site as possible. In these instances Stramit will not accept claims for damage to product during unloading nor claims for pilfering of part or all of the delivery made. (Refer to clause 4.6 of the Stramit Terms and Conditions)**

Product Length / Delivery Cost Guide				
LENGTH	CODE	COST PER DELIVERY	ESCORT REQ'D	AREA
Up to 13.500	FRSITE	\$155	-	SEQ - Covered in this Book BNS Metro (outside BNS Metro POA) If travel Req'd before daylight 2 escorts Req'd + Police Escort. Subject to police approval and trailer availability.
13.501 - 20.500	FR2SITE205	\$210	-	
20.501 - 25.000	FR2SITE25	\$275 +	1*	
25.001 - 27.000	FR2SITE27	\$405 +	2*	
27.001 - 30.000	FR2SITE30	\$595 +	2*	
30.001 - 33.000	FR2SITE33	\$710 +	2*	
Freight store	FRSTORE	\$40.00	-	
Booked early delivery 5am to 8am	FR2EARLY	\$50	-	
Special delivery	FRSPEC	POA	-	
Escorts	FRESCORT	POA	-	
Redelivery	FRRDCR	\$150		

Packaging

Standard packs will be used. If special packing is required by customer, the following additional cost will be placed on the customer's account.

- Top and bottom cover sheets – when available will be downgrade material @ \$5.00/m per side
- Sleeves for flashings – \$25.00 each.
- Sea wrap – \$75.00 per pack.
- Goods delivered outside our Standard Delivery Schedule will incur a \$50.00 packaging charge.

Timber Crates

Rainwater, Sheeting + Flat Sheet Crate \$15.00 per lin metre. Maximum length 6 metres.

Hi-Ab Facility

Hi Ab deliveries cannot be guaranteed on all consignments.

If a Hi Ab must be used please discuss with Stramit staff at time of order placement.

Maximum length 13.5m/maximum lift 0.5 tonne. Lengths over 13.5m or delivery total over 5 tonne requires a crane on site.

(please note this facility is additional to other charges)

Demurrage

Unloading at customers premises or site in excess of one(1) hour for partial loads or two (2) hours for full loads will be charged at the rate of **\$110** per hour or part thereof.

Redelivery

Product refused at the original delivery and requested to be redelivered will incur a minimum charge of **\$150** over and above the standard delivery charges.

DELIVERY INFORMATION

DISTRIBUTION SCHEDULE – MARYBOROUGH

Nominated Area	Route, Towns Service	Delivery
Maryborough	Maryborough, Tinana, Maryborough West, Granville	Daily
Hervey Bay	Booral to Craignish, Burrum Heads	Daily
Bundaberg	Childers to Bundaberg, Bargara	Daily
West	Biggenden to Mundubbera	Wednesday
Gin Gin	Gin Gin to Rosedale	Monday, Thursday
Gympie	Gympie, Tin Can Bay, Rainbow Beach	Monday, Tuesday, Thursday, Friday

DISTRIBUTION SCHEDULE – ROCKHAMPTON

Nominated Area	Route, Towns Service	Delivery
Rockhampton	North & South Rockhampton, Bouldercombe, Gracemere, Stanwell, Alton Downs, Mount Morgan	Daily
Yeppoon	Zizlie to Yeppoon, Byfield, Farnborough, Cawarral	Daily
Gladstone	Tannum Sands to Gladstone, Bajool, Mount Larcom	Tuesday, Thursday
	Turkey Beach, Agnes Water, Miriam Vale	Thursday
Biloela	Biloela to Moura, Thangool, Theodore, Baralaba, Monto	Wednesday, Thursday
Emerald	Duaringa to Emerald, Woorabinda, Capella, Rolleston, Springsure, Clermont, Sapphire, Gemfields, Peak Downs Coalfield district, Middledmount, Dysart	Monday, Tuesday

DELIVERY TIMES AND CONDITIONS

Stramit anticipates delivery to be effected between the hours of 7am and 5pm Monday to Friday for product up to 13.5 metres in length. However, customers should note that Stramit reserves the right to delivery outside these hours whenever circumstances outside our direct control occur. Delivery is to kerbside unless otherwise arranged. All deliveries must have a site contact number with order. Depending on site limitations, delivery driver may require signed approval to enter and unload on site. If a semi or body truck is required specifically due to the location, Stramit must be made aware 48 hours before delivery.

Special requests for delivery outside these times will incur charges

DELIVERY AREAS

Delivery outside specified areas and/or off the normal route of delivery may be arranged however additional charges will apply.

PRODUCT RETURNS

Product that has been manufactured or purchased specifically to your requirements CANNOT be returned. Stock line items may be returned for credit, subject to the following charges:

- Where goods are returned by the customer, a re-stocking fee of 20% (\$20 minimum) is applicable.
- Where goods are picked up by Stramit for return, standard delivery charges plus a re-stocking fee of 20% (\$20 minimum) are applicable.

Damaged goods will not be accepted for credit.

CUSTOMER PICK UPS FROM CRESTMEAD

Customer Service Centre will open from 6.00am to 4.00pm Monday to Friday for collection. Stock orders can be placed 1 hour prior to pick-up. **Cut to length and bought in products not collected after 2 weeks from date of pick-up will be delivered to your store and you will be charged accordingly.**

COUNTRY CUSTOMERS: To arrange pick-ups by your carrier, please contact our office to arrange a loading time. Please phone at least **1 day before the proposed pick-up**. If Stramit is charged by your carrier for pick-up on your behalf without our prior agreement, such accounts or charges will be referred to you for payment by way of invoice

LONG LENGTH DELIVERY OUT OF BRISBANE

- Lengths longer 13.5 metres will require an onsite crane by customer for unloading.
- Specific times of travel for product in excess of 17.0 metres in length do apply and will vary according to the time of year and location. Brisbane metro area has a number of additional exclusions.
- Loads in excess of 13.8 metres must be off the road between the hours of 7.00am – 9.00am and 4.00pm – 6.00pm. Product in excess of 20m will require escort. Products exceeding 25m will require two escorts. If a truck is required to leave Stramit in darkness and is over 20 metres, two escorts will be required.
- Loads exceeding 30 metre require one Police escort and two pilots. Police Escort Permits require a minimum of twenty-eight (28) business days' notice to book a Police Escort with orders having to be confirmed with Stramit by midday on day one of the notice period. Police Escort Permits are subject to Police availability and approval and cannot be guaranteed until such time as approval is given by the Police. Loads exceeding 35m require two Police and two pilots. Long loads may require additional personnel to steer trailer (additional charge).
- QLD Legislation on long lengths may vary without notice and Stramit reserves the right to apply charges applicable to such changes.

ESCORTS COSTS

Escort charges depend on the length of product transported and are additional to Delivery Charge

WORK COVER RESTRICTIONS

Customers should be aware that under Work cover legislation there are restrictions governing the ability of drivers to load/unload to/from heavy vehicles.


Customers with special requirements or unusual sites should contact the Transport Manager before delivery to clarify the requirements.

REFER TO TERMS AND CONDITIONS ON INSIDE BACK COVER

If the site is considered unsafe for the delivery vehicle, the driver will inform both Stramit and the customer (where possible) for alternative arrangements to be made. If delivery was unsuccessful through no fault of Stramit Building Products, the delivery will be made on the next scheduled delivery day.

Hi-Ab unloads are from the trailer to the ground. It is unsafe for the Hi-Ab's to be used to load product on to buildings.

BRISBANE METROPOLITAN & COUNTRY AREA DELIVERY SCHEDULE











LOADING REQUIREMENTS



OVERHANG LIMITS

THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



A 450MM SQUARE BRIGHT RED FLAG IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)

LOADING REQUIREMENTS




SECURE YOUR LOAD!

**DO NOT USE OCCY STRAPS
OR FLEXI STRAPS**

Minimum 2 lashings
per stack for items
longer than 750 mm.

Recommended
Minimum Lashing
1.5m apart



No low friction
surfaces (metal
on metal, plastic
on metal, etc.)

Watch your Lashing Angle!
The More Upright
The More secure

Roof Racks must be secure,
Maximum loads:
Sports Racks - 40kg
Trades Racks - 100kg



*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

VEHICLES CONSIDERED INAPPROPRIATE CANNOT BE LOADED!

YOUR SAFETY IS OUR CONCERN

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility

Table 1 - Lashing Requirements

Lashing Angle to Horizontal \angle	25 mm hand tightened webbing	25 mm ratchet webbing	35 mm ratchet webbing	8 mm synthetic rope with single hitch
60 to 90°	52 kg per strap	170 kg	430 kg	87 kg per rope
45 to 60°	46 kg per strap	140 kg	350 kg	71 kg per rope
30 to 45°	30 kg per strap	100 kg	250 kg	50 kg per rope
15 to 30°	15 kg per strap	52 kg	130 kg	26 kg per rope

Key Assumptions in Tables 1

- All lashings are fully tensioned. If not, then more lashings may be required.
- No low friction surfaces (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
- A minimum static coefficient of friction of $\mu = 0.40$ is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
- Round loads require belly wrapping and extra restraints.

QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF

The table of Roof Slope Factors on page 12 allows quick calculations of roof area, sheet length and hip length.

These methods are for quick estimating purposes only. Accurate measurements must be taken from the actual roof frame before ordering roofing and rainwater products. As an example, take a typical hipped roof where all four roof sections have the same slope (30°) and all hips are of equal length.

ROOF AREA

First determine the area of the roof plan by multiplying the length of the roof by the width. Before making the calculation, add gutter overhangs of 50mm. In this case, there are gutters on all four sides. To find the area of the hipped roof, simply multiply this plan area by the Roof Slope Factor for Roof Area. The same method is used for gable roofs.

$$19.1 \times 8.1 = 154.7 \times 1.155 = 178.7$$

Therefore, roughly 179m² of sheeting will be needed to cover the roof. On complex roof shapes, extra may need to be added to allow for wastage.

SHEET LENGTH

On the roof plan, measure the distance from the line of the ridge to the outside edge of the fascia, which in the example is half the span or 4000mm. Multiply this measurement by the Sheet Length Roof Slope Factor to find the length of the sheet required to span from the ridge to the fascia. Note that all roof sheeting must extend at least 50mm beyond the fascia line to provide gutter overhang.

$$4000 + 50 \times 1.155 = 4678\text{mm}$$

HIP CAPPING

To find the length of ridge capping required to cover one hip, measure the distance from the ridge line to the fascia on the roof plan (here 4000mm) add the gutter overhang and multiply by the Hip Length Roof Slope Factor for 30°. Multiply by 4.


$$4000 + 50 \times 1.528 \times 4 = 24.8\text{m}$$

RIDGE CAPPING

For hipped roofs where all sides have the same slope, the length of the top ridge is equal to the length of the roof plan minus the width, regardless of slope. Add 5% to all capping to allow for laps.

$$19 - 8 = 11 + 5\% = 11.55\text{m}$$

Typical hipped roof (roof slope= 30°)



* Refer to the Stramit take off "Made Easy Guide" for further information

QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF

ROOF SLOPE FACTORS









Roof Slope (degrees)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Roof Area/Sheet Length	1.000	1.001	1.001	1.002	1.004	1.006	1.008	1.010	1.012	1.015	1.019	1.022	1.026	1.031	1.035
Hip Length	1.414	1.415	1.415	1.416	1.417	1.418	1.420	1.421	1.423	1.425	1.428	1.430	1.433	1.436	1.439

Roof Slope (degrees)	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Roof Area/Sheet Length	1.040	1.046	1.051	1.058	1.064	1.071	1.079	1.086	1.095	1.103	1.113	1.122	1.133	1.143	1.155
Hip Length	1.443	1.447	1.451	1.456	1.460	1.465	1.471	1.477	1.483	1.489	1.496	1.503	1.511	1.519	1.528


Roof Slope (degrees)	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Roof Area/Sheet Length	1.167	1.179	1.192	1.206	1.221	1.236	1.252	1.269	1.287	1.305	1.325	1.346	1.367	1.390	1.414
Hip Length	1.537	1.546	1.556	1.567	1.578	1.590	1.602	1.616	1.630	1.644	1.660	1.677	1.694	1.712	1.732

Roof Slope (degrees)	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Roof Area/Sheet Length	1.440	1.466	1.494	1.524	1.556	1.589	1.624	1.662	1.701	1.743	1.788	1.836	1.887	1.942	2.000
Hip Length	1.753	1.775	1.798	1.823	1.849	1.877	1.907	1.939	1.973	2.010	2.049	2.091	2.136	2.184	2.236

ROOFING • CLADDING • ACCESSORIES


Product Roofing/Cladding/Accessories	Product Details	BMT mm	Finish	Code	Unit
Stramit® Corrugated 		0.42	ZA	C42ZA	per m ²
		0.48		C48ZA	per m ²
		0.42	CB	C42X***	per m ²
		0.48		C48X***	per m ²
		0.42	DS(SUR/CLC)	C42D***	per m ²
		0.42	GA	C42GA	per m ²
<p>To convert price to linear metres multiply by .762</p> <p>DS = Double sided colorbond</p>					
	Minimum length 300mm				
	Short Length Surcharge (Under 1m)			CUTBACKLTH	per sheet
Tolerance +0, -15mm	NOTE: If end lapping with curved sheets, we must be advised at time of ordering.				
Fibreglass Roof Sheeting	Suit Stramit® Corrugated sheeting				
		2400gsm		TSFGC24CLR/OPA	lin metre
		3050gsm		TSFGC30CLR/OPA	lin metre
		Polycarbonate		TSPCCCLR**	lin metre
		<p>Sizes: 1.8, 2.1, 2.4, 2.7, 3.0, 3.3, 3.6, 3.9, 4.2, 4.8, 5.4, 6.0, 8.1</p> <p>Available in: CLR-Clear, DKT-Dark Tint, GRY-Grey, LBZ-Light Bronze, OPL-Opal.</p>			
Maximum length 12.5m	Cool Lite Wonderglass			TSWGCLC24WHI	lin metre
	Wonderglass			TSWGC240PL	lin metre
	32 Weather Seal Washer			TSFGWW32H	pack 100
	NOTE: For fasteners refer to page 15.				
Fasteners (non cyclonic) Roof AS3566 Class 4					
	M6 x 50 Hex Head SDS - Roof Zips	Plain		S0650HZIP4	per box 1000
	(for crest fixing to soft timber and steel)	Plain		S0650HZIP4H	per bag 100
	(up to 1.6mm steel)	Colour		S0650HZIP***4	per box 1000
		Colour		S0650HZIP***4H	per bag 100
	12 x 50 Hex Head Type 17	Plain		S1250H174	per box 1000
	(for crest fixing to hardwood)	Plain		S1250H174H	per bag 100
	Not stocked bags of 100	Colour		S1250H17***4	per box 1000
		Colour		S1250H17***4H	per bag 100 (500 min)
	12 x 39 Auto Tek	Plain		S1239HAT4	per box 1000
	(for crest fixing to steel)	Plain		S1239HAT4H	per bag 100 (500 min)
	1.0mm to 3.5mm	Colour		S1239HAT***4	per box 1000
Wall fixing					
	10 x 16 Hex Head SDS	Plain		S1016HT4	per box 1000
	(for pan fixing to steel)	Plain		S1016HT4H	per bag 100
		Colour		S1016HT***4	per box 1000
		Colour		S1016HT***4H	per bag 100
	10 x 16 Wafer Tek	Plain		S1016WT	per box 1000
	(for fixing to steel)	Plain		S1016WTH	per bag 100
	10 x 25 Wafer Type 17	Plain		S1025W17	per box 1000
	(for fixing to timber)				
	12 x 25 Hex Head Type 17	Plain		S1225H174	box 500
	(Pan fixing to timber)	Plain		S1225H174H	bag 100
	(Colour not Stocked)	Colour		S1225H17***4	box 500
	Infill Strip		0.915m	CEFS	each
	NOTE: For cyclonic & other fixings refer to page 22 & 23.				

ROOFING • CLADDING • ACCESSORIES

Product	Product Details	BMT mm	Finish	Code	Unit
Stramit Monoclad®	 <p>130 pan 25 rib 762 cover 60 rib 27 high 190.5 CTR to CTR (Overall sheet width 830)</p>	0.42	ZA	MC42ZA	m ²
		0.48		MC48ZA	m ²
		0.42	CB	MC42X***	m ²
		0.48		MC48X***	m ²
		0.42	DS(SUR/CLC)	MC42D***	m ²
		0.42	GA	MC42GA	m ²
Tolerance +0, -15mm	Minimum length 300mm Short Length Surcharge		To convert price to linear metres multiply by .762 (Under 1m)	CUTBACKLTH	sheet

Also available in reverse roll
NB: Due to our roll forming process you may experience some slight roller marking on the under side of double sided Sur & Clc.

NEW PRODUCT





MC MonoLap 73mm 7.62m
(10 sheets per roll)

12x68 Hex Tek Cls4
– only suitable for MC Monolap above
(40 screws per roll – including plate & washer)

For Cyclonic areas:
14x68 Hex Tex Cls 4
MC MonoLap Stop End Tool

^NOTE: Other colours subject to lead time. Please contact your Stramit representative for further information.

Wall cladding		0.35	ZA	MC35ZA	m ²
		0.35	CB	MC35X***	m ²
	Short Length Surcharge		(Under 1m)	CUTBACKLTH	sheet

Fibreglass Roof Sheeting		Suit Stramit Monoclad® sheeting			
		2400gsm		TSFGMC24CLR/OPA	lin metre
		3050gsm		TSFGMC30CLR/OPA	lin metre
		Polycarbonate		TSPCMC**	lin metre
		Sizes: 1.8, 2.1, 2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0, 8.1 Available in: CLR-Clear, DKT-Dark Tint, GRY-Grey, LBZ-Light Bronze, OPL-Opal.			
		Cool Lite Wonderglass		TSWGCLMC24WHI	lin metre
		Wonderglass		TSWGM240PL	lin metre
				TSFGWW32H	per 100

32mm Weather Seal Washer

NOTE: For fasteners refer to page 15.

Fasteners (Non cyclonic) Roof AS3566 Class 4



M6 x 50 Hex Head SDS - Roof Zips
(for crest fixing to steel
up to 1.6mm steel)

Plain
Plain
Colour
Colour

S0650HZIP4
S0650HZIP4H
S0650HZIP***4
S0650HZIP***4H

per box 1000
per bag 100
per box 1000
per bag 100



M6 x 65 Hex Head SDS-Roof Zips
(for crest fixing to timber & steel)
(Not hardwood)
(up to 1.6mm in steel)

Colour
Colour

S0665HZIP4
S0665HZIP4H
S0665HZIP***4
S0665HZIP***4H

box 1000
bag 100
box 1000
bag 100



12 x 65 Hex Head Type 17
(for crest fixing to hardwood)

Plain
Colour

S1265H174
S1265H17***4

per box 1000
per box 1000



12 x 50 Auto Tek
(for crest fixing to steel
1.00mm to 4.5mm)

Plain
Colour

S1250HAT4
S1250HAT***4

box 1000
box 1000

Accessories



Stop End Tools (non return)

MCSETD

each

Infill Strips (bottom)
(top)







0.970m
0.970m

MCEFSBTM
MCEFSTOP

each
each


NOTE: For wall fixings refer to page 13. For cyclonic fixings refer to page 22 & 23.

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Product Details	BMT mm	Finish	Code	Unit
Stramit Longspan®					
		0.42	ZA	LS42ZA	per m ²
		0.48		LS48ZA	per m ²
		0.42	CB	LS42X***	per m ²
		0.48		LS48X***	per m ²
		0.42	DS(SUR/CLC)	LS42D***	per m ²
		0.42	GA	LS42GA	per m ²
*48hr lead time	Minimum length 550mm.				
Tolerance +0, -15mm	Short Length Surcharge		(Under 1m)	CUTBACKLTH	per sheet
Fibreglass Roof Sheeting	Suit Stramit Longspan® sheeting				
		2400gsm		TSFGLS24CLR	lin metre
		3050gsm		TSFGLS30CLR	lin metre
		32mm Weatherseals		TSFGWW32H	per 100
Fasteners for fixing Fibreglass	Fibreglass Tek® M6.5-14 x 65mm Hex Hd (for crest fixing to steel)		Plain	TSFG1465WW32	per box 500
Fasteners for fixing Polycarbonate	PolyZIPS® M6.5-14 x 50mm Hex Hd (for crest fixing to steel)		Plain	TSPC1450DW26	per box 250
Fasteners suit Stramit Longspan®					
(non cyclonic) AS3566 Class 4	M6 x 65 Hex Head SDS-Roof Zips (for crest fixing to timber) * Not Hardwood		Plain Plain Colour Colour	S0665HZIP4 S0665HZIP4H S0665HZIP***4 S0665HZIP***4H	per box 1000 per bag 100 per box 1000 per bag 100
					
	12 x 50 Auto Tek (for crest fixing to steel 1.00 - 4.5mm)		Plain Colour	S1250HAT S1250HAT***4	box 1000 box 1000
	M6 x 50 Hex Head SDS - Roof Zips (for crest fixing to steel) (up to 1.6mm steel)		Plain Plain Colour Colour	S0650HZIP4 S0650HZIP4H S0650HZIP***4 S0650HZIP***4H	per box 1000 per bag 100 per box 1000 per bag 100
	Infill Strip (Bottom) (Top)	0.915m 0.915m		LSEFSBTM LSEFSTOP	each each

NOTE: For Wall Fixing refer to page 13.


ROOFING • ACCESSORIES

Product Roofing/Accessories	Product Details	BMT mm	Finish	Code	Unit
		0.42	ZA	UD42ZA	per m ²
		0.48	ZA	UD48ZA	per m ²
		0.42	CB	UD42X***	per m ²
		0.48	CB	UD48X***	per m ²
		0.42	DS(SUR/CLC)	UD42D***	per m ²
		0.42	GA	UD42GA	per m ²
			Minimum length 600mm		

***48hr lead time**
Tolerance +0, -15mm

NOTE: May also be used for domestic applications. One consequence of the clip/sheeting connection in a concealed fixed system is the friction between the deck and the clip. In residential situations, however, the clips are often spaced much more closely, which increases the propensity for friction and hence noise. The use of insulation blanket can alleviate the impact of some of the noise

NEW PRODUCT




Farlap Lapping Accessory
Farlap Lapping Accessory 7m roll
Farlap Turn-Up/Turn down tool

UDFARLAP	each
UDFARLAP70	each
UDFARLAPSETD	each
UDSKYLAP	each

Fibreglass Sheeting

Suit **Stramit Speed Deck Ultra®** decking




2400gsm	TSFGUD24CLR/OPA	lin metre
3050gsm	TSFGUD30CLR/OPA	lin metre

NOTE: Fibreglass cannot end lap. Lap flashing is required.

NOTE: Allow 3 working days for delivery.

Fixing Clips

46mm high
40mm wide
745mm long



Fixing Clips no fasteners (40 per box)	GA	UDFC	each
Pre-loaded Fixing Clips 12 x 30 Hed Tek No Neo (40 per box) Steel Only Guide only - Fixing Clips = 1/sheet/purlin	GA	UDFCPL	each
Rib Stop End (End Cap)	ZA	UDRSEZA	each

Fasteners
AS3566 Class 3



Clipfixing
12 x 30 Hex Head Tek No Neo
(for fixing to metal 1.6 to 3.0mm)

S1230HTNN per box 1000




12 x 40 Hex Head No Neo Batten Zip
(for fixing to timber and metal up to 1.00mm)

S1240HMTZIP per box 1000

Accessories

Stop Ending Tool
(non return)




UDSETD each







Infill Strips	0.760m	UDEFSBTM	each
	0.760m	UDEFSSTOP	each

Please refer to the **Stramit Speed Deck Ultra®** brochure for full details of wind loading installation procedure etc.




ROOFING • ACCESSORIES

Product Roofing/Accessories	Product Details	BMT mm	Finish	Code	Unit
Stramit CapacityPLUS™ 660 		0.42	ZA	CP42ZA	per m ²
		0.42	CB	CP42X***	per m ²
		0.48	ZA	CP48ZA	per m ²
		0.48	CB	CP48X***	per m ²
Tolerance +0, -15mm					
Fibreglass Sheeting	Suit Stramit® Capacity Plus Sheeting				
		2400gsm		TSFGCP24CLR	lin metre
				TSFGCP24OPA	lin metre
		3050gsm		TSFGCP30CLR	lin metre
				TSFGCP30OPA	lin metre
Fasteners Class 4 (AS3566)	12 x 80 Hex Head Tek's Hi Grip (for crest fixing to steel)		Plain Surfmist Plain Colour	S1280HT4 S1280HTSUR4 S1280HTB254 S1280HTB25***4	per box 500 per box 500 per box 500 per box 500
	Stop End Tool			CPSETD	each






ACOUSTIC PRODUCTS

Product Perforated Sheeting	Product Details	Code	Finish	BMT mm	Unit
Stramit Monoclad® 	Perforated Acoustic Pattern	MC42IOWHP11	COL	0.42	per m ²
		MC42IAZP11	ZA	0.42	per m ²
Stramit® Corrugated 	Perforated Acoustic Pattern	C42IOWHP11	COL	0.42	per m ²
		C42IAZP11	ZA	0.42	per m ²
Stramit Longspan® 	Perforated Acoustic Pattern	LS42IOWHP11	COL	0.42	per m ²
		LS42IAZP11	ZA	0.42	per m ²
Stramit Premier 300™ Available Ex Brisbane 		CC30055IOWHP11	COL	0.55	per m ²
Tolerance +0, -15mm Minimum Length 500mm. Recommended max manufactured length is 6.0m. Any lengths over this at customers risk. Subject to coil availability & minimum orders quantities apply. Please contact your Stramit representative for further information.					






CURVED ROOFING • ACCESSORIES

Product	Product Details	BMT mm	Finish	Code	Unit
Stramit® Curving Quality	10.5 corrugations, 762 cover	0.60	ZA	CD60ZA	per m ²
		0.60	CB	CD60X***	per m ²
		0.60	GA	CD60GA	per m ²
	Short Length Surcharge		(Under 1m)	CUTBACKLTH	per sheet
	Minimum length 700mm				
	If end lapping with .42 or .48 bmt sheets, we must be advised at time of ordering.				
	NOTE: Stramit does not curve/bullnose sheeting. Contact your local contractor for this task.				
Flashings	Luran Plastic Curved Sections to match Colorbond				
	Barge 300, 400 & 500 radius			CAPVCB***COL/ZA	each
	Hip 300, 400, 500 & 600 radius			CAPVCH***COL/ZA	each
	Valley 300, 400, 500 & 600 radius			CAPVCV***COL/ZA	each
	NOTE: Lead time 5-10 days.				
Straight PVC Sections (Suit each flashing above)	Straight Ridge Capping 2600mm (suits concave profiles to 300mm drop)			CAPVCSTX***26	each
	Straight Ridge Capping 1800mm (suits concave profiles to 200mm drop)			SPEC ORDER	each
	Straight Valley 2400mm			SPEC ORDER	each
	Straight Barge 2400mm			SPEC ORDER	each
	NOTE: For fasteners refer to page 13				

CLADDING


Product	Product Details	BMT	Finish	Code	Unit
C-Clad	mm				
Stramit® C-Clad 280		0.55	ZA	CC28055ZA	per m ²
		0.55	CB	CC28055X***	per m ²
	Available in some ultra & metallic finishes				
	NB: Lead time 3-5 days. Subject to mill capacity. Packing charges will apply.				
	Recommended max manufactured length is 6.0m. Any lengths over this will be at customers risk.				
	Minimum length 500mm				
	NB: Large project orders may require extended lead time.				
Accessories suit Stramit® C-Clad / Stramit® Premier 300	 Starter Clip (Box 1000)		GA	CCSC	each
Stramit® Premier 300	Plain	0.55	ZA	CC30055ZA	per m ²
		0.55	CB	CC30055X***	per m ²
	Available in some ultra & metallic finishes.				
	Recommended max manufactured length is 6.0m. Any lengths over this will be at customers risk.				
	Minimum length 300mm				
	NB: Lead time 3-5 days. Subject to mill capacity. Packing charges will apply.				
Fasteners	10 x 25 Wafer Type 17 (for fixing to timber)	Plain		S1025W17	per box 1000
					
	10 x 16 Wafer Teks (for fixing to steel)	Plain		S1016WT	per box 1000
		Plain		S1016WTH	per bag 100

CLADDING • ACCESSORIES

Product Cladding/Accessories	Product Details	BMT mm	Finish	Code	Unit
Stramit K-Panel® * 		0.35	ZA	KP35ZA	per m ²
		0.35	CB	KP35X***	per m ²
		0.42	ZA	KP42ZA	per m ²
		0.42	CB	KP42X***	per m ²
		0.42	DS(SUR/CLC)	KP42D***	per m ²
	Short Length Surcharge		(Under 1m)	CUTBACKLTH	per sheet
	Minimum length 300mm Maximum length manufactured is 6.0 metres. Maximum length of timber base packing available 6.0 metres. Lengths greater than 6.0m at customer's risk. NOTE: ORDER BY FRIDAY DELIVERY TUESDAY NOTE: ORDER BY TUESDAY DELIVERY THURSDAY Due to the nature of K-Panel, we cannot guarantee to deliver small quantities (under 10 sheets) by normal transport, without damage. Therefore, we strongly recommend that orders for small quantities be collected from our factory. However, if you still require us to deliver small quantities by our transport, we will not accept responsibility for any damage, which may occur. Alternatively, we are happy to arrange a “special” delivery, which will incur a \$60 surcharge.				
Stramit Minirib® ** 		0.35	ZA	MR35ZA	per m ²
		0.35	CB	MR35X***	per m ²
		0.42	ZA	MR42ZA	per m ²
		0.42	CB	MR42X***	per m ²
		0.48	CB	MR48X***	per m ²
	Short Length Surcharge		(Under 1m)	CUTBACKLTH	per sheet
	Minimum length 550mm Cover depends on number of ribs lapped and its application. Maximum length manufactured is 6.0 metres. Maximum length of timber base packing available 6.0 metres. Lengths greater than 6.0m at customer's risk.				
Tolerance +0, -15mm					
Stramit Mini Corry® * 		0.42	ZA	MK42ZA	per m ²
		0.42	CB	MK42X***	per m ²
		0.42	DS(SUR/CLC)	MK42D***	per m ²
		0.48	ZA	MK48ZA	per m ²
		0.48	CB	MK48X***	per m ²
	Short Length Surcharge		(Under 1m)	CUTBACKLTH	per shee
	Minimum length 550mm Maximum length manufactured is 6.0 metres. Maximum length of timber base packing available 6.0 metres. Lengths greater than 6.0m at customer's risk.				
Tolerance +0, -15mm					
Note: Ex Sydney - lead time 10 working days from Crestmead					
Fasteners 	10 x 25 Hex RippleZip Cls4 Bx 1000		Plain Colour	S1025HRZIP4 S1025HRZIP***4	
	10 x 25 Hex RippleZip Cls4 PK 100		Plain Colour	S1025HRZIP4H S1025HRZIP***4H	
Pop Rivets 	Pop Rivets 3.2mm x 7.5mm		Colour Plain	PR3275*** PR3275AL	per box 100 per bag 100

* All the above products will incur a packing charge for all deliveries on outside transport.

TANK IRON

Product Tank Iron	Product Details	BMT mm	Finish	Code	Unit
	8 corrugations, 610 cover	0.60	Aquaplate® GA	CT61060AQGA	per m ²
		0.60	Aquaplate® CB*	CT61060AQ***	per m ²
	10 corrugations, 720 cover	0.60	Aquaplate® GA	CT72060AQGA	per m ²
		0.60	Aquaplate® CB#	CT72060AQ***	per m ²
	Short Length Surcharge		(Under 1m)	CUTBACKLTH	per sheet
*8 corrugations Paperbark, Pale Eucalypt, Windspray, Deep Ocean, Surfmist. # 10 corrugations Paperbark, Pale Eucalypt, Windspray, Deep Ocean, Surfmist. Tank Iron milled Wednesday only. Minimum length 700mm					

Double Sided Flat Aqua Plate (Base)

Flat Sheet Tank Base 1200 Aqua Plate	FSTB120060AQGA	lin metre
Flat Sheet Tank Base 895 Aqua Plate	FSTB089560AQGA	lin metre

Single Sided Flat Aqua Plate (Lids)

Flat Sheet Tank Lid 735 Aq GA	FSTL073560AQGA	lin metre
Flat Sheet Tank Lid 735 Aq DOC	FSTL073560AQDOC	lin metre
Flat Sheet Tank Lid 735 Aq PEC	FSTL073560AQPEC	lin metre
Flat Sheet Tank Lid 735 Aq PPB	FSTL073560AQPPB	lin metre
Flat Sheet Tank Lid 735 Aq SUR	FSTL073560AQSUR	lin metre
Flat Sheet Tank Lid 735 Aq WSP	FSTL073560AQWSP	lin metre
Flat Sheet Tank Lid 895 Aq GA	FSTL089560AQGA	lin metre
Flat Sheet Tank Lid 895 Aq DOC	FSTL089560AQDOC	lin metre
Flat Sheet Tank Lid 895 Aq PEC	FSTL089560AQPEC	lin metre
Flat Sheet Tank Lid 895 Aq PPB	FSTL089560AQPPB	lin metre
Flat Sheet Tank Lid 895 Aq SUR	FSTL089560AQSUR	lin metre
Flat Sheet Tank Lid 895 Aq WSP	FSTL089560AQWSP	lin metre
Flat Sheet Tank Lid 1200 Aq GA	FSTL120060AQGA	lin metre
Flat Sheet Tank Lid 1200 Aq PEC	FSTL120060AQPEC	lin metre
Flat Sheet Tank Lid 1200 Aq PPB	FSTL120060AQPPB	lin metre
Flat Sheet Tank Lid 1200 Aq SUR	FSTL120060AQSUR	lin metre


Orders under 10 sheets at customers risk

Order must be received prior to Wednesday for Wednesday rolling.




ABBREVIATION CODE

DOC	DEEP OCEAN®	PEC	PALE EUCALYPT®	PPB	PAPERBARK®	WSP	WINDSPRAY®
SUR	SURFMIST®						






Tank Strainers	Aluminium Gauze, plastic surround 385mm diameter	TS	each
----------------	---	-----------	------






ACCESSORIES

Product Accessories	Details	Code	Finish	Unit
	General Accessories			
	Colour spray can 150g	PP***		each
	Shaddow Grey Spray Can	PPPR		each
	Silicone Sealant (Clear)	SILCLR (Box 12)		each
	Silicone Sealant (Grey)	SILGRY (Box 12)		each
	Pop Rivets	PR3275*** PR3275AL	Colour Plain	per 100 per 100
CAUTION: Use of spray can on roofing and rainwater products will void Stramit Warranty. NOTE: METALLIC PAINT NOT AVAILABLE				
	Roof Ventilation			
	Rotary Ventilators 300mm	RV300MF RV300***	Mill Finish Colour	each each
	TurboBeam Skylight/Ventilator 250mm	RVTSKY250	Clear	each
	Rotary Ventilator Super Flow 300	RVSF300MF RVSF300***	Mill Finish Colour	each each
	Dektites®	Various sizes available		
	Dektite 50-70	DEK2BLK DEK2RED	Black Red	each each
	Dektite 5-127	DEK3BLK DEK3RED	Black Red	each each
	Dektite 75-175	DEK4BLK DEK4RED	Black Red	each each
	Dektite 100-200	DEK5BLK DEK5RED	Black Red	each each
	Dektite 125-230	DEK6BLK DEK6RED	Black Red	each each
	Dektite 150-300	DEK7BLK DEK7RED	Black Red	each each
	Roof Rack			
	Insulation Spacer SDU 75mm	RRISGA	GA	per box 20
	100mm	RRIS100GA	GA	per box 20
	Galv. 1 per sheet per purlin			
	Fix Roofrack to Metal Purlins 1.6 to 3.0mm	S1230HTNN		per box 1000
	Roof RazorC3 InsSpcr 115mm	RRZCIS115GA	GA	per box 6
	Roof Razor InsSpcr 115mm	RRZIS115GA	GA	per box 6
	Roof RazorC3 InsSpcr 85mm	RRZCISGA	GA	per box 6
	Roof Razor InsSpcr 85mm	RRZISGA	GA	per box 6







FASTENERS – CYCLONIC AREAS (Class 4)

Product Fasteners	Product Details	Code	Finish	Unit
Suit Stramit® Corrugated sheeting				
	14 x 50 Hex Head Type 17 Roof-Lok Ass. fixing to hardwood	S1450H17CA4 S1450H17CA***4	Plain Colour	per box 250 per box 250
	14 x 55 Cyclonic Roofzips Roof-Lok Ass. fixing to metal battens	S1455HZPCA4 S1455HZPCA***4	Plain Colour	per box 250 per box 250
	14 X 53 Hex Head Tek Roof-Lok Ass. fixing to steel	S1453HTCA4 S1453HTCA***4	Plain Colour	per box 250 per box 250
	14 x 55mm Cyclonic Roofzips Multiseal Ass. fixing to metal battens	S1455HZPB25 S1455HZPB25***	Plain Colour	per box 250 per box 250
	14 x 53mm Hex Head Tek Multiseal Ass. fixing to steel	S1453HTB25 S1453HTB25***	Plain Colour	per box 250 per box 250

Wall fixing to suit **Stramit® Corrugated, Monoclad® & Longspan®**




	14 x 25 Hex Type 17 Fixing to hardwood	S1425H17 S1425H17***	Plain Colour	per box 500 per box 500
	14 x 25 Hex Tek Fixing to steel	S1425HT4 S1425HT4H S1425HT***4	Plain Plain Colour	per box 500 per bag 100 per box 500
	14 x 25 Hex Tek No Neo Fixing to steel	S1425HTNN	Plain	per box 500

FASTENERS – CYCLONIC AREAS (Class 4)

Product Fasteners	Product Details	Code	Finish	Unit
Suit Stramit Monoclad® & Stramit Longspan® sheeting				
	14 x 65 Hex Head Type 17	S1465H17CA4	Plain	per box 250
	Roof-Lok Ass. fixing to hardwood (Crest fixing)	S1465H17CA***4	Colour	per box 250
	14 x 55 Cyclonic Roofzips	S1455HZPCA4	Plain	per box 250
	Roof-Lok Ass. fixing to metal battens (Crest fixing 0.55mm to 1.0mm)	S1455HZPCA***4	Colour	per box 250
	14 X 53 Hex Head TekS	S1453HTCA4	Plain	per box 250
	Roof-Lok Ass. fixing to steel (Crest fixing 1.0 to 5.0mm)	S1453HTCA***4	Colour	per box 250
	14 x 65 Hex Head Type 17 25mm	S1465H17B254	Plain	per box 250
	Multiseal Ass. fixing to hardwood (Ridge Cap Fixing)	S1465H17B25***	Colour	per box 250
	14 x 55mm Cyclonic Roofzips	S1455HZPB25	Plain	per box 250
	Multiseal Ass. fixing to metal battens (Ridge Cap Fixing 0.5 to 1.0mm)	S1455HZPB25***	Colour	per box 250
	14 x 53mm Hex Head TekS	S1453HTB25	Plain	per box 250
	Multiseal Ass. fixing to steel	S1453HTB25***	Colour	per box 250



FASTENERS (Class 5)

Suit **Stramit Monoclad®** & **Stramit Longspan®** & **Stramit® Corrugated** sheeting

	M6 x 50 Hex Head SDS – Roof Zips	S0650HZIP5	Plain	per box 1000
	(Crest fixing to soft timber and steel)	S0650HZIP***5	Colour	per box 1000
	14 X 50 Hex Head Type 17	S1450H175	Plain	per box 1000
	(Crest fixing to hardwood)	S1450H17***5	Colour	per box 1000
	14 X 53 Hex Head Tek	S1453HT5	Plain	per box 1000
	Crest fixing to steel (1.0mm – 5.0mm)	S1453HT***5	Colour	per box 1000

- Screws available in Multiseal assembly on application
- Recommended for use with COLORBOND ULTRA steel in both Category 4 (severe marine & industrial) and Category 5 (very severe marine & industrial) corrosive environments.

SISALATION • REFLECTIVE INSULATION

Product	Product Details	Code	Roll Area	Cover	Unit
Foil/Blanket/Batts/Wire					
Sisalation					
1.35m x 60m Rolls	439/203 Light Anti-glare	FLLWAG600	81m ²	72m ²	per roll
Double-sided fire retardant	433/233 Medium Anti-glare	FLMWAG600	81m ²	72m ²	per roll
	453/253 Heavy Anti-glare	FLHWAG600	81m ²	72m ²	per roll
Reflective Insulation					
	Foil ReflectaCell 1.5 22.200	FLRC150200	30m ²	30m ²	per roll
	Foil ReflectaGuard 1.5 20.000	FLRG15200	30m ²	30m ²	per roll
	Foil ReflectaBreak 1.35 22.250	FLRB1352225	30m ²	30m ²	per roll
	Foil Reflectashed	FLRSD150300	45m ²	30m ²	per roll
	Astro Foil 22.500	FLASTR0225	30m ²	30m ²	per roll
	Foam Cell Multi Purpose 84AG (8.4mm x 1350mm x 22.25m)	FLCCFM84AG2225	30m ²	30m ²	per roll
	Foam Cell Resi Liner 40AG (4.0mm X 1350mm x 22.25m)	FLCCFR40AG2225	30m ²	30m ²	per roll
	Foam Cell Shed Liner 40AG (4.0mm X 1350mm x 22.25m)	FLCCFS40AG2225	30m ²	30m ²	per roll
	Foam Cell Shed Liner 40AG (4.0mm X 1350mm x 33.44m)	FLCCFS40AG3344	30m ²	30m ²	per roll
	Foam Cell Insulbreak 65 (6.5mm x 1350mm x 22.25m)	FLCCF650AG2225	30m ²	30m ²	per roll
	Foil BubbleCell 100AG	FLBCAG2225	30m ²	30m ²	per roll
Foil Tape	Foil Tape 48mm 50.0m	FLTAPE48500			each
	Foil Tape 75mm 50.0m	FLTAPE72500			each
	Foil Tracks	FLTACKB			per box 500









BLANKET • BATTS • WIRE

Product Foil/Blanket/Batts/Wire	Product Details		Code	Roll Area	Cover	Unit
Permastop Building Blanket Lightweight foil adhered 	1200 x 15m x 60mm	R-1-4	BB60LW150	18m ²	18m ²	per roll
	1200 x 20m x 60mm	R-1-4	BB60LW200	24m ²	24m ²	per roll
	1200 x 15m x 75mm	R-1-8	BB75LW150	18m ²	18m ²	per roll
	1200 x 10m x 100mm	R-2-5	B100LW100	12m ²	12m ²	per roll
Permastop Building Blanket Medium weight foil adhered 	1200 x 15m x 55mm	R-1-4	BB55MW150	18m ²	18m ²	per roll
	1200 x 20m x 55mm	R-1-3	BB55MW200	24m ²	24m ²	per roll
	1200 x 15m x 75mm	R-1-8	BB75MW150	18m ²	18m ²	per roll
	1200 x 10m x 100mm	R-2-5	BB100MW100	12m ²	12m ²	per roll
Permastop Building Blanket Heavyweight foil adhered 	1200 x 20m x 55mm	R-1-4	BB55HW200	24m ²	24m ²	per roll
	1200 x 15m x 75mm	R-1-8	BB75HW150	18m ²	18m ²	per roll
	1200 x 10m x 100mm	R-2-5	BB100HW100	12m ²	12m ²	per roll
Glasswool Building Blanket Plain – 1200mm 	1200 x 30m x 55mm	R-1-4	BB55PLN300	39.6m ²	39.6m ²	per roll
	1200 x 25m x 75mm	R-1-8	BB75PLN250	24m ²	24m ²	per roll
	1200 x 10m x 100mm	R-2-5	BB100PLN100	12m ²	12m ²	per roll
Ceiling Batts - Pink Batts 	C/Batt 1160 x 430 R2.5 Pk16		BBC430R25	8m ²		per pack
	C/Batt 1160 x 430 R3.0 Pk16		BBC430R30	8m ²		per pack
	C/Batt 1160 x 430 R3.5 Pk16		BBC430R35	8m ²		per pack
	C/Batt 1160 x 580 R3.5 Pk10		BBC580R35	7m ²		per pack
Roofing Wire 	300x150x1800 Safety Mesh* (2.0mm x 50m Roll)		WMAUS500	90m ²	82.5m ²	per roll
	150 x 13 x 230mm Verminwire* (0.56 x 46m roll)		WMVERMIN460			per roll













*Stocked at Crestmead.

**All deliveries for the above products will incur and additional fee delivery fee for metro areas.
 R-values shown are minimum rating and will increase depending on installation design.
 Please refer to your Stramit representative regarding actual total R-value achieved.**


















VALLEYS & RIDGES & EDGE ROLL

Product	Product Details	Code	Finish	BMT	Unit	
Valleys, Ridges & Edge Roll						
Stramit® Valley (Ribbed) (450mm) (Tile) 	Brisbane Only	VRIB40ZA	ZA	0.40	lin metre	
		VRIB40X***	CB	0.40	lin metre	
		VRIB40GA	GA	0.40	lin metre	
	Max Length 8.5m	Minimum length 1.5m				
Stramit® Valley (Rolled) (400mm) 	Brisbane Only	VPR40ZA	ZA	0.40	lin metre	
		VPR40X***	CB	0.40	lin metre	
	(May not conform to Aust Standards)	VPR40GA	GA	0.40	lin metre	
		VPF55ZA	ZA	0.55	lin metre	
		VPF55X***	CB	0.55	lin metre	
		VPF55GA	GA	0.55	lin metre	
	Max Length 8.0m	Minimum length 1.5m				
Stramit® Roll Top Ridge (400mm) 	Brisbane, Maryborough & Rockhampton	RTR40ZA	ZA	0.40	lin metre	
		RTR40X***	CB	0.40	lin metre	
		RTR40GA	GA	0.40	lin metre	
	Max Length 8.5m	Minimum length 1.5m				
Stramit® Roll Top Ridge (450mm) 	Brisbane	RTRL40ZA	ZA	0.40	lin metre	
		RTRL40X***	CB	0.40	lin metre	
		RTRL40GA	GA	0.40	lin metre	
	Max Length 8.5m	Minimum length 1.5m				
Stramit® Ridge Cap (3 Break) (400mm) Monoclad  	Brisbane Only	RRMC40ZA	ZA	0.40	lin metre	
		RRMC40X***	CB	0.40	lin metre	
		RRMC40GA	GA	0.40	lin metre	
	Maryborough & Rockhampton	RFMC55ZA	ZA	0.55	lin metre	
		RFMC55X***	CB	0.55	lin metre	
		RFC55ZA	ZA	0.55	lin metre	
		RFC55X***	CB	0.55	lin metre	
	Max Length 8m Min Length 1.5m					
Stramit® Edge (Gable) Roll 	38mm x 1.8m (Colour not stocked made to order 48 hour Lead Time)	ER38ZA18	ZA	0.40	length	
		ER38X***18	CB	0.40	length	
		ER38GA18	GA	0.40	length	
	50mm - Brisbane Only	ER50ZA	ZA	0.40	lin metre	
		ER50GA	GA	0.40	lin metre	
	min length 2m, max length 6m	ER50X***	CB	0.40	lin metre	
	Crestmead Stock	ER50ZA20	ZA	0.40	length	
		ER50ZA30	ZA	0.40	length	
	Maryborough Stock	ER50ZA30	ZA	0.40	length	
		ER50X***30	CB	0.40	length	
	Rockhampton Stock	ER50ZA20	ZA	0.40	length	
		ER50ZA30	ZA	0.40	length	
		ER50X***30	CB	0.40	length	
		*** Stock colour only available in CTG, MNR, SUR, JAS				
	Stramit® Roll Barge Cap 	Brisbane Only	RTB40ZA	ZA	0.40	lin metre
		RTB40X***	CB	0.40	lin metre	
	Max. Length 8.0m.	Lead time 72 hours.				













FASCIA • ACCESSORIES

Product Fascia/Accessories	Product Details	Code	Finish	Unit
Stramit® Fascia 	Cut to length - Brisbane, Maryborough & Rockhampton	FBZA FBX***	ZA CB	lin metre lin metre
	(Max length 8.5m) Minimum length 500mm			
Accessories          	Versatile Rafter Bracket (Box 50)	FBVRBGA	GA	each
	Fascia Splice (Joiner) Plate	FBSPZA	ZA	each
	External Corner	FBECZA FBECX***	ZA CB	each each
	Internal Corner	FBICZA FBICX***	ZA CB	each each
	Snap Clip (Box 100)	FBSCZA	Coated	each
	Bat Clip	BATOC		each
	Barge Corner Left Hand	FBBCLZA FBBCCLX***	ZA CB	each each
	Barge Corner Right Hand	FBBCRZA FBBCRX***	ZA CB	each each
	Barge Bracket (Box 100)	FBBBGA	GA	each
	Apex Joiner (Cover) Plate Not available in BSL, EVH, IST, JAS, LOF, MON, SBK	FBAJZA FBAJX***	ZA CB	each each
Fasteners (AS3566 Class 3) 	6 x 25 Bugle Needle Point (For fixing to timber)	S0625BUGNP	Plain	Box 1000













GUTTERS • ACCESSORIES

Product Gutters/Accessories	Product Details	Code	Finish	Unit
Stramit Queenslander Quad® Hi-Front ECSA 8100mm ² 	Slotted	QQSZA	ZA	lin metre
	Plain	QQPZA	ZA	lin metre
	Slotted	QQSX***	CB	lin metre
	Plain	QQPX***	CB	lin metre
	Cut to length - Brisbane*, Rockhampton Minimum Length 500mm Maximum Length 8.5m *oversize holes/slots manufactured in Brisbane & Townsville only			
Accessories          	Concealed Bracket (Box 70)	QQSCBZA	ZA	each
	Stiffener Bracket (Box 150)	QQSSBZA	ZA	each
	Snap Clip (Box 100)	FBSCZA	Coated	each
	Spike Bracket	QQ175SPBZP QQ175SPBX***	Plated Colour	each each
	Stop End - Left	QQSSELZA QQSSELX***	ZA CB	each each
	Stop End - Right	QQSSERZA QQSSERX***	ZA CB	each each
	Fascia Board Gutter Spacer	FBGS	Coated	each
	Gutter Spacer Inserting Tool	FBGST	Coated	each
	Corners - Internal NOTE: Made to order 72hr Lead Time	QQSICZA QQSICX***	ZA CB	each each
	Corners - External NOTE: Made to order 72hr Lead Time	QQSECZA QQSECX***	ZA CB	each each
Stramit Compact Gutter® ECSA 5300mm ² 	Cut to length only	CGSZA CGSX***	ZA CB	lin metre lin metre
	Maximum length 8.5m Minimum length 500mm			
Accessories    	Concealed Bracket (Box 80)	CGCBZA	ZA	each
	Stiffener Bracket (Box 50)	CGSBZA	ZA	each
	Snap Clip (Box 100)	FBSCZA	Coated	each
	Stop End	CGSEZA CGSEX***	ZA CB	each each
Stramit Compact® Barge Capping 	Cut to length only	CGBZA CGBX***	ZA CB	lin metre lin metre
	Maximum length 8.5m Minimum length 500mm			

GUTTERS • ACCESSORIES














Product Gutters/Accessories	Product Details	Code	Finish	Unit
Stramit® M Pattern ECSA 7900mm ² 	Cut to length - Brisbane, Maryborough & Rockhampton Max. Length 8.5m Minimum length 500mm	FGMSZA FGMSX***	ZA CB	lin metre lin metre
Accessories 	Concealed Bracket (Box 50) (GPM) (Box 20)	FGMCBZA FGMCBX***	ZA CB	each each
	Stiffener Bracket (Box 150)	FGMSBZA	ZA	each
	Snap Clip (Box 100)	FBSCZA	Coated	each
	Stop End	FGSEZA FGSEX***	ZA CB	each each
	Corners (Angles) - Internal NOTE: Colour made to order 72 hr lead time	FGMICZA FGMICX***	ZA CB	each each
	Corners (Angles) - External NOTE: Colour made to order 72 hr lead time	FGMECZA FGMECX***	ZA CB	each each
Stramit® M Pattern Barge Capping 	Cut to length Max length 8.5m Minimum length 500mm	FGBCZA FGBCX***	ZA CB	lin metre lin metre
Stramit® S Pattern 	Cut to length Max length 8.5m NOTE: 48hr lead time, refer to Production Days Crestmead page 5	FGSSZA FGSSX*** FGSSZA60 FGSSXC60 FGSSXSUR60	ZA CB ZA CB CB	lin metre lin metre each each each
ECSA 7900mm ²	*See page 4 for colour availability.			
Accessories 	Concealed Bracket	FGSCBZA	ZA	each
	Gutter Stiffener (Overstrap)	FGSSBZA	ZA	each
	Stop End	FGSEZA FGSEX***	ZA CB	each each

GUTTERS • ACCESSORIES

Product Gutters/Accessories	Product Details	Code	Finish	Unit
Stramit® Quad 150 Lo-Front ECSA 8500mm ² 	Cut to length - Brisbane Only	QQ150ZA	ZA	lin metre
	Minimum Length 500mm	QQ150X***	CB	lin metre
	Maximum Length 8.5m	QQ150GA	GA	lin metre
	Maryborough stock	QQ150ZA60	ZA	length
	Rockhampton stock	QQ150ZA40	ZA	length
		QQ150ZA60	ZA	length
		QQ150XCTG60	CB	length
		QQ150XMNR60	CB	length
		QQ150XSUR60	CB	length
Accessories				
	Concealed Bracket (Box 100)	QQ150CBZA	ZA	each
	Stiffener Bracket (Box 150)	QQ150SBZA	ZA	each
	External (T-Head) Bracket (Box 50)	QQ150EBGA	GA	each
	Snap Clip (Box 100)	FBSCZA	Coated	each
	Spike Bracket (Box 25) (Box 200)	QQ150SPBX*** QQ150SPBZP	Colour Plated	each each
	Overstrap Bracket	QQ1500BZA	ZA	each
	Overstrap 390 x 40mm	QQ0SZA	ZA	each
	Stop End (Left)	QQ150SELZA QQ150SELX*** QQ150SELGA	ZA CB GA	each each each
	Stop End (Right)	QQ150SERZA QQ150SERX*** QQ150SERGA	ZA CB GA	each each each
	Corners Angles - (Internal)	QQ150ICZA QQ150ICX*** QQ150ICGA	ZA CB GA	each each each
 Internal	Corners Angles - (External)	QQ150ECZA QQ150ECX*** QQ150ECGA	ZA CB GA	each each each
 External	Return End (Full Stop End) Left Not stocked in EVH, IST, JAS, MON	QQ150RELZA QQ150RELX*** QQ150RELGA	ZA CB GA	each each each
 Left Hand Right Hand	Return End (Full Stop End) Right Not stocked in EVH, IST, JAS, MON	QQ150RERZA QQ150RERX*** QQ150RERGA	ZA CB GA	each each each














Note: Non-stocked colours are available made to order 72 hour lead time.

GUTTERS • ACCESSORIES
















Product Gutters/Accessories	Product Details	Code	Finish	Unit
Stramit® Quad 175 ECSA14800mm ² 	Cut to length - Brisbane Only	QQ175ZA	ZA	lin metre
	Max. Length 8.5m	QQ175X***	CB	lin metre
		QQ175GA	GA	lin metre
	Minimum length 500mm			
Accessories         Left Hand Right Hand  Internal  External  Left Hand  Right Hand	Concealed Bracket (Box 50)	QQ175CBZA	ZA	each
	Stiffener Bracket (Box 150)	QQ175SBZA	ZA	each
	Snap Clips (Box 100)	FBSCZA	Coated	each
	Spike Brackets	QQ175SPBX*** QQ175SPBZP	Colour Plated	each each
	Overstrap Bracket (Box 50)	QQ175OBGA	GA	each
	Overstraps 390 x 40mm	QQ0SZA	ZA	each
	Stop End - Left	QQ175SELZA QQ175SELX*** QQ175SELGA	ZA CB GA	each each each
	Stop End - Right	QQ175SERZA QQ175SERX*** QQ175SERGA	ZA CB GA	each each each
	Corners (Angles) - Internal Not stocked in IST, JAS, MON	QQ175ICZA QQ175ICX*** QQ175ICGA	ZA CB GA	each each each
	Corners (Angles) - External Not stocked in IST, JAS, MON	QQ175ECZA QQ175ECX*** QQ175ECGA	ZA CB GA	each each each
	Return End (Full Stop End) Left Not stocked in EVH, IST, JAS, MON	QQ175RELZA QQ175RELX***	ZA CB	each each
	Return End (Full Stop End) Right Not stocked in EVH, IST, JAS, MON	QQ175RERZA QQ175RERX***	ZA CB	each each

Note: Non-stocked colours are available made to order 72 hour lead time.






GUTTERS • ACCESSORIES

Product Gutters/Accessories	Product Details	Code	Finish	Unit
Stramit® Quad 100 	1.8m Stock Length NOTE: Stock Ex Brisbane only.	QQ100GA18	GA	length
ECSA 3800mm ²				
Accessories 	Overstrap Bracket	QQ100OBGA	GA	each
 	Stop Ends (Hand made)	QQ100SELGA QQ100SERGA	GA GA	each each
Stramit® Quad 125 	6.0m Stock Length	QQ125ZA60	ZA	length
ECSA 5900mm ²				
Accessories 	External (T-Head) Bracket (Box 100)	QQ125EBGA	GA	each
	Spike Brackets (Box 25)	QQ125SPBGA	GA	each
 	Stop End - Left Stop End - Right	QQ125SELZA QQ125SERZA	ZA ZA	each each
 	Corners (Angles) - Internal Corners (Angles) - External	QQ125ICZA QQ125ECZA	ZA ZA	each each
 	Return End (Full Stop End) -Left Return End (Full Stop End) -Right	QQ125RELZA QQ125RERZA	ZA ZA	each each

GUTTERS • ACCESSORIES

Product Gutters/Accessories		Size	Finish	Ordering Code	Unit
Stramit® Flatback Half Round Gutter					
 <p>ECSA 7800mm²</p>	Plain	150	ZA	HRGFB150PZA HRGFB150PX***	lin metre lin metre
	Slotted Ex Brisbane	150	Slotted	HRGFB150SZA HRGFB150SX***	lin metre lin metre
Accessories					
	Universal Stop End to suit	150	ZA	HRG150SEUZA	each
		150	CB	HRG150SEUX***	each
	Corners (Angles – Internal)	150	ZA	HRGFB150ICPZA	each
		150	CB	HRGFB150ICPX***	each
	Corners (Angles – External)	150	ZA	HRGFB150ECPZA	each
		150	CB	HRGFB150ECPX***	each
	Stiffener Bracket	150	ZA	HRGFB150SBZA	each
	External Bracket for Flatback Half Round A1	150	GA	HRGFB150EBGA	each
		150	CB	HRGFB150EB***	each
*minimum order 30 or powdercoat fee applies - 10 day lead time					
	Snap Clip (100/box)		Coated	FBSCZA	each
	Flatback HR Gutter Concealed Bracket	150	ZA	HRGFB150CSBZA	each
Cast Angles					
	Cast Angles (Ext) To suit Flatback	150	Plain	HRGFB150CAEMF	each
		150	CB*	HRGFB150CAEX***	each
	Cast Angles (Int) To suit Flatback	150	Plain	HRGFB150CAIMF	each
		150	CB*	HRGFB150CAIX***	each
	Cast Angles (Ext) To suit Half Round	150	Plain	HRG150CAEMF	each
		150	CB*	HRG150CAEX***	each
	Cast Angles (Int) To suit Half Round	150	Plain	HRG150CAIMF	each
		150	CB*	HRG150CAIX***	each
*surcharge applies for minimum order quantity. Lead time 10 working days					
150mm Half Round Gutter					
 <p>ESCA 7700mm²</p>	Plain	150	ZA	HRGR150PZA	lin metre
		150	CB	HRGR150PX***	lin metre
	Slotted	150	ZA	HRGR150SZA	lin metre
		150	CB	HRGR150SX***	lin metre
Accessories					
	150mm Half Round Gutter Bracket	150	Plain	HRG150EBMF	each
		150	CB	HRG150EBX***	each
	Universal Stop End to suit Flatback and Half Round Gutter	150	ZA	HRG150SEUZA	each
		150	CB	HRG150SEUX***	each
	Corners (Angles – Internal)	150	ZA	HRG150ICPZA	each
		150	CB	HRG150ICPX***	each
	Corners (Angles – External)	150	ZA	HRG150ECPZA	each
		150	CB	HRG150ECPX***	each








GUTTER • ACCESSORIES

Product Gutters/Accessories	Product Details	Size	Finish	Ordering Code	Unit
	PVC		PVC	PVCHRG150NZ090	each
			PVC	PVCHRG150NZ100	each
	Cast		ZA	HRG10050NOZZA	each
			CB	HRG10050NOZX***	each
			ZA	HRG10075NOZZA	each
			CB	HRG10075NOZX***	each
200mm Half Round Gutter					
ECSA 13500mm ²					
		200	ZA	HRGR200PZA	lin metre
		200	CB	HRGR200PX***	lin metre
*Maximum length 8.5 metres Minimum Length 500mm					
Accessories					
	Heavy Duty Brackets Type A4 (Cast)	200	CB	HRG200BA4X***	each
		200		HRG200BA4ALPR	each
Powder Coating set up fee applies for under 20 brackets					
	Corners (Angles – Internal)	200	ZA	HRG200ICZA	each
		200	CB	HRG200ICX***	each
	Corners (Angles – External)	200	ZA	HRG200ECZA	each
		200	CB	HRG200ECX***	each
Lead time 3-5 working days.					
NOTE: Refer to page 35 for stop ends, nozzles and corners.					






PVC DOWNPIPES AND ACCESSORIES

Product Downpipe/Accessories	Product Details	Code	Unit
	PVC Downpipe 90 6.000m	PVCDP9060	each
	PVC Clip 90	PVCCLP90	each
	PVC Extended Clip 90	PVCECLP90	each
	PVC Downpipe Elbow 90 22.5 Deg	PVCELB9022	each
	PVC Downpipe Elbow 90 45 Deg	PVCELB9045	each
	PVC Downpipe Elbow 90 90 Deg	PVCELB9090	each
	PVC Nozzle 90	PVCNOZ90	each
	PVC Adaptor 100 x 50 - 90 Round	PVCADP1005090	each
	PVC Adaptor 100 x 80 - 90 Round	PVCADP1008090	each

HALF ROUND GUTTER & ACCESSORIES





Product Gutters/Accessories	Product Detail	Code	Unit
Half Round Gutter   Max Length 6.0 Gauge of gutter 0.55	100	HRG100/ZA/X***	lin metre
	175	HRG175/ZA/X***	lin metre
	200	HRG200/ZA/X***	lin metre
	225	HRG225/ZA/X***	lin metre
	250	HRG250/ZA/X***	lin metre
	300	HRG300/ZA/X***	lin metre
	350	HRG350/ZA/X***	lin metre
	400	HRG400/ZA/X***	lin metre
	450	HRG450/ZA/X***	lin metre
	Lead time 3-5 working days. Also available in Stainless Steel, Copper, Metallic and Ultra. Please contact your local Stramit representative for details.		
Fabricated Corners to suit Half Round Gutter 	150mm 90° Ext/Int Corner	HRG150IC/EC/ZA/X***	each
	175mm 90° Ext/Int Corner	HRG175IC/EC/ZA/X***	each
	200mm 90° Ext/Int Corner	HRG200IC/EC/ZA/X***	each
	225mm 90° Ext/Int Corner	HRG225IC/EC/ZA/X***	each
	250mm 90° Ext/Int Corner	HRG250IC/EC/ZA/X***	each
	300mm 90° Ext/Int Corner	HRG300IC/EC/ZA/X***	each
	350mm 90° Ext/Int Corner	HRG350IC/EC/ZA/X***	each
	400mm 90° Ext/Int Corner	HRG400IC/EC/ZA/X***	each
	450mm 90° Ext/Int Corner	HRG450IC/EC/ZA/X***	each
	Lead time 3-5 working days.		
Stop End to suit Half Round Gutter 	175mm H/Rd Stop End	HRG175SE/ZA/X***	each
	200mm H/Rd Stop End	HRG200SE/ZA/X***	each
	225mm H/Rd Stop End	HRG225SE/ZA/X***	each
	250mm H/Rd Stop End	HRG250SE/ZA/X***	each
	300mm H/Rd Stop End	HRG300SE/ZA/X***	each
	350mm H/Rd Stop End	HRG350SE/ZA/X***	each
	400mm H/Rd Stop End	HRG400SE/ZA/X***	each
	450mm H/Rd Stop End	HRG450SE/ZA/X***	each
Nozzles to suit Half Round Gutter 	90mm H/Rd Nozzle	HRG90NOZZA/X***	each
	Suits 100, 115, 125, 150, 175 & 200 gutters		
	100mm H/Rd Nozzle	HRG100NOZZA/X***	each
	Suits 125, 150, 175, 200, 225, 250 & 300 gutters		
	125mm H/Rd Nozzle	HRG125NOZZA/X***	each
	Suits 150, 175, 200, 225, 250 & 300 gutters		
	150mm H/Rd Nozzle	HRG150NOZZA/X***	each
	Suits 175, 200, 225, 250 & 300 gutters		
	Copper & Stainless Steel made to order POA. Products manufactured to order are non-returnable. Lead time 3-5 working days.		
Half Round Brackets Type A1 	100mm x 1.6mm	HRG100BA1GA/X***	each
	150mm x 1.6mm	HRG150BA1GA/X***	each
	150mm x 1.6mm	HRG150BA1SS	each
	*Lead time 5 working days		
Half Round Brackets Type A4 Heavy Duty Aluminium (H/Duty required 200mm & over)  Strap welded to body Profile Cut 3mm 150mm-300mm 5mm 350mm +	150mm	HRG150BA4ALPR/X***	each
	175mm	HRG175BA4ALPR/X***	each
	200mm	HRG200BA4ALPR/X***	each
	225mm	HRG225BA4ALPR/X***	each
	250mm	HRG250BA4ALPR/X***	each
	300mm	HRG300BA4ALPR/X***	each
	350mm	HRG350BA4ALPR	each
	400mm	HRG400BA4ALPR	each
	450mm	HRG450BA4ALPR	each
	Setup Charge	PDCOATSU	each
	All manufactured to order. Check lead times.		
	Powder Coating set up fee applies for under 20 brackets.		
	Brackets other than shown POA.		
	Other Bead Profiles available on request. Check with Sales on lead time.		
	* Gutter also available in S/Steel, Copper, Metallic & Ultra.		
	ALL POWDER COATED BRACKETS ARE NOT RECOMMENDED FOR COASTAL, MARINE OR SEVERE CORROSIVE ENVIRONMENTS.		

DOWNPIPE • ACCESSORIES

Product Downpipe/Accessories	Product Details	Code	Finish	BMT	Unit		
	Stramit® Downpipe Roll Formed Tapered Rectangular	100 x 75 x 1.8m	DP10075ZA18	ZA	0.40	length	
			DP10075X***18	CB	0.40	length	
	100 x 75 x 2.4m	DP10075ZA24	ZA	0.40	length		
		DP10075X***24	CB	0.40	length		
	100 x 75 x 3.0m	DP10075ZA30	ZA	0.40	length		
		DP10075X***30	CB	0.40	length		
	Stramit® Downpipe Custom Made Tapered Rectangular and Square External Seam	100 x 50 x 1.8m	DP10050MZA18	ZA	0.55	length	
			DP10050MX***18	CB	0.55	length	
	100 x 75 x 1.8m	DP10075MZA18	ZA	0.55	length		
		DP10075MX***18	CB	0.55	length		
		DP10075MGA18	GA	0.55	length		
	100 x 75 x 2.4M	DP10075MGA24	GA	0.55	length		
	100 x 100 x 1.8m	DP100100MZA18	ZA	0.55	length		
		DP100100MX***18	CB	0.55	length		
	150 x 100 x 1.8m	DP150100MZA18	ZA	0.55	length		
		DP150100MX***18	CB	0.55	length		
		DP150100MGA18	GA	0.55	length		
	Note: Made to order 72 hour lead time. Other sizes and lengths available on request.						
	  	Accessories	Strap Astragal 100 x 50	AST10050ZA	ZA	0.40	each
				AST10050X***	CB	0.40	each
AST10050GA				GA	0.40	each	
Strap Astragal 100 x 75			AST10075ZA	ZA	0.40	each	
			AST10075X***	CB	0.40	each	
			AST10075GA	GA	0.40	each	
Strap Astragal 100 x 100			AST100100ZA	ZA	0.40	each	
			AST100100X***	CB	0.40	each	
			AST100100GA	GA	0.40	each	
Strap Astragal 150 x 100			AST150100ZA	ZA	0.40	each	
			AST150100X***	CB	0.40	each	
			AST150100GA	GA	0.40	each	
Nozzle (Drop or Pop) 100 x 50		NOZ10050ZA	ZA	0.40	each		
		NOZ10050X***	CB	0.40	each		
		NOZ10050GA	GA	0.40	each		
		Nozzle (Drop or Pop) 100 x 75	NOZ10075ZA	ZA	0.40	each	
			NOZ10075X***	CB	0.40	each	
			NOZ10075GA	GA	0.40	each	
		Nozzle (Drop or Pop) 100 x 100	NOZ100100ZA	ZA	0.40	each	
			NOZ100100X***	CB	0.40	each	
			NOZ100100GA	GA	0.40	each	
		Nozzle (Drop or Pop) 150 x 100	NOZ150100ZA	ZA	0.40	each	
			NOZ150100X***	CB	0.40	each	
			NOZ150100GA	GA	0.40	each	
NOTE: Colorbond Astragals & Nozzles are made to order 72 hour lead time							
Adjustable Offset 100 x 75 Suit Stramit® Downpipe		OS10075ZA	ZA	0.40	each		
		OS10075X***	CB	0.40	each		
		OS10075GA	GA	0.40	each		


NOTE: Colorbond Offset are made to order 72 hour lead time

DOWNPIPE • ACCESSORIES








Product Fascia/Accessories	Product Details	Code	Finish	BMT	Unit
Stramit® Downpipe Custom Made Round Adjustable Standard Offsets 	90mm	OS90ZA OS90X***	ZA CB		each each
	100mm	OS100ZA OS100X***	ZA CB		each each
	150mm	OS150ZA OS150X***	ZA CB		each each
	Also available in stainless steel and copper.				
Tapered Round   	75 x 1.8m	DP75MZA18	ZA	0.55	length
	90 x 1.8m	DP90MZA18	ZA	0.55	length
		DP90MX***18	CB	0.55	length
	90 x 2.4m	DP90MZA24	ZA	0.55	length
		DP90MX***24	CB	0.55	length
	100 x 1.8m	DP100MX***18	CB	0.55	length
		DP100MZA18	ZB	0.55	length
		DP100MGA18	GA	0.55	length
	100 x 2.4m	DP100MZA24	ZA	0.55	length
		DP100MX***24	CB	0.55	length
		DP100MGA24	GA	0.55	length
	125 x 1.8m	DP125MZA18	ZA	0.55	length
		DP125MX***18	CB	0.55	length
		DP125MGA18	GA	0.55	length
	150 x 1.8m	DP150MZA18	ZA	0.55	length
		DP150MX***18	CB	0.55	length
		DP150MGA18	GA	0.55	length

All sizes & finishes are available upon request - Made to order 72hr lead time.

DOWNPIPE • ACCESSORIES

Product Downpipe/Accessories	Product Details	Code	Finish	BMT	Unit
	Strap Astragal 75	AST75ZA AST75GA	ZA GA	0.40 0.40	each each
	Strap Astragal 85	AST90ZA AST90X*** AST90GA	ZA CB GA	0.40 0.40 0.40	each each each
	Strap Astragal 100	AST100ZA AST100X*** AST100GA	ZA CB GA	0.40 0.40 0.40	each each each
	Strap Astragal 125	AST125ZA AST125X*** AST125GA	ZA CB GA	0.40 0.40 0.40	each each each
	Strap Astragal 150	AST150ZA AST150X*** AST150GA	ZA CB GA	0.40 0.40 0.40	each each each

NOTE: Colorbond Astragals only stocked in 85mm & 100mm. All other Colorbond sizes are made to order 72hr lead time.

       	Accessories Continued	Nozzle (Drop or Pop) 50	NOZ50ZA NOZ50GA	ZA GA	0.40 0.40	each each
		Nozzle (Drop or Pop) 75	NOZ75ZA NOZ75X*** NOZ75GA	ZA CB GA	0.40 0.40 0.40	each each each
		Nozzle (Drop or Pop) 85	NOZ85ZA NOZ85X*** NOZ85GA	ZA CB GA	0.40 0.40 0.40	each each each
		Nozzle (Drop or Pop) 100	NOZ100ZA NOZ100X*** NOZ100GA	ZA CB GA	0.40 0.40 0.40	each each each
		Nozzle (Drop or Pop) 125	NOZ125ZA NOZ125X*** NOZ125GA	ZA CB GA	0.40 0.40 0.40	each each each
		Nozzle (Drop or Pop) 150	NOZ150ZA NOZ150X*** NOZ150GA	ZA CB GA	0.40 0.40 0.40	each each each
		Universal Nozzle Suits 100 x 75 & 90 Round	NOZUNIZA	ZA		each
		NOTE: Colorbond Nozzles are made to order 72 hour lead time				
		PVC Nozzle 90mm	PVCN0Z90			each
		Crimp Bends 75 x 45° (not sealed) 75 x 90°	CB7545ZA CB7590ZA	ZA ZA	0.55 0.55	each each
		Crimp Bends 85 x 45° (not sealed) 85 x 90°	CB8545ZA CB8590ZA	ZA ZA	0.55 0.55	each each
		Crimp Bends 100 x 45° (not sealed) 100 x 90°	CB10045ZA CB10090ZA	ZA ZA	0.55 0.55	each each

CUSTOM FLASHINGS – ORDERING PROCEDURE

ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If Colour, nominate the side on which colour is required
3. Nominate the dimensions by the letters shown on diagrams
4. Nominate the angles on all bends
5. Nominate the quantity and length of profile

EXAMPLE

1. Type 4, Colour Surfmist
2. Colour on side C
3. A – 15mm, B – 100mm, C – 150mm, D – 150mm
4. CB = 90°, CD = 90°, AB = 65°
5. 1 off, 2550mm

Type 1 	Type 2 	Type 3 	Type 4 	Type 5 	Type 6
Type 7 	Type 8 	Type 9 	Type 10 	Type 11 	Type 12
Type 13 	Type 14 	Type 15 	Type 16 	Type 17 	Type 18
Type 19 	Type 20 	Type 21 	Type 22 	Type 23 	Type 24
Type 25 	Type 26 	Type 27 	Type 28 	Type 29 	Type 30
Type 31 	Type 32 	Type 33 	Type 34 	Type 35 	SPECIAL

CUSTOM FLASHINGS INFORMATION

METRIC CONVERSION CHART	
METRIC THICKNESS	EQUIVALENT GAUGE
0.4mm	26G
0.6mm	24G
0.8mm	22G
1.0mm	20G
1.2mm	18G
1.6mm	16G
2.0mm	14G
2.5mm	12G
3.0mm	10G

NOTE

- Squash fold = 2 bends
- Minimum fold = 10-15mm (depending on profile)
- Girth under 100mm maximum length 3600. Over 100mm maximum length 8000.

Subject to suitability of shape and delivery arrangements.
See Delivery Details (see Page 6&7)

- Stramit® Custom Flashings have a minimum charged length of 1 linear metre - if you order lengths less than a linear metre the charge is still for 1 linear metre regardless of multiple lengths being ordered.
- Flat sheets cannot be supplied as a "roll up"

Due to the nature of **Flat Sheet**, we cannot guarantee this product by normal transport without damage. Therefore, we strongly recommend that orders for Flat Sheet be collected from our factory. However, if you still require us to deliver **Flat Sheet**, **WE WILL NOT ACCEPT ANY RESPONSIBILITY FOR DAMAGE WHICH MAY OCCUR**. Alternatively, we can supply **Flat Sheet** with a Timber Pallet which will incur a surcharge.

ORDER BY FAX

For best results, send your profile details by fax to Crestmead (07) 3803 1499.

Ask for our Stramit Flashing Detail Pad (see page 46)

CUSTOM FLASHINGS

ZINCALUME 0.40 BMT

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF040B00ZA	CF040B01ZA	CF040B02ZA	CF040B03ZA	CF040B04ZA	CF040B05ZA	CF040B06ZA
101-150 (C)	CF040C00ZA	CF040C01ZA	CF040C02ZA	CF040C03ZA	CF040C04ZA	CF040C05ZA	CF040C06ZA
151-200 (D)	CF040D00ZA	CF040D01ZA	CF040D02ZA	CF040D03ZA	CF040D04ZA	CF040D05ZA	CF040D06ZA
201-250 (E)	CF040E00ZA	CF040E01ZA	CF040E02ZA	CF040E03ZA	CF040E04ZA	CF040E05ZA	CF040E06ZA
251-300 (F)	CF040F00ZA	CF040F01ZA	CF040F02ZA	CF040F03ZA	CF040F04ZA	CF040F05ZA	CF040F06ZA
301-350 (G)	CF040G00ZA	CF040G01ZA	CF040G02ZA	CF040G03ZA	CF040G04ZA	CF040G05ZA	CF040G06ZA
351-400 (H)	CF040H00ZA	CF040H01ZA	CF040H02ZA	CF040H03ZA	CF040H04ZA	CF040H05ZA	CF040H06ZA
401-500 (J)	CF040J00ZA	CF040J01ZA	CF040J02ZA	CF040J03ZA	CF040J04ZA	CF040J05ZA	CF040J06ZA
501-600 (L)	CF040L00ZA	CF040L01ZA	CF040L02ZA	CF040L03ZA	CF040L04ZA	CF040L05ZA	CF040L06ZA
601-700 (N)	CF040N00ZA	CF040N01ZA	CF040N02ZA	CF040N03ZA	CF040N04ZA	CF040N05ZA	CF040N06ZA
701-800 (P)	CF040P00ZA	CF040P01ZA	CF040P02ZA	CF040P03ZA	CF040P04ZA	CF040P05ZA	CF040P06ZA
801-900 (R)	CF040R00ZA	CF040R01ZA	CF040R02ZA	CF040R03ZA	CF040R04ZA	CF040R05ZA	CF040R06ZA
901-1000 (T)	CF040T00ZA	CF040T01ZA	CF040T02ZA	CF040T03ZA	CF040T04ZA	CF040T05ZA	CF040T06ZA
1001-1100 (V)	CF040V00ZA	CF040V01ZA	CF040V02ZA	CF040V03ZA	CF040V04ZA	CF040V05ZA	CF040V06ZA
1101-1200 (X)	CF040X00ZA	CF040X01ZA	CF040X02ZA	CF040X03ZA	CF040X04ZA	CF040X05ZA	CF040X06ZA

0.40 BMT flashing may not conform with Australian Standards

GALVANISED 0.40 BMT

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF040B00GA	CF040B01GA	CF040B02GA	CF040B03GA	CF040B04GA	CF040B05GA	CF040B06GA
101-150 (C)	CF040C00GA	CF040C01GA	CF040C02GA	CF040C03GA	CF040C04GA	CF040C05GA	CF040C06GA
151-200 (D)	CF040D00GA	CF040D01GA	CF040D02GA	CF040D03GA	CF040D04GA	CF040D05GA	CF040D06GA
201-250 (E)	CF040E00GA	CF040E01GA	CF040E02GA	CF040E03GA	CF040E04GA	CF040E05GA	CF040E06GA
251-300 (F)	CF040F00GA	CF040F01GA	CF040F02GA	CF040F03GA	CF040F04GA	CF040F05GA	CF040F06GA
301-350 (G)	CF040G00GA	CF040G01GA	CF040G02GA	CF040G03GA	CF040G04GA	CF040G05GA	CF040G06GA
351-400 (H)	CF040H00GA	CF040H01GA	CF040H02GA	CF040H03GA	CF040H04GA	CF040H05GA	CF040H06GA

0.40 BMT flashing may not conform with Australian Standards

Girths over 400 refer to page 42 Galvanised 0.55 BMT

COLORBOND 0.40 BMT

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF040B00X***	CF040B01X***	CF040B02X***	CF040B03X***	CF040B04X***	CF040B05X***	CF040B06X***
101-150 (C)	CF040C00X***	CF040C01X***	CF040C02X***	CF040C03X***	CF040C04X***	CF040C05X***	CF040C06X***
151-200 (D)	CF040D00X***	CF040D01X***	CF040D02X***	CF040D03X***	CF040D04X***	CF040D05X***	CF040D06X***
201-250 (E)	CF040E00X***	CF040E01X***	CF040E02X***	CF040E03X***	CF040E04X***	CF040E05X***	CF040E06X***
251-300 (F)	CF040F00X***	CF040F01X***	CF040F02X***	CF040F03X***	CF040F04X***	CF040F05X***	CF040F06X***
301-350 (G)	CF040G00X***	CF040G01X***	CF040G02X***	CF040G03X***	CF040G04X***	CF040G05X***	CF040G06X***
351-400 (H)	CF040H00X***	CF040H01X***	CF040H02X***	CF040H03X***	CF040H04X***	CF040H05X***	CF040H06X***

0.40 BMT flashing may not conform with Australian Standards

Girths over 400 refer to page 42 Colorbond 0.55 BMT

CUSTOM FLASHINGS

ZINCALUME 0.55 BMT

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00ZA	CF055B01ZA	CF055B02ZA	CF055B03ZA	CF055B04ZA	CF055B05ZA	CF055B06ZA	CF055B07ZA	CF055B08ZA
101-150 (C)	CF055C00ZA	CF055C01ZA	CF055C02ZA	CF055C03ZA	CF055C04ZA	CF055C05ZA	CF055C06ZA	CF055C07ZA	CF055C08ZA
151-200 (D)	CF055D00ZA	CF055D01ZA	CF055D02ZA	CF055D03ZA	CF055D04ZA	CF055D05ZA	CF055D06ZA	CF055D07ZA	CF055D08ZA
201-250 (E)	CF055E00ZA	CF055E01ZA	CF055E02ZA	CF055E03ZA	CF055E04ZA	CF055E05ZA	CF055E06ZA	CF055E07ZA	CF055E08ZA
251-300 (F)	CF055F00ZA	CF055F01ZA	CF055F02ZA	CF055F03ZA	CF055F04ZA	CF055F05ZA	CF055F06ZA	CF055F07ZA	CF055F08ZA
301-350 (G)	CF055G00ZA	CF055G01ZA	CF055G02ZA	CF055G03ZA	CF055G04ZA	CF055G05ZA	CF055G06ZA	CF055G07ZA	CF055G08ZA
351-400 (H)	CF055H00ZA	CF055H01ZA	CF055H02ZA	CF055H03ZA	CF055H04ZA	CF055H05ZA	CF055H06ZA	CF055H07ZA	CF055H08ZA
401-500 (J)	CF055J00ZA	CF055J01ZA	CF055J02ZA	CF055J03ZA	CF055J04ZA	CF055J05ZA	CF055J06ZA	CF055J07ZA	CF055J08ZA
501-600 (L)	CF055L00ZA	CF055L01ZA	CF055L02ZA	CF055L03ZA	CF055L04ZA	CF055L05ZA	CF055L06ZA	CF055L07ZA	CF055L08ZA
601-700 (N)	CF055N00ZA	CF055N01ZA	CF055N02ZA	CF055N03ZA	CF055N04ZA	CF055N05ZA	CF055N06ZA	CF055N07ZA	CF055N08ZA
701-800 (P)	CF055P00ZA	CF055P01ZA	CF055P02ZA	CF055P03ZA	CF055P04ZA	CF055P05ZA	CF055P06ZA	CF055P07ZA	CF055P08ZA
801-900 (R)	CF055R00ZA	CF055R01ZA	CF055R02ZA	CF055R03ZA	CF055R04ZA	CF055R05ZA	CF055R06ZA	CF055R07ZA	CF055R08ZA
901-1000 (T)	CF055T00ZA	CF055T01ZA	CF055T02ZA	CF055T03ZA	CF055T04ZA	CF055T05ZA	CF055T06ZA	CF055T07ZA	CF055T08ZA
1001-1100 (V)	CF055V00ZA	CF055V01ZA	CF055V02ZA	CF055V03ZA	CF055V04ZA	CF055V05ZA	CF055V06ZA	CF055V07ZA	CF055V08ZA
1101-1200 (X)	CF055X00ZA	CF055X01ZA	CF055X02ZA	CF055X03ZA	CF055X04ZA	CF055X05ZA	CF055X06ZA	CF055X07ZA	CF055X08ZA

GALVANISED 0.55 BMT

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00GA	CF055B01GA	CF055B02GA	CF055B03GA	CF055B04GA	CF055B05GA	CF055B06GA	CF055B07GA	CF055B08GA
101-150 (C)	CF055C00GA	CF055C01GA	CF055C02GA	CF055C03GA	CF055C04GA	CF055C05GA	CF055C06GA	CF055C07GA	CF055C08GA
151-200 (D)	CF055D00GA	CF055D01GA	CF055D02GA	CF055D03GA	CF055D04GA	CF055D05GA	CF055D06GA	CF055D07GA	CF055D08GA
201-250 (E)	CF055E00GA	CF055E01GA	CF055E02GA	CF055E03GA	CF055E04GA	CF055E05GA	CF055E06GA	CF055E07GA	CF055E08GA
251-300 (F)	CF055F00GA	CF055F01GA	CF055F02GA	CF055F03GA	CF055F04GA	CF055F05GA	CF055F06GA	CF055F07GA	CF055F08GA
301-350 (G)	CF055G00GA	CF055G01GA	CF055G02GA	CF055G03GA	CF055G04GA	CF055G05GA	CF055G06GA	CF055G07GA	CF055G08GA
351-400 (H)	CF055H00GA	CF055H01GA	CF055H02GA	CF055H03GA	CF055H04GA	CF055H05GA	CF055H06GA	CF055H07GA	CF055H08GA
401-500 (J)	CF055J00GA	CF055J01GA	CF055J02GA	CF055J03GA	CF055J04GA	CF055J05GA	CF055J06GA	CF055J07GA	CF055J08GA
501-600 (L)	CF055L00GA	CF055L01GA	CF055L02GA	CF055L03GA	CF055L04GA	CF055L05GA	CF055L06GA	CF055L07GA	CF055L08GA
601-700 (N)	CF055N00GA	CF055N01GA	CF055N02GA	CF055N03GA	CF055N04GA	CF055N05GA	CF055N06GA	CF055N07GA	CF055N08GA
701-800 (P)	CF055P00GA	CF055P01GA	CF055P02GA	CF055P03GA	CF055P04GA	CF055P05GA	CF055P06GA	CF055P07GA	CF055P08GA
801-900 (R)	CF055R00GA	CF055R01GA	CF055R02GA	CF055R03GA	CF055R04GA	CF055R05GA	CF055R06GA	CF055R07GA	CF055R08GA
901-1000 (T)	CF055T00GA	CF055T01GA	CF055T02GA	CF055T03GA	CF055T04GA	CF055T05GA	CF055T06GA	CF055T07GA	CF055T08GA
1001-1100 (V)	CF055V00GA	CF055V01GA	CF055V02GA	CF055V03GA	CF055V04GA	CF055V05GA	CF055V06GA	CF055V07GA	CF055V08GA
1101-1200 (X)	CF055X00GA	CF055X01GA	CF055X02GA	CF055X03GA	CF055X04GA	CF055X05GA	CF055X06GA	CF055X07GA	CF055X08GA

COLORBOND 0.55 BMT

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00X***	CF055B01X***	CF055B02X***	CF055B03X***	CF055B04X***	CF055B05X***	CF055B06X***	CF055B07X***	CF055B08X***
101-150 (C)	CF055C00X***	CF055C01X***	CF055C02X***	CF055C03X***	CF055C04X***	CF055C05X***	CF055C06X***	CF055C07X***	CF055C08X***
151-200 (D)	CF055D00X***	CF055D01X***	CF055D02X***	CF055D03X***	CF055D04X***	CF055D05X***	CF055D06X***	CF055D07X***	CF055D08X***
201-250 (E)	CF055E00X***	CF055E01X***	CF055E02X***	CF055E03X***	CF055E04X***	CF055E05X***	CF055E06X***	CF055E07X***	CF055E08X***
251-300 (F)	CF055F00X***	CF055F01X***	CF055F02X***	CF055F03X***	CF055F04X***	CF055F05X***	CF055F06X***	CF055F07X***	CF055F08X***
301-350 (G)	CF055G00X***	CF055G01X***	CF055G02X***	CF055G03X***	CF055G04X***	CF055G05X***	CF055G06X***	CF055G07X***	CF055G08X***
351-400 (H)	CF055H00X***	CF055H01X***	CF055H02X***	CF055H03X***	CF055H04X***	CF055H05X***	CF055H06X***	CF055H07X***	CF055H08X***
401-500 (J)	CF055J00X***	CF055J01X***	CF055J02X***	CF055J03X***	CF055J04X***	CF055J05X***	CF055J06X***	CF055J07X***	CF055J08X***
501-600 (L)	CF055L00X***	CF055L01X***	CF055L02X***	CF055L03X***	CF055L04X***	CF055L05X***	CF055L06X***	CF055L07X***	CF055L08X***
601-700 (N)	CF055N00X***	CF055N01X***	CF055N02X***	CF055N03X***	CF055N04X***	CF055N05X***	CF055N06X***	CF055N07X***	CF055N08X***
701-800 (P)	CF055P00X***	CF055P01X***	CF055P02X***	CF055P03X***	CF055P04X***	CF055P05X***	CF055P06X***	CF055P07X***	CF055P08X***
801-900 (R)	CF055R00X***	CF055R01X***	CF055R02X***	CF055R03X***	CF055R04X***	CF055R05X***	CF055R06X***	CF055R07X***	CF055R08X***
901-1000 (T)	CF055T00X***	CF055T01X***	CF055T02X***	CF055T03X***	CF055T04X***	CF055T05X***	CF055T06X***	CF055T07X***	CF055T08X***
1001-1100 (V)	CF055V00X***	CF055V01X***	CF055V02X***	CF055V03X***	CF055V04X***	CF055V05X***	CF055V06X***	CF055V07X***	CF055V08X***
1101-1200 (X)	CF055X00X***	CF055X01X***	CF055X02X***	CF055X03X***	CF055X04X***	CF055X05X***	CF055X06X***	CF055X07X***	CF055X08X***

CUSTOM FLASHINGS

ZINCALUME 0.75 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF075B00ZA	CF075B01ZA	CF075B02ZA	CF075B03ZA	CF075B04ZA	CF075B05ZA	CF075B06ZA
101-150 (C)	CF075C00ZA	CF075C01ZA	CF075C02ZA	CF075C03ZA	CF075C04ZA	CF075C05ZA	CF075C06ZA
151-200 (D)	CF075D00ZA	CF075D01ZA	CF075D02ZA	CF075D03ZA	CF075D04ZA	CF075D05ZA	CF075D06ZA
201-250 (E)	CF075E00ZA	CF075E01ZA	CF075E02ZA	CF075E03ZA	CF075E04ZA	CF075E05ZA	CF075E06ZA
251-300 (F)	CF075F00ZA	CF075F01ZA	CF075F02ZA	CF075F03ZA	CF075F04ZA	CF075F05ZA	CF075F06ZA
301-350 (G)	CF075G00ZA	CF075G01ZA	CF075G02ZA	CF075G03ZA	CF075G04ZA	CF075G05ZA	CF075G06ZA
351-400 (H)	CF075H00ZA	CF075H01ZA	CF075H02ZA	CF075H03ZA	CF075H04ZA	CF075H05ZA	CF075H06ZA
401-500 (J)	CF075J00ZA	CF075J01ZA	CF075J02ZA	CF075J03ZA	CF075J04ZA	CF075J05ZA	CF075J06ZA
501-600 (L)	CF075L00ZA	CF075L01ZA	CF075L02ZA	CF075L03ZA	CF075L04ZA	CF075L05ZA	CF075L06ZA
601-700 (N)	CF075N00ZA	CF075N01ZA	CF075N02ZA	CF075N03ZA	CF075N04ZA	CF075N05ZA	CF075N06ZA
701-750 (P)	CF075P00ZA	CF075P01ZA	CF075P02ZA	CF075P03ZA	CF075P04ZA	CF075P05ZA	CF075P06ZA
751-900 (R)	CF075R00ZA	CF075R01ZA	CF075R02ZA	CF075R03ZA	CF075R04ZA	CF075R05ZA	CF075R06ZA
901-1000 (T)	CF075T00ZA	CF075T01ZA	CF075T02ZA	CF075T03ZA	CF075T04ZA	CF075T05ZA	CF075T06ZA
1001-1100 (V)	CF075V00ZA	CF075V01ZA	CF075V02ZA	CF075V03ZA	CF075V04ZA	CF075V05ZA	CF075V06ZA
1101-1200 (X)	CF075X00ZA	CF075X01ZA	CF075X02ZA	CF075X03ZA	CF075X04ZA	CF075X05ZA	CF075X06ZA

GALVANISED 0.75 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF075B00GA	CF075B01GA	CF075B02GA	CF075B03GA	CF075B04GA	CF075B05GA	CF075B06GA
101-150 (C)	CF075C00GA	CF075C01GA	CF075C02GA	CF075C03GA	CF075C04GA	CF075C05GA	CF075C06GA
151-200 (D)	CF075D00GA	CF075D01GA	CF075D02GA	CF075D03GA	CF075D04GA	CF075D05GA	CF075D06GA
201-250 (E)	CF075E00GA	CF075E01GA	CF075E02GA	CF075E03GA	CF075E04GA	CF075E05GA	CF075E06GA
251-300 (F)	CF075F00GA	CF075F01GA	CF075F02GA	CF075F03GA	CF075F04GA	CF075F05GA	CF075F06GA
301-350 (G)	CF075G00GA	CF075G01GA	CF075G02GA	CF075G03GA	CF075G04GA	CF075G05GA	CF075G06GA
351-400 (H)	CF075H00GA	CF075H01GA	CF075H02GA	CF075H03GA	CF075H04GA	CF075H05GA	CF075H06GA
401-500 (J)	CF075J00GA	CF075J01GA	CF075J02GA	CF075J03GA	CF075J04GA	CF075J05GA	CF075J06GA
501-600 (L)	CF075L00GA	CF075L01GA	CF075L02GA	CF075L03GA	CF075L04GA	CF075L05GA	CF075L06GA
601-700 (N)	CF075N00GA	CF075N01GA	CF075N02GA	CF075N03GA	CF075N04GA	CF075N05GA	CF075N06GA
701-800 (P)	CF075P00GA	CF075P01GA	CF075P02GA	CF075P03GA	CF075P04GA	CF075P05GA	CF075P06GA
801-900 (R)	CF075R00GA	CF075R01GA	CF075R02GA	CF075R03GA	CF075R04GA	CF075R05GA	CF075R06GA
901-1000 (T)	CF075T00GA	CF075T01GA	CF075T02GA	CF075T03GA	CF075T04GA	CF075T05GA	CF075T06GA
1001-1100 (V)	CF075V00GA	CF075V01GA	CF075V02GA	CF075V03GA	CF075V04GA	CF075V05GA	CF075V06GA
1101-1200 (X)	CF075X00GA	CF075X01GA	CF075X02GA	CF075X03GA	CF075X04GA	CF075X05GA	CF075X06GA

CUSTOM FLASHINGS

ZINCALUME 1.00 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF100B00ZA	CF100B01ZA	CF100B02ZA	CF100B03ZA	CF100B04ZA	CF100B05ZA	CF100B06ZA
101-150 (C)	CF100C00ZA	CF100C01ZA	CF100C02ZA	CF100C03ZA	CF100C04ZA	CF100C05ZA	CF100C06ZA
151-200 (D)	CF100D00ZA	CF100D01ZA	CF100D02ZA	CF100D03ZA	CF100D04ZA	CF100D05ZA	CF100D06ZA
201-250 (E)	CF100E00ZA	CF100E01ZA	CF100E02ZA	CF100E03ZA	CF100E04ZA	CF100E05ZA	CF100E06ZA
251-300 (F)	CF100F00ZA	CF100F01ZA	CF100F02ZA	CF100F03ZA	CF100F04ZA	CF100F05ZA	CF100F06ZA
301-350 (G)	CF100G00ZA	CF100G01ZA	CF100G02ZA	CF100G03ZA	CF100G04ZA	CF100G05ZA	CF100G06ZA
351-400 (H)	CF100H00ZA	CF100H01ZA	CF100H02ZA	CF100H03ZA	CF100H04ZA	CF100H05ZA	CF100H06ZA
401-500 (J)	CF100J00ZA	CF100J01ZA	CF100J02ZA	CF100J03ZA	CF100J04ZA	CF100J05ZA	CF100J06ZA
501-600 (L)	CF100L00ZA	CF100L01ZA	CF100L02ZA	CF100L03ZA	CF100L04ZA	CF100L05ZA	CF100L06ZA
601-700 (N)	CF100N00ZA	CF100N01ZA	CF100N02ZA	CF100N03ZA	CF100N04ZA	CF100N05ZA	CF100N06ZA
701-800 (P)	CF100P00ZA	CF100P01ZA	CF100P02ZA	CF100P03ZA	CF100P04ZA	CF100P05ZA	CF100P06ZA
801-900 (R)	CF100R00ZA	CF100R01ZA	CF100R02ZA	CF100R03ZA	CF100R04ZA	CF100R05ZA	CF100R06ZA
901-1000 (T)	CF100T00ZA	CF100T01ZA	CF100T02ZA	CF100T03ZA	CF100T04ZA	CF100T05ZA	CF100T06ZA
1001-1100 (V)	CF100V00ZA	CF100V01ZA	CF100V02ZA	CF100V03ZA	CF100V04ZA	CF100V05ZA	CF100V06ZA
1101-1200 (X)	CF100X00ZA	CF100X01ZA	CF100X02ZA	CF100X03ZA	CF100X04ZA	CF100X05ZA	CF100X06ZA

GALVANISED 0.95 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF095B00GA	CF095B01GA	CF095B02GA	CF095B03GA	CF095B04GA	CF095B05GA	CF095B06GA
101-150 (C)	CF095C00GA	CF095C01GA	CF095C02GA	CF095C03GA	CF095C04GA	CF095C05GA	CF095C06GA
151-200 (D)	CF095D00GA	CF095D01GA	CF095D02GA	CF095D03GA	CF095D04GA	CF095D05GA	CF095D06GA
201-250 (E)	CF095E00GA	CF095E01GA	CF095E02GA	CF095E03GA	CF095E04GA	CF095E05GA	CF095E06GA
251-300 (F)	CF095F00GA	CF095F01GA	CF095F02GA	CF095F03GA	CF095F04GA	CF095F05GA	CF095F06GA
301-350 (G)	CF095G00GA	CF095G01GA	CF095G02GA	CF095G03GA	CF095G04GA	CF095G05GA	CF095G06GA
351-400 (H)	CF095H00GA	CF095H01GA	CF095H02GA	CF095H03GA	CF095H04GA	CF095H05GA	CF095H06GA
401-500 (J)	CF095J00GA	CF095J01GA	CF095J02GA	CF095J03GA	CF095J04GA	CF095J05GA	CF095J06GA
501-600 (L)	CF095L00GA	CF095L01GA	CF095L02GA	CF095L03GA	CF095L04GA	CF095L05GA	CF095L06GA
601-700 (N)	CF095N00GA	CF095N01GA	CF095N02GA	CF095N03GA	CF095N04GA	CF095N05GA	CF095N06GA
701-800 (P)	CF095P00GA	CF095P01GA	CF095P02GA	CF095P03GA	CF095P04GA	CF095P05GA	CF095P06GA
801-900 (R)	CF095R00GA	CF095R01GA	CF095R02GA	CF095R03GA	CF095R04GA	CF095R05GA	CF095R06GA
901-1000 (T)	CF095T00GA	CF095T01GA	CF095T02GA	CF095T03GA	CF095T04GA	CF095T05GA	CF095T06GA
1001-1100 (V)	CF095V00GA	CF095V01GA	CF095V02GA	CF095V03GA	CF095V04GA	CF095V05GA	CF095V06GA
1101-1200 (X)	CF095X00GA	CF095X01GA	CF095X02GA	CF095X03GA	CF095X04GA	CF095X05GA	CF095X06GA

CUSTOM FLASHINGS

ZINCALUME 1.20 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF120B00ZA	CF120B01ZA	CF120B02ZA	CF120B03ZA	CF120B04ZA	CF120B05ZA	CF120B06ZA
101-150 (C)	CF120C00ZA	CF120C01ZA	CF120C02ZA	CF120C03ZA	CF120C04ZA	CF120C05ZA	CF120C06ZA
151-200 (D)	CF120D00ZA	CF120D01ZA	CF120D02ZA	CF120D03ZA	CF120D04ZA	CF120D05ZA	CF120D06ZA
201-250 (E)	CF120E00ZA	CF120E01ZA	CF120E02ZA	CF120E03ZA	CF120E04ZA	CF120E05ZA	CF120E06ZA
251-300 (F)	CF120F00ZA	CF120F01ZA	CF120F02ZA	CF120F03ZA	CF120F04ZA	CF120F05ZA	CF120F06ZA
301-350 (G)	CF120G00ZA	CF120G01ZA	CF120G02ZA	CF120G03ZA	CF120G04ZA	CF120G05ZA	CF120G06ZA
351-400 (H)	CF120H00ZA	CF120H01ZA	CF120H02ZA	CF120H03ZA	CF120H04ZA	CF120H05ZA	CF120H06ZA
401-500 (J)	CF120J00ZA	CF120J01ZA	CF120J02ZA	CF120J03ZA	CF120J04ZA	CF120J05ZA	CF120J06ZA
501-600 (L)	CF120L00ZA	CF120L01ZA	CF120L02ZA	CF120L03ZA	CF120L04ZA	CF120L05ZA	CF120L06ZA
601-700 (N)	CF120N00ZA	CF120N01ZA	CF120N02ZA	CF120N03ZA	CF120N04ZA	CF120N05ZA	CF120N06ZA
701-800 (P)	CF120P00ZA	CF120P01ZA	CF120P02ZA	CF120P03ZA	CF120P04ZA	CF120P05ZA	CF120P06ZA
801-900 (R)	CF120R00ZA	CF120R01ZA	CF120R02ZA	CF120R03ZA	CF120R04ZA	CF120R05ZA	CF120R06ZA
901-1000 (T)	CF120T00ZA	CF120T01ZA	CF120T02ZA	CF120T03ZA	CF120T04ZA	CF120T05ZA	CF120T06ZA
1001-1100 (V)	CF120V00ZA	CF120V01ZA	CF120V02ZA	CF120V03ZA	CF120V04ZA	CF120V05ZA	CF120V06ZA
1101-1200 (X)	CF120X00ZA	CF120X01ZA	CF120X02ZA	CF120X03ZA	CF120X04ZA	CF120X05ZA	CF120X06ZA

GALVANISED 1.15 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF115B00GA	CF115B01GA	CF115B02GA	CF115B03GA	CF115B04GA	CF115B05GA	CF115B06GA
101-150 (C)	CF115C00GA	CF115C01GA	CF115C02GA	CF115C03GA	CF115C04GA	CF115C05GA	CF115C06GA
151-200 (D)	CF115D00GA	CF115D01GA	CF115D02GA	CF115D03GA	CF115D04GA	CF115D05GA	CF115D06GA
201-250 (E)	CF115E00GA	CF115E01GA	CF115E02GA	CF115E03GA	CF115E04GA	CF115E05GA	CF115E06GA
251-300 (F)	CF115F00GA	CF115F01GA	CF115F02GA	CF115F03GA	CF115F04GA	CF115F05GA	CF115F06GA
301-350 (G)	CF115G00GA	CF115G01GA	CF115G02GA	CF115G03GA	CF115G04GA	CF115G05GA	CF115G06GA
351-400 (H)	CF115H00GA	CF115H01GA	CF115H02GA	CF115H03GA	CF115H04GA	CF115H05GA	CF115H06GA
401-500 (J)	CF115J00GA	CF115J01GA	CF115J02GA	CF115J03GA	CF115J04GA	CF115J05GA	CF115J06GA
501-600 (L)	CF115L00GA	CF115L01GA	CF115L02GA	CF115L03GA	CF115L04GA	CF115L05GA	CF115L06GA
601-700 (N)	CF115N00GA	CF115N01GA	CF115N02GA	CF115N03GA	CF115N04GA	CF115N05GA	CF115N06GA
701-800 (P)	CF115P00GA	CF115P01GA	CF115P02GA	CF115P03GA	CF115P04GA	CF115P05GA	CF115P06GA
801-900 (R)	CF115R00GA	CF115R01GA	CF115R02GA	CF115R03GA	CF115R04GA	CF115R05GA	CF115R06GA
901-1000 (T)	CF115T00GA	CF115T01GA	CF115T02GA	CF115T03GA	CF115T04GA	CF115T05GA	CF115T06GA
1001-1100 (V)	CF115V00GA	CF115V01GA	CF115V02GA	CF115V03GA	CF115V04GA	CF115V05GA	CF115V06GA
1101-1200 (X)	CF115X00GA	CF115X01GA	CF115X02GA	CF115X03GA	CF115X04GA	CF115X05GA	CF115X06GA

GALVANISED 1.55 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF155B00GA	CF155B01GA	CF155B02GA	CF155B03GA	CF155B04GA	CF155B05GA	CF155B06GA
101-150 (C)	CF155C00GA	CF155C01GA	CF155C02GA	CF155C03GA	CF155C04GA	CF155C05GA	CF155C06GA
151-200 (D)	CF155D00GA	CF155D01GA	CF155D02GA	CF155D03GA	CF155D04GA	CF155D05GA	CF155D06GA
201-250 (E)	CF155E00GA	CF155E01GA	CF155E02GA	CF155E03GA	CF155E04GA	CF155E05GA	CF155E06GA
251-300 (F)	CF155F00GA	CF155F01GA	CF155F02GA	CF155F03GA	CF155F04GA	CF155F05GA	CF155F06GA
301-350 (G)	CF155G00GA	CF155G01GA	CF155G02GA	CF155G03GA	CF155G04GA	CF155G05GA	CF155G06GA
351-400 (H)	CF155H00GA	CF155H01GA	CF155H02GA	CF155H03GA	CF155H04GA	CF155H05GA	CF155H06GA
401-500 (J)	CF155J00GA	CF155J01GA	CF155J02GA	CF155J03GA	CF155J04GA	CF155J05GA	CF155J06GA
501-600 (L)	CF155L00GA	CF155L01GA	CF155L02GA	CF155L03GA	CF155L04GA	CF155L05GA	CF155L06GA
601-700 (N)	CF155N00GA	CF155N01GA	CF155N02GA	CF155N03GA	CF155N04GA	CF155N05GA	CF155N06GA
701-800 (P)	CF155P00GA	CF155P01GA	CF155P02GA	CF155P03GA	CF155P04GA	CF155P05GA	CF155P06GA
801-900 (R)	CF155R00GA	CF155R01GA	CF155R02GA	CF155R03GA	CF155R04GA	CF155R05GA	CF155R06GA
901-1000 (T)	CF155T00GA	CF155T01GA	CF155T02GA	CF155T03GA	CF155T04GA	CF155T05GA	CF155T06GA
1001-1100 (V)	CF155V00GA	CF155V01GA	CF155V02GA	CF155V03GA	CF155V04GA	CF155V05GA	CF155V06GA
1101-1200 (X)	CF155X00GA	CF155X01GA	CF155X02GA	CF155X03GA	CF155X04GA	CF155X05GA	CF155X06GA

46

PRODUCT AVAILABILITY – ULTRA & METALLIC COLORBOND

Product/Roofing/Cladding	BMT	ULTRA						STD METALLIC						MATT		
		DUN	MON	SUR	WDG	WLB	WSP	ARI	AST	CEL	COS	GLT	RHE	BAS	MON	SUR
Stramit Monoclad®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit® Corrugated	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit® Speed Deck	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit Longspan®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit Minirib®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit K-Panel®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit Mini Corry®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit Mini Corry®	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit® C-Clad 280	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Premier 300	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fascia	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® Valley Folded	0.55	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® Roll Barge Cap	0.55	✓	✓	✓	✓	✓	✓									
Stramit Roll Top Ridge	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® QLD Slotted Quad	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® Quad 150	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® Quad 175 (Gutter Only No Stop Ends)	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Compact Gutter	0.42	✓	✓	✓	✓	✓	✓									
Stramit® Downpipe 100 X 75	0.55	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® Downpipe 85 / 100	0.55	✓	✓	✓	✓	✓	✓									

✓ = Product Available.

NOTE: All Ultra and Metallic products are 48hr lead time. Subject to coil availability.

FASTENER SELECTION GUIDE
CLASS 3

For general **external** use in mild and moderate industrial and mild marine applications, suitable for use with XRW Colorbond. In moderate marine applications (400m - 1,000m from breaking surf) the screw manufacturer strongly recommends Climaseal 4 coating.(Class 4)

CLASS 4

Climaseal 5 for **external** use in moderate and severe marine environments up to typically 400 meters from the shore, suitable for use with Ultra Colorbond.

STAINLESS STEEL FASTENERS

Severe marine and polluted industrial environments where Colorbond stainless and unpainted Stainless Steel, copper or Aluminium are specified - Stainless Steel fasteners are recommended.

COLOUR AVAILABILITY

ULTRA		STAINLESS		STD NEW METALLIC		MATT	
DUN	DUNE®	DOC	DEEP OCEAN®	ARI	ARIES®	BAS	BASALT®
MON	MONUMENT®	DUN	DUNE®	AST	ASTRO®	MON	MONUMENT®
SUR	SURFMIST®	SUR	SURFMIST®	CEL	CELESTIAN®	SUR	SURMIST®
WDG	WOODLAND GREY®	WSP	WINDSPRAY®	COS	COSMIC®		
WLB	WALLABY®			GLT	GALACTIC®		
WSP	WINDSPRAY®			RHE	RHEA®		

*Surfmist only stock in colorbond stainless

MAGNAFLOW® • ROOFING • CLADDING • RAINWATER

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)
Stramit® Corrugated	0.42
Stramit Monoclad®	0.42
Stramit Longspan®	0.42
Stramit Speed Deck Ultra®	0.42
Stramit® Roll Top Ridge	0.42 / 0.55
Stramit® Valley Folded	0.55
Stramit® Flashings & Others	0.55
Stramit® Downpipes 95 x 45	0.55
Stramit® Downpipes 100 x 50	0.55
Stramit® Downpipes 100 x 75	0.55
Stramit® Downpipes 100 x 100	0.55

Please refer to Sales office for lead times and availability.
Residential gutters are also available, please contact your local office for details.
0.48 Roofing available on selected colours.

COLOUR AVAILABILITY

Off White Armour Grey
Birch Monolith
Slate Grey

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

SUBSTRATE

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.

RECOMMENDED END USES

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.



MAGNAFLOW® WARRANTIES

A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.








THE MAGIC OF MAGNESIUM

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area. As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products















PREMIUM PRODUCTS • ROOFING • CLADDING

Product Roofing/Cladding/Accessories	Product Details	BMT mm	Finish	Code	Unit
Stramit® Corrugated 		0.42	CB Coolmax	C42KWHN	per m ²
		0.42	CB Ultra	C42U***	per m ²
		0.42	CB S Steel	C42SSUR	per m ²
		0.42	CB Matt	C42T***	per m ²
		0.48	CB Coolmax	C48KWHN	per m ²
		0.48	CB Ultra	C48U***	per m ²
		0.48	CB Metallic	C48M***	per m ²
Stramit Monoclad® 		0.42	CB Coolmax	MC42KWHN	per m ²
		0.42	CB Ultra	MC42U***	per m ²
		0.42	CB S Steel	MC42SSUR	per m ²
		0.42	CB Matt	MC42T***	per m ²
		0.48	CB Coolmax	MC48KWHN	per m ²
		0.48	CB Ultra	MC48U***	per m ²
		0.48	CB Metallic	MC48M***	per m ²
Longspan® 		0.42	CB Coolmax	LS42KWHN	per m ²
		0.42	CB Ultra	LS42U***	per m ²
		0.42	CB S Steel	LS42SSUR	per m ²
		0.42	CB Matt	LS42T***	per m ²
		0.48	CB Coolmax	LS48KWHN	per m ²
		0.48	CB Ultra	LS48U***	per m ²
		0.48	CB Metallic	LS48M***	per m ²
Stramit Speed Deck Ultra® 		0.42	CB Coolmax	UD42KWHN	per m ²
		0.42	CB Ultra	UD42U***	per m ²
		0.42	CB Matt	UD42T***	per m ²
		0.48	CB Coolmax	UD48KWHN	per m ²
		0.48	CB Ultra	UD48U***	per m ²
		0.48	CB Metallic	UD48M***	per m ²
	Fixing Clips POA				
Stramit Mini Corry® 		0.42	CB Matt	MK42T***	per m ²
		0.42	CB Ultra	MK42U***	per m ²
		0.48	CB Ultra	MK48U***	per m ²
		0.48	CB Metallic	MK48M***	per m ²
Stramit C-Clad 280 		0.55	CB Matt	CC28055T***	per m ²
		0.55	CB Ultra	CC28055U***	per m ²
		0.55	CB Metallic	CC28055M***	per m ²
Stramit Premier 300 		0.55	CB Matt	CC30055T***	
		0.55	CB Ultra	CC30055U***	per m ²
		0.55	CB Metallic	CC30055M***	per m ²

PREMIUM PRODUCTS • VALLEYS & RIDGES

Product Valleys & Ridges	Details	Code	Finish	BMT mm	Unit
Stramit® Valley (Folded Gutter)	450mm	VPFL55U***	CB Ultra	0.55	lin metre
	400mm	VPF55T***	CB Matt	0.55	lin metre
		VPFL55SSUR	CB Stainless	0.55	lin metre
Stramit® Roll Top Ridge (400mm)	Cut to Length (max 6m)	RTR55T***	CB Matt	0.55	lin metre
		RTR55U***	CB Ultra	0.55	lin metre
		RTR55SSUR	CB Stainless	0.55	lin metre
Stramit® Ridge Cap (3 Break) (400mm)	Cut to Length	RFMC55U***	CB Ultra	0.55	lin metre
		RFMC55SSUR	CB Stainless	0.55	lin metre
Stramit® Gable Roll	50mm x 2.0m	ER50U***20	CB Ultra	0.55	length
		ER50SSUR20	CB Stainless	0.55	length
Stramit® Downpipe	100mm x 75mm x 2400mm	DP10075T***24	CB Matt	0.55	length
		DP10075U***24	CB Ultra	0.55	length
		DP10075SSUR24	CB Stainless	0.55	length

PREMIUM PRODUCTS • FASCIA • GUTTERS • ACCESSORIES

Product	Product Details	Code	Finish	Unit
FASCIA Stramit® Fascia		FBU*** FBT***	CB Ultra CB Matt	lin metre lin metre
Accessories	 External Corner	FBECU*** FBECT*** FBICT***	CB Ultra CB Matt CB Matt	each each each
GUTTERS Stramit Queensland Quad®		QQSU*** QQST***	CB Ultra CB Matt	lin metre lin metre
Accessories	 Concealed Bracket	QQSCBSS	Stainless Steel	each
Stramit® Quad 150		QQ150U*** QQ150T***	CB Ultra CB Matt	lin metre lin metre
Accessories	 Concealed Bracket	QQ150CBSS	Stainless Steel	each
Stramit Quad 175®		QQ175U*** QQ175M*** QQ175T***	CB Ultra CB Metallic CB Matt	lin metre lin metre lin metre
Stramit Compact Gutter®		CGSU***	CB Ultra	lin metre
Accessories	 Concealed Bracket	CGCBSS	Stainless Steel	each
Stramit Half Round 150 Gutter®		HRGR150PU*** HRGR150PSSUR HRGR150PT*** HRGR150SU*** HRGR150SSSUR HRGR150ST***	CB Ultra CB Stainless CB Matt CB Ultra CB Ultra CB Matt	lin metre lin metre lin metre lin metre lin metre lin metre
Stramit Flatback Half Round Gutter®		HRGFB150PU*** HRGFB150PSSUR HRGFB150PT*** HRGFB150SU*** HRGFB150SSSUR HRGFB150ST***	CB Ultra CB Stainless CB Matt CB Ultra CB Stainless CB Matt	lin metre lin metre lin metre lin metre lin metre lin metre
Stramit Compact Gutter® Barge		CGBU***	CB Ultra	lin metre

*Note - When using stainless steel brackets with ultra products Isolation is required.

PREMIUM PRODUCTS • CUSTOM FLASHINGS – INFORMATION

GUIDELINES FOR USE OF VARIOUS STAINLESS STEEL GRADES

STAINLESS STEEL GRADE & FINISH	SUGGESTED APPLICATIONS
304 2B	Suitable for external use in moderate or non coastal locations.
316 No. 4 (Brushed / Polished)	Suitable for internal and external use in moderate locations. For external coastal locations 316 2B would be recommended
316 2B	Suitable for external use in moderate and coastal locations

NOTE

- Squash fold = 2 bends
- Minimum fold = 10-15mm (depending on profile)
- Girth under 100mm maximum length 3600. Over 100mm maximum length 8000.

Subject to suitability of shape and delivery arrangements.
See Delivery Details (see Page 6&7)

- Stramit® Custom Flashings have a minimum charged length of 1 linear metre - if you order lengths less than a linear metre the charge is still for 1 linear metre regardless of multiple lengths being ordered.
- Flat sheets cannot be supplied as a "roll up"

Due to the nature of Flat Sheet, we cannot guarantee this product by normal transport without damage. Therefore, we strongly recommend that orders for Flat Sheet be collected from our factory. However, if you still require us to deliver Flat Sheet, **WE WILL NOT ACCEPT ANY RESPONSIBILITY FOR DAMAGE WHICH MAY OCCUR**. Alternatively, we can supply Flat Sheet with a Timber Pallet which will incur a surcharge.

ORDER BY FAX

For best results, send your profile details by fax to Crestmead (07) 3803 1499.

Ask for our Stramit Flashing Detail Pad (see page 46)

CUSTOM FLASHINGS ULTRA, METALLIC & STAINLESS STEEL

CB ULTRA 0.55 BMT

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00U***	CF055B01U***	CF055B02U***	CF055B03U***	CF055B04U***	CF055B05U***	CF055B06U***	CF055B07U***	CF055B08U***
101-150 (C)	CF055C00U***	CF055C01U***	CF055C02U***	CF055C03U***	CF055C04U***	CF055C05U***	CF055C06U***	CF055C07U***	CF055C08U***
151-200 (D)	CF055D00U***	CF055D01U***	CF055D02U***	CF055D03U***	CF055D04U***	CF055D05U***	CF055D06U***	CF055D07U***	CF055D08U***
201-250 (E)	CF055E00U***	CF055E01U***	CF055E02U***	CF055E03U***	CF055E04U***	CF055E05U***	CF055E06U***	CF055E07U***	CF055E08U***
251-300 (F)	CF055F00U***	CF055F01U***	CF055F02U***	CF055F03U***	CF055F04U***	CF055F05U***	CF055F06U***	CF055F07U***	CF055F08U***
301-350 (G)	CF055G00U***	CF055G01U***	CF055G02U***	CF055G03U***	CF055G04U***	CF055G05U***	CF055G06U***	CF055G07U***	CF055G08U***
351-400 (H)	CF055H00U***	CF055H01U***	CF055H02U***	CF055H03U***	CF055H04U***	CF055H05U***	CF055H06U***	CF055H07U***	CF055H08U***
401-500 (J)	CF055J00U***	CF055J01U***	CF055J02U***	CF055J03U***	CF055J04U***	CF055J05U***	CF055J06U***	CF055J07U***	CF055J08U***
501-600 (L)	CF055L00U***	CF055L01U***	CF055L02U***	CF055L03U***	CF055L04U***	CF055L05U***	CF055L06U***	CF055L07U***	CF055L08U***
601-700 (N)	CF055N00U***	CF055N01U***	CF055N02U***	CF055N03U***	CF055N04U***	CF055N05U***	CF055N06U***	CF055N07U***	CF055N08U***
701-800 (P)	CF055P00U***	CF055P01U***	CF055P02U***	CF055P03U***	CF055P04U***	CF055P05U***	CF055P06U***	CF055P07U***	CF055P08U***
801-900 (R)	CF055R00U***	CF055R01U***	CF055R02U***	CF055R03U***	CF055R04U***	CF055R05U***	CF055R06U***	CF055R07U***	CF055R08U***
901-1000 (T)	CF055T00U***	CF055T01U***	CF055T02U***	CF055T03U***	CF055T04U***	CF055T05U***	CF055T06U***	CF055T07U***	CF055T08U***
1001-1100 (V)	CF055V00U***	CF055V01U***	CF055V02U***	CF055V03U***	CF055V04U***	CF055V05U***	CF055V06U***	CF055V07U***	CF055V08U***
1101-1200 (X)	CF055X00U***	CF055X01U***	CF055X02U***	CF055X03U***	CF055X04U***	CF055X05U***	CF055X06U***	CF055X07U***	CF055X08U***

CB METALLIC 0.55 BMT

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00M***	CF055B01M***	CF055B02M***	CF055B03M***	CF055B04M***	CF055B05M***	CF055B06M***	CF055B07M***	CF055B08M***
101-150 (C)	CF055C00M***	CF055C01M***	CF055C02M***	CF055C03M***	CF055C04M***	CF055C05M***	CF055C06M***	CF055C07M***	CF055C08M***
151-200 (D)	CF055D00M***	CF055D01M***	CF055D02M***	CF055D03M***	CF055D04M***	CF055D05M***	CF055D06M***	CF055D07M***	CF055D08M***
201-250 (E)	CF055E00M***	CF055E01M***	CF055E02M***	CF055E03M***	CF055E04M***	CF055E05M***	CF055E06M***	CF055E07M***	CF055E08M***
251-300 (F)	CF055F00M***	CF055F01M***	CF055F02M***	CF055F03M***	CF055F04M***	CF055F05M***	CF055F06M***	CF055F07M***	CF055F08M***
301-350 (G)	CF055G00M***	CF055G01M***	CF055G02M***	CF055G03M***	CF055G04M***	CF055G05M***	CF055G06M***	CF055G07M***	CF055G08M***
351-400 (H)	CF055H00M***	CF055H01M***	CF055H02M***	CF055H03M***	CF055H04M***	CF055H05M***	CF055H06M***	CF055H07M***	CF055H08M***
401-500 (J)	CF055J00M***	CF055J01M***	CF055J02M***	CF055J03M***	CF055J04M***	CF055J05M***	CF055J06M***	CF055J07M***	CF055J08M***
501-600 (L)	CF055L00M***	CF055L01M***	CF055L02M***	CF055L03M***	CF055L04M***	CF055L05M***	CF055L06M***	CF055L07M***	CF055L08M***
601-700 (N)	CF055N00M***	CF055N01M***	CF055N02M***	CF055N03M***	CF055N04M***	CF055N05M***	CF055N06M***	CF055N07M***	CF055N08M***
701-800 (P)	CF055P00M***	CF055P01M***	CF055P02M***	CF055P03M***	CF055P04M***	CF055P05M***	CF055P06M***	CF055P07M***	CF055P08M***
801-900 (R)	CF055R00M***	CF055R01M***	CF055R02M***	CF055R03M***	CF055R04M***	CF055R05M***	CF055R06M***	CF055R07M***	CF055R08M***
901-1000 (T)	CF055T00M***	CF055T01M***	CF055T02M***	CF055T03M***	CF055T04M***	CF055T05M***	CF055T06M***	CF055T07M***	CF055T08M***
1001-1100 (V)	CF055V00M***	CF055V01M***	CF055V02M***	CF055V03M***	CF055V04M***	CF055V05M***	CF055V06M***	CF055V07M***	CF055V08M***
1101-1200 (X)	CF055X00M***	CF055X01M***	CF055X02M***	CF055X03M***	CF055X04M***	CF055X05M***	CF055X06M***	CF055X07M***	CF055X08M***

SURFMIST STAINLESS 0.55 BMT

Girth Width	No of Bends								
(mm)	0	1	2	3	4	5	6	7	8
001-100 (B)	CF055B00SSUR	CF055B01SSUR	CF055B02SSUR	CF055B03SSUR	CF055B04SSUR	CF055B05SSUR	CF055B06SSUR	CF055B07SSUR	CF055B08SSUR
101-150 (C)	CF055C00SSUR	CF055C01SSUR	CF055C02SSUR	CF055C03SSUR	CF055C04SSUR	CF055C05SSUR	CF055C06SSUR	CF055C07SSUR	CF055C08SSUR
151-200 (D)	CF055D00SSUR	CF055D01SSUR	CF055D02SSUR	CF055D03SSUR	CF055D04SSUR	CF055D05SSUR	CF055D06SSUR	CF055D07SSUR	CF055D08SSUR
201-250 (E)	CF055E00SSUR	CF055E01SSUR	CF055E02SSUR	CF055E03SSUR	CF055E04SSUR	CF055E05SSUR	CF055E06SSUR	CF055E07SSUR	CF055E08SSUR
251-300 (F)	CF055F00SSUR	CF055F01SSUR	CF055F02SSUR	CF055F03SSUR	CF055F04SSUR	CF055F05SSUR	CF055F06SSUR	CF055F07SSUR	CF055F08SSUR
301-350 (G)	CF055G00SSUR	CF055G01SSUR	CF055G02SSUR	CF055G03SSUR	CF055G04SSUR	CF055G05SSUR	CF055G06SSUR	CF055G07SSUR	CF055G08SSUR
351-400 (H)	CF055H00SSUR	CF055H01SSUR	CF055H02SSUR	CF055H03SSUR	CF055H04SSUR	CF055H05SSUR	CF055H06SSUR	CF055H07SSUR	CF055H08SSUR
401-500 (J)	CF055J00SSUR	CF055J01SSUR	CF055J02SSUR	CF055J03SSUR	CF055J04SSUR	CF055J05SSUR	CF055J06SSUR	CF055J07SSUR	CF055J08SSUR
501-600 (L)	CF055L00SSUR	CF055L01SSUR	CF055L02SSUR	CF055L03SSUR	CF055L04SSUR	CF055L05SSUR	CF055L06SSUR	CF055L07SSUR	CF055L08SSUR
601-700 (N)	CF055N00SSUR	CF055N01SSUR	CF055N02SSUR	CF055N03SSUR	CF055N04SSUR	CF055N05SSUR	CF055N06SSUR	CF055N07SSUR	CF055N08SSUR
701-800 (P)	CF055P00SSUR	CF055P01SSUR	CF055P02SSUR	CF055P03SSUR	CF055P04SSUR	CF055P05SSUR	CF055P06SSUR	CF055P07SSUR	CF055P08SSUR
801-900 (R)	CF055R00SSUR	CF055R01SSUR	CF055R02SSUR	CF055R03SSUR	CF055R04SSUR	CF055R05SSUR	CF055R06SSUR	CF055R07SSUR	CF055R08SSUR
901-1000 (T)	CF055T00SSUR	CF055T01SSUR	CF055T02SSUR	CF055T03SSUR	CF055T04SSUR	CF055T05SSUR	CF055T06SSUR	CF055T07SSUR	CF055T08SSUR
1001-1100 (V)	CF055V00SSUR	CF055V01SSUR	CF055V02SSUR	CF055V03SSUR	CF055V04SSUR	CF055V05SSUR	CF055V06SSUR	CF055V07SSUR	CF055V08SSUR
1101-1200 (X)	CF055X00SSUR	CF055X01SSUR	CF055X02SSUR	CF055X03SSUR	CF055X04SSUR	CF055X05SSUR	CF055X06SSUR	CF055X07SSUR	CF055X08SSUR

CUSTOM FLASHINGS STAINLESS STEEL

304 STAINLESS 2B 0.55 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF055B00SS02	CF055B01SS02	CF055B02SS02	CF055B03SS02	CF055B04SS02	CF055B05SS02	CF055B06SS02
101-150 (C)	CF055C00SS02	CF055C01SS02	CF055C02SS02	CF055C03SS02	CF055C04SS02	CF055C05SS02	CF055C06SS02
151-200 (D)	CF055D00SS02	CF055D01SS02	CF055D02SS02	CF055D03SS02	CF055D04SS02	CF055D05SS02	CF055D06SS02
201-250 (E)	CF055E00SS02	CF055E01SS02	CF055E02SS02	CF055E03SS02	CF055E04SS02	CF055E05SS02	CF055E06SS02
251-300 (F)	CF055F00SS02	CF055F01SS02	CF055F02SS02	CF055F03SS02	CF055F04SS02	CF055F05SS02	CF055F06SS02
301-350 (G)	CF055G00SS02	CF055G01SS02	CF055G02SS02	CF055G03SS02	CF055G04SS02	CF055G05SS02	CF055G06SS02
351-400 (H)	CF055H00SS02	CF055H01SS02	CF055H02SS02	CF055H03SS02	CF055H04SS02	CF055H05SS02	CF055H06SS02
401-500 (J)	CF055J00SS02	CF055J01SS02	CF055J02SS02	CF055J03SS02	CF055J04SS02	CF055J05SS02	CF055J06SS02
501-600 (L)	CF055L00SS02	CF055L01SS02	CF055L02SS02	CF055L03SS02	CF055L04SS02	CF055L05SS02	CF055L06SS02
601-700 (N)	CF055N00SS02	CF055N01SS02	CF055N02SS02	CF055N03SS02	CF055N04SS02	CF055N05SS02	CF055N06SS02
701-800 (P)	CF055P00SS02	CF055P01SS02	CF055P02SS02	CF055P03SS02	CF055P04SS02	CF055P05SS02	CF055P06SS02
801-900 (R)	CF055R00SS02	CF055R01SS02	CF055R02SS02	CF055R03SS02	CF055R04SS02	CF055R05SS02	CF055R06SS02
901-1000 (T)	CF055T00SS02	CF055T01SS02	CF055T02SS02	CF055T03SS02	CF055T04SS02	CF055T05SS02	CF055T06SS02
1001-1100 (V)	CF055V00SS02	CF055V01SS02	CF055V02SS02	CF055V03SS02	CF055V04SS02	CF055V05SS02	CF055V06SS02
1101-1200 (X)	CF055X00SS02	CF055X01SS02	CF055X02SS02	CF055X03SS02	CF055X04SS02	CF055X05SS02	CF055X06SS02

316 STAINLESS N4 0.55 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF055B00SS14	CF055B01SS14	CF055B02SS14	CF055B03SS14	CF055B04SS14	CF055B05SS14	CF055B06SS14
101-150 (C)	CF055C00SS14	CF055C01SS14	CF055C02SS14	CF055C03SS14	CF055C04SS14	CF055C05SS14	CF055C06SS14
151-200 (D)	CF055D00SS14	CF055D01SS14	CF055D02SS14	CF055D03SS14	CF055D04SS14	CF055D05SS14	CF055D06SS14
201-250 (E)	CF055E00SS14	CF055E01SS14	CF055E02SS14	CF055E03SS14	CF055E04SS14	CF055E05SS14	CF055E06SS14
251-300 (F)	CF055F00SS14	CF055F01SS14	CF055F02SS14	CF055F03SS14	CF055F04SS14	CF055F05SS14	CF055F06SS14
301-350 (G)	CF055G00SS14	CF055G01SS14	CF055G02SS14	CF055G03SS14	CF055G04SS14	CF055G05SS14	CF055G06SS14
351-400 (H)	CF055H00SS14	CF055H01SS14	CF055H02SS14	CF055H03SS14	CF055H04SS14	CF055H05SS14	CF055H06SS14
401-500 (J)	CF055J00SS14	CF055J01SS14	CF055J02SS14	CF055J03SS14	CF055J04SS14	CF055J05SS14	CF055J06SS14
501-600 (L)	CF055L00SS14	CF055L01SS14	CF055L02SS14	CF055L03SS14	CF055L04SS14	CF055L05SS14	CF055L06SS14
601-700 (N)	CF055N00SS14	CF055N01SS14	CF055N02SS14	CF055N03SS14	CF055N04SS14	CF055N05SS14	CF055N06SS14
701-800 (P)	CF055P00SS14	CF055P01SS14	CF055P02SS14	CF055P03SS14	CF055P04SS14	CF055P05SS14	CF055P06SS14
801-900 (R)	CF055R00SS14	CF055R01SS14	CF055R02SS14	CF055R03SS14	CF055R04SS14	CF055R05SS14	CF055R06SS14
901-1000 (T)	CF055T00SS14	CF055T01SS14	CF055T02SS14	CF055T03SS14	CF055T04SS14	CF055T05SS14	CF055T06SS14
1001-1100 (V)	CF055V00SS14	CF055V01SS14	CF055V02SS14	CF055V03SS14	CF055V04SS14	CF055V05SS14	CF055V06SS14
1101-1200 (X)	CF055X00SS14	CF055X01SS14	CF055X02SS14	CF055X03SS14	CF055X04SS14	CF055X05SS14	CF055X06SS14

CB MATT 0.55 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF055B00T---	CF055B01T---	CF055B02T---	CF055B03T---	CF055B04T---	CF055B05T---	CF055B06T---
101-150 (C)	CF055C00T---	CF055C01T---	CF055C02T---	CF055C03T---	CF055C04T---	CF055C05T---	CF055C06T---
151-200 (D)	CF055D00T---	CF055D01T---	CF055D02T---	CF055D03T---	CF055D04T---	CF055D05T---	CF055D06T---
201-250 (E)	CF055E00T---	CF055E01T---	CF055E02T---	CF055E03T---	CF055E04T---	CF055E05T---	CF055E06T---
251-300 (F)	CF055F00T---	CF055F01T---	CF055F02T---	CF055F03T---	CF055F04T---	CF055F05T---	CF055F06T---
301-350 (G)	CF055G00T---	CF055G01T---	CF055G02T---	CF055G03T---	CF055G04T---	CF055G05T---	CF055G06T---
351-400 (H)	CF055H00T---	CF055H01T---	CF055H02T---	CF055H03T---	CF055H04T---	CF055H05T---	CF055H06T---
401-500 (J)	CF055J00T---	CF055J01T---	CF055J02T---	CF055J03T---	CF055J04T---	CF055J05T---	CF055J06T---
501-600 (L)	CF055L00T---	CF055L01T---	CF055L02T---	CF055L03T---	CF055L04T---	CF055L05T---	CF055L06T---
601-700 (N)	CF055N00T---	CF055N01T---	CF055N02T---	CF055N03T---	CF055N04T---	CF055N05T---	CF055N06T---
701-800 (P)	CF055P00T---	CF055P01T---	CF055P02T---	CF055P03T---	CF055P04T---	CF055P05T---	CF055P06T---
801-900 (R)	CF055R00T---	CF055R01T---	CF055R02T---	CF055R03T---	CF055R04T---	CF055R05T---	CF055R06T---
901-1000 (T)	CF055T00T---	CF055T01T---	CF055T02T---	CF055T03T---	CF055T04T---	CF055T05T---	CF055T06T---
1001-1100 (V)	CF055V00T---	CF055V01T---	CF055V02T---	CF055V03T---	CF055V04T---	CF055V05T---	CF055V06T---
1101-1200 (X)	CF055X00T---	CF055X01T---	CF055X02T---	CF055X03T---	CF055X04T---	CF055X05T---	CF055X06T---

CUSTOM FLASHINGS STAINLESS STEEL

316 STAINLESS 2B 0.55

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF055B00SS12	CF055B01SS12	CF055B12SS12	CF055B03SS12	CF055B04SS12	CF055B05SS12	CF055B06SS12
101-150 (C)	CF055C00SS12	CF055C01SS12	CF055C12SS12	CF055C03SS12	CF055C04SS12	CF055C05SS12	CF055C06SS12
151-200 (D)	CF055D00SS12	CF055D01SS12	CF055D12SS12	CF055D03SS12	CF055D04SS12	CF055D05SS12	CF055D06SS12
201-250 (E)	CF055E00SS12	CF055E01SS12	CF055E12SS12	CF055E03SS12	CF055E04SS12	CF055E05SS12	CF055E06SS12
251-300 (F)	CF055F00SS12	CF055F01SS12	CF055F12SS12	CF055F03SS12	CF055F04SS12	CF055F05SS12	CF055F06SS12
301-350 (G)	CF055G00SS12	CF055G01SS12	CF055G12SS12	CF055G03SS12	CF055G04SS12	CF055G05SS12	CF055G06SS12
351-400 (H)	CF055H00SS12	CF055H01SS12	CF055H12SS12	CF055H03SS12	CF055H04SS12	CF055H05SS12	CF055H06SS12
401-500 (J)	CF055J00SS12	CF055J01SS12	CF055J12SS12	CF055J03SS12	CF055J04SS12	CF055J05SS12	CF055J06SS12
501-600 (L)	CF055L00SS12	CF055L01SS12	CF055L12SS12	CF055L03SS12	CF055L04SS12	CF055L05SS12	CF055L06SS12
601-700 (N)	CF055N00SS12	CF055N01SS12	CF055N12SS12	CF055N03SS12	CF055N04SS12	CF055N05SS12	CF055N06SS12
701-800 (P)	CF055P00SS12	CF055P01SS12	CF055P12SS12	CF055P03SS12	CF055P04SS12	CF055P05SS12	CF055P06SS12
801-900 (R)	CF055R00SS12	CF055R01SS12	CF055R12SS12	CF055R03SS12	CF055R04SS12	CF055R05SS12	CF055R06SS12
901-1000 (T)	CF055T00SS12	CF055T01SS12	CF055T12SS12	CF055T03SS12	CF055T04SS12	CF055T05SS12	CF055T06SS12
1001-1100 (V)	CF055V00SS12	CF055V01SS12	CF055V12SS12	CF055V03SS12	CF055V04SS12	CF055V05SS12	CF055V06SS12
1101-1200 (X)	CF055X00SS12	CF055X01SS12	CF055X12SS12	CF055X03SS12	CF055X04SS12	CF055X05SS12	CF055X06SS12

304 STAINLESS 2B 0.090 BMT

Girth Width	No of Bends						
(mm)	0	1	2	3	4	5	6
001-100 (B)	CF090B00SS01	CF090B01SS01	CF090B02SS01	CF090B03SS01	CF090B04SS01	CF090B05SS01	CF090B06SS01
101-150 (C)	CF090C00SS01	CF090C01SS01	CF090C02SS01	CF090C03SS01	CF090C04SS01	CF090C05SS01	CF090C06SS01
151-200 (D)	CF090D00SS01	CF090D01SS01	CF090D02SS01	CF090D03SS01	CF090D04SS01	CF090D05SS01	CF090D06SS01
201-250 (E)	CF090E00SS01	CF090E01SS01	CF090E02SS01	CF090E03SS01	CF090E04SS01	CF090E05SS01	CF090E06SS01
251-300 (F)	CF090F00SS01	CF090F01SS01	CF090F02SS01	CF090F03SS01	CF090F04SS01	CF090F05SS01	CF090F06SS01
301-350 (G)	CF090G00SS01	CF090G01SS01	CF090G02SS01	CF090G03SS01	CF090G04SS01	CF090G05SS01	CF090G06SS01
351-400 (H)	CF090H00SS01	CF090H01SS01	CF090H02SS01	CF090H03SS01	CF090H04SS01	CF090H05SS01	CF090H06SS01
401-500 (J)	CF090J00SS01	CF090J01SS01	CF090J02SS01	CF090J03SS01	CF090J04SS01	CF090J05SS01	CF090J06SS01
501-600 (L)	CF090L00SS01	CF090L01SS01	CF090L02SS01	CF090L03SS01	CF090L04SS01	CF090L05SS01	CF090L06SS01
601-700 (N)	CF090N00SS01	CF090N01SS01	CF090N02SS01	CF090N03SS01	CF090N04SS01	CF090N05SS01	CF090N06SS01
701-800 (P)	CF090P00SS01	CF090P01SS01	CF090P02SS01	CF090P03SS01	CF090P04SS01	CF090P05SS01	CF090P06SS01
801-900 (R)	CF090R00SS01	CF090R01SS01	CF090R02SS01	CF090R03SS01	CF090R04SS01	CF090R05SS01	CF090R06SS01
901-1000 (T)	CF090T00SS01	CF090T01SS01	CF090T02SS01	CF090T03SS01	CF090T04SS01	CF090T05SS01	CF090T06SS01
1001-1100 (V)	CF090V00SS01	CF090V01SS01	CF090V02SS01	CF090V03SS01	CF090V04SS01	CF090V05SS01	CF090V06SS01
1101-1200 (X)	CF090X00SS01	CF090X01SS01	CF090X02SS01	CF090X03SS01	CF090X04SS01	CF090X05SS01	CF090X06SS01

RAINWATER HEAD GUIDE


STRAMIT® CUSTOM PRODUCTS

















































Source your custom rainwater heads from the roofing experts. We offer you a complete range to suit any architectural style. We can manufacture rainwater heads to your specifications.

STANDARD SIZE: 400(L) x 250(W) x 350(H).



MATERIALS: Copper, Galvanised, Zinc-aluminium alloy, Stainless Steel, Colorbond.

For further information please contact your local Stramit branch. **Price on application.**




	01	02	03	04	05	06
CCY	 CCY01	 CCY02	 CCY03	 CCY04	 CCY05	 CCY06
CT	 CT01	 CT02	 CT03	 CT04	 CT05	 CT06
TF	 TF01	 TF02	 TF03	 TF04	 TF05	 TF06
CF	 CF01	 CF02	 CF03	 CF04	 CF05	 CF06
CCN	 CCN01	 CCN02	 CCN03	 CCN04	 CCN05	 CCN06
CI	 CI01	 CI02	 CI03	 CI04	 CI05	 CI06
TD	 TD01	 TD02	 TD03	 TD04	 TD05	 TD06
TH	 TH01	 TH02	 TH03	 TH04	 TH05	 TH06

SUMPS


Product Sumps	Size mm	Code	Unit
Flat Bottom	Extra with fitted drop		
	200 x 200 x 100/150	SUF2020/10/15/ZA/X***	each
	300 x 300 x 100/150	SUF3030/10/15/ZA/X***	each
	400 x 400 x 100/150	SUF4040/10/15/ZA/X***	each
	500 x 500 x 100/150	SUF5050/10/15/ZA/X***	each
	600 x 600 x 100/150	SUF6060/10/15/ZA/X***	each
	700 x 700 x 100/150	SUF7070/10/15/ZA/X***	each
	800 x 800 x 100/150	SUF8080/10/15/ZA/X***	each
Made to order 72 hours lead time.			
Tapered Bottom	200 x 200 x 100/150	SUT2020/10/15/ZA/X***	each
	300 x 300 x 100/150	SUT3030/10/15/ZA/X***	each
	400 x 400 x 100/150	SUT4040/10/15/ZA/X***	each
	500 x 500 x 100/150	SUT5050/10/15/ZA/X***	each
	600 x 600 x 100/150	SUT6060/10/15/ZA/X***	each
	700 x 700 x 100/150	SUT7070/10/15/ZA/X***	each
	800 x 800 x 100/150	SUT8080/10/15/ZA/X***	each

Other sizes available upon request.


ADJUSTABLE BOX GUTTER BRACKETS

Product Adjustable Box Gutter Brackets	Details	Code	Unit
	Suits 250-400 Box 24	BGBA1EZA	each
	Suits 400-650 Box 24	BGBA2EZA	each
	Suits 650-1000 Box 18	BGBA3EZA	each

Box Gutter Board 6.0m only	600mm width	LSGBZA6000	each
----------------------------	-------------	------------	------



RAINWATER CAPS • OVERFLOWS • ROOF VENTILATION

Product Rainwater Caps/Rainheads/Overflows/Roof Ventilatio	Product Details	Code	Unit
	Chinaman's Hat ex Erskine Park (on Short pipe)		
	100mm	CAP100GA	each
	125mm	CAP125GA	each
	150mm	CAP150GA	each
	200mm	CAP200GA	each
	250mm	CAP250GA	each


Other sizes available through Eziform but ensure short pipe is included on request.

Asbestos Cement Repair Sheet (super 6)	SSRSGA30	each
--	----------	------



(to fit "super" and "deep 6")
3.000m galvanised stock only Overall sheet width 1016.


DAMP COURSE LINERS

Product	Product Details	Code	Unit	Finish
Damp Course Liners				
Safe Trays				
Copper – Soft Soldered				
	400mm x 400mm	ST4040/05/10/055/CU	each	Copper
	500mm x 500mm	ST5050/05/10/055/CU	each	Copper
	600mm x 600mm	ST6060/05/10/055/CU	each	Copper
	700mm x 700mm	ST7070/05/10/055/CU	each	Copper
	800mm x 800mm	ST8080/05/10/055/CU	each	Copper
	Other Sizes	Please contact your Stramit Representative		

Made to order. 72 hours lead time.

Safe Trays

Stainless Steel 305 2B Soft Soldered

	400mm x 400mm	ST4040/05/10/055/SS	each	S/Steel
	500mm x 500mm	ST5050/05/10/055/SS	each	S/Steel
	600mm x 600mm	ST6060/05/10/055/SS	each	S/Steel
	700mm x 700mm	ST7070/05/10/055/SS	each	S/Steel
	800mm x 800mm	ST8080/05/10/055/SS	each	S/Steel
	Other Sizes	Please contact your Stramit Representative		

Made to order. 72 hours lead time.

Safe Trays

Galv/Zinc – S/Soldered/Sealed

	400mm x 400mm	ST4040/05/10/055/ZA/GA	each
	450 x 450 x 50mm	ST4545/05/10/055/ZA/GA	each
	500mm x 500mm*	ST5050/05/10/055/ZA/GA	each
	550 x 550 x 50mm	ST5555/05/10/055/ZA/GA	each
	600mm x 600mm*	ST6060/05/10/055/ZA/GA	each
	700mm x 700mm*	ST7070/05/10/055/ZA/GA	each
	800mm x 800mm	ST8080/05/10/055/ZA/GA	each
	Other Sizes	Please contact your Stramit Representative	

*These sizes stocked 50mm deep Z/A only. All other sizes made to order 72 hours lead time

RAINWATER SPECIALS









Metal Louvres

Custom made to order
Kit form or assembled

Overflows


Curved Metal Flashings

Custom made to suit any radius
(Require radius and/or template)




VENTED RIDGE / FIXED METAL LOUVERS

Product	Product Details	Code	Unit
Vented Ridge			



Dual Flow Vented Ridge



Quad Flow Vented Ridge

Quad Ventilated ridge Upflow open top	300/450/600/75/900/1200 mm Throat	Please contact your Stramit Representative	lin metre
--	-----------------------------------	---	-----------

Dual Ventilated Ridge Downflow Closed Top	300/450/600 mm Throat	Please contact your Stramit Representative	lin metre
--	-----------------------	---	-----------

Information required for quoting or ordering process:

Type of Ridge Vent: ☐ Upflow (Open Top/Quad Flow) ☐ Downflow (Closed Top/Dual Flow)

Throat size: _____ mm

Colour: ☐ Zinalume ☐ Colorbond (specify colour & finish) _____

Roof Pitch: _____ degrees (zero degrees if Ridge Vent is on the slope of the roof)

Qty _____ @ _____ m / Qty _____ @ _____


Qty _____ @ _____ m / Qty _____ @ _____

Roofing Profile: ☐ Corrugated ☐ Monoclad ☐ Longspan ☐ Other _____

NOTE:

- Stop ends included in kit
- Under certain circumstances Vented Ridge may mist
- Maximum length 8.0m
- Check your local office for lead time.

Fixed Metal Louvres



100mm Single Stage
150mm Single Stage
Available in Zinc or Colorbond


COLONIAL WINDOW AWNING

Product
Colonial Window Awning


Code

Patterns are samples only
We can custom make to detail


CWASPEC




AW01




AW02




AW03



AW04










AW05







AW06

NOTE: Window awnings are made to order. Check your local office for lead time.
Available in all Colorbond Colours.



BUILDER'S PRODUCTS

Product Builder's Products	Size mm	Code	Finish	BMT mm	Unit
Stump Caps	Mould Edge Square 50/box	SC2323ME40GA	GA	0.40	each
	Round 250 25/box	SC2540GA	GA	0.40	each
	Round 300 25/box	SC3040GA	GA	0.40	each
Galvanised Ant Caps	Double sided 1.8m 113 x 38 x 38 150 x 38 x 38 225 x 38 x 38	ACF1133840GA18 ACF1503840GA18 ACF2253840GA18	GA GA GA	0.40 0.40 0.40	length length length
	Veneer 1.8m/Single sided 50 x 38 113 x 38 150 x 38 225 x 38 75 x 38	ACH503840GA18 ACH1133840GA18 ACH1503840GA18 ACH2253840GA18 ACH753840GA18	GA GA GA GA GA	0.40 0.40 0.40 0.40 0.40	length length length length length
	Bribie 1.8m 75 x 16 x 16 x 32 100 x 16 x 16 x 32 (Internal & external corners available POA)	ACB7540GA18 ACB10040GA18	GA GA	0.40 0.40	length length
	Vertical Bribie 75 x 16 x 16 x 32 100 x 16 x 16 x 32 Made to order - 48 hours lead time	ACV7540GA18 ACV10040GA18	GA GA	0.40 0.40	length length
Vent Pipe Stays	1.8m (15mm diameter)	VSGA18	GA	0.40	length
	Drip Strip	DS5040GA18	GA	0.40	length
	Window Flashing	WF3840GA18 WF3850GA18 WF3875GA18 WF75113GA18	GA GA GA GA	0.40 0.40 0.40 0.40	length length length length
					







BUILDER'S PRODUCTS

Product	Size mm	Code	Finish	BMT mm	Unit
Builder's Products					
Sparrow Proofing	1.8m	SPGA18	GA	0.40	length
	75mm 1.800mm				
TGalvanised	EV Surround (small)	SURMETSMGA	GA	0.75	each
Metal Surrounds	DT Surround (large)	SURMETLGA	GA	0.75	each
					
Builder's Strapping	32mm x 1.2mm x 50m	BST321250	GA	1.2	roll
	32mm x 1.2mm x 30m	BST321230	GA	1.2	roll
	32mm x 1.2mm x 15m	BST321215	GA	1.2	roll
	32mm x 1.6mm x 50m	BST321650	GA	1.6	roll
	32mm x 1.6mm x 30m	BST321630	GA	1.6	roll
	38mm x 1.6mm x 50m	BST381650	GA	1.6	roll
	38mm x 1.6mm x 30m	BST381630	GA	1.6	roll
	50mm x 1.2mm x 50m	BST501250	GA	1.2	roll
	50mm x 1.5mm x 30m	BST501530	GA	1.6	roll
Galvanised	38 x 38 x 1.8m	AF3840GA18	GA	0.40	length
Trim Angle	38 x 38 x 2.4m	AF3840GA24	GA	0.40	length
	40 x 40 x 1.2	AF40120GA	GA	1.2	lin metre
	40 x 40 x 1.5	AF40150GA	GA	1.5	lin metre
	40 x 40 x 1.9	AF40190GA	GA	1.9	lin metre
	38 x 38 x 3.0m	AF40120GA30	GA	1.2	length
	38 x 38 x 6.0m	AF40120GA60	GA	1.2	length
	40 x 40 x 6.0m	AF40150GA60	GA	1.5	length
	40 x 40 x 6.0m	AF40190GA60	GA	1.9	length


P.A. DOOR

Product	Size mm	Code	Finish	Unit
P.A. Door				
P.A. Door Standard-door only	2040 x 820 x 40	PAD2040820ZA	ZA	each
	54mm Hole Back Set 60mm	PAD2040820X***	CB	each
	NB: No Jambs, Hinges or Lock assembly provided. Price includes packaging.			
	Door Has A Single Skin.			
P.A. Door Deluxe	2040 x 820 x 35mm	PADJ2040820X***	CB	each
	2040 x 820 x 35mm	PADJ2040820ZA	ZA	each
				
	NB: This is a full pre-hung door including entrance set & heavy gauge outer mounting frame. Not all colours stocked.			
	NOTE: Lead time minimum 7 business days			

STEEL FRAMING • STRUCTURAL SECTIONS


Product Structural Sections/Flooring	Product Details	Code	Finish	BMT mm	Unit
Stramit® Steel Framing Sections 	Truecore™ Stud 75 x 32 x 7.5m stock	SBQS7512UTC7500		1.2	length
	75 x 32 cut to length	SBQS7512UTC		1.2	per metre
	75 x 32 cut to length	SBQS7510UTC		1.0	per metre
	Truecore™ Nogging 72 x 34 x 7.5m stock	SBQN7212UTC7500		1.2	length
	72 x 34 cut to length	SBQN7212UTC		1.2	per metre
	72 x 34 cut to length	SBQN7210UTC		1.0	per metre
	Truecore™ Plate 78 x 31 x 7.5m stock	SBQP7812UTC7500		1.2	length
	78 x 31 cut to length	SBQP7812UTC		1.2	per metre
	78 x 31 cut to length	SBQP7810UTC		1.0	per metre
	Stiffened Top Plate 78 x 77 x 7.5m stock	SBPST16TC75		1.6	each
Note - Also available in punched. Replace 'U' in code with a 'P'.					
NOTE: Minimum length 500mm. Maximum length 9m					
Stramit® Top Hats 	64 x 34 x 20 x 6 (A x B x C x D)	TH6475ZA	ZA	0.75	per metre
		TH64100ZA	ZA	1.00	per metre
		TH64120ZA	ZA	1.20	per metre
	96 x 34 x 20 x 6 (A x B x C x D)	TH9675ZA	ZA	0.75	per metre
		TH96100ZA	ZA	1.00	per metre
		TH96120ZA	ZA	1.20	per metre
	120 x 40 x 25 x 10 (A x B x C x D)	TH12070ZA*	ZA	0.70	per metre
		TH12090ZA*	ZA	0.90	per metre
		TH120120ZA*	ZA	1.20	per metre
	NOTE: Minimum length 1.5m. Maximum length 9.0m. *Purchase in from Erskine Park				
Crestmead stock	120 x 0.90 x 7500	TH12090ZA7500	ZA	0.90	Length
Rockhampton stock	96 x 0.75 x 7500	TH9675ZA7500	ZA	0.75	length
length only	64 x 0.75 x 7500	TH6475ZA7500	ZA	0.75	length
		TH64120ZA7500	ZA	1.20	length
Stramit® Roof Battens 	Stock length 6500				
	40 x 40 x 15 x 6.5m Truecore™	RB40TC6500		0.55	each
Stramit® Roof Battens (Cyclonic)	40 x 40 x 15 x 7.5m	RBC40TC7500		0.75	each
Fasteners to Truss 	12 x 40mm Batten Zip (No Neo) (For fixing to timber or steel)	S1240HMTZIP			per box 1000
	12 x 20 Hex Head Tek (No Neo)	S1240HMTZIPH			per bag 100
		S1220HTNNH			per bag 100 (500 min)
	14 x 75 T17 Bugle Batten	S1475BUGB17			per box 500
		S1475BUGB17H			per box 100 (500 min)
Stramit® Ceiling Battens 	Stock length 6100				
	20 x 30 x 10 x 6.1m Truecore™	CBTC61		0.42	each
Safety Batten	20 x 30 x 10 x 6.1m	CBPR61		0.42	each
					

FORMWORK • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Stramit Condeck HP®		CONHP75GA	GA	0.75	per m ²
		*CONHP75P		0.75	per m ²
		CONHP100GA	GA	1.00	per m ²
		*CONHP100P		1.00	per m ²


NOTE: 48 hour lead time. Minimum length 800mm. Maximum length 17.0m.

Stramit Condeck HP®	CONHP75IZM	0.75	per m ²
ZAM coating	CONHP100IZM	1.00	per m ²




For lap fixing refer to **Stramit Condeck HP®** composite decking brochures

NOTE: Please see page 75 for ZAM material details.

Stramit Edgeforma		100mm Stramit® Edgeforma cut to length max 6.0m	CONEF100GA	GA	1.2	lin metre
		125mm Stramit® Edgeforma cut to length max 6.0m	CONEF125GA	GA	1.2	lin metre
		150mm Stramit® Edgeforma cut to length max 3.6m	CONEF150GA	GA	1.6	lin metre
		3.6m - 6.0m available upon request				

Note: For slabs thicker than 150mm contact Stramit for technical support

Accessories



Suspended Ceiling Clips Hanger (2 part)

CONEHANG

GA

each





10 x 16 Hex Tek

S1016HT

Plain

per 1000

Single Span maximum span (mm)		
slab thickness (mm)	Stramit Condeck HP® decking thickness	
	0.75mm	1.00mm
90	2100	2450
100	2040	2380
110	1990	2310
120	1940	2250
125	1920	2220
130	1900	2200
140	1860	2150
150	1820	2100
160	1780	2060
170	1750	2020
180	1720	1990
190	1690	1960
200	1660	1920
210	1610	1890
220	1600	1870
230	1580	1840
240	1560	1820
250	1540	1790




Span tables for temporary props

Calculated for concrete density of 2400 kg/m³, reo mass 50 kg/m³, stacked material load of 1.5kPa in pans, 100mm wide prop bearers and rib deflection limit of span/240. Maximum spans for finished composite slabs must be checked using the **Stramit Condeck HP® Technical Manual** or the **Stramit Condeck HP™ Slab Designer** software. Props or propping frames must be spaced approximately equally within the span.

— Cases below this line not recommended for exposed ceilings







STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM




Stramit Uniguard™ Fire resisting wall system is a superior fire rated wall cladding product that combines the single layer of specialist fireboard **Promina®60** with your choice from **Stramit Monoclad®**, **Stramit Corrugated®** and **Stramit Longspan®** wall cladding products.


The **Stramit Uniguard™ Fire resisting wall system** is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).

Note: System must be designed and installed strictly in accordance with **Stramit Uniguard™ Fire Resisting Wall System Technical Manual**.

Product	Size mm	Code	BMT mm	Unit
Promina®60				
	15 x 2400 x 1200	PB601224		each
Allow min 72 hours for this product.				
Stramit® Safety Battens				
	Stock length 6100 20 x 30 x 10 x 6.1m	CBPR61	0.42	length
Note: Zinc-aluminium alloy Battens cannot be in contact with this system.				
Fasteners				
	10 x 45 Wing Tek (For fixing Promina®60 to girts)	S1045WNGT		per box 1000
		S1045WNGTH		per box 100 (500 min)
	12 x 55 Hex Head (For pan fixing cladding to purlin/girts)	S1255HT4		per box 1000
Eave Filler Strips				
	Infill Strips (top) (bottom)	MCEFSTOP MCEFSBTM	0.970m 0.970m	each each
Prima Seal				
	Prima Seal Prominaseal mastic	PBSEAL300		each


FLOORING • ACCESSORIES

Product Flooring/Accessories	Details	Code	Depth D mm	Width W mm	Lip L mm	BMT	Unit
Stramit® Flooring – Joists							
		J11510	115	45	12	1.0	per metre
		J11515	115	45	14	1.5	per metre
		J11519	115	45	15	1.9	per metre
		J18212	182	51	13	1.2	per metre
		J18215	182	51	14	1.5	per metre
		J18219	182	51	15	1.9	per metre
		J18224	182	51	16	2.4	per metre
		J23512	235	64	11	1.2	per metre
		J23515	235	64	12	1.5	per metre
		J23519	235	64	16	1.9	per metre
		J23524	235	64	17	2.4	per metre
		J28319	283	64	17	1.9	per metre
		J28324	283	64	18	2.4	per metre
		B11519	116	52	-	1.9	per metre
		B18219	183	58	0	1.9	per metre
		B23519	236	72	0	1.9	per metre
		B28319	283	72	0	1.9	per metre
		B18224	183	58	0	2.4	per metre
		B23524	236	72	0	2.4	per metre
		B28324	283	72	0	2.4	per metre
2pm Cut Off Daily. 5 Day Lead-time.							


	Angle Brackets	FCB1A (for B182) 130mm high	each
		FCB1B (for B235/283) 170mm high	each
	Web Brackets	FCB3A (for B182) 130mm high	each
		FCB3B (for B235/283) 180mm high	each

NOTE: A complete flooring system take off service is now available upon request. Please contact your Stramit Account Manager.

VERMASEAL

Product Flooring/Accessories	Details	Code	BMT mm	Unit
Stramit® Flooring Vermaseal	Vermin and weatherproof flashing	VMSEALGRY30 Grey (3 metre lengths)		length
				

PURLINS & GIRTS

Product Purlins & Girts	Product Details	Code Standard	Code Exacta	BMT	Unit
Stramit® C & Z Purlins (Z350 Coating) 	C & Z 10010 Sections	C/Z10010*	NA	1.0	per metre
	C & Z 10015 Sections	C/Z10015*	NA	1.5	per metre
	C & Z 10019 Sections	C/Z10019*	NA	1.9	per metre
	C & Z 15012 Sections	C/Z15012*	C/Z15012EX*	1.2	per metre
	C & Z 15015 Sections	C/Z15015*	C/Z15015EX*	1.5	per metre
	C & Z 15019 Sections	C/Z15019*	C/Z15019EX*	1.9	per metre
	C & Z 15024 Sections	C/Z15024*	C/Z15024EX*	2.4	per metre
	C & Z 20012 Sections	NA	C/Z20012EX*	1.2	per metre
	C & Z 20015 Sections	C/Z20015*	C/Z20015EX*	1.5	per metre
	C & Z 20019 Sections	C/Z20019*	C/Z20019EX*	1.9	per metre
	C & Z 20024 Sections	C/Z20024*	C/Z20024EX*	2.4	per metre
	C & Z 25015 Sections	NA	C/Z25015EX*	1.5	per metre
	C & Z 25019 Sections	C/Z25019*	C/Z25019EX*	1.9	per metre
	C & Z 25024 Sections	C/Z25024*	C/Z25024EX*	2.4	per metre
	C & Z 30019 Sections	NA	C/Z30019EX*	1.9	per metre
	C & Z 30024 Sections	C/Z30024*	C/Z30024EX*	2.4	per metre
	C & Z 30030 Sections	C/Z30030*	C/Z30030EX*	3.0	per metre
	C & Z 35019 Sections	NA	NA	1.9	per metre
	C & Z 35024 Sections	NA	NA	2.4	per metre
	C & Z 35030 Sections	C/Z35030*	NA	3.0	per metre
	C & Z 40030 Sections	C/Z40030*	NA	3.0	per metre

NOTE: 350 & 400 series purlins minimum order is 100Lm.

NA - Not Available * = P (Punched) or U (Unpunched)


Coating supplied is Z350 galvanised. *Strictly no part cuts for Exacta's

Other gauges and coatings of Z450 and Z600 on special order – POA.

Refer Page 72 for stock lengths.

Please check availability at time of order. Minimum length 1.7m.

Minimum part cut is 600mm Maximum length 15.2m.

Stramit® Purlins – Nesting Channel 	(suit 100)	CH10715*	1.5	per metre
	(suit 100)	CH10719*	1.9	per metre
	(suit 150)	CH15719*	1.9	per metre
	(suit 150)	CH15715*	1.5	per metre
	(suit 150)	CH15724*	2.4	per metre
	(suit 200)	CH20819*	1.9	per metre
	(suit 200)	CH20824*	2.4	per metre
	(suit 250)	CH25919*	1.9	per metre
	(suit 250)	CH25924*	2.4	per metre

* = P (Punched) or U (Unpunched)

NOTE: Tolerance for mitre cut angles is $\pm 1^\circ$.

***Allow an extra day to purlin lead-time**

Mitre Cut C100/C150/C200 & C250 up to 15°

MITRECUT2A

each


Mitre Cut C100/C150/C200 & C250 20°

MITRECUT2B

each

Stramit® Fascia / Eaves Purlin

Fluted	23019 Fluted	FP23019F*	1.9	per metre
--------	--------------	------------------	-----	-----------




*** P = PUNCHED U = UNPUNCHED**

Note: Degree for top flange must be supplied.

Order by Friday 12pm cut off, deliver Tuesday week

Minimum length 1830mm

Stramit® Eaves Purlins 	To suit 64mm Top Hat Eaves Purlin Cut to length only	EP11010	1.0	per metre
	To suit 96mm Top Hat 130mm Eaves Purlin Cut to length only	EP13012	1.2	per metre

2pm Cut Off Daily. 5 Day Lead-time.

DIMENSIONS & TYPICAL DETAILS

STRAMIT® EXACTA PURLIN DIMENSIONS

C SECTIONS

Section	Web Depth mm	Flange Width mm	Thickness BMT mm	Section Mass kg/m
C150-12EX	150	58	1.2	2.90
C150-15EX	150	58	1.5	3.59
C150-19EX	150	58	1.9	4.51
C150-24EX	150	58	2.4	5.67
C200-12EX	200	72	1.2	3.63
C200-15EX	200	72	1.5	4.50
C200-19EX	200	72	1.9	5.74
C200-24EX	200	72	2.4	7.21
C250-15EX	250	73	1.5	5.18
C250-19EX	250	73	1.9	6.50
C250-24EX	250	73	2.4	8.17
C300-19EX	300	93	1.9	8.04
C300-24EX	300	93	2.4	10.18
C300-30EX	300	93	3.0	12.69
C350-19EX	350	120	1.9	9.68
C350-24EX	350	120	2.4	12.20
C350-30EX	350	120	3.0	15.20

Z SECTIONS

Section	Web Depth mm	Broad Flange mm	Narrow Flange mm	Thickness BMT mm	Section Mass kg/m
Z150-12EX	150	61	57	1.2	2.90
Z150-15EX	150	61	57	1.5	3.59
Z150-19EX	150	61	57	1.9	4.51
Z150-24EX	150	61	57	2.4	5.67
Z200-12EX	200	74	69	1.2	3.63
Z200-15EX	200	74	69	1.5	4.50
Z200-19EX	200	74	69	1.9	5.74
Z200-24EX	200	74	69	2.4	7.21
Z250-15EX	250	76	71	1.5	5.18
Z250-19EX	250	76	71	1.9	6.50
Z250-24EX	250	76	71	2.4	8.17
Z300-19EX	300	98	91	1.9	8.04
Z300-24EX	300	98	91	2.4	10.18
Z300-30EX	300	98	91	3.0	12.69
Z350-19EX	350	124	116	1.9	9.68
Z350-24EX	350	124	116	2.4	12.20
Z350-30EX	350	124	116	3.0	15.20

STRAMIT® PURLIN DIMENSIONS

C SECTIONS

Section	Web Depth mm	Flange Width mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
C10010	102	51	12.5	1.0	1.77
C10015	102	51	14.0	1.5	2.61
C10019	102	51	15.0	1.9	3.29
C15012	152	64	15.0	1.2	2.90
C15015	152	64	16.0	1.5	3.59
C15019	152	64	17.0	1.9	4.51
C15024	152	64	18.5	2.4	5.67
C20015	203	76	16.0	1.5	4.50
C20019	203	76	19.5	1.9	5.74
C20024	203	76	21.0	2.4	7.21
C25019	254	76	19.0	1.9	6.50
C25024	254	76	20.5	2.4	8.17
C30024	300	96	28.0	2.4	10.18
C30030	300	96	31.5	3.0	12.69
C35030	350	125	31.0	3.0	15.20
C40030NF	400	96	31.0	3.0	15.20
C40030BF	400	125	31.0	3.0	16.40

Z SECTIONS

Section	Web Depth mm	Broad Flange mm	Narrow Flange mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
Z10010	102	53	49	12.5	1.0	1.77
Z10015	102	53	49	14.0	1.5	2.61
Z10019	102	53	49	15.0	1.9	3.29
Z15012	152	65	61	15.0	1.2	2.90
Z15015	152	65	61	16.0	1.5	3.59
Z15019	152	65	61	17.0	1.9	4.51
Z15024	152	65	61	18.5	2.4	5.67
Z20015	203	79	74	16.0	1.5	4.50
Z20019	203	79	74	19.5	1.9	5.74
Z20024	203	79	74	21.0	2.4	7.21
Z25019	254	79	74	19.0	1.9	6.50
Z25024	254	79	74	20.5	2.4	8.17
Z30024	300	100	93	28.0	2.4	10.18
Z30030	300	100	93	31.5	3.0	12.69
Z35030	350	129	122	31.0	3.0	15.20
Z40030	400	100	93	31.0	3.0	15.20


HOLE PUNCHING

Stramit® Purlins and Girts have standard 18mm x 22mm holes punched for Purlins & Exactas.

Note: Exception for standard purlins C/Z 300-400 holes punched 22mm round to meet A.I.S.C.

Stramit® Purlin/Girt	'A' mm
C/Z100	40 (A)
C/Z150	60 (A) or 70 (VIC)
C/Z200	110 (A)
C/Z250	160 (A)
C/Z300	210 (A)
C/Z350	260 (A)
C/Z400	310 (A)

'A' = A.I.S.C. > Hole Spacing



NOTE: Max number of punching operations per purlin is 30.

Set of web holes is one operation.

Set of Flange holes is one operation.

Centre punching is one operation.

NOTE: Custom Sections are subject to special enquiry – POA. They are cut to length, custom punched from Galvanised material.

2pm Cut Off Daily. 5 Day Lead-time.




C & Z PURLINS - DOWNTURN LIP

Product	Product Details	Code	BMT mm	Unit
Stramit® C & Z Purlins				
Stramit® Downturn Lip	C 10015 Sections	C10015PDT	1.5	per metre
C & Z Purlins (Z350 Coating)	C 10019 Sections	C10019PDT	1.9	per metre
	C 15012 Sections	C15012PDT	1.2	per metre
	C 15015 Sections	C15015PDT	1.5	per metre
	C 15019 Sections	C15019PDT	1.9	per metre
	C 15024 Sections	C15024PDT	2.4	per metre
	C 20015 Sections	C20015PDT	1.5	per metre
	C 20019 Sections	C20019PDT	1.9	per metre
	C 20024 Sections	C20024PDT	2.4	per metre
	C 25019 Sections	C25019PDT	1.9	per metre
	C 25024 Sections	C25024PDT	2.4	per metre
	C 30024 Sections	C30024PDT	2.4	per metre
	C 30030 Sections	C30030PDT	3.0	per metre
	C 35030 Sections	C35030PDT	3.0	per metre
	C 40030 Sections	C40030PDT	3.0	per metre
	Z 10015 Sections Broad/Narrow	Z10015PBNDT	1.5	per metre
	Z 10015 Sections Narrow/Narrow	Z10015PNNDT	1.5	per metre
	Z 10019 Sections Broad/Narrow	Z10019PBNDT	1.9	per metre
	Z 10019 Sections Narrow/Narrow	Z10019PNNDT	1.9	per metre
	Z 15012 Sections Broad/Narrow	Z15012PBNDT	1.2	per metre
	Z 15012 Sections Narrow/Narrow	Z15012PNNDT	1.2	per metre
	Z 15015 Sections Broad/Narrow	Z15015PBNDT	1.5	per metre
	Z 15015 Sections Narrow/Narrow	Z15015PNNDT	1.5	per metre
	Z 15019 Sections Broad/Narrow	Z15019PBNDT	1.9	per metre
	Z 15019 Sections Narrow/Narrow	Z15019PNNDT	1.9	per metre
	Z 15024 Sections Broad/Narrow	Z15024PBNDT	2.4	per metre
	Z 15024 Sections Narrow/Narrow	Z15024PNNDT	2.4	per metre
	Z 20015 Sections Broad/Narrow	Z20015PBNDT	1.5	per metre
	Z 20015 Sections Narrow/Narrow	Z20015PNNDT	1.5	per metre
	Z 20019 Sections Broad/Narrow	Z20019PBNDT	1.9	per metre
	Z 20019 Sections Narrow/Narrow	Z20019PNNDT	1.9	per metre
	Z 20024 Sections Broad/Narrow	Z20024PBNDT	2.4	per metre
	Z 20024 Sections Narrow/Narrow	Z20024PNNDT	2.4	per metre
	Z 25019 Sections Broad/Narrow	Z25019PBNDT	1.9	per metre
	Z 25019 Sections Narrow/Narrow	Z25019PNNDT	1.9	per metre
	Z 25024 Sections Broad/Narrow	Z25024PBNDT	2.4	per metre
	Z 25024 Sections Narrow/Narrow	Z25024PNNDT	2.4	per metre










COATING NOTE: Coating supplied is Z350 galvanised.
Other gauges and coatings of Z450 and Z600 are available under special order – POA.
Minimum length 1.700m.

2pm Cut Off Daily. 5 Day Lead-time.



PURLINS & GIRTS – AISC BRIDGING SYSTEM


Product	Product Details	Code	Unit
Purlins & Girts – AISC Bridging System			
***Note: All AISC Bridging & Componentry available for 100-250 section sizes.			
	Intermediate Locator/Lock	BI100LRLK BI150LRLK BI200LRLK BI250LRLK	lin metre lin metre lin metre lin metre
	Swivel Locator/Lock	BIS100 BIS150 BIS200 BIS250	lin metre lin metre lin metre lin metre
	Intermediate Lock/Lock	BI100LKLK BI150LKLK BI200LKLK BI250LKLK	lin metre lin metre lin metre lin metre
	Swivel Lock/Lock	BIS100 BIS150 BIS200 BIS250	lin metre lin metre lin metre lin metre
	Intermediate Locator/Bolt	BI100LRBO BI150LRBO BI200LRBO BI250LRBO	lin metre lin metre lin metre lin metre
	Swivel Locator/Bolt	BIS100 BIS150 BIS200 BIS250	lin metre lin metre lin metre lin metre
	Intermediate Lock/Bolt	BI100LKBO BI150LKBO BI200LKBO BI250LKBO	lin metre lin metre lin metre lin metre
	Swivel Lock/Bolt	BIS100 BIS150 BIS200 BIS250	lin metre lin metre lin metre lin metre
	Intermediate Bolt/Bolt	BI100BOBO BI150BOBO BI200BOBO BI250BOBO	lin metre lin metre lin metre lin metre
	Swivel Bolt/Bolt	BIS100 BIS150 BIS200 BIS250	lin metre lin metre lin metre lin metre
HEAVY DUTY BRIDGING			
	250 Series	BHD250BOBO	lin metre
	300 Series	BHD350BOBO	lin metre
	350 Series	BHD350BOBO	lin metre
	400 Series	BHD350BOBO	lin metre
All Heavy Duty Bridging is priced at a minimum of 1m per length. Bridging under 1m is POA			
Leadtime 8 business days for hand assembly			

PURLINS & GIRTS – AISC BRIDGING SYSTEM

Product	Product Details	Code	Unit
Purlins & Girts – AISC Bridging System			
	Ridge Lock/Lock	BR100	lin metre
		BR150	lin metre
		BR200	lin metre
		BR250	lin metre
	Ridge Locator/Locator	BR100	lin metre
		BR150	lin metre
		BR200	lin metre
		BR250	lin metre
	Ridge Bolt/Bolt	BR100	lin metre
		BR150	lin metre
		BR200	lin metre
		BR250	lin metre
	Fascia Locator/Fascia	BF100	lin metre
		BF150	lin metre
		BF200	lin metre
		BF250	lin metre
	Fascia Lock/Fascia	BF100	lin metre
		BF150	lin metre
		BF200	lin metre
		BF250	lin metre
	Fascia Bolt/Fascia	BF100	lin metre
		BF150	lin metre
		BF200	lin metre
		BF250	lin metre
<div>Lock</div> <div>Locator</div> <div>Bolt</div> 	Fascia Girt Hanger	BGHTB100	lin metre
		BGHTB150	lin metre
		BGHTB200	lin metre
		BGHTB250	lin metre
<div>Lock</div> <div>Locator</div> <div>Bolt</div> 	Barge Girt Hanger	BGHTB100	lin metre
		BGHTB150	lin metre
		BGHTB200	lin metre
		BGHTB250	lin metre
<div>Lock</div> <div>Locator</div> <div>Bolt</div> 	Girt Foot	BGF100	lin metre
		BGF150	lin metre
		BGF200	lin metre
		BGF250	lin metre

PURLINS & GIRTS – GENERAL ACCESSORIES

Accessories			
	Sag Rod 12mm	BSR12	per metre
	Sag Rod 16mm	BSR16	per metre
	*12mm Max length 3.6m		
	*16mm Max length 3.0m		
	Tie Rod Angle 2.4mm BMT	BTRA	each

PURLINS & GIRTS – GENERAL ACCESSORIES
Product
Purlins & Girts – Accessories
Product Details
Code
Unit
Accessories


Bridging Ends Locator

BLR100
BLR150
BLR200
BLR250

 each
 each
 each
 each

Bridging Ends Lock

BLK100
BLK150
BLK200
BLK250

 each
 each
 each
 each

Bridging Ends Bolted

BB0100
BB0150
BB0200
BB0250
BB0HD300
BB0HD350

 each
 each
 each
 each
 each
 each

Bridging Fascia Brackets

BFB100
BFB150
BFB200
BFB250
BFBHDGA (230/300)
 Also available in ZAM Coating.

 each
 each
 each
 each
 each

Bridging Channel 1.0mm BMT

BC69GA

lin metre

Slotted Channel 2 Hole

BSC2HO 130mm

each

3 Hole

BSC3HO 190mm

each

5 Hole

BSC5HO 310mm

each

 General Purpose Bracket
 2.4mm BMT

BGPB100GA
BGPB150GA
BGPB200GA
BGPB250GA
BGPB300GA

 each
 each
 each
 each
 each

 Angle Connectors
 2.4mm BMT

BAC100
BAC150
BAC200
BAC250
BAC300

 each
 each
 each
 each
 each

 Clamp Plate
 2.4mm BMT

BCP100GA
BCP150GA
BCP200GA
BCP250GA
BCP300GA

 each
 each
 each
 each
 each

Raking Girt Bracket

BRGB100

each

 Adaptor Bracket
 (Right hand shown)
 2.4mm BMT

BAB150100L/RGA
BAB200100L/RGA
BAB200150L/RGA
BAB250100L/RGA
BAB250150L/RGA
BAB250200L/RGA
BAB300100L/RGA




 each
 each
 each
 each
 each
 each
 each

Bridging Starting Clips

BSC100
BSC150
BSC200
BSC250

 each
 each
 each
 each

PURLINS & GIRTS – GENERAL ACCESSORIES

Product	Product Details	Code	Unit
Purlins & Girts – Accessories			
	Bridging Turnbuckle		
	Bridging Turnbuckle 8mm	BTB8	each
	Bridging Turnbuckle 10mm	BTB10	each
	Purlin Cleat AISC		
	40mm centres	CL10040	each
	60mm centres	CL15060	each
	110mm centres	CL200110	each
	160mm centres	CL250160	each
	Bolts (Grade 4.6)		
	M12 x 30 N&B Flanged	PB1230ZP	each
	M16 x 33 N&B Flange	PBKS1633ZP	each
	M16 x 45 N, B & W	PB1645ZP	each
	M12 x 30 Fascia Bolt	PBF1230GA	each
	M12 x 30 N&B Flanged (GR8.8)	PB1230HSZP	each
		PB1230GA	each
	M16 x 30 Fascia Bolt	PBF1630ZP	each
	M16 x 45 N&B Flanged	PB1645HSZP	each

PURLINS STOCK SIZES

Size/Details		C Sections					Z Sections		
		6.5m	8.0m	9.0m	10.0m	12.6m	6.5m	9.0m	10m
Brisbane	10015			●					
	10019			●					
	15012								
	15015			●					
	15019			●				●	
	15024			●					
	20015			●					
	20019					●			
	20024			●					●
	25019								
	25024				●				
	30030								
Rockhampton	10015	●		●			●	●	
	15015	●		●			●	●	
	20015	●							
Maryborough	10019			●					
	15012								
	15015								
	15019			●					
	20019			●					

NOTE: Stock purlins are not punched.
 9m stock lengths are available for next day delivery. Stock lengths over 9m are subject to truck availability.
 Stock purlins cannot be cut on premises.

NEW PRODUCT • MODIFIED PURLINS • ADVANCED MATERIALS

GENERAL

Stramit has roll forming equipment, which allows quick and easy profile changes to be made within the production cycle. This allows the production of special **Stramit® Purlins** or other shapes designed specifically for individual projects giving the best balance in performance and economy.

SIZE RANGE

Sections can be produced within the following parameters:

Web size	100mm	–	400mm
Flange size	50mm	–	130mm
Lip size	12mm	–	30mm*
Thickness	1.0mm	–	3.0mm
Material type	G300	–	G550

*Zero lip (i.e. plain channels) also available.

17mm is maximum lip size on 100mm deep sections.

Minimum length 1.7m.

MODIFIED PURLINS

Modified **Stramit® Purlins**, Z, C or plain channel, may be used for a variety of applications but usually are required from a specific strip size. Extended lead times for ordering are required and are subject to a **minimum order quantity criteria**.

TOOLING

Contact your local Stramit office for cost estimates for tooling of special flange sizes and any special holes.


HOLES

The facility to provide special holes at almost any location is also available. Maximum number of hole sets per purlin is 30.

DESIGN CAPACITY TABLES

Section properties and capacity tables for modified or custom profiles may be possible for larger projects by means of the latest in computer programs written for this purpose.

SIZES AVAILABLE



New high-tech coating for severe environments

Stramit Building Products now offers the next generation of steel purlin and Condeck HP products manufactured from ZAM® coated steel.

ZAM® is a technologically advanced coated steel that allows new installation possibilities in corrosive environments. By replacing the need for post-galvanising, ZAM® products also lower material costs and reduce project lead times.


ZAM® coated steel offers better corrosion protection than conventional galvanised steel (around three times the design life) at a lower cost than products with comparable performance.

ZAM® products perform well in salt or marine atmospheres and are superior to galvanised steel in acid rain, sulphur dioxide or ammonia conditions. They also perform well in alkaline environments. They are appropriate for use near marine environments, in enclosed swimming pool complexes, in poultry, cattle and pig shed environments, as well as in high industrial environments.

The superior scratch resistance of ZAM® products helps corrosion resistance in applications subject to repeated wear. ZAM® coated steel is also concrete compatible, making it an ideal material for steel formwork decking products.

ZAM® is offered by Stramit Building Products with a 20 year warranty, subject to standard terms and conditions. Call Stramit Building Products for more information.

COATED PURLINS - ZAM

Product Purlins & Girts	Product Details	Code	m/tonne	BMT mm	Unit	
	Stramit® C & Z Purlins (ZAM Coating)	C & Z 10019 Sections	C/Z10019*IZM⁺	304	1.9	per metre
		C & Z 15019 Sections	C/Z15019*IZM⁺	220	1.9	per metre
		C & Z 15024 Sections	C/Z15024*IZM⁺	177	2.4	per metre
		C & Z 20019 Sections	C/Z20019*IZM⁺	175	1.9	per metre
		C & Z 20024 Sections	C/Z20024*IZM⁺	140	2.4	per metre
		C & Z 25019 Sections	C/Z25019*IZM⁺	153	1.9	per metre
		C & Z 25024 Sections	C/Z25024*IZM⁺	122	2.4	per metre
	Other section sizes and gauges available on request.					
	Downturn Lip					
		Z 20019 Sections	Z20019EPIZMNNDT⁺	175	1.9	per metre
		Z20019EPIZMBNDT⁺	175	1.9	per metre	
	Z 20024 Sections	Z20024EPIZMNNDT⁺	175	2.4	per metre	
		Z20024EPIZMBNDT⁺	175	2.4	per metre	

* subject to coil availability - ext lead times may apply

* **P = PUNCHED** **U = UNPUNCHED** **EXP = EXACTA PUNCHED** **EXU = EXACTA UNPUNCHED**

Maximum purlin length is 15.2m.

Minimum length 1.700m.

ZAM - the highly corrosion-resistant alternative to hot dipped galvanising

Performance

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.

*Based on results from a comparison test of ZAM coating 380gsm (grams per square metre, nominal coating weight for both sides) with standard galvanised steel Z350gsm.

Specification

Coating weight: 190gsm each giving a nominal coating of 380gsm for both surfaces combined

Steel Grade Range: K590, K540 (Equivalent to steel grades G550, G500 and G450 as per AS1397-2001 in yield point)




- K590: 0.40mm to 1.00mm being minimum yield point of 550 MPa
- K540: 1.01mm to 1.49mm being minimum yield point of 500 MPa
- 1.50mm to 5.00mm being minimum yield point of 450 MPa

Typical Application




The superior corrosion resistance of ZAM coating means that it can replace hot dip galvanised steel.

Applications are whenever severe and corrosive environments exist: intensive farming, agricultural applications, concrete contact and coastal applications.

COATED BRIDGING - ZAM

Product	Product Details	Code	Unit
Purlins & Girts – AISC Bridging System			
***Note: All AISC Bridging & Componentry available for 100-250 section sizes.			
	Intermediate Locator/Lock	BI150LRLKIZM BI200LRLKIZM BI250LRLKIZM	lin metre lin metre lin metre
	Swivel Locator/Lock	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre
	Intermediate Lock/Lock	BI150LKLKIZM BI200LKLKIZM BI250LKLKIZM	lin metre lin metre lin metre
	Swivel Lock/Lock	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre
	Intermediate Locator/Bolt	BI150LRBOIZM BI200LRBOIZM BI250LRBOIZM	lin metre lin metre lin metre
	Swivel Locator/Bolt	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre
	Intermediate Lock/Bolt	BI150LKBOIZM BI200LKBOIZM BI250LKBOIZM	lin metre lin metre lin metre
	Swivel Lock/Bolt	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre
	Intermediate Bolt/Bolt	BI150B0BOIZM BI200B0BOIZM BI250B0BOIZM	lin metre lin metre lin metre
	Swivel Bolt/Bolt	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre


COATED BRIDGING - ZAM

Product	Product Details	Code	Unit
Purlins & Girts – AISC Bridging System			
	Fascia Locator/Fascia	BF***IZM	lin metre
	Fascia Lock/Fascia	BF***IZM	lin metre
	Fascia Bolt/Fascia	BF***IZM	lin metre
<div> <div>Lock</div> <div>Locator</div> <div>Bolt</div> </div> 	Fascia Girt Hanger	BGHTB***IZM BGHTB***IZM BGHTB***IZM	lin metre lin metre lin metre
	Barge Girt Hanger	BGHTB***IZM BGHTB***IZM BGHTB***IZM	lin metre lin metre lin metre
<div> <div>Lock</div> <div>Locator</div> <div>Bolt</div> </div> 	Girt Foot	BGF***IZM BGF***IZM BGF***IZM	lin metre lin metre lin metre

COATED ACCESSORIES - ZAM

Product Purlins & Girts – Accessories

Accessories



Tie Rod Angle

BTRAIZM

each

Bridging Ends Locator

BLR150IZM

each

BLR200IZM

each

BLR250IZM

each

Bridging Ends Lock

BLK150IZM

each

BLK200IZM

each

BLK250IZM

each

Bridging Ends Bolted

BB0150IZM

each

BB0200IZM

each

BB0250IZM

each

Bridging Channel

BC69IZM

lin metre

Slotted Channel 2 Hole

BSC2H0IZM

each

3 Hole

BSC3H0IZM

each

5 Hole

BSC5H0IZM

each

General Purpose Bracket

BGPB150IZM

each

BGPB200IZM

each

BGPB250IZM

each

Angle Connectors

BAC150IZM

each

BAC200IZM

each

BAC250IZM

each

Clamp Plate

BCP150IZM

each

BCP200IZM

each

BCP250IZM

each

Bridging Starting Clips

BSC150IZM

each

BSC200IZM

each

BSC250IZM

each

Bridging Fascia Brackets

BFB150IZM

each









BFB200IZM

each







BFB250IZM

each











HOME IMPROVEMENTS FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Infill Sheets 	Gram ColourLine Sheet				
	Sheeting 1.190	SFGLCL***1190	CB	0.35	each
	Sheeting 1.490	SFGLCL***1490	CB	0.35	each
	(To be used with Lattice for 1.800 Fence)				
	Sheeting 1.790	SFGLCL***1790	CB	0.35	each
	Sheeting 2.090	SFGLCL***2090	CB	0.35	each
	(To be used with Lattice for 1.800 Fence)				
NB: Colours available – Caulfield Green, Heritage Red, Mist Green & Primrose					
Not a stocked item - 10 day leadtime.					
Rails Top & Bottom 	Rail Top/Bottom 2.365	SFR***2365	CB	0.90	each
	Rail Top/Bottom 3.100	SFR***3100	CB	0.90	each
	NB: Colours available – Domain, Meadow, Evergreen, Red Oak, Eclipse & Bluestone				
Post 	Post 2.400	SFP***2400	CB		each
	(40 x 40)				
NB: Colours available – Domain, Meadow, Evergreen, Red Oak, Eclipse & Bluestone					
Panel 2.400 x 1.800 	Standard Panel includes		Panel price with Lattice (Domain only)		
	2 x Rails (2.365)		4 x Rails (2.365)		
	2 x Posts		2 x Post		
	3 x Sheets 1.790		3 x Sheets 1.490		
	14 x Screws 10x16 Hex HD		1 x Lattice 300x2355 (Domain)		
		18 x Screws 10x16 Hex HD			
Accessories 	Screws 10 x 16 Hex Hd (No Neo)	S1016HTNN***4H	Colour		pack 100
	(per 100 only)	S1016HT***4H	Colour		pack 100
	7 panels = 100 screws				
Lattice 	Lattice 300 x 2355	SFL300DOM2350	Colour		each
	NB: Available in Domain only				
	Not a stocked item - 10 day leadtime.				
Corner (End) Post 	Post 2.400	SFGP50***2400	Colour		each
	50 x 50 (with cap)				
NB: Colours available – Domain, Meadow, Evergreen, Red Oak, Eclipse & Bluestone					
Gates To suit 1800 Fence 	Single Gate 1.800 x 900				each
	includes				
	2 x Styles, 2 x 100x75 Butt Hinges, 1 x Long D-Latch,				
	2 x 50x50 Post, 1 x Rail 2.400,				
	1 x Sheet, 50 x 12 x 20 Hex Head				
	Double Gate 1.800 x 3000				each
	includes				
	4 x Styles, 4 x 100x75 Butt Hinges, 1 x Long D-Latch,				
	1 x Drop Bolt, 2 x 50x50 Post, 2 x Rail 3.100,				
	4 x Sheet, 100 x 12 x 20 Hex Head.				
Not a stocked item - Allow 10 days lead time.					
Colour Conversion	Primrose (PRM) / Domain (DOM) = Classic Cream™		Heritage Red (HRD) / Red Oak (ROK) = Manor Red®		
	Caulfield Green (CFG) / Evergreen (EVG) = Cottage Green™		Mist Green (MGN)/Meadow (MDW)=Pale Eucalypt®		
	Bluestone (BST) = Deep Ocean		Eclipse (ECL) = Night Sky		

SUNSET PATIO DECK

Product	Product Details	Code	Finish	Unit
Stramit Sunset®				
	Sunset Decking GLS Classic Crm/Classic Crm	SS42DLCLC		per m ²
	Sunset Decking GLS Classic Crm/WIL	SS42DL07		per m ²
	Sunset Decking GLS Dover White/SUR	SS42DL05		per m ²
	Sunset Decking GLS Paperbark/Paperbark	SS42DLPPB		per m ²
	Sunset Decking GLS ClassicCrm/WDG	SS42DL09		per m ²
	CUTBACKLTH (0.5 - 1.2m)			each
<p>To convert prices to linear metres multiply by cover of sheet (ie 0.290).</p> <p>Supply ex Erskine Park. **Gloss colour is on the bottom.</p> <p>Please confirm at time of order.</p> <p>All Product packaged for maximum protection.</p> <p>*Maximum length 9.0m.</p>				
	wonderglass	To suit Stramit Sunset® sheeting (available in opal only)	TSWGS240PL	lin metre
	Sunset® Foam Insert	Infill strip for Stramit Sunset® sheeting (310mm)	SSWS3787	each
	Fibreglass Foam Insert	Infill strip for Stramit Sunset® fibreglass sheeting (290mm)	SSWS3788	each
	Sunset® Back Channel	Available in 3 & 5.0m stock lengths only	RCSSH***30 RCSSH***50 RCSSZA30 RCSSZA50	each
***Available colours CLC, DVW & PPB.				
Sunset® Foam Insert for Back Channel	Available in 5.0m stock lengths only	SSBCFI5000		each
	Fasteners	10 x 16 Hex Head SDS (for fixing to steel)	S1016HT4H S1016HT4 S1016HT***4H S1016HT***4	Plain per pack 100 Plain per pack 1000 Colour per pack 100 Colour per pack 1000

PATIO ROOF DECKING

	Details	Ordering Code	Finish	Unit
	Collar Tie Bracket 15deg	CSCTB10015GA	GA	each
	Collar Tie Bracket 15deg	CSCTB15015GA	GA	each
	Collar Tie Bracket 15deg	CSCTB20015GA	GA	each
	Collar Tie Bracket 22deg	CSCTB10022GA	GA	each
	Collar Tie Bracket 22deg	CSCTB15022GA	GA	each
	Collar Tie Bracket 22deg	CSCTB20022GA	GA	each
	Angle Bracket	CSAB100GA	GA	each
	Angle Bracket	CSAB150GA	GA	each
	Angle Bracket	CSAB200GA	GA	each
	Sunset Support Post 65 x 65 x 2.440	SSP6516GA2440	GA	each
		SSP6516***2440	LCLC/HDVW/LPPB	each
	Sunset Support Post 65 x 65 x 3.660	SSP6516GA3660	GA	each
		SSP6516***3660	LCLC/HDVW/LPPB	each
	Sunset Support Post 90 x 90 x 3.000	SSP9020GA3000	GA	each
		SSP9020***3000	LCLC/HDVW/LPPB	each
*Posts stocked at erskine Park – 1 week leadtime. Other colours available check leadtime at time of order.				
	Free Standing Post Connector 65 x 65	SSPCFS6565GA	GA	each
	Free Standing Post Connector 90 x 90	SSPCFS9090GA	GA	each
	Post Connector 65 x 65	SSPC6565GA	GA	each
	Post Connector 90 x 90	SSPC9090GA	GA	each
	Post Skirt 65 x 65	SSPS6565		each
	Post Skirt 90 x 90	SSPS9090		each
	Sunset Box Gutter Support Bracket	SSBGSB		each
	Patio Rafter Bracket	PRBGA		each
	Sunset Box Bracket	SSRBAL	ALUM	each

TAUREAN® RESIDENTIAL ROLLER DOORS

DOMESTIC SERIES 'A' AND 'AA'

Zinc-aluminium alloy Domestic Roller Door Prices - Retail Price										
Height (mm)	DISCOUNT GROUP TD						DISCOUNT GRP TE			
	Series 'A' Doors (curtain width in mm)						Series 'AA' Doors (curtain width in mm)			
	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100	5101 to 5400
1200										
2200										
2500										
2800										
3100										

ORDERS TO BE PLACED AS DOOR SIZE (not opening size)

Colorbond® Domestic Roller Door Prices - Retail Prices										
Height (mm)	DISCOUNT GROUP TD						DISCOUNT GRP TE			
	Series 'A' Doors (curtain width in mm)						Series 'AA' Doors (curtain width in mm)			
	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100	5101 to 5400
1200										
2200										
2500										
2800										
3100										

ORDERS TO BE PLACED AS DOOR SIZE (not opening size)

Packaging Product Details	Code	Unit	
Metal Wrap Packaging per Linear Metre	RDCHRGPACK2	metre	Nett
Cardboard Wrap up to 3.430 door length	RDCHRGPACK3	metre	Nett
Cardboard Wrap over 3.430 door length	RDCHRGPACK4	each	Nett
Cardboard Box up to 3.430 door length	RDCHRGPACK9	each	Nett
Cardboard Wrap up to 3.100 door length	RDCHRGPACK11	each	Nett
Cardboard Wrap over 3.100 door length	RDCHRGPACK12	each	Nett

TAUREAN® ROLLER DOOR WINDLOCKING DETAILS

Wind speed and direction should be taken into account when ordering roller doors.

Maximum Recommended Roller Door Widths For Non-Windlock Roller Doors					Windlock System Roller Doors recommended retail price additions					
Wind Classification	Description	Maximum Recommended Roller Door Width			Opening Height (mm)	Short-bar (Normal) Region A		Long-bar (Cyclonic) Region C		WINDSTRONG
		Series A	Series AA	Series B		Curtain Width (mm)				
						up to 3430	over 3430	up to 3430	over 3430	
N1	Region A Sheltered Suburban [Max. ultimate design wind gust speed 34m/s]	3100	3500	3500	1200					
N2	Region A Exposed Suburban [Max. ultimate design wind gust speed 40m/s]	2800	3300	3300	2200					
N3	Region A Open / Unprotected Space [Max. ultimate design wind gust speed 50m/s]	2450	2900	2900	2500					
					2800					
					3100					
					3500					
					3900					
					4300					
					4600					
					5100					

Windlock prices to be added to the standard door price given

Door widths or wind classification greater than in the above table are recommended to be fitted with a windlock system. Contact Taurean Door Systems Technical Services for assistance.

For doors situated near the edge of a building the above maximum door widths will be reduced.

Prices in this Product & Service Guide DO NOT include GST.

TAUREAN® LIGHT INDUSTRIAL ROLLER DOORS

LIGHT INDUSTRIAL SERIES 'B'

Zinc-aluminium alloy Light Industrial Roller Door Prices - Retail Prices									
	Series 'B' Doors (curtain width in mm)							DISCOUNT SCHEDULE TB	
Height (mm)	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100
2200									
2500									
2800									
3100									
3500									
3900									
4300									
4600									
5100									

ORDERS TO BE PLACED AS DOOR SIZE (not opening size)

Coloured Light Industrial Roller Door Prices - Retail Prices									
	Series 'B' Doors (curtain width in mm)							DISCOUNT SCHEDULE TB	
Height (mm)	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100
2200									
2500									
2800									
3100									
3500									
3900									
4300									
4600									
5100									

Product Details	Code	Unit	Disc
Planetary Gear Chain System	RDPLANETGEAR	each	Nett

It is recommended that Planetary Gear Chain operating system be fitted to doors in shaded areas.
Planetary Gear system MUST NOT be used when an electric operator is fitted.

ORDERS TO BE PLACED AS DOOR CURTAIN WIDTH (NOT OPENING WIDTH)

To calculate Curtain Width, add to Opening Width—

- * 50mm for series A
- * 100mm for series AA/B
- * 100mm for Windlocked
- * 120mm for NT "Deemed to Comply" Windlocked

AVAILABLE COLOURS:

Basalt, Bushland, Classic Cream, Cottage Green, Cove, Dune, Evening Haze, Gully, Ironstone, Jasper, Mangrove, Manor Red, Monument, Night sky, Pale Eucalypt, Paperbark, Shale Grey, Surfmist, Terrain, Wallaby, Woodland Grey, Windspray

IMPORTED COLOURS:

Rivergum, Sandlewood, Tuscan Red

FOR ROLLER DOOR MANUFACTURE PLEASE ALLOW FOR A 6 DAY LEAD TIME.

See Page 81 for Packaging Options

Garage Door Openers, see Page 86

WE ALSO SELL COMMERCIAL AND INDUSTRIAL ROLLER SHUTTERS, PRICES AVAILABLE ON REQUEST

Prices Subject to Change Without Notice.

SEE PAGE 81 FOR WIND LOAD TABLES

Prices in this Product & Service Guide DO NOT include GST.

TAUREAN® RESIDENTIAL SECTIONAL DOORS – CLASSIC RANGE

WOODGRAIN COLORBOND COLOURS												
Basalt, Classic Cream, Dune, Evening Haze, Gully, Ironstone, Jasper, Monument, Night Sky, Paperbark, Shale Grey, Surfmist, Wallably, Windspray, Woodland Grey, Cottage Green, Cove, Deep Ocean, Mangrove, Manor Red, Pale Eucalypt, Terrain, Timbergrain colours: Caoba & Classic Cedar Woodgrain Embossed Profiles : Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel												
Woodgrain Embossed Profiles Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel												
		WIDTH										
Height	# Panels	1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4											
2200, 2225, 2250, 2275	5											
2300, 2325, 2350, 2375, 2400, 2425, 2450	5											
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5											
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970	6											
3000, 3030, 3060, 3090, 3120, 3150, 3180, 3210, 3240, 3270	6											

SMOOTH COLORBOND COLOURS												
Basalt, Classic Cream, Dune, Evening Haze, Gully, Ironstone, Jasper, Monument, Night Sky, Paperbark, Shale Grey, Surfmist, Wallably Windspray, Woodland Grey, Cottage Green, Cove, Deep Ocean, Mangrove, Manor Red, Pale Eucalypt, Terrain, Timbergrain colours: Caoba & Classic Cedar												
Smooth Profiles Profiles Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel												
		WIDTH										
Height	# Panels	1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4											
2200, 2225, 2250, 2275	5											
2300, 2325, 2350, 2375, 2400, 2425, 2450	5											
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5											
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970	6											
3000, 3030, 3060, 3090, 3120, 3150, 3180, 3210, 3240, 3270	6											

GST - Prices listed DO NOT include GST

WE ALSO SELL COMMERCIAL AND INDUSTRIAL ROLLER SHUTTERS. PRICES AVAILABLE ON REQUEST

Prices in this Product & Service Guide DO NOT include GST.

TAUREAN® RESIDENTIAL SECTIONAL DOORS – CLASSIC RANGE

WOODGRAIN POWDERCOATED COLOURS

Basalt, Classic Cream, Dune, Evening Haze, Gully, Ironstone, Jasper, Monument, Night Sky, Paperbark, Shale Grey, Surfmist, Wallably, Windspray, Woodland Grey, Cottage Green, Cove, Deep Ocean, Mangrove, Manor Red, Pale Eucalypt, Terrain, Timbergrain colours: Caoba & Classic Cedar
Woodgrain Embossed Profiles : Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel

Woodgrain Embossed Profiles

Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel

Height	# Panels	WIDTH										
		1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4											
2200, 2225, 2250, 2275	5											
2300, 2325, 2350, 2375, 2400, 2425, 2450	5											
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5											
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970	6											
3000, 3030, 3060, 3090, 3120, 3150, 3180, 3210, 3240, 3270	6											

SMOOTH POWDERCOATED COLOURS

Basalt, Classic Cream, Dune, Evening Haze, Gully, Ironstone, Jasper, Monument, Night Sky, Paperbark, Shale Grey, Surfmist, Wallably Windspray, Woodland Grey, Cottage Green, Cove, Deep Ocean, Mangrove, Manor Red, Pale Eucalypt, Terrain, Timbergrain colours: Caoba & Classic Cedar

Smooth Profiles Profiles

Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel

Height	# Panels	WIDTH										
		1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4											
2200, 2225, 2250, 2275	5											
2300, 2325, 2350, 2375, 2400, 2425, 2450	5											
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5											
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970	6											
3000, 3030, 3060, 3090, 3120, 3150, 3180, 3210, 3240, 3270	6											

GST - Prices listed DO NOT include GST

WE ALSO SELL COMMERCIAL AND INDUSTRIAL ROLLER SHUTTERS. PRICES AVAILABLE ON REQUEST

Prices in this Product & Service Guide DO NOT include GST.

TAUREAN® DOOR ACCESSORIES

Product Accessories & Details	Code	Unit
A Tracks		
RD A Track Pair 2.200	RDATPAIR2200	pair
RD A Track Pair 2.500	RDATPAIR2500	pair
RD A Track Pair 3.100	RDATPAIR3100	pair
Installation Kits		
RD Inst Pack A	RDINSTA	pack
RD Inst Pack AA	RDINSTAA	pack
RD Inst Pack B	RDINSTB	pack
B Tracks		
RD B Track Pair 2.200	RDBTPAIR2200	pair
RD B Track Pair 2.500	RDBTPAIR2500	pair
RD B Track Pair 3.100	RDBTPAIR3100	pair
RD B Track Pair Welded 3.500	RDBTPAIRW3500	pair
RD B Track Pair Welded 4.300	RDBTPAIRW4300	pair
RD B Track Pair Welded 5.100	RDBTPAIRW5100	pair
Windlock Tracks		
RD Windlock Track Pair 2.200	RDWPAIR2200	pair
RD Windlock Track Pair 2.500	RDWPAIR2500	pair
RD Windlock Track Pair 3.100	RDWPAIR3100	pair
RD Windlock Track Pair 4.300	RDWPAIR4300	pair
RD Windlock Track Pair 5.100	RDWPAIR5100	pair
Windlock Track Bracket Lefthand L/H *	RDWLTLBH	each
Windlock Track Bracket Righthand R/H *	RDWLTLBH	each
Windlock Track Bracket U	RDWLTLBUGA	each
*Note that the customer must order Windlock Track Brackets with the Windlock Tracks		
Locking Bars		
RD Locking Bar 1.500	RDLBSDG1500	each
RD Locking Bar 2.000	RDLBSDG2000	each
RD Locking Bar 2.700	RDLBSDG2700	each
RD Anti Rattle Tube	RDART	each
RD Locking Bar Guide Snap On Plain	RDLBGSNP	each
RD Locking Bar Guide Stick On Plain	RDLBGSTK	each
Locks		
RD Lock V9 Disc Std	RDLOCKSTD	each
RD Storage Lock SS Stainless	RDLOCKSS	each
Mullions		
RD Mullion 2.200	RDMULL2200	each
RD Mullion 2.500	RDMULL2500	each
RD Mullion 3.100	RDMULL3100	each
Curtain width for (2) doors with removable mullions = opening width divided by (2)		
Other		
RD Chain 6.00m	RDCHAIN60	each
RD Chain 7.00m	RDCHAIN70	each
RD Chain 8.00m	RDCHAIN80	each
RD Chain 9.00m	RDCHAIN90	each
RD Chain 10.00m	RDCHAIN100	each
Extendable Brackets	RDEXTBKT	pair
Weather Seal	RDWSEAL	metre
RD Anti Coning Collar	RDCOLLAR	each
RD D Handle	RDDHANDLE	each
Tapered Panels to 3430mm wide	RDCHRGTP1	each
Tapered Panels over 3430mm wide	RDCHRGTP2	each

TAUREAN® DOOR ACCESSORIES

Product Accessories & Details	Code	Unit
Windstrong		
RD WS inc bkts Track Pair 2.200	RDWSPAIR2200	pair
RD WS inc bkts Track Pair 2.500	RDWSPAIR2500	pair
RD WS inc bkts Track Pair 3.100	RDWSPAIR3100	pair
RD WS inc bkts Track Pair 3.500	RDWSPAIR3500	pair
RD WS inc bkts Track Pair 4.300	RDWSPAIR4300	pair
RD WS inc bkts Track Pair 5.100	RDWSPAIR5100	pair
Windstrong Install Boxes		
Windstrong Install Box A	RDINSTWA	each
Windstrong Install Box AA	RDINSTWAA	each
Windstrong Install Box B	RDINSTWB	each
Retardant Fire Seals		
30MM Flame Retardant Seal Kit A 2.75m	RDFRSKA302750	each
30MM Flame Retardant Seal Kit A 3.00m	RDFRSKA303000	each
30MM Flame Retardant Seal Kit AA 2.75m	RDFRSKAA302750	each
30MM Flame Retardant Seal Kit AA 3.00m	RDFRSKAA303000	each
Note: Each kit must be purchased with CDBCYL10031		
Cardboard Cylinder	CDBCYL10031	each


TAUREAN® DOOR MOTOR ACCESSORIES

Product Accessories & Details	Code	Unit
Roller Door Openers - Taurean Door Systems		
The Urban Slim Drive roller door operator (includes light) up to 16.5m ²	RDMOTTDS6	each
The Sheddy Weather resistant roller door operator (no light) up to 13.5m ²	RDMOTTDS8	each
Roller Door Openers - ATA		
GDO-10 v2 Toro (Basic) Max door area = 28m ² . Max door height 6m Suit light industrial doors, heavy duty roller door operator - full auto with logic control	RDMOTGDO10BAS	each
Sectional Door Operators - NOVA		
TDS Nova 1000 Suits Residential & Light Industrial doors, 1000N Motor, (Includes Light) up to 20m ²	RNMOTTDN1000	each
Motor Handset 3Btn	RNHSKEYN10003	each
Motor Battery Back up	RNMOTTDNBBU	each
Extension Prong kit for windstrong doors	RNMOTTDNPEXTK	each
Sectional Door Operators - ATA		
GDO 11 Ero Sectional overhead door operator 650N-Std C-rail with chain Option - Aluminium C-rail with belt (includes light) up to 13.5m ²	SDMOTGDO11	each
GDO 9 Dynamo Sectional overhead door operator 650N-Std C-rail with chain Option - Aluminium C-rail with belt (includes light) up to 16.5m ²	SDMOTGDO9	each
GDO 9 Eduro Sectional overhead door operator 800N-Std C-rail with belt Option - Aluminium C-rail with belt (includes light) up to 16.5m ²	SDMOTGDO9B	each
Tiltmaster MT100evo Residential Sectional Doors & Tilt Doors, C-rail with belt (includes keyring transmitter & wireless wall button) up to 20m ²	SDMOTTM100	each
Operator Accessories		
Battery Backup Kit Suitable for residential roller & sectional door operators	RDGDOBBU	each
GDO Handset Key Ring	RDGDOHSGGBG	each
Wall Mount Wireless TrioCode	RDGDOHSMW	each
TrioCode Wireless Keypad	RDGDOKPW	each
PE Safety Beam Kit With Wiring Harness & Brackets	RDGDOPESBBWH	each
PE Safety Beam Kit With brackets	RDGDOPESBB	each
Accessories for ROO/WINDSTRONG Operators		
RD Merlin handset Mini 3 button transmitter	RDMERHSM3B3C	each

TAUREAN® DOOR MOTOR ACCESSORIES

Product Accessories & Details		Code	Unit
Grifco Maestro Door Operator Range			
Grifco Maestro 1/2 HP	240V Light Industrial Roller Door Kit (Single phase)		
	Specify left or right mounting		
	up to 25 m ² - Left	RDKITML051L	each
	up to 25 m ² - Right	RDKITML051R	each
Grifco Maestro 1/2 HP	415V Light Industrial Roller Door Kit (3 phase)		
	Specify left or right mounting		
	up to 25 m ² - Left	RDKITML053L	each
	up to 25 m ² - Right	RDKITML053R	each
Grifco Accessories			
Grifco Screw Kit - Standard		RD05SKITS	each
Grifco Screw Kit - Windlock		RD05SKITW	each
Grifco Foot Plate		RDFTBRKT	each
Motor Sprocket Support Disc		RDSSDISC	each
Maestro "Elite" Full Logic Upgrade kit (EZIE41)	Consist of 1 hand transmitter & 1 to 9m, reflector PE beam	RDGRIFELITE	
Maestro Basic Remort Up-grade Kit (GTRK)	Consist of Deadman operation, 2 transmitters, 1 mini receiver board, No PE beam	RDGRIFBASIC	each
4 Channel Transmitter	433 Mhz to suit Maestro only	RDGRIF433TRANS	each

WE ALSO SELL COMMERCIAL AND INDUSTRIAL ROLLER SHUTTERS, PRICES AVAILABLE ON REQUEST


Customer Account No		 SALES ORDER FORM					Order Type		CO Number				
Customer O/N:		Date Ordered	Date Required	Your Ref	Our Ref	Contact Method	Contact No	Time	Receipt No (cash sale)				
Customer Name		Delivery to Suburb:		SITE / STORE		Special (del spec) Instructions:							
Street Address:													
AGREEMENT REF NO:		SITE TIME / VEHICLE TYPE				SITE ACCESS: GOOD/FAIR/BAD							
QUOTE REF NO:		MAP REF:		Ship Via/Route No.			UNLOADING METHOD:						
No.	Whs	Line Type	Description	Product Code	Qty	Length	Bundle No.	Mark No.	R/B	LM/M ²	Price	%	Value
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15		FREIGHT											
16		MIN. ORDER QUANTITY S/CHARGE											
17												TOTAL	

COLORBOND / ZINCALUME STEEL – CARE & MAINTENANCE

Hints and tips to achieve maximum life from your Colorbond® / Zincalume product.

- Colorbond®/Zincalume used in areas not washed by rainfall should be cleaned down at regular intervals.
- Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing and walling.
- Never immerse Colorbond®/Zincalume in sand, soil or concrete.
- Do not use “touch-up” spray can on Colorbond® steel.
- Avoid “swarf” damage remove metal debris from cutting and/or drilling.
- Keep material dry when in bundles prior to installation.
- Prepainted metal roofing components are often supplied with a protective plastic film. This can be affected by sunlight and should be stored in the shade. Removal can be difficult, if not impossible, if exposure to sunlight has occurred.
- Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
- Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

Water Flow Guide Chart



Site Delivery Instruction Form

Customer Name : _____

Site Phone Number : _____

Site Contact Number : _____

Site Contact Name : _____

U. B. D. Map Ref : _____

U. B. D. Map Ref : _____

What is the nearest cross street / landmark : _____

1. SITE IS: ☐ HOUSE ☐ COMMERCIAL ☐ INDUSTRIAL

2. DELIVERY SURFACE IS: ☐ BITUMEN ☐ GRAVEL ☐ DIRT / GRASS

3. DOES RAIN AFFECT
ACCESS TO PROPERTY ☐ YES ☐ NO

4. DOES THE SITE HAVE
SEMI TRAILER ACCESS ☐ YES ☐ NO

5. IS A HI-AB REQUIRED ☐ YES ☐ NO

PLEASE NOTE, SOME DELIVERIES WILL BE DONE WITH A SEMI TRAILER WHICH AT A MINIMUM WILL BE 16 METRES LONG, 2.6 METRES WIDE AND MAY WEIGH UP TO 30 TONNES GROSS. WHILST HEAVY TRANSPORT VEHICLES SUCH AS CEMENT AGITATOR TRUCKS ETC. MAY BE ABLE TO GET ONTO ALL BUILDING SITES, DUE TO THE LENGTH AND DESIGN OF STRAMIT'S DELIVERY VEHICLES THESE UNITS ARE SOMETIMES RESTRICTED IN THEIR TRAVEL ONCE OFF THE ROAD.

"Sketch map to Site"

FOR FURTHER TRANSPORT OR SITE INQUIRIES, PLEASE CONTACT YOUR LOCAL STRAMIT BRANCH



Purlins/Girts

Customer _____

Project _____

Delivery address _____

Page _____ of _____

Order no. _____

Delivery date _____

SECTION SIZE		NO. REQUIRED			MARK NO.			ELEVATION	
		As drawn							
COATING CLASS		Opp. hand							
NOMINATE HOLE CENTRES	Section size	100	150	200	250	300	350		
	Hole Centre	40	60	110	160	210	210		

Diagram illustrating the required section shape and dimensions. The diagram shows a cross-section of the purlin/girt with dimensions 35 and 70. The overall length (OAL) is indicated. The diagram also shows the required section shape and the broad flange.

Please indicate required section shape.

Broad flange

VIEW → C SECTION* Z SECTION

*All C sections have 90° flanges. Please check availability of section with your local Stramit office.

Indicate web and flange holes and dimensions from hole to hole. Standard holes: 22mm.

SECTION SIZE		NO. REQUIRED			MARK NO.			ELEVATION	
		As drawn							
COATING CLASS		Opp. hand							
NOMINATE HOLE CENTRES	Section size	100	150	200	250	300	350		
	Hole Centre	40	60	110	160	210	210		

Diagram illustrating the required section shape and dimensions. The diagram shows a cross-section of the purlin/girt with dimensions 35 and 70. The overall length (OAL) is indicated. The diagram also shows the required section shape and the broad flange.

Please indicate required section shape.

Broad flange

VIEW → C SECTION* Z SECTION

*All C sections have 90° flanges. Please check availability of section with your local Stramit office.

Indicate web and flange holes and dimensions from hole to hole. Standard holes: 18 x 22mm.

Customer _____


Project _____


Delivery address _____


Page _____ of _____


Order no. _____


Delivery date _____


STARTER CLIP	PURLIN SIZE	NO. REQ.
 <p>Starter (BSC)</p>		

GENERAL PURPOSE BRACKET	PURLIN SIZE	NO. REQ.
 <p>(BGPB)</p> <p>A = approx. purlin flange width</p>		

ANGLE CONNECTOR	PURLIN SIZE	NO. REQ.
 <p>(BAC)</p>		

CLAMP PLATE	PURLIN SIZE	NO. REQ.
 <p>Clamp Plate (BCP)</p>		

RAKING GIRT BRACKET	To connect 100mm raking girts to fascia purlin	NO. REQ.
 <p>(BRGB)</p>		

	BOLTS			FASCIA BOLTS	
	M12 x 30 Flange G4.6	M16 x 45 B/N/W/ G4.6	M16 x 45 B/N/W G8.8	M12 x 30 B/N/W G4.6	M16 x 30 B/N/W G4.6
NO. REQ'D					

Note: Please check bolt availability with your local Stramit office.

Customer _____

Project _____

Delivery address _____

Page _____ of _____

Order no. _____

Delivery date _____

INTERMEDIATE BRIDGING	PART NO.	PURLIN SIZE	NO. REQ.	PURLIN CTRS	MARK NO.
Locator / Bolt					
Locator / Lock					
Part No. BILB					
Part No. BILC					
Lock / Bolt					
Lock / Lock					
Part No. BICB					
Part No. BICC					
Bolted / Bolted					
Part No. BIBB					
Note: For Swivel Intermediate Bridging add 'S' to Part Number					

RIDGE BRIDGING	PART NO.	PURLIN SIZE	NO. REQ.	PURLIN CTRS	MARK NO.
Part No. BRC					
Part No. BRL					
Part No. BRB					

GIRT STOOL/FOOT	PART NO.	PURLIN SIZE	NO. REQ.	PURLIN CTRS	MARK NO.
Lock					
Locator					
Part No. BGFC					
Part No. BGFL					
Bolt					
Part No. BGFB					

FASCIA BRIDGING	PART NO.	PURLIN SIZE	NO. REQ.	PURLIN CTRS	MARK NO.
Locator					
Part No. BFL*					
Lock					
Part No. BFC*					
Bolt					
Part No. BFB*					
Roof Pitch					
Fascia Size* 100 150 200 230 250 260 Select Fascia Purlin size and include in Part No.					

GIRT HANGER	PART NO.	PURLIN SIZE	NO. REQ.	PURLIN CTRS	MARK NO.
Fascia					
Barge					
Locator					
Part No. BGHFL					
Part No. BGHBL					
Lock					
Part No. BGHFC					
Part No. BGHBC					
Bolt					
Part No. BGHFB					
Part No. BGHBB					

TERMS AND CONDITIONS OF SALE

EFFECTIVE DATE: 1 APRIL 2018

IN THIS DOCUMENT THE FOLLOWING WORDS HAVE THE FOLLOWING MEANINGS:

Account Number means the computer-generated identification number given by Stramit to the Buyer;

All Present and After Acquired Property have the meanings given to those terms under the PPS Act;

Any Other Agreement means any deed, guarantee, indemnity, security, contract, terms, conditions or agreement between any of Stramit, the Buyer, a guarantor and/or a co-surety or any of their related bodies corporate (as defined in the Corporations Act 2001) in respect of or in connection with any contract for sale of Goods and/or Services and the Guaranteed Debt;

Credit Application means the application for a Credit Account made by the Buyer;

Australian Consumer Law means the Australian Consumer Law in the Competition and Consumer Act 2010 (Cth);

Buyer means the person or entity who has applied for a Credit Account and includes the person, partnership, corporation or other legal entity which places an Order with Stramit for the supply of Goods and/or Services;

Circulating and Non-Circulating Assets have the meanings given to those terms under the PPS Act;

Contract has the meaning given to that term in clause 1.1 of the Sale Terms;

Consumer means a consumer as that term is defined in the Australian Consumer Law;

Credit Account means the commercial credit account the Buyer has with Stramit under the Credit Terms;

Credit Limit means the maximum cumulative monetary limit for all debts owed by the Buyer to Stramit at any time for Goods and Services purchased on credit;

Credit Terms means the terms and conditions of the Credit Account as set out below;

Delivery Site means the Buyer's premises or a site nominated by the Buyer for delivery of Goods;

Event of Default means any means any one or more of the following: (a) if the Buyer fails to take delivery of, or to pay for Goods and/or Services by the due date or otherwise breached any other term of any Contract; or (b) if an administrator, liquidator or provisional liquidator or external manager is appointed in respect of the Buyer; or (c) the Buyer enters into any composition or arrangement with its creditors; or (d) Stramit has reasonable grounds for suspecting that an event in (b) or (c) has occurred; Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (e) Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (f) contractual performance by either Stramit or the Buyer is delayed or prevented due to any Force Majeure Event.

Force Majeure Event means any event outside a party's reasonable control including acts of God, declared or undeclared war, act of terrorism, fire, flood, storm, earthquake, hurricane, cyclone, riot, power failure, industrial action, defaults of manufacturers or suppliers, the inability to obtain equipment, supplies or other facilities that are not caused by a failure to pay, labour disputes, theft, any criminal act or other similar events beyond a party's control that may prevent or delay a party from performing their obligations under any Contract;

Goods means the building products requested by the Buyer in its Order and includes Special Building Products and the proceeds (as defined in the PPS Act) of those Goods;

Guaranteed Debts means the debts guaranteed by a guarantor;

GST means goods and services tax as defined under the A New Tax System (Goods and Services Tax) 1999;

Interest Rate means the rate of 6% above the cash rate last published by the Reserve Bank of Australia (as at the due date).

Order means a request by the Buyer to Stramit for the supply of Goods and/or Services;

Part means any part of the Credit Account;

PPS Act means the Personal Property Securities Act 2009, and includes the Personal Property Securities Regulations 2010 and any amendments or re-enactments of the PPS Act or the Regulations;

PPS Register means the personal properties security register established under the PPS Act;

Price List means the Customer price list issued by Stramit from time to time in the particular Stramit region in which an Order is placed;

Purchase Order Number is the Buyer's identifier to be supplied by the Buyer to Stramit when placing an Order;

Sale Terms means the terms and conditions of sale and supply of Goods and Services by Stramit to the Buyer as set out below and the terms set out in the Price List;

Security Interest has the meaning given to it under the PPS Act;

Services means any services performed by Stramit for the Buyer associated with

Stramit's supply of Goods, including delivery of the Goods;

Small Business Contract means a contract for the supply of goods or services where:

(1) at the time the contract is entered into, at least one party to the contract is a business that employs fewer than 20 persons; and

(2) either of the following applies:

(A) the upfront price payable under the contract does not exceed \$300,000;

(B) the contract has a duration of more than 12 months and the upfront price payable under the contract does not exceed \$1,000,000.

However, if the relevant parts of the definition of 'Small Business Contract' under the Australian Consumer Law are amended at any time, this definition is also amended accordingly;

Special Building Products means building products produced by Stramit which the Buyer requests Stramit to produce according to a design, drawing or specification provided to Stramit by the Buyer and goods and materials which the Buyer requests Stramit to process, purchase or supply;

Stramit means: (a) Stramit Corporation Pty Ltd ABN 57 005 010 195; (b) its successors and assigns; and (c) the seller of Goods and Services under the business names 'Stramit Building Products', 'Eziform Sheetmetal' and 'Taurean Door Systems'.

SALE TERMS

Words commencing with a capital letter and in bold are defined in these Sales Terms.

1. TERMS APPLICABLE TO THE SUPPLY OF GOODS AND/OR SERVICES

1.1 The contract between the Buyer and Stramit is constituted by: (i) the Sale Terms; (ii) the Credit Terms; (iii) each other Part (excluding the Guarantee); and (iv) to the extent to which Stramit accepts an order in accordance with clause 2.2 (each a "Contract"). The Sales Terms, the Credit Terms, each other Part (excluding the Guarantee) and the extent to which Stramit accepts the Order govern all contracts for the supply of Goods and/or Services by Stramit to the Buyer and constitute the entire agreement in connection with the supply of Goods and/or Services between Stramit and the Buyer.

1.2 All prior representations, trade custom or previous dealings between Stramit and the Buyer are excluded and are not applicable in the interpretation of the contract. No modification or variation to the Sale Terms or Credit Terms, any additional terms or conditions or any terms inconsistent with the Sale Terms or Credit Terms provided by the Buyer (whether put forward in the Order, the Buyer's specification or otherwise) will bind Stramit, unless expressly and specifically agreed to in writing by Stramit. These Sale Terms and Credit Terms supersede any terms and conditions which have previously governed a contract for the sale of Goods and/or supply of Services by Stramit to the Buyer. The Sale Terms and Credit Terms will prevail to the extent of any inconsistency between them and any quotation, Order or other documents from the Buyer. These Sale Terms and Credit Terms bind the Buyer even if Stramit or the Buyer do not sign them promptly or at all.

1.3 To the extent permitted by the PPS Act the parties agree to contract out of the following sections of the PPS Act:

1.3.1 to the extent that Stramit is required to give notice to the Buyer: sections 95, 118, 121(4), 130 and 135; and

1.3.2 sections 125, 132(3)(d) and 132(4).

1.4 The Buyer waives its rights to receive notice from Stramit of a registration event under section 157(1) of the PPS Act.

1.5 Stramit may at any time, and from time to time vary these Sale Terms and/or Credit Terms by notice in writing to the Buyer, or by updating the Sales Terms and/or Credit Terms found on Stramit's website, www.stramit.com.au. Subject to Clause 2, if the Contract is a Small Business Contract, then the Buyer may consider the variation and, if not acceptable, may elect not to proceed with the purchase of the Goods or Services ordered before the date of the variation but which are intended to be subject to the variation. If the Contract is not a Small Business Contract, the Buyer agrees that Goods delivered and Services performed and/or ordered after the date of a notice of variation will be subject to the variation and acceptance of the Goods or Services or the placing of the Order shall be deemed to be an acceptance of such varied terms and conditions. Sale Terms shall apply from the date of alteration. A copy of current Sale Terms can be found on Stramit's website, www.stramit.com.au. The Buyer acknowledges and warrants that he/she/it will regularly inspect the said website for any updated or altered Sale Terms.

2. ORDERING AND SUPPLY OF GOODS AND/OR SERVICES

2.1 The Buyer may place an Order verbally or in writing. An Order constitutes an offer by the Buyer to purchase Goods and/or Services from Stramit pursuant to Clause 1.1.

2.2 Stramit may accept or decline, in whole or in part, any Order. Acceptance may be verbal or in writing, or by Stramit delivering or

making the Goods and/or Services available for collection (which ever occurs first). Acceptance of an Order by Stramit gives rise to a Contract for the supply of the ordered Goods and/or Services on these Sale Terms.

- 2.3 Stramit may, in its sole discretion, agree to a written request from the Buyer for cancellation or variation (including variation to delivery times) of a Contract under clause 2.2. Stramit's acceptance must be in writing.

3. PRICES, QUOTATIONS PAYMENT AND DEFAULT

- 3.1 Unless otherwise expressly agreed in writing, the amount payable for the Goods and/or Services will be the price on Stramit's invoice plus any duties, fees, taxes (including GST), delivery charges and levies charged or imposed on or in respect of a Contract referred to in clause 2.2, plus any amount that reflects any increase in exchange rates, costs of labour, materials and overheads in connection with Stramit's supply.
- 3.2 Until Stramit confirms that a credit facility has been granted to the Buyer, all Goods and Services must be paid for on a cash on delivery or performance basis. If a credit facility has been granted, the Buyer must pay Stramit for the Goods and/or Services either:
- 3.2.1 as required by the Credit Terms; or
- 3.2.2 if required by Stramit, prior to Stramit ordering materials or commencing manufacture of the Goods.
- 3.3 A quotation will not constitute an offer to sell Goods or Services to the Buyer. No Contract for the supply of Goods or Services will exist between the Stramit and Buyer until Buyer's order for Goods or Services has been accepted by Stramit (such acceptance of the Buyer's order may be made and communicated by Stramit in writing or by over act of acceptance).
- 3.4 Any written quotation provided by Stramit expires on the date stated or otherwise 30 days after the date the quotation is issued by Stramit. Stramit may withdraw or vary a quotation before accepting an Order. Prior to acceptance of an Order of the Goods by Stramit, if there is an increase in Stramit's costs or pricing, then Stramit may increase its quoted price and the Buyer must pay the increased price.
- 3.5 If the Buyer commits an Event of Default then:-
- 3.5.1 all monies payable (including under a Credit Account, or under any Agreement) by the Buyer to Stramit may, at Stramit's election, become immediately due and payable notwithstanding the due date for payment may not have expired; and.
- 3.5.2 Stramit, without prejudice to any other rights Stramit may have, may do any or all of the following:
- (i) suspend or withdraw the Credit Account;
 - (ii) terminate or suspend the whole or any outstanding part of any Contract in force between Stramit and the Buyer;
 - (iii) recover from the Buyer the cost of materials or goods acquired for the purpose of future deliveries Goods or the performance of Services;
 - (iv) immediately re-possess any Goods to which title has not passed.
 - (v) charge interest to the Buyer at the Interest Rate calculated daily on any overdue amount and payable together with the overdue amount;
 - (vi) immediately enforce any security it holds over the land or personal property of the Buyer; and
 - (vii) register a default with any credit reference facility
- 3.6 Stramit may in its sole discretion apply any payment received from the Buyer towards any debt (including interest charged under clause 3.5.2(v)) owed by the Buyer to Stramit at any time.
- 3.7 If in Stramit's reasonable opinion the financial position or status of the Buyer requires it, Stramit may refuse to make a delivery or cancel any contract under clause 2.2.
- 3.8 The Buyer must pay to Stramit on demand all reasonably incurred costs, charges and expenses (including legal expenses on an indemnity basis) that Stramit incurs as a result of any breach of these Sale Terms or Contract by the Buyer.
- 3.9 The Buyer must supply Stramit with its Account Number and Purchaser Order Number at the time of placing the Order. The Buyer is liable to pay the amount of an invoice, regardless of whether the Buyer's Account Number or Purchase Order Number is included on the invoice.
- 3.10 The Buyer is liable for all purchases made under its account number and/or account name. It is not the responsibility of Stramit to confirm authority for the purposes of supplying Goods or Services to Buyer, its agent(s) or those who Stramit deems to be its agents. It is the sole responsibility of Buyer to ensure there is no unauthorised use of their account number or name. A statement on a certificate given by Stramit setting out the quantities, descriptions, prices and dates and other information in respect of Goods and/or Services will be conclusive and binding on the parties in the absence of manifest error.
- 3.11 The Buyer will not assert any right of set-off against Stramit and will pay all sums due and payable without deduction.

4. DELIVERY AND COLLECTION

- 4.1 Stramit may:
- 4.1.1 make the Goods available for collection at Stramit's premises; or
- 4.1.2 deliver (or arrange delivery) of the Goods in the manner it deems fit to the Delivery Site.
- 4.2 The Buyer's Order must specify if the Goods are to be delivered to the Delivery Site or collected from Stramit. If delivery is specified then the Delivery Site must be nominated.
- 4.3 Stramit will advise the Buyer of the estimated delivery or collection date and time and may alter it if necessary. Any times quoted for delivery are estimates only and Stramit may supply by installments. To the extent permitted by law, Stramit will not be liable to the Buyer for any costs, loss or damage whatsoever (including indirect or consequential loss) caused directly or indirectly by any delay or failure to deliver the Goods or to perform the services or to make the Goods available for collection on the date or at the time specified. The Buyer must accept and pay for the Goods and/or the Services notwithstanding any extension or delay in the delivery or the availability of Goods for collection or in the performance of the Services.
- 4.4 If the Buyer does not collect the Goods by the collection date, then Stramit may, without limiting any other rights available to it, store the Goods or deliver them to the Delivery Site and the Buyer must, on demand, pay all costs of delivery and any additional charges (including storage costs) and costs incurred by Stramit.
- 4.5 The Buyer must provide a suitable and safe area at the Delivery Site to unload the Goods and ensure that Stramit's (or its agent, employee or contractor) use of the Delivery Site conforms to occupational health and safety legislation. The Buyer indemnifies and holds harmless Stramit (or its agent, employee or contractor) from any and all claims arising out of delivery of the Goods, except to the extent the Stramit (or its agent, employee or contractor) have been negligent or breached the law or the Contract.
- 4.6 If the Delivery Site is unattended, the Buyer authorises, Stramit or its contractors to deposit the Goods at the Delivery Site or retain the Goods if delivery is, in Stramit's reasonable opinion inappropriate. Stramit will not be obliged to obtain a signed receipt or other acknowledgment from any person at the nominated place for delivery but if a signed receipt or other acknowledgment is obtained from someone believed by Stramit to be authorised by Buyer to sign or otherwise take delivery, then such signed receipt or other acknowledgement will be conclusive evidence of Buyer's acceptance of the good delivered. The Buyer will indemnify and hold Stramit (and its contractors) harmless from any loss or damage caused by the depositing of Goods at an unattended Delivery Site.
- 4.7 To the extent permitted by law, Stramit will not be liable to the Buyer or to its employees or agents for any property damage or personal injury arising from any loading, unloading or delivery of the Goods. The Buyer indemnifies Stramit from any loss or damage suffered by Stramit as a result of any property damage or personal injury caused by the delivery and unloading of Goods except for and to the extent that the loss, damage or liability is caused by a negligent act or omission of Stramit or its contractors.
- 4.8 The Buyer must pay all costs and fees resulting from any or all of the following:
- 4.8.1 any delay in delivery caused by the Buyer or the Delivery Site conditions;
- 4.8.2 unexpected labour costs;
- 4.8.3 Delivery Site conditions resulting in the incurring of additional costs and
- 4.8.4 the nature of the Goods and/or Services ordered by the Buyer.
- 4.9 The Buyer must pay for any permit or licence or other extraordinary costs of transporting or delivering ordered Goods, including wide or long loads.
- 4.10 The Buyer must notify Stramit of any claim in writing within:
- 4.10.1 2 days after delivery or collection that the Goods supplied do not accord with those ordered;
- 4.10.2 14 days of receiving an invoice from Stramit that it disputes the invoice;
- 4.10.3 (if the Buyer is not a Consumer) 2 days of delivery or collection of Goods that it is alleged they are defective or damaged; or
- 4.10.4 (if the Buyer is not a Consumer) 2 days of performance of any allegedly deficient Services, and the Buyer will be taken to have accepted the Goods as delivered and/or the Services as performed or the invoice as rendered if the Buyer fails to so notify Stramit, and must pay for the Goods or Services in full.
- 4.11 If the Buyer is a Consumer, the Buyer must notify Stramit for matters within the contemplation of sub-clauses 4.10.3 and 4.10.4 within a reasonable time, and in any event promptly upon becoming aware of a claim within the contemplation of sub-clauses 4.10.3 and 4.10.4.

5. PASSING OF RISK

The risk of any loss or damage to or deterioration of the Goods from any cause whatsoever passes from Stramit to the Buyer, on the earlier of, when the Buyer takes possession of the Goods or otherwise if:

- 5.1 the Buyer collects the Goods and if Stramit or its contractors have loaded the Goods for the Buyer, when the Goods are fully loaded onto the Buyer's vehicle or vessel;
- 5.2 Stramit delivers the Goods to the Delivery Site and the Buyer unloads the Goods, when the Buyer begins unloading the Goods; or
- 5.3 Stramit delivers the Goods and unloads them at the Delivery Site, when Stramit has finished unloading the Goods.

6. RETENTION OF TITLE

- 6.1 The Buyer agrees that legal and equitable title to the Goods remains with Stramit until the Buyer has paid for the Goods in full and has paid all other money owing for any reason at any time under any contract, agreement or account between Stramit and the Buyer, including all payments to be made under clauses 3.1 and 3.8.
- 6.2 Until title to the Goods passes, the Buyer:
 - 6.2.1 holds the Goods as the bailee and fiduciary agent of Stramit;
 - 6.2.2 must store the Goods separately and securely and in such manner as to indicate clearly that they remain the property of Stramit;
 - 6.2.3 must insure the Goods for their full replacement value;
 - 6.2.4 must not create or allow to be created any Security Interest or any other form of encumbrance over the Goods which is inconsistent with Stramit's title to the Goods;
 - 6.2.5 must not assign, charge or encumber or grant any interest over any obligations which any third party may owe to the Buyer as a result of the use, manufacture or resale of the Goods;
 - 6.2.6 may not claim any lien or interest in the Goods to secure any liquidated or un-liquidated debt or obligation that Stramit owes to the Buyer; and
 - 6.2.7 must not remove, deface or obliterate any identifying plate, mark or number on any of the Goods.
- 6.3 Despite clause 6.2, unless Stramit notifies the Buyer to the contrary, the Buyer may, in the ordinary course of its business:
 - 6.3.1 re-sell the Goods (Re-sold Goods), but only as a fiduciary agent of Stramit, in which case the Buyer must perform in favour of Stramit all the obligations and assume all of the liabilities of a fiduciary agent. Any right to bind Stramit to any liability to a third party by contract or otherwise is expressly excluded; and
 - 6.3.2 use any of the Goods or part of the Goods in a manufacturing or construction process of its own or of a third party which manufactures, processes, assembles or commingles the Goods so that they become part of a product or mass (Manufactured Product), in which case it will hold the Manufactured Product on trust for Stramit as bailee and fiduciary agent of Stramit and may sell the Manufactured Product.
- 6.4 If the Buyer re-sells or deals with the Goods or the Manufactured Product before title to the Goods passes to the Buyer, then the Buyer:
 - 6.4.1 assigns absolutely and unconditionally in favour of Stramit the Buyer's entitlement to all the proceeds of the re-sale or dealing, and must notify the purchaser in writing of the assignment at the time of the re-sale or dealing; and
 - 6.4.2 will hold such part of the proceeds of the re-sale or dealing on trust for and as the fiduciary agent of Stramit immediately when they are received or receivable.
- 6.5 When referring to "such part" in sub-clause 6.4.2 and/or for the purpose of quantifying the amount of money paid to the Buyer and held in trust for Stramit from the proceeds of the sale of or dealing with the Goods or Manufactured Product, that part or amount will be equal in dollar terms to the value of the Goods on the day on which they become part of the Manufactured Product.
- 6.6 The Buyer must keep the proceeds in a separate bank account until the liability to Stramit is discharged.
- 6.7 If the amount payable for all Goods sold by Stramit to the Buyer is greater than the sum of:
 - 6.7.1 the proceeds actually received by Stramit in respect of all dealings by the Buyer with the Goods (including the sale of Re-Sold Goods or Manufactured Product); and
 - 6.7.2 all other payments received by Stramit in respect of the Goods, then the difference remains a debt owing by the Buyer to Stramit.
- 6.8 Where the Buyer has not paid for the Goods in full by the due date for payment, then the Buyer irrevocably authorises Stramit to repossess the Goods and to enter any site owned, possessed or controlled by the Buyer at any time and without notice to search for, inspect or repossess the Goods, whether such Goods are in their original form, or in a modified form or mixed with other products of the Buyer. Stramit is not liable to the Buyer as a result of any action taken pursuant to this clause, except to the extent that Stramit has been negligent or breached the law or the Contract. Stramit may delay taking action to dispose of or retain the repossessed Goods under the PPS Act for a period of up to 12 months.
- 6.9 Stramit's property in the Goods remains absolute even if the Goods have become fixtures to the premises of the Buyer or a third party. If Stramit enters those premises to reclaim possession of the Goods and incurs any liability to a third party in connection with the entry or reclamation, or if the Buyer suffers any loss or damage as a result of the entry or reclamation, then Stramit will not be liable to the Buyer for any liability, loss or damage and the Buyer indemnifies Stramit against any liability, loss or damage to any third party except to the extent Stramit

has been negligent or breached the law or the Contract.

- 6.10 The provisions of this clause 6 apply despite any arrangement between the parties under which Stramit grants the Buyer credit.

7. DESCRIPTION OF BUILDING PRODUCTS AND SAMPLES

- 7.1 All physical samples and descriptions, specifications, illustrations, drawings, data, dimensions and weights in respect of the Goods contained in catalogues, the Price List or other Stramit advertising material are approximate, and are only intended by Stramit to be a general description.
- 7.2 Stramit may produce Goods with minor modifications from any of its samples, drawings and specifications (within acceptable manufacturing tolerances).
- 7.3 Stramit is not liable to the Buyer for any loss or damage suffered by the Buyer as a result of the Buyer relying upon any such specifications, illustrations, drawings, data, dimensions, weights or the characteristics of any samples except to the extent Stramit has been negligent or breached the law or the Contract.

8. TOOLS, EQUIPMENT, PATTERNS, DESIGNS AND SYSTEMS OF MANUFACTURE

- 8.1 Any tool, equipment, pattern, design or system of manufacture (Manufacturing Devices) acquired and used by Stramit in filling an Order remains the property of Stramit and cannot be used without Stramit's prior written authority.
- 8.2 Stramit may charge the Buyer for Stramit's acquisition and use of any Manufacturing Device. Payment of such charge will not vest in the Buyer any intellectual property rights or other rights in the Manufacturing Device.
- 8.3 Stramit may hire or lend tools or equipment to a Buyer on agreed terms. Stramit will invoice the Buyer for hire and delivery charges after the tools or equipment are in possession of the Buyer. The Buyer must pay the amount invoiced within 30 days of the invoice date.
- 8.4 The Buyer indemnifies and holds harmless Stramit against any claim, demand or suit arising out of any loss, damage or personal injury caused to the Buyer, its employees and agents or a third party by a tool or equipment provided by Stramit to the Buyer except to the extent Stramit has been negligent or breached the law or the Contract.

9. BUYER'S SPECIFICATIONS OR MATERIALS AND SPECIAL BUILDING PRODUCTS

- 9.1 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, then the Buyer agrees that:
 - 9.1.1 Stramit will not be responsible for any failure of any Special Building Products or lack of fitness for use or for any property damage or personal injury whatsoever caused by the Special Building Products.
 - 9.1.2 the Customer agrees that it does not rely on the skill or judgment of Stramit in relation to the suitability of any Special Building Products goods for a particular purpose; and
 - 9.1.3 any advice, recommendation, information or assistance provided by Stramit is provided without liability to Stramit whatsoever.
- 9.2 If the Buyer is a Consumer, or the Contract is a Small Business Contract, and Stramit, then the Buyer acknowledges and agrees that:
 - 9.2.1 it must install and operate the Special Building Products goods in accordance with any applicable installation instructions and/or manuals, and with professional skill, competence and due care having regards to the complexity and nature of the work; and
 - 9.2.2 any advice, recommendation, information or assistance provided by Stramit, is provided in good faith, relying upon the accuracy and completeness of information provided by Buyer to Stramit.
- 9.3 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract the Buyer will indemnify and hold Stramit harmless from:
 - 9.3.1 any direct or indirect loss or damage caused to, or suffered by, the Buyer or to any third party by the Special Building Products and the Buyer releases Stramit from all liability in respect of any fault or defect in any Special Building Product; and
 - 9.3.2 any claim, demand or suit arising out of Stramit's use of or reliance upon any design, specification or drawing provided to Stramit by the Buyer.
- 9.4 The Buyer warrants and represents that any designs, specifications or drawings it provides to Stramit for the manufacture of Special Building Products will not breach or infringe any copyright, patent or registered design or any other right of any third party. If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, the Buyer will indemnify and forever hold Stramit harmless from any loss, damage, liability or costs suffered or incurred by Stramit arising from a breach by the Buyer of this warranty and representation.
- 9.5 If Stramit, on request of the Buyer, processes the Buyer's materials, Stramit will not warrant that the materials supplied by the Buyer are suitable for such processing.
- 9.6 Stramit will not be liable for any:
 - 9.6.1 failure of any processed Buyer's materials; or
 - 9.6.2 failure of any Goods manufactured using the Buyer's materials; or
 - 9.6.3 damage caused by or connected with the Buyer's materials at any time during or after processing by Stramit.

- 9.7 The Buyer must bear any additional expense or the cost of:
- 9.7.1 any testing or inspection of Goods manufactured using the Buyer's materials or any Special Building Products; and
- 9.7.2 any delay in processing caused by any defect in the Buyer's materials or by the nature of the Buyer's materials.

10. LIMITATION OF LIABILITY

- 10.1 Unless agreed in writing by Stramit, Stramit will not accept the return of goods. Goods accepted for return by Stramit may attract a charge to recover costs, restocking, disposal and repackaging charges. The amount of this charge will be determined by Stramit and recoverable from the Buyer. Proof of purchase from Buyer must accompany all goods returned to Stramit
- 10.2 If the Buyer is a Consumer or the Contract is a Small Business Contract, the provisions of this clause 10.2 apply:
 - (a) the Goods and Services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the Australian Consumer Law, Stramit's obligations to the Buyer in respect of a breach of any term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - (i) the repair or replacement of the Goods or the supply of equivalent Goods; or
 - (ii) paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - (iii) in the case of Services, the re-supply of Services or paying for the cost of resupplying the Services by a service provider approved in writing by Stramit.
- 10.3 Stramit's obligations, if clause 10.2 applies, do not include:
 - (i) the cost of removing defective Goods whether installed or otherwise;
 - (ii) the cost of installing replacement Goods; or
 - (iii) defects in Goods caused by improper installation or improper maintenance or care of Goods, or related components, or normal wear and tear.
- 10.4 Subject to clause 10.2, if the Buyer is not a Consumer or the Contract is not a Small Business Contract, all terms, representations, guarantees, implied warranties and conditions, whether implied by statute or otherwise, including as to merchantability, description, quality, suitability, or fitness for purpose as to design, assembly, installation, materials or workmanship or otherwise are expressly excluded. Stramit does not exclude, restrict or modify any liability that cannot be excluded, restricted or modified except to a limited extent, as between Stramit and the Buyer by law.
- 10.5 Stramit's obligations to the Buyer in respect of a breach of any a non-excludable term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - 10.5.1 the repair or replacement of the Goods or the supply of equivalent Goods; or
 - 10.5.2 paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - 10.5.3 in the case of Services, the re-supply of Services or paying for the cost of resupplying
- 10.6 Stramit's obligations if clause 10.5 applies do not include:
 - 10.6.1 the cost of removing defective Goods whether installed or otherwise;
 - 10.6.2 the cost of installing replacement Goods; or
 - 10.6.3 defects in Goods caused by improper installation or improper maintenance or care of Goods or related components or normal wear and tear.
- 10.7 To the extent permitted by law, Stramit will not be liable to the Buyer or any other person for any direct, indirect, special, incidental or consequential loss or damage (including loss or damage caused by negligence or any wilful act or default of Stramit, its employees or agents) whatsoever arising from the use of the Goods, or a breach of a contract under clause 2.2 or any statutory implied warranty, term or condition in relation to the Goods. In this clause, "direct, indirect, special, incidental or consequential loss or damage" includes (a) any loss of income, profit or business; (b) any loss of goodwill or reputation; and (c) any loss of value of intellectual property.
- 10.8 To the extent permitted by law, Stramit will not be liable to the Buyer, its employees or agents for any costs, claims, damages or demands arising from personal injury, loss or damage whatsoever occurring by reason of:
 - 10.8.1 the Goods or their design, production or processing;
 - 10.8.2 the Services;
 - 10.8.3 any act or omission of Stramit, its employees or agents; or
 - 10.8.4 any statement, representation, recommendation, advice, supervision or assistance made or given by an employee or agent of Stramit, whether oral or written.
- 10.9 Stramit will not be responsible for the consequences of any technical advice given by its employees or agents in relation to the design, specifications, installation or use of Goods. The Buyer acknowledges that it will not rely and has not relied on any skill or judgment of Stramit, its employees or agents about the suitability of any Goods and/or Services for a particular purpose.
- 10.10 The Buyer acknowledges that Stramit does not make and has not made any representation or warranty regarding the Goods and/or

Services or any matter which is or might be relevant to the Buyer other than as set out in these Sale Terms.

11. INDEMNITIES RELATING TO ACCESSING PREMISES

- 11.1 Any Buyer, or its agent, employee or contractor (Buyer's Representative) who enters Stramit's premises does so at his/her own risk. Stramit will not be liable for any loss, damage or injury caused by any act or omission whatsoever whilst the Buyer's Representative attends Stramit's premises. The Buyer indemnifies and will forever hold Stramit harmless against all claims, demands or suits made by a Buyer's Representative in connection with his/her attendance at Stramit's premises.
- 11.2 Where Stramit or its agent, employee or contractor (Stramit Representative) enters upon a Delivery Site, the Buyer must provide full and safe access to the Delivery Site and ensure that the Delivery Site is compliant with all occupational health and safety legislation and the Buyer will be liable for, and must indemnify Stramit against the costs of any loss or damage to property and personal injury to any Stramit Representative occurring directly or indirectly as a result of the Buyer's failure to comply with this clause.

12. GENERAL MATTERS

- 12.1 Stramit may vary or waive any or all of these Sale Terms at any time and will notify the Buyer in writing of any variation or waiver.
- 12.2 The failure of Stramit to exercise a right or remedy, or any delay by Stramit in exercising a right or remedy, or the exercise by Stramit of only part of a right or remedy, or the granting of any indulgence by Stramit in favour of the Buyer does not:
 - 12.2.1 affect Stramit's rights against the Buyer;
 - 12.2.2 constitute a waiver of any term or condition; or
 - 12.2.3 prohibit Stramit from exercising that right or remedy in relation to that breach or any other breach.
- 12.3 A waiver of a breach of a term or condition does not constitute a waiver of another breach of the same term or any other term.
- 12.4 The Buyer agrees that these Sale Terms shall be construed according to the laws of the State or Territory as Stramit may in its sole discretion determine. Proceedings by either Stramit or the Buyer may be instituted and/or continued in such State or Territory as Stramit may in its sole discretion determine. Failing such determination the Buyer consents to any proceedings being instituted and heard by any appropriate Court sitting in the State of New South Wales applying the laws of that State.
- 12.5 The Buyer must not assign any of its rights or obligations under these Sale Terms without the prior written approval of Stramit.
- 12.6 Stramit will not be liable for any delay or failure to fill an Order to the extent and for so long as performance is prevented or delayed by:
 - (a) any event or circumstance beyond Stramit's power or control;
 - (b) any delay or failure of supply by any of Stramit's suppliers; or
 - (c) a breakdown in Stramit's or its contractor's tools, equipment, vehicles or machinery.
- 12.7 If all or part of a clause in these Sale Terms is void, illegal or unenforceable, it may be severed without affecting the enforceability of any other provision.
- 12.8 If the Buyer is acting as the trustee of any trust (whether disclosed or not), then:
 - 12.8.1 the Buyer declares that it is entering into the Contract both in its own capacity and as trustee of the trust with the ability to bind and the intention of binding, both;
 - 12.8.2 the Buyer shall be liable both in its own name and as trustee of the trust; and
 - 12.8.3 the Buyer acknowledges that the assets of the trust shall be available to meet payment and obligations under the Contract, and of the Buyer's accounts.
- 12.9 A breach of these Sale Terms is a breach of the Credit Terms.

CONTACT US

The Stramit web page can be found at **stramit.com.au**. Details of many Stramit® products can also be seen on the AIA site 'Product Selector' **selector.com.au**.

REGION	LOCATION	CONTACT DETAILS	BRANCH OPENING HOURS ¹	ORDER CUT-OFF TIMES ²		
				STANDARD DELIVERY	NEXT DAY DELIVERY ³	PICK-UP HOURS ⁴
NSW & ACT	SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759	Ph 02 9834 0909 Fax 02 9834 0988	7.30am - 5pm	4pm	N/A	6am - 4pm
	CANBERRA 4 Bass St, Queanbeyan NSW 2620	Ph 02 6298 2500 Fax 02 6298 2533	7.30am - 5pm	4pm	N/A	7.30am - 4pm
	COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450	Ph 02 6656 3800 Fax 02 6656 3808	7.30am - 5pm	4pm	N/A	7am - 4pm
	NEWCASTLE 17 Nelson Rd, Cardiff NSW 2285	Ph 02 4041 3400 Fax 02 4041 3423	7.30am - 5pm	4pm	N/A	7am - 4pm
	ORANGE 51 Leewood Dr, Orange NSW 2800	Ph 02 6360 9200 Fax 02 6360 9211	7.30am - 5pm	4pm	N/A	7am - 4pm
VIC	MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180	Ph 03 9237 6300 Fax 03 9237 6399	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	ALBURY 18 Ariel Dr, Albury NSW 2640	Ph 02 6092 3700 Fax 02 6092 3766	7.30am - 5pm	4pm	N/A	7am - 4pm
	BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555	Ph 03 5448 6400 Fax 03 5447 9677	8am - 5pm	4pm	N/A	8am - 4.30pm
TAS	HOBART 57 Crooked Billett Dr, Brighton TAS 7030	Ph 03 6262 8788 Fax 03 6262 8712	7.30am - 5pm	4pm	N/A	7am - 4pm
SA	ADELAIDE 11 Stock Rd, Cavan SA 5094	Ph 08 8219 2000 Fax 08 8219 2021	7.30am - 5pm	4pm	N/A	7am - 4pm
South QLD	BRISBANE 57-71 Platinum St, Crestmead QLD 4132	Ph 07 3803 9999 Fax 07 3803 1499	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	MARYBOROUGH 10 Activity St, Maryborough QLD 4650	Ph 07 4123 9500 Fax 07 4123 9508	7am - 4.30pm	4pm	N/A	7am - 4pm
	ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702	Ph 07 4921 5600 Fax 07 4921 5608	7am - 4.30pm	4pm	N/A	7am - 4pm
North QLD	CAIRNS 53 Vickers St, Edmonton QLD 4869	Ph 07 4034 6555 Fax 07 4034 6511	7am - 4.30pm	4pm	N/A	7am - 4pm
	TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814	Ph 07 4412 3900 Fax 07 4412 3909	7am - 4.30pm	4pm	N/A	7am - 4pm
	MACKAY 6 Brickworks Court, Glenella QLD 4740	Ph 07 4965 4000 Fax 07 4965 4012	7am - 4.30pm	4pm	N/A	7am - 4pm
NT	DARWIN 55 Albatross St, Winnellie NT 0820	Ph 08 7922 4600 Fax 08 7922 4608	7.30am-4.30pm	3.30pm	N/A	7am - 4pm
WA	PERTH 605-615 Bickley Rd, Maddington WA 6109	Ph 08 9493 8800 Fax 08 9493 8899	7.30am - 5pm	4pm	12.30pm	7am - 4pm

¹ Business days only (excludes weekend and public holidays).

² Days only (excludes weekend and public holidays). Standard Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Next Day Delivery refers to order cut-off times for orders to be delivered the next Business Day.

³ Additional charges may apply.

⁴ Orders picked up outside of office hours must be confirmed prior to pick-up.