



**TASMANIA**



# PRODUCT AND SERVICE GUIDE

**EFFECTIVE MAY 2018**

Supersedes March 2017



**HOBART**

Ph 03 6262 8788

Fax 03 6262 8712

Order Related  
Issues Number:  
0401 001 899

Email Hobart Orders:  
[hobartorders@stramit.com.au](mailto:hobartorders@stramit.com.au)

[stramit.com.au](http://stramit.com.au)





## OUR STEEL-CLAD COMMITMENT TO YOU EVERY TIME YOU WORK WITH US.

Our Declaration of Done is what sets Stramit® apart. It's our set of promises to you that make getting the job done easy. Want on-time delivery? Done. Great quality products? Done. No matter the size of the job, when you work with Stramit, you can Consider It Done.



### ON-TIME DELIVERY

We'll deliver in full, on-time and to specification or we'll credit you 5% of the order confirmation value. Give us 2 days' lead time without making a change and we'll double it to 10%.



### GREAT QUALITY PRODUCTS

Great quality products every time, or we'll replace them at no cost to you.



### BEST STOCK AVAILABILITY

With our most popular items always in stock, we have what you need, when you need it.



### AUSTRALIA WIDE COVERAGE

With a national footprint and local teams covering every State and Territory, we'll work together to get your job done.



### PERSONAL SERVICE

You'll be supported by an experienced sales team backed by a network of technical experts.



### RESPONSIVE SUPPORT

You'll speak to us within 6 rings and we'll always keep you informed.



### FAST ORDER CONFIRMATION

Accurate same day order confirmation, allowing an extra day for structural products, or we'll credit you \$50.



### ACCURATE INVOICING

Your invoice will be accurate or we'll credit you the difference plus \$50 within 5 days.

## INDEX

### PRODUCTS AND SERVICE GUIDE

Delivery to Site Instructions	2
Flashing Detail Order Form	3
<b>Stramit® Purlins &amp; Bridging</b> Order Pads	4-6
Important Notice	7
Standard Delivery Charges	8
Delivery Information	9
Loading Requirements	10-11
Product Availability – Finish and Colour	12
Care & Maintenance	13
Quick Roofing Estimate	14
Selecting Your Product – Cover, Spans & Pitch	15

### ROOFING, CLADDING & ACCESSORIES

<b>Stramit® Corrugated</b>	16
<b>Stramit® Curving Quality</b> – Corrugated & Tank Iron	17
<b>Stramit Monoclad®</b>	18
<b>Stramit Longspan®</b>	19
<b>Stramit Speed Deck® 500</b>	20
<b>Stramit Speed Deck Ultra®</b>	20
Translucent Roof Sheeting – suit <b>Stramit®</b> Roofing	21
<b>Stramit Mini Corry®</b>	22
<b>Stramit K-Panel®</b>	22
<b>Stramit Monopanel®</b>	23
<b>Stramit Uniguard® Fire Resisting Wall System</b>	26
General Accessories + PA Doors	27

### INSULATING PRODUCTS

Foil – Blanket – Batts – Wire Mesh	28
------------------------------------	----

### METAL FASCIA, GUTTER, DOWNPIPE & ACCESSORIES

<b>Stramit® Fascia</b>	29
<b>Stramit® Quad 115</b>	30
<b>Stramit® Fascia Gutter</b>	31
<b>Stramit® Easiflow</b> Gutter	31
<b>Stramit O-Gee™</b> Gutter	32
Flat Back Gutter 133, Half Round Gutter 150	33
<b>Stramit® Downpipe</b> & Offsets Round Rectangular	35
Downpipe & Offsets Round	36

### CUSTOM FLASHINGS

<b>Stramit® Custom Flashings</b> – Ordering Procedure	37
<b>Stramit® Custom Flashings</b> & Flat Sheet	38-41

### STRUCTURAL COMPONENTS

<b>Stramit® Purlins and Girts</b>	42
<b>Stramit® Exacta Purlins</b>	43
<b>Stramit® Bridging</b> & Accessories	44-45
<b>Stramit Condeck &amp; PrimeForm HP®</b> composite decking	46
<b>Stramit® Zam Coated Purlins</b>	47
<b>Stramit® Framing, Stramit® Top Hats, Builders Strapping</b>	47
<b>Stramit® Flooring</b>	48
Patio Roofing Decking	49
Colorbeam	50-51

### PREMIUM PRODUCTS

<b>Stramit® MagnaFlow®</b> – Roofing, Cladding, Rainwater	24
<b>Stramit® Roofing, Cladding</b> & Accessories	25
<b>Stramit® Fascia, Gutters</b> & Accessories	34

### FENCING PRODUCTS

<b>Stramit® Fencing</b> & Accessories	52-53
---------------------------------------	-------

### TERMS AND CONDITIONS OF SALE

	54-57
--	-------

## PRICING GENERAL

**DELIVERY CHARGE** – Refer P 8 – Standard Delivery Details.

**RETURN OF GOODS** – Stock line items may be returned for Credit, subject to the following charges:

- i) Where goods are returned by Customer a re-stocking fee of 20% is applicable. (Minimum charge \$20).
- ii) Where goods are picked up by Stramit for return, Standard Delivery charges plus a re-stocking fee of 20% are applicable. (Minimum charge \$30).

Non stock items, such as cut-to-length products are not returnable to Stramit. Naturally where Stramit is at fault, freight or re-stocking fees would not be applicable and a full credit given. Refer Terms and Conditions of Sale on inside back cover.

**Handling & Storage** Roofing & Cladding sheets when stored on site must be kept dry by storing under cover. Wet storage stains can occur from condensation, even in dry weather.

Technical details displayed in this book are a guide only. For further information please consult the relevant Stramit Technical Manual.

## Delivery To Site Instructions

Customer Name: \_\_\_\_\_

Project Name: \_\_\_\_\_

Delivery Address: \_\_\_\_\_

Site Phone Number: \_\_\_\_\_ Map Ref: \_\_\_\_\_

Contact person: \_\_\_\_\_ Mobile phone: \_\_\_\_\_

1. Kilometres to nearest town: \_\_\_\_\_ KLMS to \_\_\_\_\_

2. Site is:  Rural  House  Commercial  Industrial

3. Site access surface is:  Bitumen  Gravel  Dirt/Grass

4. Does rain affect access to property:  Yes  No

5. Does peak hour traffic affect delivery:  Yes  No

6. Is the site affected by clearways:  Yes  No

7. Does the site have semi-trailer access:  
e.g. is there sufficient hard area to effect a 360 degree turn?  Yes  No

8. Are there powerlines/trees close to the site:  
e.g. restricting use of a truck mounted crane?  Yes  No

9. Unloading method:  Crane on site  Forklift  
 Truck mounted crane (HIAB)  By hand

10. Any other details that may assist driver

---



---



---

### Sketch map to site

Show distance from nearest town, main road and/or closest intersection



Please note: delivery will be made by a semi trailer which at a minimum will be 18.7 metres long, 2.6 metres wide and may weigh up to 38 tonne gross.

Should delivery not be possible due to lack of information a redelivery charge may apply.



# FLASHING DETAIL

Customer code:		SPA		CO:	
Customer:		Delivery address:		Date required:	
Cust O/N:		Special instructions:		Time off:	
Date ordered:				Your ref:	

Product Code			Girth	Gauge	Product Code			Girth	Gauge
Qty.	Length mm	Fold	Finish		Qty.	Length mm	Fold	Finish	

Mark Number	C F Taper (Length)	Mark Number	C F Taper (Length)
-------------	--------------------	-------------	--------------------

Product Code			Girth	Gauge	Product Code			Girth	Gauge
Qty.	Length mm	Fold	Finish		Qty.	Length mm	Fold	Finish	

Mark Number	C F Taper (Length)	Mark Number	C F Taper (Length)
-------------	--------------------	-------------	--------------------

Mark all dimensions and specify degree of angles for all bends on the drawing.  
 Indicate side of colour with an arrow. Remember to read back the order.  
 Maximum length: 8.000m Minimum fold: 10mm

Freight Charge	FRSTOR	SITE	FSDC	\$	Page 1 of
----------------	--------	------	------	----	-----------






Customer \_\_\_\_\_ Project \_\_\_\_\_





Delivery address \_\_\_\_\_


## Bridging System

Rod & Strut/  
Stramit Bridging

Del. Date	Finish	Drawn	Date
-----------	--------	-------	------

	Part No. No.	Bracket Size	Purlin Centres	No. Reqd.	Mark No.
<b>GIRT STOOL/FOOT ASSEMBLIES</b> Stramit - locator  Part No. 024					
Stramit - lock  Part No. 025					
Strut & Rod  Part No. 026					
Raking Girt Bracket  No. Reqd. <input style="width: 50px;" type="text"/>					
Tie Rod Angle  No. Reqd. <input style="width: 50px;" type="text"/>					

GIRT HANGER ASSEMBLIES											
▼ Turnbuckle	▼ Tie Rod										
Stramit - locator  Part No. 027	 Part No. 028										
Stramit - lock  Part No. 029	 Part No. 030										
Strut & Rod - bolted  Part No. 031	 Part No. 032										
<b>General Purpose Bracket</b>  <table border="1" style="float: right; margin-top: 10px;"> <thead> <tr> <th style="width: 50%;">Purlin Size</th> <th style="width: 50%;">No. Reqd.</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		Purlin Size	No. Reqd.								
Purlin Size	No. Reqd.										
<b>Angle Connector</b>  <table border="1" style="float: right; margin-top: 10px;"> <thead> <tr> <th style="width: 50%;">Purlin Size</th> <th style="width: 50%;">No. Reqd.</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		Purlin Size	No. Reqd.								
Purlin Size	No. Reqd.										

	Size	Length	No. Reqd.	Mark No.
<b>Tie Rod Assemblies</b> 				

Clamp Plate	
Purlin Size	No. Reqd.
	

# Purlins/Girts

Page	of
Job No.	Purch. Order No.


Customer \_\_\_\_\_ Project \_\_\_\_\_

Delivery address \_\_\_\_\_


## Purlin Section C/Z

Del. Date	Finish	Drawn	Date
-----------	--------	-------	------


	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres		
As Drawn				40	60	70	110	160	210	260		
Opp. Hand				40	60	70	110	160	210	260		



	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres		
As Drawn				40	60	70	110	160	210	260		
Opp. Hand				40	60	70	110	160	210	260		



	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres		
As Drawn				40	60	70	110	160	210	260		
Opp. Hand				40	60	70	110	160	210	260		



Indicate web, flange holes and dimensions from hole to hole      Standard holes: 18mm x 22mm slots.

## IMPORTANT NOTICE

**It is the Customer's responsibility to advise Stramit at the time of ordering if the order is for ULTRA Colorbond® or STAINLESS STEEL Colorbond® or Matt Colorbond®.**

Unless this notification is made at the time of order (in writing) then the order **will be supplied as Standard XRW Colorbond®.**

EG. An order for **SURFMIST®** will be supplied as **STANDARD XRW COLORBOND SURFMIST®** IN ALL INSTANCES UNLESS IDENTIFIED OTHERWISE.

EG. To order Ultra Surfmist® the order must clearly state **ULTRA COLORBOND SURFMIST®.**

This publication sets out Stramit's recommended retail prices and Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.

**This publication sets out Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.**

### COLOUR NAMES

<b>BAS</b> Basalt®	<b>IST</b> Ironstone®	<b>SHG</b> Shale Grey™ (Gull Grey)
<b>CLC</b> Classic Cream™ (Smooth Cream)	<b>JAS</b> Jasper®	<b>SUR</b> Surfmist® (Off White)
<b>COV</b> Cove™	<b>MGV</b> Mangrove®	<b>TRN</b> Terrain®
<b>CTG</b> Cottage Green® (Caulfield Green)	<b>MNR</b> Manor Red® (Heritage Red)	<b>WDG</b> Woodland Grey® (Slate Grey)
<b>DOC</b> Deep Ocean® (Mountain Blue)	<b>MON</b> Monument®	<b>WLB</b> Wallaby®
<b>DUN</b> Dune® (Birch)	<b>NTS</b> Night Sky®	<b>WSP</b> Windspray® (Armour Grey)
<b>EVH</b> Evening Haze®	<b>PEC</b> Pale Eucalypt® (Mist Green)	<b>GAL</b> Galvanised
<b>GLY</b> Gully™	<b>PPB</b> Paperbark® (Merino)	<b>ZA</b> Zinalume®

## STANDARD DELIVERY CHARGES

1. Any customer who has exceeded their Credit Limit or whose payments are overdue may experience delays in the manufacture and delivery of goods ordered.
2. Due to transport limitations the maximum length of rainwater goods is 8.5m.
3. Customers/receivers are responsible for unloading. Stramit's terms are "On lorry at site or store".
4. **UNATTENDED SITES – Stramit drivers will endeavour to effect delivery as close to site as possible. In these instances Stramit will not accept claims for damage to product during unloading nor claims for pilfering of part or all of the delivery made.**

Product Length / Delivery Cost Guide				
LENGTH	CODE	COST PER DELIVERY	ESCORT REQ'D	AREA
Up to 8.000m	FRSITE	<b>\$138</b>	-	
8.001 - 15.000m	FR4SITE15	<b>\$POA</b>	-	
15.001 - 19.800m	FR4SITE198	<b>\$POA</b>		
19.801 - 21.500m	FR4SITE215	<b>\$POA</b>		
21.501 - 24.200m	FR4SITE2425	<b>\$POA</b>	-	
Freight store	FRSTORE	<b>\$31.00</b>	-	
Special delivery	FRSPEC	<b>POA</b>	-	
Roller doors	FR4RTAS	<b>POA</b>	-	
Curved Sheets over 7m or 90°	FRSPEC	<b>POA</b>		
Shed Consolidation Fee	SHEDCONFEE	<b>\$65.00</b>		

The rates shown are for delivery in normal business hours.  
Deliveries outside normal business hours, or at weekends - POA

### Packaging

Standard packs will be used. If special packing is required by customer, additional cost will be placed on the customer's account.

### Timber Crates

Rainwater, Sheeting + Flat Sheet Crate \$15.00 per lin metre. Maximum length 6 metres.

### Escort Costs

\*Escort charges depend on the length of product transported and are additional to Delivery Charge POA.

### Hi-Ab Facility

Hi Ab deliveries cannot be guaranteed on all consignments.  
If a Hi Ab must be used please discuss with Stramit staff at time of order placement.  
*(please note this facility is additional to other charges)*

### Ordering Product

**Order close off is 4.00 pm for 48 hour product.**  
(Made to measure roofing and rainwater products will be **delivered 48 hours**).  
ORDERS PLACED AFTER THESE DEADLINES WILL BE TREATED AS ORDERS BEING RECEIVED THE NEXT DAY.

### Demurrage

Unloading at customers premises or site in excess of one(1) hour will be charged at the rate of **\$70** per hour or part thereof.

### Redelivery

Product refused at the original delivery and requested to be redelivered will incur a minimum charge of **\$150** over and above the standard delivery charges.

Prices in this Product & Service Guide DO NOT include GST.

## DELIVERY INFORMATION

### Specific Delivery Times

Specific delivery times can be arranged when placing the order. Simply request an “on site time” and your delivery time and day will be confirmed. Special delivery times outside normal working hours will incur additional charges and these should be established at the time of placing the order.

**Crane Offs must be specified and pre-arranged.**

**Requests for tray truck deliveries may be subject to longer lead time or special prices. Over dimensional vehicle deliveries before 10.30am are subject to time and weather prohibitions beyond our control.**

**Special requests for delivery outside these times will incur charges. (POA)**

### Minimum Purchase Surcharge

Invoices less than \$100 including GST will incur a surcharge of \$25 per invoice plus GST.

### Delivery Conditions

All deliveries will be in accordance with local Council or site requirements.

**Driver is solely responsible for unloading if:**

- Can be handled by the driver alone.
- Can be craned off to ground level using truck mounted crane (**max product length 13.7 metres**).

**Customer responsible for unloading if:**

- Product over 13.7 metres long.
- Product exceeds truck mounted crane reach and loading.
- **Customer supplied safe lifting device MUST be used.**

### Product Return

Product that has been manufactured or purchased specifically to your requirements CANNOT be returned.

Stock line items may be returned for credit, subject to the following charges:

- i) Where goods are returned by the customer, a re-stocking fee of 20% (\$20 minimum) is applicable.
- ii) Where goods are picked up by Stramit for return, standard delivery charges plus a re-stocking fee of 20% (\$31 minimum) are applicable. **Damaged goods will not be accepted for credit.**

### Customer Pick Ups

#### CUSTOMER PICK-UPS

Our factory is open for customer pick-ups on weekdays between the hours of 7am and 4pm.

Prior arrangements for pick-ups must be made with our sales office. Where the customer arranges his own carrier, all charges must be direct to the customer’s account.

Stramit will not accept charges from carriers unless agreed with the customer at the time of placing the order.










Refer to Terms & Conditions on inside back cover.

# LOADING REQUIREMENTS



## OVERHANG LIMITS

### THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



**A 450MM SQUARE BRIGHT RED FLAG IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)**

# LOADING REQUIREMENTS




## SECURE YOUR LOAD!

**DO NOT USE OCCY STRAPS  
OR FLEXI STRAPS**

Minimum 2 lashings  
per stack for items  
longer than 750 mm.

Recommended  
Minimum Lashing  
1.5m apart



No low friction  
surfaces (metal  
on metal, plastic  
on metal, etc.)

Watch your Lashing Angle!  
The More Upright  
The More secure

Roof Racks must be secure,  
Maximum loads:  
Sports Racks - 40kg  
Trades Racks - 100kg



\*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

## VEHICLES CONSIDERED INAPPROPRIATE CANNOT BE LOADED!

### YOUR SAFETY IS OUR CONCERN

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility

**Table 1 - Lashing Requirements**

Lashing Angle to Horizontal $\angle$	25 mm hand tightened webbing	25 mm ratchet webbing	35 mm ratchet webbing	8 mm synthetic rope with single hitch
60 to 90°	52 kg per strap	170 kg	430 kg	87 kg per rope
45 to 60°	46 kg per strap	140 kg	350 kg	71 kg per rope
30 to 45°	30 kg per strap	100 kg	250 kg	50 kg per rope
15 to 30°	15 kg per strap	52 kg	130 kg	26 kg per rope

**Key Assumptions in Tables 1**

- All lashings are fully tensioned. If not, then more lashings may be required.
- No low friction surfaces (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
- A minimum static coefficient of friction of  $\mu = 0.40$  is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
- Round loads require belly wrapping and extra restraints.




**COLORBOND / ZINC-ALUMINIUM ALLOY STEEL – CARE & MAINTENANCE**

**Hints and tips to achieve maximum life from your Colorbond® / Zinc-aluminium alloy product.**

- Colorbond®/Zinc-aluminium alloy used in areas not washed by rainfall should be cleaned down at regular intervals.
- Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing and walling.
- Never immerse Colorbond®/Zinc-aluminium alloy in sand, soil or concrete.
- Do not use “touch-up” spray can on Colorbond® steel.
- Avoid “swarf” damage remove metal debris from cutting and/or drilling.
- Keep material dry when in bundles prior to installation.
- Prepainted metal roofing components are often supplied with a protective plastic film. This can be affected by sunlight and should be stored in the shade. Removal can be difficult, if not impossible, if exposure to sunlight has occurred.
- Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
- Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

**Water Flow Guide Chart**




**QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF**

The table of Roof Slope Factors below allows quick calculations of roof area, sheet length and hip length.

These methods are for quick estimating purposes only. Accurate measurements must be taken from the actual roof frame before ordering roofing and rainwater products.

As an example, take a typical hipped roof where all four roof sections have the same slope (30°) and all hips are of equal length.

Typical hipped roof (roof slope = 30°)



**ROOF AREA**

First determine the area of the roof plan by multiplying the length of the roof by the width. Before making the calculation, add gutter overhangs of 50mm. In this case, there are gutters on all four sides. To find the area of the hipped roof, simply multiply this plan area by the Roof Slope Factor for Roof Area. The same method is used for gable roofs.

$$19.1 \times 8.1 = 154.7 \times 1.155 = 178.7$$

Therefore, roughly 179m<sup>2</sup> of sheeting will be needed to cover the roof. On complex roof shapes, extra may need to be added to allow for wastage.

**SHEET LENGTH**

On the roof plan, measure the distance from the line of the ridge to the outside edge of the fascia, which in the example is half the span or 4000mm. Multiply this measurement by the Sheet Length Roof Slope Factor to find the length of the sheet required to span from the ridge to the fascia. Note that all roof sheeting must extend at least 50mm beyond the fascia line to provide gutter overhang.

$$4000 + 50 \times 1.155 = 4678\text{mm}$$

**HIP CAPPING**

To find the length of ridge capping required to cover one hip, measure the distance from the ridge line to the fascia on the roof plan (here 4000mm) add the gutter overhang and multiply by the Hip Length Roof Slope Factor for 30°. Multiply by 4.

$$4000 + 50 \times 1.528 \times 4 = 24.8\text{m}$$

**RIDGE CAPPING**

For hipped roofs where all sides have the same slope, the length of the top ridge is equal to the length of the roof plan minus the width, regardless of slope. Add 5% to all capping to allow for laps.

$$19 - 8 = 11 + 5\% = 11.55\text{m}$$

**ROOF SLOPE FACTORS**









Roof Slope (degrees)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Roof Area/Sheet Length	1.000	1.001	1.001	1.002	1.004	1.006	1.008	1.010	1.012	1.015	1.019	1.022	1.026	1.031	1.035
Hip Length	1.414	1.415	1.415	1.416	1.417	1.418	1.420	1.421	1.423	1.425	1.428	1.430	1.433	1.436	1.439

Roof Slope (degrees)	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Roof Area/Sheet Length	1.040	1.046	1.051	1.058	1.064	1.071	1.079	1.086	1.095	1.103	1.113	1.122	1.133	1.143	1.155
Hip Length	1.443	1.447	1.451	1.456	1.460	1.465	1.471	1.477	1.483	1.489	1.496	1.503	1.511	1.519	1.528

Roof Slope (degrees)	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Roof Area/Sheet Length	1.167	1.179	1.192	1.206	1.221	1.236	1.252	1.269	1.287	1.305	1.325	1.346	1.367	1.390	1.414
Hip Length	1.537	1.546	1.556	1.567	1.578	1.590	1.602	1.616	1.630	1.644	1.660	1.677	1.694	1.712	1.732

Roof Slope (degrees)	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Roof Area/Sheet Length	1.440	1.466	1.494	1.524	1.556	1.589	1.624	1.662	1.701	1.743	1.788	1.836	1.887	1.942	2.000
Hip Length	1.753	1.775	1.798	1.823	1.849	1.877	1.907	1.939	1.973	2.010	2.049	2.091	2.136	2.184	2.236

## SELECTING YOUR PRODUCT




Product/Roofing/Cladding	Page	BMT	Steel Grade	Cover Width mm	Minimum Pitch	Roof Span		Wall Span	
						Int Span mm	End Span mm	Int Span mm	End Span mm
G300 – Mild Steel G550 – Hi-Tensile Steel									
<b>Stramit® Corrugated</b> 	16	0.42	G550	762	5 Degrees (1 in 12)	1200	1000	2600	2150
		0.48	G550			1600	1300	2850	2350
		0.55	G550			1600	1300	2850	2350
Fixing screw required 3/sheet/batten									
<b>Stramit® Curving Quality</b> 	17	0.60	G300	762		1200	1000	2700	2250
		0.60	G300		610	-	-	-	-
Fixing screw required 3/sheet/batten									
<b>Tank Iron Z600</b> 									
<b>Stramit Monoclad®</b> 	18	0.35	G550	762	† 2 Degrees (1 in 27)	†	†	3000	2500
		0.42	G550			1700	1400	3000	2500
		0.48	G550			2300	1900	3000	2500
		0.55	G550			2300	1900	3000	2500
Fixing screw required 4/sheet/batten									
<b>Stramit Longspan®</b> 	19	0.42	G550	700	1.5 Degrees (1 in 45)	2100	1750	3000	2500
		0.48	G550			2700	2250	3000	2500
Fixing screw required 3/sheet/batten									
<b>Stramit Speed Deck® 500</b> 	20	0.42		500	1 Degree (1 in 60)	1500	1250	2200	1800
		0.48				2100	1750	2750	2250
		0.60				2100	1750	3000	2500
Fixing clips required 1/sheet/batten									
<b>Stramit Speed Deck Ultra®</b> 	20	0.42		700	1 Degree (1 in 60)	2100	1750	3000	2500
		0.48				2700	2250	3000	2500
* Ex Melbourne Fixing clips required 1/sheet/batten									
<b>Stramit Mini Corry®</b> 	22	0.42		825	†	†	†	1200	1000
		0.48				†	†	1300	1050
* Ex Melbourne Fixing screw required 7/sheet/batten									
<b>Stramit Monopanel®</b> 	23	0.48		250	†	†	†	3000	2500
* Ex Melbourne Fixing screw required 1/sheet/batten									
<b>Stramit K-Panel®</b> 	22	0.35		864	†	†	†	1500	1250
Fixing screw required 4/sheet/batten									

**Conditions** For N1 wind conditions and normal duty foot traffic.

**Base Metal Thickness (BMT)** This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.


**Cladding Only** Products marked † are NOT suitable for roofing.

## ROOFING • CLADDING • ACCESSORIES

Product	Roofing/Cladding/Accessories	Details	Code	Finish/BMT	Unit
<b>Stramit® Corrugated</b> 	Hi Tensile G550	<b>C42ZA</b>	ZA 0.42	per m <sup>2</sup>	
		<b>C48ZA</b>	ZA 0.48	per m <sup>2</sup>	
		<b>C42T---</b>	MATT 0.42	per m <sup>2</sup>	
		<b>C42X---</b>	CB 0.42	per m <sup>2</sup>	
		<b>C48X---</b>	CB 0.48	per m <sup>2</sup>	
		<b>C42ZM8---</b>	ZM8 0.42	per m <sup>2</sup>	
		<b>C48ZM8---</b>	ZM8 0.48	per m <sup>2</sup>	
		<b>C42GA</b>	Z450 GA 0.42	per m <sup>2</sup>	
	Cutting charge	<b>CUTBACKLTH</b>			
	<i>(lengths under 1.2m subject to cutting charge)</i>				
<b>Stramit® Corrugated</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, <i>refer page 34</i>					
<b>Wall Cladding</b> 	Hi Tensile G550				
	Acoustic Perforated *		CB 0.42	per m <sup>2</sup>	
	Acoustic Perforated *		CB 0.35	per m <sup>2</sup>	
	Acoustic Perforated *		CB 0.48	per m <sup>2</sup>	
Cutting charge	<b>CUTBACKLTH</b>				
<i>(lengths under 1.2m subject to cutting charge) *Acoustic Perforated subject to minimum quantities</i>					
<b>Fasteners</b> 	12 x 50 Hex Head type 17 <i>(crest fixing to timber)</i>	<b>S1250H174</b>	plain	per 1000	
		<b>S1250H17---4</b>	coloured head	per 1000	
	5.5 x 39 Hex Auto Tek <i>(crest fixing to steel)</i>	<b>S1239HAT4</b>	plain	per 1000	
		<b>S1239HAT---4</b>	coloured head	per 1000	
	6 x 50 Hex Head Roof Zip <i>(crest fixing to timber or steel)</i>	<b>S0650HZIP4</b>	plain	per 1000	
		<b>S0650HZIP---4</b>	coloured head	per 1000	
10 x 16 Hex Head SD <i>(valley fixing to steel)</i>	<b>S1016HT4</b>	plain	per 1000		
	<b>S1016HT---4</b>	coloured head	per 1000		
10 x 16 Wafer Head SD <i>(steel fixing)</i>	<b>S1016WT4</b>	plain	per 1000		
<b>Accessories</b> 	Filler Strip (eave & ridge)	<b>CEFS</b>	915mm	each	
	*Also available in fire retardant material as per standard AS1530.3-1999 - \$POA				
Weatherlok Neo Washer	<b>TSGWW32H</b>	suit fibreglass	per 100		
<b>Flashings</b> 	<b>Stramit® Roll Top Ridge</b>	<b>RTR42ZA</b>	CTL ZA	lin m	
	<i>RTRV (suit 5°-25° pitch)</i>	<b>RTR42GA</b>	CTL GA	lin m	
		<b>RTR42X---</b>	CTL CB	lin m	
		<b>RTR42T---</b>	CTL MATT	lin m	
		<b>RTR42ZM8---</b>	CTL ZM8	lin m	
	Rebend Ridge	<b>RTRRF42X---</b>	CTL CB	lin m	
	Maximum length for folded flashings is 8 metres				
	Valley W	<b>VPF55GA</b>	CTL GA	lin m	
		<b>VPF55ZA</b>	CTL ZA	lin m	
		<b>VPF55X---</b>	CTL CB	lin m	
		<b>VPF55T---</b>	CTL MATT	lin m	
		<b>VPF55ZM8---</b>	CTL ZM8	lin m	
	Barge CBV	<b>BFC20055GA</b>	CTL GA	lin m	
		<b>BFC20055ZA</b>	CTL ZA	lin m	
		<b>BFC20055X---</b>	CTL CB	lin m	
Under Flashing CUV	<b>UFC20055GA</b>	CTL GA	lin m		
	<b>UFC20055ZA</b>	CTL ZA	lin m		
	<b>UFC20055X---</b>	CTL CB	lin m		
Barge Roll BRV	<b>BRI50GA24</b>	2.4m GA	each		
	<b>BRI50ZA24</b>	2.4m ZA	each		
	<b>BRI50X---24</b>	2.4m CB	each		

## CURVED ROOFING • TANK IRON • ACCESSORIES

Product	Details	Code	Finish/BMT	Unit
<b>Stramit® Curving Quality</b>	Mild Steel G300	<b>CD60ZA</b>	ZA 0.60	per m <sup>2</sup>
		<b>CD60X---</b>	CB 0.60	per m <sup>2</sup>
		<b>CD60GA</b>	GA 0.60	per m <sup>2</sup>
			Acoustic perf. 0.60	per m <sup>2</sup>
Material Costs Only				
Reverse Roll available on request - Additional charges will apply.				
<i>(add curving cost, to material cost for total price)</i>				
When end lapping occurs, please liaise with your Stramit office for additional details				



Costs (up to 90° curve)	Sheet lengths up to 3.5m	<b>CURV40035</b>	per curve
	Sheet lengths 3.5m to 7m	<b>CURV43570</b>	per curve
	Sheet lengths 7m to 10m	<b>CURV47010</b>	per curve
	Sheet lengths 10m to 13m	<b>CURV41013</b>	per curve
	Docking of curved sheet <i>(less than 2.5metres only)</i>	<b>CUTBACKLTH</b>	per cut

*Lengths over 13m are subject to special pricing. Special freight prices apply to lengths over 7 metres.*

*Curves over 90° or double curves are priced at sheet length x 2 curves.*

Radius 400mm and under require 110mm extra length to be docked after curving.

### Bullnosing & Curving

**Please supply template & all information wherever possible.**

For all bullnosed curved sheets **under 400mm radius**, a straight section (A) of 110mm is required, and will be charged in the price of the sheet. If all part of this dimension is not required on finished sheet, then the sheet will be cut back and a docking fee will apply.

#### Templates

##### Curving Templates

Must include customer name and PO number

Customer contact name & telephone number

Sheet length and number of sheets required

**Template Material Must Be Only -**

Colorbond, Zinc-aluminium alloy or Galvanised Steel sheet already curved to requirement

Plywood, masonite, Corflute, timber or cardboard with correct profile drawn or cut **MATERIAL NOT**

**Acceptable as Templates -**

Copper tube, Cement Sheet, and sheet painted with a lead based paint

#### Bullnosing

**A** Straight section into gutter \_\_\_\_\_ mm

**B** Radius of curve \_\_\_\_\_ mm

**C** Angle of roof pitch \_\_\_\_\_ degrees

**D** Wall to fascia \_\_\_\_\_ mm

Number of sheets required \_\_\_\_\_

Direction of laying (left to right/right to left) \_\_\_\_\_

Colour \_\_\_\_\_

Other information (eg. docking, endlapping) \_\_\_\_\_

#### Concave & Convex

**E** Wall to fascia \_\_\_\_\_ mm

**F** Height \_\_\_\_\_ mm Required if **X** not available

**G** Total sheet length \_\_\_\_\_ mm


**X** Radius \_\_\_\_\_ mm Required if **F** not available

Type of curve (concave/convex) \_\_\_\_\_


Number of sheets required \_\_\_\_\_

Colour \_\_\_\_\_

Other information (eg. docking, endlapping) \_\_\_\_\_



#### Flashings



#### Steel Curved Pittsburgh Flashings

Barge **CAMETCBL---** ZA/GA/Colour lin metre

Apron **CAMETCBR---** ZA/GA/Colour lin metre

**CAMETCAL---** ZA/GA/Colour lin metre

**CAMETCAR---** ZA/GA/Colour lin metre

#### Curved Fibreglass Flashings

Hip only **CAPVCHrrr\*---**


Barge **CAPVCBrrr\*---**

Valley **CAPVCVrrr\*---**

Straight (ridge piece) **CAPVCST---26**

rrr\* = radius in mm

#### Tank Iron



8 corrugations, 610 cover **CT61060GA** GA Z600 0.60 per m<sup>2</sup>






**AQUAPLATE** **CT61060AQA** 0.60 per m<sup>2</sup>

*(rolled edge down with Aquaplate® under)*

**AQUAPLATE colour** **CT61060AQ---** 0.60 per m<sup>2</sup>

All orders must come with drawings showing colour and leg positions.








## ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish/BMT	Unit
<b>Stramit Monoclad®</b> 	Hi-Tensile G550	<b>MC42ZA</b>	ZA 0.42	per m <sup>2</sup>
		<b>MC48ZA</b>	0.48	per m <sup>2</sup>
		<b>MC42T---</b>	MATT 0.42	per m <sup>2</sup>
		<b>MC42X---</b>	CB 0.42	per m <sup>2</sup>
		<b>MC48X---</b>	0.48	per m <sup>2</sup>
		<b>MC42ZM8---</b>	ZM8 0.42	per m <sup>2</sup>
		<b>MC48ZM8---</b>	ZM8 0.48	per m <sup>2</sup>
		<b>MC42GA</b>	GA Z450 0.42	per m <sup>2</sup>
	Cutting charge	<b>CUTBACKLTH</b>		
	Reverse Roll available on request			per m <sup>2</sup>
<b>Stramit Monoclad®</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, <i>refer page 34</i> <i>(lengths under 1.2m subject to cutting charge)</i>				
<b>Wall Cladding</b> 	Hi-Tensile G550	<b>MC35X---</b>	CB 0.35	per m <sup>2</sup>
	Cutting charge	<b>CUTBACKLTH</b>		
	Reverse Roll available on request			per m <sup>2</sup>
<i>(lengths under 1.2m subject to cutting charge)</i>				
<b>Fasteners</b> 	12 x 65 Hex Head type 17 <i>(crest fixing to timber)</i>	<b>S1265H174</b>	Plain	per 1000
		<b>S1265H17---4</b>	Coloured head	per 1000
	5.5 x 50 Hex Auto Tek <i>(crest fixing to steel)</i>	<b>S1250HAT4</b>	Plain	per 1000
		<b>S1250HAT---4</b>	Coloured head	per 1000
	10 x 16 Hex Head SD <i>(valley fixing to steel)</i>	<b>S1016HT4</b>	Plain	per 1000
		<b>S1016HT---4</b>	Coloured head	per 1000
10 x 16 Wafer Head SD <i>(fix to steel)</i>	<b>S1016WTH</b>		per 100	
M6 x 65 Hex Head SDS <i>(for crest fixing to timber)</i>	<b>S0665HZIP4</b>	Plain	per 1000	
	<b>S0665HZIP---4</b>	Coloured head	per 1000	
<b>Accessories</b> 	Filler Strip (under eave)	<b>MCEFSBTM</b>	760mm bottom	each
	Filler Strip (under ridge)	<b>MCEFSTOP</b>	950mm top	each
	Reinforcing Plate & Seal	<b>TSFGMCRPM14H</b>	suit fibreglass	per 100
	Weatherlok Neo Washer	<b>TSFGWW32H</b>	suit fibreglass	per 100
<b>Flashings</b> 	Ridge MCR	<b>RFMC55GA</b>	CTL GA	lin m
		<b>RFMC55ZA</b>	CTL ZA	lin m
		<b>RFMC55X---</b>	CTL CB	lin m
	Barge MCBV	<b>BFMC24055GA</b>	CTL GA	lin m
		<b>BFMC24055ZA</b>	CTL ZA	lin m
		<b>BFMC24055X---</b>	CTL CB	lin m
	Under Flashing MCU	<b>UFMC55GA</b>	CTL GA	lin m
		<b>UFMC55ZA</b>	CTL ZA	lin m
		<b>UFMC55X---</b>	CTL CB	lin m
	Valley	<b>VPF55GA</b>	CTL GA	lin m
		<b>VPF55ZA</b>	CTL ZA	lin m
		<b>VPF55X---</b>	CTL CB	lin m





**ROOFING • CLADDING • ACCESSORIES**

Product Roofing/Cladding/Accessories	Details	Code	Finish/BMT	Unit	
<b>Stramit Longspan®</b> 	Hi-Tensile G550	<b>LS42ZA</b>	ZA 0.42	per m <sup>2</sup>	
		<b>LS48ZA</b>	0.48	per m <sup>2</sup>	
		<b>LS42T---</b>	MATT 0.42	per m <sup>2</sup>	
		<b>LS42X---</b>	CB 0.42	per m <sup>2</sup>	
		<b>LS48X---</b>	0.48	per m <sup>2</sup>	
		<b>LS42ZM8---</b>	ZM8 0.42	per m <sup>2</sup>	
		<b>LS48ZM8---</b>	ZM8 0.48	per m <sup>2</sup>	
		<b>LS42GA</b>	GA Z450 0.42	per m <sup>2</sup>	
		Crimplad Curving	0.42	per m <sup>2</sup>	
	Acoustic Perforated		CB 0.42	per m <sup>2</sup>	
			CB 0.35	per m <sup>2</sup>	
	<b>Stramit Longspan® Gutter Board</b> refer page 39				
	Cutting charge		<b>CUTBACKLTH</b>		
	Reverse Roll available on request				per m <sup>2</sup>
	<b>Stramit Longspan®</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 34 (lengths under 1.0m subject to cutting charge)				
<b>Fasteners</b>					
	12 x 65 Hex Head type 17 (crest fixing to timber)	<b>S1265H174</b>	Plain	per 1000	
		<b>S1265H17---4</b>	Colour	per 1000	
	5.5 x 50 Hex Auto Tek (crest fixing to steel)	<b>S1250HAT4</b>	Plain	per 1000	
		<b>S1250HAT---4</b>	Colour	per 1000	
	10 x 16 Hex Head SD (valley fixing to steel)	<b>S1016HT4</b>	Plain	per 1000	
		<b>S1016HT---4</b>	Colour	per 1000	
	10 x 16 Wafer Head SD (fix to steel)	<b>S1016WTH</b>		per 100	
<b>Accessories</b>					
	Filler Strip (under eave)	<b>LSEFS</b>	900mm bottom	each	
	Filler Strip (under ridge)	<b>LSEFSTOP</b>	900mm top	each	
	Reinforcing Plate & Seal	<b>TSGMCRP14H</b>	suit fibreglass	per 100	
	Weatherlok Neo Washer	<b>TSGWW32H</b>	suit fibreglass	per 100	
<b>Flashings</b>					
	Ridge MCR	Maximum length for folded flashings is 8 metres			
		<b>RFMC55GA</b>	CTL GA	lin m	
		<b>RFMC55ZA</b>	CTL ZA	lin m	
		<b>RFMC55X---</b>	CTL CB	lin m	
	Barge MCBV	<b>BFMC24055GA</b>	CTL GA	lin m	
		<b>BFMC24055ZA</b>	CTL ZA	lin m	
		<b>BFMC24055X---</b>	CTL CB	lin m	
	Under Flashing MCU	<b>UFMC55GA</b>	CTL GA	lin m	
		<b>UFMC55ZA</b>	CTL ZA	lin m	
		<b>UFMC55X---</b>	CTL CB	lin m	
	Valley	<b>VPF55GA</b>	CTL GA	lin m	
		<b>VPF55ZA</b>	CTL ZA	lin m	
		<b>VPF55X---</b>	CTL CB	lin m	
CTL – Cut to length available ex Hobart on normal lead time					

## ROOFING • ACCESSORIES

Product Roofing/Accessories	Details	Code	Finish/BMT	Unit
 <p>41mm 500mm (±2mm) Cover</p>	Hi-Tensile G550	<b>SD48ZA</b>	ZA 0.48	per m <sup>2</sup>
	Project only allow extra lead time	<b>SD48X---</b>	CB 0.48	per m <sup>2</sup>
	Reverse Roll available on request	<b>CUTBACKLTH</b>		each
	<i>Refer to Product Availability table on page 12 for colours</i>			per m <sup>2</sup>
	Fixing Clips no nails	<b>SDFC</b>		each
	Fixing Clips & nails – 60mm	<b>SDFCN</b>		each
	10 x 16 Wafer Tek	<b>S1016WTH</b>	Plain	per 100
	Accessories			
	Rib Stop End (closer)	<b>SDRSEZA</b>		each
	12 x 68 Tek (steel)	<b>S1268HTH</b>		per 1000
	Filler Strip 760mm (bottom)	<b>SDEFSBTM</b>		each
	 <p>Overlap Rib Central Ribs Underlap Rib 43mm Overlap Pan Central Pan Underlap Pan 700mm (4mm) Cover</p>	Hi-Tensile G550	<b>UD42ZA</b>	ZA 0.42
		<b>UD48ZA</b>	ZA 0.48	per m <sup>2</sup>
		<b>UD42GA</b>	GA 0.42	per m <sup>2</sup>
		<b>UD42T---</b>	MATT 0.42	per m <sup>2</sup>
		<b>UD42X---</b>	CB 0.42	per m <sup>2</sup>
		<b>UD48X---</b>	CB 0.48	per m <sup>2</sup>
		<b>UD42ZM8---</b>	ZM8 0.42	per m <sup>2</sup>
		<b>UD48ZM8---</b>	ZM8 0.48	per m <sup>2</sup>
		<b>CUTBACKLTH</b>		each
	Reverse Roll available on request			per m <sup>2</sup>
	<b>Stramit Speed Deck Ultra</b> ® also available in the BlueScope Steel Premium Products range of colours for severe environments, <i>refer pages 34</i>			
	<i>Lengths over 11.6m incur extra delivery charges. Lengths under 1.2m incur a cutting charge.</i>			
	Fixing Clips no fasteners	<b>UDFC</b>	GA	each
	(40 per box)			
	Farlap Lapping Accessory	<b>UDFARLAP</b>		each
	Farlap Lapping Accessory Roll	<b>UDFARLAP70</b>		7m roll
	Farlap TurnUp/TurnDown Tool	<b>UDFARLAPSETD</b>		each
	Fasteners			
	12 x 50 Hex Head Type 17	<b>S1250H174</b>	(for timber)	1000
	12 x 30 Hex Head	<b>S1230HTNN</b>	(for metal)	1000
	<i>Minimum issue 100 per size – increments of 100 applicable</i>			
	Accessories			
	Filler Strip 700 (Bottom)	<b>UDEFBSBTM</b>		each
	Filler Strip 700 (Top)	<b>UDEFSTOP</b>		each
	*Also available in fire retardant material as per standard AS1530.3-1999 - \$POA			
	Stop Ending Tool	<b>UDSETD</b>		each
	(Turn up/turn down) double ended			
 <p>160 40 180 70 10 80 180 40 10 190</p>	Flashings			
	Ridge SDRV		Maximum length for folded flashings is 8 metres	
		<b>RFSD40055GA</b>	CTL GA	lin m
		<b>RFSD40055ZA</b>	CTL ZA	lin m
		<b>RFSD40055X---</b>	CTL CB	lin m
	Barge SDB			
		<b>BFSD55GA</b>	CTL GA	lin m
		<b>BFSD55ZA</b>	CTL ZA	lin m
		<b>BFSD55X---</b>	CTL CB	lin m
	Under Flashing SDU			
		<b>UFSD55GA</b>	CTL GA	lin m
		<b>UFSD55ZA</b>	CTL ZA	lin m
		<b>UFSD55X---</b>	CTL CB	lin m
	Valley			
	<b>VPF55GA</b>	CTL GA	lin m	
	<b>VPF55ZA</b>	CTL ZA	lin m	
	<b>VPF55X---</b>	CTL CB	lin m	

## TRANSLUCENT ROOF SHEETING • ACCESSORIES

Product Roofing/Accessories	Details	Code	Finish	Unit
suit <b>Stramit® Corrugated</b> roofing	Fibreglass	<b>TSFGC12---</b>	1200gsm (4oz)	lin m
		<b>TSFGC18---</b>	1800gsm (6oz)	lin m
		<b>TSFGC24---</b>	2400gsm (8oz)	lin m
<i>Lengths over 11.6m incur extra delivery charges</i>				
	Polycarbonate	<b>TSPCC---LL</b>		lin m
		<i>Available in stock lengths 1.8m, 2.4m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m</i>		
	Weatherlok Neo Washer (32mm)	<b>TSFGWW32H</b>	suit fibreglass	per 100
suit <b>Stramit MonoClad®</b> roofing	Fibreglass	<b>TSFGMC18---</b>	1800gsm (6oz)	lin m
		<b>TSFGMC24---</b>	2400gsm (8oz)	lin m
		<i>CLR, OPA, HGN</i>		
	Polycarbonate	<b>TSPCMC---LL</b>	(0.80mm)	lin m
		<b>TSPCGR---LL</b>	Greca 760mm	lin m
<i>Lengths over 11.6m incur extra delivery charges</i>				
<i>CLR, GRY, OPL, LBZ and DKT</i>				
<i>Available in stock lengths 1.8m, 2.1m, 2.4m, 2.7m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m</i>				
	Weatherlok Neo Washer (32mm)	<b>TSFGWW32H</b>	suit fibreglass	per 100
suit <b>Stramit Longspan®</b> roofing	Fibreglass	<b>TSFGLS24---</b>	2400gsm (8oz)	lin m
		<i>Lengths over 11.6m incur extra delivery charges</i>		
	<i>CLR, OPA, HGN</i>			
		Weatherlok Neo Washer (32mm)	<b>TSFGWW32H</b>	suit fibreglass
suit <b>Stramit Speed Deck® 500</b> deck	Fibreglass	<b>TSFGSD24---</b>	2400gsm (8oz)	lin m
		<i>Lengths over 11.6m incur extra delivery charges</i>		
	<i>CLR, OPA, HGN</i>			
		Weatherlok Neo Washer (32mm)	<b>TSFGWW32H</b>	suit fibreglass
suit <b>Stramit Speed Deck Ultra®</b> deck	Fibreglass	<b>TSFGUD24---</b>	2400gsm (8oz)	lin m
		<i>CLR, OPA</i>		
	<i>Lengths over 11.6m incur extra delivery charges</i>			
	<i>CLR, OPA, HGN</i>			
	Weatherlok Neo Washer (32mm)	<b>TSFGWW32H</b>	suit fibreglass	per 100

## GLADDING • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish/BMT	Unit
<b>Stramit Mini Corry®</b>  6 rib height      825 cover		<b>MK42ZA</b>	ZA 0.42	per m <sup>2</sup>
		<b>MK42T---</b>	MATT 0.42	per m <sup>2</sup>
		<b>MK42ZM8---</b>	ZM8 0.42	per m <sup>2</sup>
		<b>MK42X---</b>	CB 0.42	per m <sup>2</sup>
		Special Packaging Charge <b>PACKAGING</b>		each

**Stramit Mini Corry®** also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 34  
 Maximum length 9.0m, minimum length 0.4m, minimum order quantity 100m<sup>2</sup> one colour  
 Prices are subject to minimum quantity and packaging charges  
 This product is manufactured in QLD – allow additional lead times

### Fasteners



10 x 25 Hex Head type 17  
(fix to timber)

**S1025H174** plain per 500  
**S1025H17---4** coloured head per 500



10 x 16 Hex Head SD  
(fix to steel)


**S1016HT4** plain per 1000  
**S1016HT---4** coloured head per 1000



10 x 16 Wafer Head SD  
(fix to steel)

**S1016WT4** per 1000

## GLADDING • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish/BMT	Unit
<b>Stramit K-Panel®</b>  12mm 864mm (±4mm) Cover	Hi Tensile Steel G550	<b>KP35ZA</b>	ZA 0.35	per m <sup>2</sup>
	Acoustic Perforated	<b>KP35X---</b>	CB 0.35	per m <sup>2</sup>
	Lengths under 1.2m subject to cutback charge	<b>KP35X---P11</b>	CB 0.35	per m <sup>2</sup>
	<b>CUTBACKLTH</b>			
	Recommended maximum lengths 6.0m Packing charges apply – refer local office			

**Fasteners**

	10 x 25 Hex Head type 17 (fix to timber)	<b>S1025H174</b>	plain	per 500
		<b>S1025H17---4</b>	colour head	per 500
	10 x 16 Hex Head SD (fix to steel)	<b>S1016HT4</b>	plain	per 1000
		<b>S1016HT---4</b>	colour head	per 1000

## CLADDING • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish/BMT	Unit
<b>Stramit Monopanel®</b> 	Hi-Tensile G550	<b>MP48ZA</b>	ZA 0.48	per m <sup>2</sup>
		<b>MP48X---</b> <b>CUTBACKLTH</b>	CB 0.48	per m <sup>2</sup> each
<b>Stramit Monopanel®</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, <i>refer page 34</i> <b>NOTE: Recommended maximum 6.0m, beyond 6.0m at customer responsibility. Minimum length 600mm</b>				
<b>Fasteners</b> 	P3 Starter Clips (use with <b>Stramit Monopanel®</b> cladding)	<b>MPSC</b>		each
<b>Stramit Monopanel® Flashings</b> 	Foot Mould P1	<b>FM155ZA</b> <b>FM155X---</b>	ZA CB*	lin m lin m
	Foot Mould P2	<b>FM255ZA</b> <b>FM255X---</b>	ZA CB*	lin m lin m
	Outside Corner Trim P4	<b>OCT55ZA</b> <b>OCT55X---</b>	ZA CB*	lin m lin m
	Inside Corner Trim P5	<b>ICT55ZA</b> <b>ICT55X---</b>	ZA CB*	lin m lin m
	Fixing Purlin P8	<b>CBTC61</b>	ZA	6.1 lm
	*Non stock items – manufactured to order			
<b>Stramit Minirib®</b> 	Rectangular profile	<b>MR42ZA</b> <b>MR42X---</b> <b>MR42T---</b>	ZA CB MATT	0.42 0.42 0.42 per m <sup>2</sup> per m <sup>2</sup> per m <sup>2</sup>
Packaging charge <i>This product is manufactured in NSW – allow additional lead times.</i> <i>Prices are subject to minimum quantity and packaging charges. Additional charges will apply.</i>		<b>PACKAGING</b>		each
<b>Fasteners</b> 	10 x 25 Hex Head type 17 <i>(fix to timber)</i> 10 x 16 Hex Head SD <i>(fix to steel)</i> 10 x 16 Wafer Teks <i>(fix to steel)</i>	<b>S1025H174</b> <b>S10225H17---4</b> <b>S1016HT4</b> <b>S1016HT---4</b> <b>S1016WT4</b>	plain colour head plain colour head	per 500 per 500 per 1000 per 1000 per 1000
<i>Also available in packs of 100 - Please contact your account manager for prices.</i>				

**MAGNAFLOW® • ROOFING • CLADDING • RAINWATER**

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)
Stramit® Corrugated	0.42
Stramit Monoclad®	0.42
Stramit Longspan®	0.42
Stramit Speed Deck Ultra®	0.42
Stramit® Roll Top Ridge	0.42 / 0.55
Stramit® Valley Folded	0.55
Stramit® Flashings & Others	0.55
Stramit® Downpipes 95 x 45	0.55
Stramit® Downpipes 100 x 50	0.55
Stramit® Downpipes 100 x 75	0.55
Stramit® Downpipes 100 x 100	0.55

Please refer to Sales office for lead times and availability.  
 Residential gutters are also available, please contact your local office for details.  
 0.48 Roofing available on selected colours.

**COLOUR AVAILABILITY**

- Off White                  Armour Grey
- Birch                        Monolith
- Slate Grey

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

**SUBSTRATE**

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.

**RECOMMENDED END USES**

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.



**MAGNAFLOW® WARRANTIES**

A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.

**THE MAGIC OF MAGNESIUM**

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area. As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products



**PREMIUM PRODUCTS • ROOFING • CLADDING • ACCESSORIES**

Product	Details	BMT mm	Finish	Code	Unit
---------	---------	-----------	--------	------	------

Roofing/Cladding/Accessories

Most Premium Products manufactured at Knox, allow extra 2 days lead time for country areas, more for interstate – ask for details.  
Available in the Blue Scope Steel Premium range of colours for severe environments, refer page 34  
Lengths under 1.2m incur a cutback charge.

**CUTBACKLTH**

Reverse roll roofing/cladding available on request – extra \$1 per m<sup>2</sup>.  
See standard product pages for other accessories, flashing profiles, fibreglass.

<b>Stramit® Corrugated</b> 	0.48	CB Ultra	<b>C48U---</b>	per m <sup>2</sup>
	0.48	CB Metallic	<b>C48M---</b>	per m <sup>2</sup>
	0.42	CB Coolmax	<b>C42K---</b>	per m <sup>2</sup>
	0.48	CB Coolmax	<b>C48K---</b>	per m <sup>2</sup>

<b>Stramit Monoclad®</b> 	0.48	CB Ultra	<b>MC48U---</b>	per m <sup>2</sup>
	0.48	CB Metallic	<b>MC48M---</b>	per m <sup>2</sup>
	0.42	CB Coolmax	<b>MC42K---</b>	per m <sup>2</sup>
	0.48	CB Coolmax	<b>MC48K---</b>	per m <sup>2</sup>

<b>Stramit Longspan®</b> 	0.48	CB Ultra	<b>LS48U---</b>	per m <sup>2</sup>
	0.48	CB Metallic	<b>LS48M---</b>	per m <sup>2</sup>
	0.42	CB Coolmax	<b>LS42K---</b>	per m <sup>2</sup>
	0.48	CB Coolmax	<b>LS48K---</b>	per m <sup>2</sup>

Screws to suit above	Class 4 - crest fixing to timber – corrugated	<b>S1250H17---4</b>	per 1000
	Class 4 - crest fixing to steel – corrugated	<b>S0539HAT---4</b>	per 1000
	Class 4 - crest fixing to timber – others above	<b>S1265H17---4</b>	per 1000
	Class 4 - crest fixing to steel – others above	<b>S0550HAT---4</b>	per 1000


<b>Stramit Speed Deck Ultra®</b> 	0.48	CB Ultra	<b>UD48U---</b>	per m <sup>2</sup>
	0.48	CB Metallic	<b>UD48M---</b>	per m <sup>2</sup>
	0.42	CB Coolmax	<b>UD42K---</b>	per m <sup>2</sup>
	0.48	CB Coolmax	<b>UD48K---</b>	per m <sup>2</sup>

<b>Stramit Mini Corry®</b> Manufactured in QLD – allow extra lead time 	0.48	CB Metallic	<b>MK48M---</b>	per m <sup>2</sup>
---	------	-------------	-----------------	--------------------

<b>Stramit Monopanel®</b> 	Hi-Tensile G550	0.48	CB Ultra	<b>MP48M---</b>	per m <sup>2</sup>
			CB Metallic	<b>CUTBACKLTH</b>	each

*Recommended maximum length 6.0m, beyond 6.0m at customer responsibility as handling damage is likely  
Minimum length 500mm*

## STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM




**Stramit Uniguard™ Fire resisting wall system** is a superior fire rated wall cladding product that combines the single layer of specialist fireboard **Promina®60** with your choice from **Stramit Monoclad®**, **Stramit Corrugated®** and **Stramit Longspan®** wall cladding products.


The **Stramit Uniguard™ Fire resisting wall system** is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).

Note: System must be designed and installed strictly in accordance with **Stramit Uniguard™ Fire Resisting Wall System Technical Manual**.

Using only the products specified and certified for the application as detailed in the technical manual and/or accreditation report.

Promina® 60 board can not be purchased independently of other Stramit Uniguard™ wall system components.



Product	Size mm	Code	Finish	BMT mm	Unit
<b>Promina®60</b>					
	15 x 2400 x 1200	<b>PB601224</b>			each
	Promaseal Acrylic Sealant 300ml Cartridge - White 300ml Cartridge - Grey	<b>PBSEAL300</b>			each each

<b>Stramit® Fixing Battens</b>	<b>Stock length 6100</b>				
	20 x 30 x 10 x 6.1m	<b>CBGA61</b>		0.42	each


Note: Zinc-aluminium alloy Battens cannot be in contact with this system.

Fasteners				
	10 x 45 Wing Tek (For fixing Promina®60 to girts)	<b>S1045WNGT</b>		per 500
	12 x 55 Hex Head (For pan fixing cladding to purlin/girts)	<b>S1255HTH</b>	Plain	per 100





## GENERAL ACCESSORIES

Product	General Accessories	Details	Finish	Code	Unit
Fasteners		Pop Rivets 3.2 x 7.5mm (4-3)	Aluminium	<b>PR3275AL</b>	per 100
		Pop Rivets 3.2 x 7.5mm (4-3)	Coloured	<b>PR3275---</b>	per 100
		Pop Rivets 3.2 x 7.5mm (4-3)	Aluminium	<b>PR3275ALBX</b>	per 1000
		Pop Rivets 3.2 x 7.5mm (4-3)	Coloured	<b>PR3275---BX</b>	per 1000
Sealants		Silicone Clear		<b>SILCLR</b>	300g tube
		Silicone Grey		<b>SILGRY</b>	300g tube
Touch-up Paint		CB match-up (Lacquer)		<b>PTU---</b>	100ml
		<i>(Spray paint packs are not recommended)</i>			
Roof Vent		Roof Ventilator 300mm	Mill Finish* CBN*	<b>RV300MF</b> <b>RV300---</b>	each each
Box Gutter Brackets (Adjustable)		250mm - 400mm (size 1)	24 per box	<b>BGBA1EAZA</b>	each
		400mm - 650mm (size 2)	24 per box	<b>BGBA2EAZA</b>	each
		650mm - 1000mm (size 3)	16 per box	<b>BGBA3EAZA</b>	each

## P.A. DOOR

Product	Size mm	Code	Finish	Unit
Deluxe P.A. Door	2040 x 820 x 40 with jamb & lock	<b>PADJ2040820ZA</b> <b>PADJ2040820X---</b>	ZA CB	each each
	<p>Pre Hung in 4 sided Powercoated Frame 180° Outward Opening Lever Handle to inside</p> <p><b>Made To Order - Allow Extra Lead Time.</b></p>			



## INSULATION & ROOFING MESH

Product	Details	Code	Cover	Unit	
<b>Insulation/Roofing Mesh</b>					
Aluminium Foil Sisalation <i>1.35m x 60m Rolls</i>	439/203 Light Grade Anti-glare	<b>FLLWAG600</b>	72m <sup>2</sup>	per roll	
	433/233 Medium Grade Anti-glare	<b>FLMWAG600</b>	72m <sup>2</sup>	per roll	
 <i>1.35m x 20m Rolls</i>	456 Sisalation	<b>FLEHDST600</b>	72m <sup>2</sup>	per roll	
	Foil Fasteners (GA, in strips)	<b>FLTACKB</b> (500 per pack)		per 500	
 	Support Mesh	<b>WMSUP500</b>	90m <sup>2</sup>	per roll	
	<hr/>				
Fibreglass Building Blanket <i>Plain</i>	50mm x 20m *(R1.3)	<b>BB55PLN200</b>	24m <sup>2</sup>	per roll	
	75mm x 15m *(R1.8)	<b>BB75PLN150</b>	18m <sup>2</sup>	per roll	
	100mm x 7.5m *(R2.5)		9m <sup>2</sup>	per roll	
	<hr/>				
	Fibreglass Building Blanket <i>Light Weight Foil Adhered</i>	50mm x 20m *(R1.3)	<b>BB55LW200</b>	24m <sup>2</sup>	per roll
	75mm x 15m *(R1.8)	<b>BB75LW150</b>	18m <sup>2</sup>	per roll	
	<hr/>				
Roofing Wire/Mesh	1.8m x 50m Ausmesh (300mm x 150mm x 2.0mm thick)	<b>WMAUS500</b>	90m <sup>2</sup>	per roll	
	<hr/>				
	Fibreglass Insulation Batts <i>Walls &amp; Ceilings</i> (1160mm x 430mm)	Walls 75mm x 16 Batts *(R1.5)	<b>BBW430R15</b>	9.26m <sup>2</sup>	per pack
	Ceilings 16 Batts (R2.5)	<b>BBC430R25</b>	9.26m <sup>2</sup>	per pack	
	16 Batts (R3.0)	<b>BBC430R30</b>	9.26m <sup>2</sup>	per pack	
	16 Batts (R3.5)	<b>BBC430R35</b>	9.26m <sup>2</sup>	per pack	
	16 Batts (R4.0)	<b>BBC430R40</b>	9.26m <sup>2</sup>	per pack	








**R Value** To achieve an R-Value, Sisalation **must** have a min. 20mm still air gap. \*R-Values are approximate indicators only and are based on winter values. Actual value ratings will vary with application style, for both wall and roofing purposes.

For more information on Victorian Mandatory Installation Codes, or for installation advice, please contact Stramit Building Products or Fletchers Insulation, and refer to Fletchers Insulation booklet *Mandatory Insulation Made Easy*.




## FASCIA • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish/BMT	Unit	
<b>Stramit® Fascia</b> 	Hi Tensile G550	<b>FBZA</b>	ZA	lin m	
	Cut to length*	<b>FBX---</b>	CB	lin m	
	(up to 8 metres)	<b>FBT---</b>	MATT	lin m	
		<b>FBZM8---</b>	ZM8	lin m	
<p><b>Stramit® Fascia</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 34  <i>*Recommended maximum length 8.0m, minimum length 0.8m</i></p>					
<b>Accessories</b> 	Rafter Bracket (100/box)	<b>FBRBZA</b>	GA	each	
	Fascia Splice Plate	<b>FBSPZA</b>	ZA	each	
	External Corner	<b>FBECZA</b>	ZA	each	
		<b>FBECX---</b>	CB	each	
		<b>FBECT---</b>	MATT	each	
		<b>FBECZM8---</b>	ZM8	each	
	Internal Corner (Piece)	<b>FBICZA</b>	ZA	each	
		<b>FBICX---</b>	CB	each	
		<b>FBICT---</b>	MATT	each	
		<b>FBICZM8---</b>	ZM8	each	
	Snap Clip	<b>FBSCZA</b>		each	
	(suit <b>Stramit O-Gee™</b> , <b>Stramit® Quad</b> , <b>Stramit® Easiflow Gutters</b> )				
	Stramit O-Gee™, Stramit® Quad	<b>QV115SBZA</b>	ZA	each	
	Barge Corner (Left)	<b>FBBCLZA</b>	ZA	each	
		<b>FBBCLX---</b>	CB	each	
		<b>FBBCLT---</b>	MATT	each	
		<b>FBBCLZM8---</b>	ZM8	each	
Barge Corner (Right)	<b>FBBCRZA</b>	ZA	each		
	<b>FBBCRX---</b>	CB	each		
	<b>FBBCRT---</b>	MATT	each		
	<b>FBBCRZM8---</b>	ZM8	each		
Barge Bracket	<b>FBBBGA</b>	GA	each		
Std 100mm face Barge Gutter (CTL*) (up to 6 metres)	<b>FBBGZA</b>	ZA	lin m		
	<b>FBBGX---</b>	CB	lin m		
	Non standard sizes available		lin m		
Apex Cover Plate	<b>FBAJZA</b>	ZA	each		
	<b>FBAJT---</b>	MATT	each		
	<b>FBAJZA</b>	ZA	each		
	<b>FBAJZM8---</b>	ZM8	each		
<b>Fasteners</b>  	6 x 25 Bugle Head Nails (for fixing brackets to timber)	<b>S0625BUGNP</b>	Plain	per 1000	
	10 x 16 Wafer Head SD	<b>S1016WTH</b>	Plain	per 100	
(for fixing brackets to steel)					



## GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish/BMT	Unit
<b>Stramit® Quad 115</b> 	Stock Length 6.0m	<b>QV115P48ZA6000</b>	ZA	each
		<b>QV115PX---6000</b>	CB	each
	Cut to length (48 hour lead time)	<b>QV115P48ZA</b>	ZA	lin m
	Minimum length 0.8m	<b>QV115PX---</b>	CB	lin m
		<b>QV115PT---</b>	MATT	lin m
		<b>QV115PZM8---</b>	ZM8	lin m
<b>Stramit® Quad 115</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 36				
<b>ECSA = 5200mm<sup>2</sup></b>				
<b>Accessories</b>				
	Concealed Bracket	<b>QV115CBZA</b>	ZA	each
		External Bracket	<b>QV115EBZA</b>	ZA
		<b>QV115EBX---</b>	Colour	each
		<b>QV115EBT---</b>	Matt	each
	Stiffener Bracket (for metal fascia)	<b>QV115SBZA</b>	ZA	each
	Snap Clip (for metal fascia)	<b>FBSCZA</b>	Coated	each
	Corner Angles (Cast) (External)	<b>QV115CAEMF</b>	Plain	each
		<b>QV115CAEX---</b>	Colour	each
		<b>QV115CAET---</b>	Matt	each
	Corner Angles (Cast) (Internal)	<b>QV115CAIMF</b>	Plain	each
		<b>QV115CAIX---</b>	Colour	each
		<b>QV115CAIT---</b>	Matt	each
	Stop End Plates (Left Hand)	<b>QV115SELGA</b>	GA	each
		<b>QV115SELZA</b>	ZA	each
		<b>QV115SELX---</b>	CB	each
		<b>QV115SELT---</b>	MATT	each
		<b>QV115SELZM8---</b>	ZM8	each
	Stop End Plates (Right Hand)	<b>QV115SERGA</b>	GA	each
		<b>QV115SERZA</b>	ZA	each
		<b>QV115SERX---</b>	CB	each
		<b>QV115SERT---</b>	MATT	each
		<b>QV115SERZM8---</b>	ZM8	each
	Manuf. Angles (External)	<b>QV115ECGA</b>	GA	each
		<b>QV115ECZA</b>	ZA	each
		<b>QV115ECX---</b>	CB	each
	Manuf. Angles (Internal)	<b>QV115ICGA</b>	GA	each
		<b>QV115ICZA</b>	ZA	each
		<b>QV115ICX---</b>	CB	each
	Bat Clip	<b>BATOC</b>		each



## FASCIA GUTTER AND CAPPING • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish/BMT	Unit
<b>Stramit® Fascia Gutter</b> 	Hi Tensile G550 Stock Length 6.0m (Plain)	<b>FGSPZA60</b> <b>FGSPX---60</b>	ZA CB	each each
	Cut to length <i>Minimum length 0.8m</i>	<b>FGSPGA</b> <b>FGSPZA</b> <b>FGSPX---</b> <b>FGSPT---</b> <b>FGSPZM8---</b>	GA ZA CB MATT ZM8	lin m lin m lin m lin m lin m
	Slotted available			
	<b>Stramit® Fascia Gutter</b> also available in the BlueScope Steel Premium Products range of colours for severe environments, <i>refer page 34</i>			
<b>Accessories</b> 	Concealed Bracket	<b>FGSCBZA</b>	ZA	each
	Gutter Clips <i>(use with stiffeners to secure back of gutter)</i>	<b>FGSSBZA</b>	Plain	each
	Stop End Plates <i>(Universal L or R handed)</i>	<b>FGSEZA</b> <b>FGSEX---</b>	ZA/GA CB	each each
<b>Stramit® Capping</b> 	(suit <b>Stramit® Fascia Gutter</b> ) Cut to Length <i>Minimum length 0.8m</i>	<b>FGBCZA</b> <b>FGBCX---</b>	ZA CB	lin m lin m

## EASIFLOW GUTTER • ACCESSORIES

<b>Stramit® Easiflow</b> 	High Tensile G550 Stock Length 6.0m	<b>EGPZA60</b> <b>EGPX---60</b>	ZA CB	each each
	Cut to length <i>Minimum length 0.8m</i>	<b>EGPZA</b> <b>EGPX---</b>	ZA CB	lin m lin m
	Slotted available			lin m
<b>ECSA = 7900mm<sup>2</sup></b>				
<b>Accessories</b> 	Concealed Bracket	<b>EGCBZA</b>	ZA	each
	Stop End Plates <i>(Universal L or R handed)</i>	<b>EGSEZA</b> <b>EGSEX---</b>	ZA CB	each each
	Stiffener Bracket <i>(for metal fascia)</i>	<b>EGSB</b>	ZA	each
	Snap Clip <i>(for metal fascia)</i>	<b>FBSCZA</b>	Coated	each




## GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish/BMT	Unit
<b>Stramit O-Gee™</b> 	6.0m Stock lengths	<b>OGZA60</b>	ZA 0.55	each
		<b>OGX---60</b>	CB 0.55	each
	Cut to length	<b>OGZA</b>	ZA 0.55	lin m
	<i>Minimum length 0.8m</i>	<b>OGGA</b>	GA 0.55	lin m
		<b>OGX---</b>	CB 0.55	lin m
<b>ECSA = 4700mm<sup>2</sup></b>				
<b>Accessories</b>				
	Concealed Bracket	<b>QV115CBZA</b>	ZA	each
	<i>(Stiffener Bracket &amp; Snap Clip available for <b>Stramit® Fascia</b>)</i>			
	External Bracket	<b>OGEBZA</b>	ZA	each
		<b>OGEBX---</b>	Colour	each
	Stiffener Brackets QV115 <i>(for <b>Stramit® Fascia</b>)</i>	<b>QV115SBZA</b>	ZA	each
	Snap Clips <i>(for <b>Stramit® Fascia</b>)</i>	<b>FBSCZA</b>	Coated	each
	Cast Cnr Angles <i>(External)</i>	<b>OGCAEZA</b>	Plain	each
		<b>OGCAEX---</b>	Colour	each
	Cast Cnr Angles <i>(Internal)</i>	<b>OGCAIZA</b>	Plain	each
		<b>OGCAIX---</b>	Colour	each
	Cast Cnr Angles 45° <i>(External)</i>	<b>OGCAE45ZA</b>	Plain	each
		<b>OGCAE45---</b>	Colour	each
	Cast Cnr Angles 45° <i>(Internal)</i>	<b>OGCAI45ZA</b>	Plain	each
		<b>OGCAI45---</b>	Colour	each
Limited colour range on 45° angles				
	Stop End Plates	<b>OGSELGA</b>	GA	each
		<b>OGSELZA</b>	ZA	each
	<i>(Left Hand)</i>	<b>OGSELX---</b>	CB	each
	Stop End Plates	<b>OGSERGA</b>	GA	each
		<b>OGSERZA</b>	ZA	each
	<i>(Right Hand)</i>	<b>OGSERX---</b>	CB	each

## GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish	Unit	
<b>Flatback Roundline</b> 	6.0m	<b>FBG133ZA60</b>	ZA*	each	
	<i>Available to order only</i>	<b>FBG133X---60</b>	CB*	each	
		<b>FBG133ZA</b>	ZA*	lin metre	
		<b>FBG133X---</b>	CB*	lin metre	
<b>ECSA = 7800mm<sup>2</sup></b>					
<b>Accessories</b>      	<b>Concealed Bracket</b> <i>(to suit Flatback Roundline)</i> <b>Stiffener Bracket</b>	<b>FBG133CBZA</b> <i>In multiples of 10 only, for fixing to Timber only</i> <b>FBG133SBZA</b> <i>In multiples of 10 only, for fixing to Steel only</i>	GA* ZA	each each	
	<b>Cast Angles (Ext)</b> <i>To suit Flatback Roundline</i> <b>Manuf. Angles (Int)</b> <i>To suit Flatback Roundline</i>	<b>FBG133CAEMF</b> <b>FBG133CAEX---</b> <b>FBG133CAIMF</b> <b>FBG133CAIX---</b>	ZA* CB* ZA* CB*	each each each each	
	<b>Stop End Plates (LH)</b> <i>To suit Flatback Roundline</i> <b>Stop End Plates (RH)</b> <i>To suit Flatback Roundline</i>	<b>FBG133SELZA</b> <b>FBG133SELX---</b> <b>FBG133SERZA</b> <b>FBG133SERX---</b>	ZA/GA* CB* ZA/GA* CB*	each each each each	
	<b>150mm Half Round</b>				
		6.0m	<b>HRG150ZA60</b>	ZA*	each
			<b>HRG150X---60</b>	CB*	each
		Limited colour range available ex stock	<b>HRG150ZA</b>	ZA*	lin metre
			<b>HRG150X---</b>	CB*	lin metre
	<b>ECSA = 7700mm<sup>2</sup></b>				
	<b>Accessories</b>     	<b>External Bracket</b> <i>(to suit Standard only)</i>	<b>HRG150EBGA</b> <i>In multiples of 10 only</i> <b>HRG150EBX***</b> <i>In multiples of 10 only</i>	GA* CB*	each each
		<b>Cast Angles (Ext)</b> <i>To suit 150mm Half Round</i> <b>Manuf. Angles (Int)</b> <i>To suit 150mm Half Round</i>	<b>HRG150CAEMF</b> <b>HRG150CAEX---</b> <b>HRG150CAIMF</b> <b>HRG150CAIX---</b>	ZA* CB* ZA* CB*	each each each each
		<b>Stop End Plates (LH)</b> <i>To suit 150mm Half Round</i> <b>Stop End Plates (RH)</b> <i>To suit 150mm Half Round</i>	<b>HRG150SELZA</b> <b>HRG150SELX---</b> <b>HRG150SERZA</b> <b>HRG150SERX---</b>	ZA/GA* CB* ZA/GA* CB*	each each each each
<i>*All product ex-interstate supply. Please allow 5-10 working days for delivery.</i>					

**PREMIUM PRODUCTS • FASCIA • GUTTER • ACCESSORIES**

Product	Details	BMT mm	Finish	Code	Unit
Fascia/Gutter/Accessories					
<b>Stramit® Quad 115</b>		0.42	CB Ultra	<b>QV115PU---</b>	lin metre
	 Internal Brackets		Standard ZA	<b>QV115CBZA---</b>	each
<b>Stramit® Fascia Board</b>		0.42	CB Ultra	<b>FBU---</b>	lin metre
					
<b>Stramit® Fascia Gutter</b>		0.42	CB Ultra	<b>FGSPU---</b>	lin metre
	 Internal Brackets		Standard ZA	<b>FGSCBZA</b>	each
<b>Stramit® Roll Top Ridge</b>		0.42	CB Ultra	<b>RTR42U---</b>	lin metre

**COLOUR AVAILABILITY**




ULTRA		METALLIC		COOLMAX		MATT		MAGNAFLOW	
DUN	DUNE®	ARI	ARIES®	WHN	WHITEHAVEN	BAS	BASALT	AGY	ARMOUR GREY
MON	MONUMENT®	AST	ASTRO®			DUN	DUNE	BCH	BIRCH
SUR	SURFMIST®	CEL	CELESTIAN®			MON	MONUMENT	MLH	MONOLEITH
WLB®	WALLABY®	COS	COSMIC®			SHG	SHALE GREY	OWH	OFF WHITE
WSP	WINDSPRAY®	GLT	GALACTIC®			SUR	SURFMIST	SLG	SLATE GREY
WDG	WOODLAND GREY®	RHE	RHEA®						

Most products also available in plain aluminium and plain copper – ask for details.


## RECTANGULAR DOWNPIPE & ACCESSORIES • GA/ZA

Product	Size	Code
Downpipe/Accessories	<b>Standard 0.40 BMT</b>	
<b>Stramit® Downpipe</b> Rectangular (Plain Faced) 	100 x 50 x 1800	<b>DP10050GA/ZA18</b>
	100 x 75 x 1800	<b>DP10075ZA18</b>
	100 x 50 x 2400	<b>DP10050GA/ZA24</b>
	100 x 75 x 2400	<b>DP10075GA/ZA24</b>


**Stramit® Downpipe** also available in the BlueScope Steel Premium Products range of colours for severe environments, *refer page 34*

Accessories 	<b>Stramit® Astragals (Straps)</b>	
	100 x 50	<b>AST10050GA/ZA</b>
	100 x 75	<b>AST10075GA/ZA</b>
	<b>Stramit® Nozzles (Pops)</b>	
	100 x 50	<b>NOZ10050GA/ZA</b>
	100 x 75	<b>NOZ10075ZA</b>
	<b>Shoes (45°)</b>	
	100 x 50	<b>SHOE10050GA</b>
	100 x 75	<b>SHOE10075GA</b>
	<b>Leaf Guards</b>	
	100 x 50	<b>LG10050GA</b>

## RECTANGULAR DOWNPIPE & ACCESSORIES • COLOUR

<b>Stramit® Downpipe</b> Rectangular (Plain Faced) 	100 x 50 x 1800	<b>DP10050X---18</b>
		<b>DP10050T---18</b>
	100 x 75 x 1800	<b>DP10075X---18</b>
		<b>DP10075T---18</b>
	100 x 50 x 2400	<b>DP10050X---24</b>
		<b>DP10050T---24</b>
	100 x 75 x 2400	<b>DP10075X---24</b>
		<b>DP10075T---24</b>

**Stramit® Downpipe** also available in the BlueScope Steel Premium Products range of colours for severe environments, *refer page 34*

Accessories 	<b>Stramit® Astragals (Straps)</b>	
	100 x 50	<b>AST10050X---</b>
		<b>AST10050T---</b>
	100 x 75	<b>AST10075X---</b>
		<b>AST10075T---</b>
	<b>Offsets (450mm - 600mm)</b>	
	<b>Standard 0.40 BMT</b>	
	100 x 50	<b>OS10050X---</b>
	100 x 75	<b>OS10075X---</b>


## ROUND DOWNPIPE & ACCESSORIES • GA/ZA

Product	Size	Code
Downpipe/Accessories	<b>Standard 0.40 BMT</b>	
Downpipe Round (Tapered Ends) 	50 x 1800	<b>DP50GA/ZA18</b>
	65 x 1800	<b>DP65GA/ZA18</b>
	75 x 1800	<b>DP75GA/ZA18</b>
	100 x 1800	<b>DP100GA/ZA18</b>
	65 x 2400	<b>DP65GA/ZA24</b>
	75 x 2400	<b>DP75GA/ZA24</b>
	100 x 2400	<b>DP100GA/ZA24</b>

*\*Item not normally stocked, available to order*

Accessories	Stramit® Astragals (Straps)	
	50mm	<b>AST50GA/ZA</b>
	65mm	<b>AST65ZA</b>
	75mm	<b>AST75GA/ZA</b>
	100mm	<b>AST100GA/ZA</b>

	Stramit® Nozzles (Pops)	
	50mm	<b>NOZ50GA/ZA</b>
	65mm	<b>NOZ65GA/ZA</b>
	75mm	<b>NOZ75GA/ZA</b>
	90mm	<b>NOZ90GA/ZA</b>
	100mm	<b>NOZ100GA/ZA</b>


	Offsets (450mm - 600mm)	
	65mm	<b>OS65GA/ZA</b>
	75mm	<b>OS75GA/ZA</b>
	100mm	<b>OS100GA/ZA</b>

Leaf Guard	
75mm	<b>LG75GA</b>

## ROUND DOWNPIPE & ACCESSORIES • COLOUR

Product	Size	Code
Downpipe Round (Tapered Ends) 	50 x 1800	<b>DP50X---18</b>
	65 x 1800	<b>DP65X---18</b>
	75 x 1800	<b>DP75X---18</b>
	100 x 1800	<b>DP100X---18</b>
	65 x 2400	<b>DP65X---24</b>
	75 x 2400	<b>DP75X---24</b>
	100 x 2400	<b>DP100X---24</b>

Accessories	Stramit® Astragals (Straps)	
	50mm	<b>AST50X---</b>
	65mm	<b>AST65X---</b>
	75mm	<b>AST75X---</b>
	100mm	<b>AST100X---</b>

	Offsets (450mm - 600mm)	
	65mm	<b>OS65X---</b>

## CUSTOM FLASHINGS - ORDERING PROCEDURE

### ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If CB, nominate the side on which colour is required
3. Nominate the dimensions by the letters shown on diagrams
4. Nominate the angles on all bends
5. Nominate the quantity and length of profile

### EXAMPLE

1. Type 4, Pale Eucalypt
2. Colour on side C
3. A - 15mm, B - 100mm, C - 150mm, D - 150mm
4. CB = 90°, CD = 90°, AB = 45°
5. 1 off, 4.800m

<p><b>Type 1</b></p> <p>Ridge Capping</p>	<p><b>Type 2</b></p> <p>Box Gutter</p>	<p><b>Type 3</b></p> <p>Box Gutter</p>	<p><b>Type 4</b></p> <p>Parapet Capping</p>	<p><b>Type 5</b></p> <p>Decorative Barge Cap</p>	<p><b>Type 6</b></p> <p>Underflashing</p>
<p><b>Type 7</b></p> <p>Corner Flashing or Cap</p>	<p><b>Type 8</b></p> <p>Lear Box Gutter</p>	<p><b>Type 9</b></p> <p>Cap Flashing</p>	<p><b>Type 10</b></p> <p>Valley Gutter</p>	<p><b>Type 11</b></p> <p>Overflashing</p>	<p><b>Type 12</b></p> <p>Decorative Barge Cap</p>
<p><b>Type 13</b></p> <p>Barge Capping</p>	<p><b>Type 14</b></p> <p>Combined Barge Cap &amp; Soaker for tiles</p>	<p><b>Type 15</b></p> <p>Under &amp; Overflashing</p>	<p><b>Type 16</b></p> <p>Sheet or Fence Cap</p>	<p><b>Type 17</b></p> <p>Soaker Flashing</p>	<p><b>Type 18</b></p> <p>Under &amp; Overflashing</p>
<p><b>Type 19</b></p> <p>Tapered Underflashing</p>	<p><b>Type 20</b></p> <p>Tapered Parapet Cap</p>	<p><b>Type 21</b></p> <p>Combined Foot &amp; Overflashing</p>	<p><b>Type 22</b></p> <p>Concealed Gutter</p>	<p><b>Type 23</b></p> <p>Combined Foot &amp; Capping</p>	<p><b>Type 24</b></p> <p>Combined Foot &amp; Barge Capping</p>
<p><b>Type 25</b></p> <p>Clad Corner Flashing</p>	<p><b>Type 26</b></p> <p>Clad Foot Flashing</p>	<p><b>Type 27</b></p> <p>Tapered Box Gutter</p>	<p><b>Type 28</b></p> <p>Combined Barge &amp; Overflashing</p>	<p><b>Type 29</b></p> <p>Fascia Gutter</p>	<p><b>Type 30</b></p> <p>Tile to Deck Cover Flashing</p>
<p><b>Type 31</b></p> <p>Peninsula Barge Cap</p>	<p><b>Type 32</b></p> <p>Clad or Panel Join</p>	<p><b>Type 33</b></p> <p>Clad or Panel Ext. Corner</p>	<p><b>Type 34</b></p> <p>Clad or Panel Int. Corner</p>	<p><b>Concealed Gutter &amp; Capping</b></p> <p><b>Typical Dimensions Custom made to suit</b></p>	

## CUSTOM FLASHINGS & FLAT SHEET

### ZA BMT 0.55

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00ZA	CF055B01ZA	CF055B02ZA	CF055B03ZA	CF055B04ZA	CF055B05ZA	CF055B06ZA	CF055B07ZA
101-150 (C)	CF055C00ZA	CF055C01ZA	CF055C02ZA	CF055C03ZA	CF055C04ZA	CF055C05ZA	CF055C06ZA	CF055C07ZA
151-200 (D)	CF055D00ZA	CF055D01ZA	CF055D02ZA	CF055D03ZA	CF055D04ZA	CF055D05ZA	CF055D06ZA	CF055D07ZA
201-250 (E)	CF055E00ZA	CF055E01ZA	CF055E02ZA	CF055E03ZA	CF055E04ZA	CF055E05ZA	CF055E06ZA	CF055E07ZA
251-300 (F)	CF055F00ZA	CF055F01ZA	CF055F02ZA	CF055F03ZA	CF055F04ZA	CF055F05ZA	CF055F06ZA	CF055F07ZA
301-350 (G)	CF055G00ZA	CF055G01ZA	CF055G02ZA	CF055G03ZA	CF055G04ZA	CF055G05ZA	CF055G06ZA	CF055G07ZA
351-400 (H)	CF055H00ZA	CF055H01ZA	CF055H02ZA	CF055H03ZA	CF055H04ZA	CF055H05ZA	CF055H06ZA	CF055H07ZA
401-500 (J)	CF055J00ZA	CF055J01ZA	CF055J02ZA	CF055J03ZA	CF055J04ZA	CF055J05ZA	CF055J06ZA	CF055J07ZA
501-600 (L)	CF055L00ZA	CF055L01ZA	CF055L02ZA	CF055L03ZA	CF055L04ZA	CF055L05ZA	CF055L06ZA	CF055L07ZA
601-700 (N)	CF055N00ZA	CF055N01ZA	CF055N02ZA	CF055N03ZA	CF055N04ZA	CF055N05ZA	CF055N06ZA	CF055N07ZA
701-800 (P)	CF055P00ZA	CF055P01ZA	CF055P02ZA	CF055P03ZA	CF055P04ZA	CF055P05ZA	CF055P06ZA	CF055P07ZA
801-900 (R)	CF055R00ZA	CF055R01ZA	CF055R02ZA	CF055R03ZA	CF055R04ZA	CF055R05ZA	CF055R06ZA	CF055R07ZA
901-1000 (T)	CF055T00ZA	CF055T01ZA	CF055T02ZA	CF055T03ZA	CF055T04ZA	CF055T05ZA	CF055T06ZA	CF055T07ZA
1001-1100 (V)	CF055V00ZA	CF055V01ZA	CF055V02ZA	CF055V03ZA	CF055V04ZA	CF055V05ZA	CF055V06ZA	CF055V07ZA
1101-1200 (X)	CF055X00ZA	CF055X01ZA	CF055X02ZA	CF055X03ZA	CF055X04ZA	CF055X05ZA	CF055X06ZA	CF055X07ZA

### CB BMT 0.55

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00X---	CF055B01X---	CF055B02X---	CF055B03X---	CF055B04X---	CF055B05X---	CF055B06X---	CF055B07X---
101-150 (C)	CF055C00X---	CF055C01X---	CF055C02X---	CF055C03X---	CF055C04X---	CF055C05X---	CF055C06X---	CF055C07X---
151-200 (D)	CF055D00X---	CF055D01X---	CF055D02X---	CF055D03X---	CF055D04X---	CF055D05X---	CF055D06X---	CF055D07X---
201-250 (E)	CF055E00X---	CF055E01X---	CF055E02X---	CF055E03X---	CF055E04X---	CF055E05X---	CF055E06X---	CF055E07X---
251-300 (F)	CF055F00X---	CF055F01X---	CF055F02X---	CF055F03X---	CF055F04X---	CF055F05X---	CF055F06X---	CF055F07X---
301-350 (G)	CF055G00X---	CF055G01X---	CF055G02X---	CF055G03X---	CF055G04X---	CF055G05X---	CF055G06X---	CF055G07X---
351-400 (H)	CF055H00X---	CF055H01X---	CF055H02X---	CF055H03X---	CF055H04X---	CF055H05X---	CF055H06X---	CF055H07X---
401-500 (J)	CF055J00X---	CF055J01X---	CF055J02X---	CF055J03X---	CF055J04X---	CF055J05X---	CF055J06X---	CF055J07X---
501-600 (L)	CF055L00X---	CF055L01X---	CF055L02X---	CF055L03X---	CF055L04X---	CF055L05X---	CF055L06X---	CF055L07X---
601-700 (N)	CF055N00X---	CF055N01X---	CF055N02X---	CF055N03X---	CF055N04X---	CF055N05X---	CF055N06X---	CF055N07X---
701-800 (P)	CF055P00X---	CF055P01X---	CF055P02X---	CF055P03X---	CF055P04X---	CF055P05X---	CF055P06X---	CF055P07X---
801-900 (R)	CF055R00X---	CF055R01X---	CF055R02X---	CF055R03X---	CF055R04X---	CF055R05X---	CF055R06X---	CF055R07X---
901-1000 (T)	CF055T00X---	CF055T01X---	CF055T02X---	CF055T03X---	CF055T04X---	CF055T05X---	CF055T06X---	CF055T07X---
1001-1100 (V)	CF055V00X---	CF055V01X---	CF055V02X---	CF055V03X---	CF055V04X---	CF055V05X---	CF055V06X---	CF055V07X---
1101-1200 (X)	CF055X00X---	CF055X01X---	CF055X02X---	CF055X03X---	CF055X04X---	CF055X05X---	CF055X06X---	CF055X07X---

### GA BMT 0.55

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00GA	CF055B01GA	CF055B02GA	CF055B03GA	CF055B04GA	CF055B05GA	CF055B06GA	CF055B07GA
101-150 (C)	CF055C00GA	CF055C01GA	CF055C02GA	CF055C03GA	CF055C04GA	CF055C05GA	CF055C06GA	CF055C07GA
151-200 (D)	CF055D00GA	CF055D01GA	CF055D02GA	CF055D03GA	CF055D04GA	CF055D05GA	CF055D06GA	CF055D07GA
201-250 (E)	CF055E00GA	CF055E01GA	CF055E02GA	CF055E03GA	CF055E04GA	CF055E05GA	CF055E06GA	CF055E07GA
251-300 (F)	CF055F00GA	CF055F01GA	CF055F02GA	CF055F03GA	CF055F04GA	CF055F05GA	CF055F06GA	CF055F07GA
301-350 (G)	CF055G00GA	CF055G01GA	CF055G02GA	CF055G03GA	CF055G04GA	CF055G05GA	CF055G06GA	CF055G07GA
351-400 (H)	CF055H00GA	CF055H01GA	CF055H02GA	CF055H03GA	CF055H04GA	CF055H05GA	CF055H06GA	CF055H07GA
401-500 (J)	CF055J00GA	CF055J01GA	CF055J02GA	CF055J03GA	CF055J04GA	CF055J05GA	CF055J06GA	CF055J07GA
501-600 (L)	CF055L00GA	CF055L01GA	CF055L02GA	CF055L03GA	CF055L04GA	CF055L05GA	CF055L06GA	CF055L07GA
601-700 (N)	CF055N00GA	CF055N01GA	CF055N02GA	CF055N03GA	CF055N04GA	CF055N05GA	CF055N06GA	CF055N07GA
701-800 (P)	CF055P00GA	CF055P01GA	CF055P02GA	CF055P03GA	CF055P04GA	CF055P05GA	CF055P06GA	CF055P07GA
801-900 (R)	CF055R00GA	CF055R01GA	CF055R02GA	CF055R03GA	CF055R04GA	CF055R05GA	CF055R06GA	CF055R07GA
901-1000 (T)	CF055T00GA	CF055T01GA	CF055T02GA	CF055T03GA	CF055T04GA	CF055T05GA	CF055T06GA	CF055T07GA
1001-1100 (V)	CF055V00GA	CF055V01GA	CF055V02GA	CF055V03GA	CF055V04GA	CF055V05GA	CF055V06GA	CF055V07GA
1101-1200 (X)	CF055X00GA	CF055X01GA	CF055X02GA	CF055X03GA	CF055X04GA	CF055X05GA	CF055X06GA	CF055X07GA

Minimum length 1 metre / Maximum length 8 metres

**ZA BMT 0.75 (Heavy)**

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF075B00ZA	CF075B01ZA	CF075B02ZA	CF075B03ZA	CF075B04ZA	CF075B05ZA	CF075B06ZA	CF075B07ZA
101-150 (C)	CF075C00ZA	CF075C01ZA	CF075C02ZA	CF075C03ZA	CF075C04ZA	CF075C05ZA	CF075C06ZA	CF075C07ZA
151-200 (D)	CF075D00ZA	CF075D01ZA	CF075D02ZA	CF075D03ZA	CF075D04ZA	CF075D05ZA	CF075D06ZA	CF075D07ZA
201-250 (E)	CF075E00ZA	CF075E01ZA	CF075E02ZA	CF075E03ZA	CF075E04ZA	CF075E05ZA	CF075E06ZA	CF075E07ZA
251-300 (F)	CF075F00ZA	CF075F01ZA	CF075F02ZA	CF075F03ZA	CF075F04ZA	CF075F05ZA	CF075F06ZA	CF075F07ZA
301-350 (G)	CF075G00ZA	CF075G01ZA	CF075G02ZA	CF075G03ZA	CF075G04ZA	CF075G05ZA	CF075G06ZA	CF075G07ZA
351-400 (H)	CF075H00ZA	CF075H01ZA	CF075H02ZA	CF075H03ZA	CF075H04ZA	CF075H05ZA	CF075H06ZA	CF075H07ZA
401-500 (J)	CF075J00ZA	CF075J01ZA	CF075J02ZA	CF075J03ZA	CF075J04ZA	CF075J05ZA	CF075J06ZA	CF075J07ZA
501-600 (L)	CF075L00ZA	CF075L01ZA	CF075L02ZA	CF075L03ZA	CF075L04ZA	CF075L05ZA	CF075L06ZA	CF075L07ZA
601-700 (N)	CF075N00ZA	CF075N01ZA	CF075N02ZA	CF075N03ZA	CF075N04ZA	CF075N05ZA	CF075N06ZA	CF075N07ZA
701-800 (P)	CF075P00ZA	CF075P01ZA	CF075P02ZA	CF075P03ZA	CF075P04ZA	CF075P05ZA	CF075P06ZA	CF075P07ZA
801-900 (R)	CF075R00ZA	CF075R01ZA	CF075R02ZA	CF075R03ZA	CF075R04ZA	CF075R05ZA	CF075R06ZA	CF075R07ZA
901-1000 (T)	CF075T00ZA	CF075T01ZA	CF075T02ZA	CF075T03ZA	CF075T04ZA	CF075T05ZA	CF075T06ZA	CF075T07ZA
1001-1100 (V)	CF075V00ZA	CF075V01ZA	CF075V02ZA	CF075V03ZA	CF075V04ZA	CF075V05ZA	CF075V06ZA	CF075V07ZA
1101-1200 (X)	CF075X00ZA	CF075X01ZA	CF075X02ZA	CF075X03ZA	CF075X04ZA	CF075X05ZA	CF075X06ZA	CF075X07ZA

**Flat Sheet Orders**

Flat sheet cannot be supplied as a “roll up” and will incur a palletisation charge.

Minimum length 1 metre

**Stramit® Custom Flashing** also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 41

NOTE:

**Stramit® Custom Flashings** have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre even if multiple lengths are ordered.

**Gutter Board & Gutter Brackets**

Item	Code	Unit
Longspan Gutter Board		
550mm Wide, 6.1 LM	LSGB55ZA6100	each
750mm Wide, 6.1 LM	LSGB75IAZ6100	each
Box Gutter Brackets ( Adjustable )		
24 per box	BGBA1EZA	each
24 per box	BGBA2EZA	each
16 per box	BGBA3EZA	each

**Order by Fax** For best results, send your profile details by Fax (refer nos. on top of page). Ask for our Stramit Flashing Detail Pad.

## PREMIUM PRODUCTS • FLASHINGS

### CB Ultra 0.55mm BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00U---	CF055B01U---	CF055B02U---	CF055B03U---	CF055B04U---	CF055B05U---	CF055B06U---	CF055B07U---
101-150 (C)	CF055C00U---	CF055C01U---	CF055C02U---	CF055C03U---	CF055C04U---	CF055C05U---	CF055C06U---	CF055C07U---
151-200 (D)	CF055D00U---	CF055D01U---	CF055D02U---	CF055D03U---	CF055D04U---	CF055D05U---	CF055D06U---	CF055D07U---
201-250 (E)	CF055E00U---	CF055E01U---	CF055E02U---	CF055E03U---	CF055E04U---	CF055E05U---	CF055E06U---	CF055E07U---
251-300 (F)	CF055F00U---	CF055F01U---	CF055F02U---	CF055F03U---	CF055F04U---	CF055F05U---	CF055F06U---	CF055F07U---
301-350 (G)	CF055G00U---	CF055G01U---	CF055G02U---	CF055G03U---	CF055G04U---	CF055G05U---	CF055G06U---	CF055G07U---
351-400 (H)	CF055H00U---	CF055H01U---	CF055H02U---	CF055H03U---	CF055H04U---	CF055H05U---	CF055H06U---	CF055H07U---
401-500 (J)	CF055J00U---	CF055J01U---	CF055J02U---	CF055J03U---	CF055J04U---	CF055J05U---	CF055J06U---	CF055J07U---
501-600 (L)	CF055L00U---	CF055L01U---	CF055L02U---	CF055L03U---	CF055L04U---	CF055L05U---	CF055L06U---	CF055L07U---
601-700 (N)	CF055N00U---	CF055N01U---	CF055N02U---	CF055N03U---	CF055N04U---	CF055N05U---	CF055N06U---	CF055N07U---
701-800 (P)	CF055P00U---	CF055P01U---	CF055P02U---	CF055P03U---	CF055P04U---	CF055P05U---	CF055P06U---	CF055P07U---
801-900 (R)	CF055R00U---	CF055R01U---	CF055R02U---	CF055R03U---	CF055R04U---	CF055R05U---	CF055R06U---	CF055R07U---
901-1000 (T)	CF055T00U---	CF055T01U---	CF055T02U---	CF055T03U---	CF055T04U---	CF055T05U---	CF055T06U---	CF055T07U---
1001-1100 (V)	CF055V00U---	CF055V01U---	CF055V02U---	CF055V03U---	CF055V04U---	CF055V05U---	CF055V06U---	CF055V07U---
1101-1200 (X)	CF055X00U---	CF055X01U---	CF055X02U---	CF055X03U---	CF055X04U---	CF055X05U---	CF055X06U---	CF055X07U---

### CB Metallic 0.55mm BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00M---	CF055B01M---	CF055B02M---	CF055B03M---	CF055B04M---	CF055B05M---	CF055B06M---	CF055B07M---
101-150 (C)	CF055C00M---	CF055C01M---	CF055C02M---	CF055C03M---	CF055C04M---	CF055C05M---	CF055C06M---	CF055C07M---
151-200 (D)	CF055D00M---	CF055D01M---	CF055D02M---	CF055D03M---	CF055D04M---	CF055D05M---	CF055D06M---	CF055D07M---
201-250 (E)	CF055E00M---	CF055E01M---	CF055E02M---	CF055E03M---	CF055E04M---	CF055E05M---	CF055E06M---	CF055E07M---
251-300 (F)	CF055F00M---	CF055F01M---	CF055F02M---	CF055F03M---	CF055F04M---	CF055F05M---	CF055F06M---	CF055F07M---
301-350 (G)	CF055G00M---	CF055G01M---	CF055G02M---	CF055G03M---	CF055G04M---	CF055G05M---	CF055G06M---	CF055G07M---
351-400 (H)	CF055H00M---	CF055H01M---	CF055H02M---	CF055H03M---	CF055H04M---	CF055H05M---	CF055H06M---	CF055H07M---
401-500 (J)	CF055J00M---	CF055J01M---	CF055J02M---	CF055J03M---	CF055J04M---	CF055J05M---	CF055J06M---	CF055J07M---
501-600 (L)	CF055L00M---	CF055L01M---	CF055L02M---	CF055L03M---	CF055L04M---	CF055L05M---	CF055L06M---	CF055L07M---
601-700 (N)	CF055N00M---	CF055N01M---	CF055N02M---	CF055N03M---	CF055N04M---	CF055N05M---	CF055N06M---	CF055N07M---
701-800 (P)	CF055P00M---	CF055P01M---	CF055P02M---	CF055P03M---	CF055P04M---	CF055P05M---	CF055P06M---	CF055P07M---
801-900 (R)	CF055R00M---	CF055R01M---	CF055R02M---	CF055R03M---	CF055R04M---	CF055R05M---	CF055R06M---	CF055R07M---
901-1000 (T)	CF055T00M---	CF055T01M---	CF055T02M---	CF055T03M---	CF055T04M---	CF055T05M---	CF055T06M---	CF055T07M---
1001-1100 (V)	CF055V00M---	CF055V01M---	CF055V02M---	CF055V03M---	CF055V04M---	CF055V05M---	CF055V06M---	CF055V07M---
1101-1200 (X)	CF055X00M---	CF055X01M---	CF055X02M---	CF055X03M---	CF055X04M---	CF055X05M---	CF055X06M---	CF055X07M---

### CB Cool Max 0.55mm BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00KWHN	CF055B01KWHN	CF055B02KWHN	CF055B03KWHN	CF055B04KWHN	CF055B05KWHN	CF055B06KWHN	CF055B07KWHN
101-150 (C)	CF055C00KWHN	CF055C01KWHN	CF055C02KWHN	CF055C03KWHN	CF055C04KWHN	CF055C05KWHN	CF055C06KWHN	CF055C07KWHN
151-200 (D)	CF055D00KWHN	CF055D01KWHN	CF055D02KWHN	CF055D03KWHN	CF055D04KWHN	CF055D05KWHN	CF055D06KWHN	CF055D07KWHN
201-250 (E)	CF055E00KWHN	CF055E01KWHN	CF055E02KWHN	CF055E03KWHN	CF055E04KWHN	CF055E05KWHN	CF055E06KWHN	CF055E07KWHN
251-300 (F)	CF055F00KWHN	CF055F01KWHN	CF055F02KWHN	CF055F03KWHN	CF055F04KWHN	CF055F05KWHN	CF055F06KWHN	CF055F07KWHN
301-350 (G)	CF055G00KWHN	CF055G01KWHN	CF055G02KWHN	CF055G03KWHN	CF055G04KWHN	CF055G05KWHN	CF055G06KWHN	CF055G07KWHN
351-400 (H)	CF055H00KWHN	CF055H01KWHN	CF055H02KWHN	CF055H03KWHN	CF055H04KWHN	CF055H05KWHN	CF055H06KWHN	CF055H07KWHN
401-500 (J)	CF055J00KWHN	CF055J01KWHN	CF055J02KWHN	CF055J03KWHN	CF055J04KWHN	CF055J05KWHN	CF055J06KWHN	CF055J07KWHN
501-600 (L)	CF055L00KWHN	CF055L01KWHN	CF055L02KWHN	CF055L03KWHN	CF055L04KWHN	CF055L05KWHN	CF055L06KWHN	CF055L07KWHN
601-700 (N)	CF055N00KWHN	CF055N01KWHN	CF055N02KWHN	CF055N03KWHN	CF055N04KWHN	CF055N05KWHN	CF055N06KWHN	CF055N07KWHN
701-800 (P)	CF055P00KWHN	CF055P01KWHN	CF055P02KWHN	CF055P03KWHN	CF055P04KWHN	CF055P05KWHN	CF055P06KWHN	CF055P07KWHN
801-900 (R)	CF055R00KWHN	CF055R01KWHN	CF055R02KWHN	CF055R03KWHN	CF055R04KWHN	CF055R05KWHN	CF055R06KWHN	CF055R07KWHN
901-1000 (T)	CF055T00KWHN	CF055T01KWHN	CF055T02KWHN	CF055T03KWHN	CF055T04KWHN	CF055T05KWHN	CF055T06KWHN	CF055T07KWHN
1001-1100 (V)	CF055V00KWHN	CF055V01KWHN	CF055V02KWHN	CF055V03KWHN	CF055V04KWHN	CF055V05KWHN	CF055V06KWHN	CF055V07KWHN
1101-1200 (X)	CF055X00KWHN	CF055X01KWHN	CF055X02KWHN	CF055X03KWHN	CF055X04KWHN	CF055X05KWHN	CF055X06KWHN	CF055X07KWHN

**CB MATT 0.55 BMT**

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00T---	CF055B01T---	CF055B02T---	CF055B03T---	CF055B04T---	CF055B05T---	CF055B06T---	CF055B07T---
101-150 (C)	CF055C00T---	CF055C01T---	CF055C02T---	CF055C03T---	CF055C04T---	CF055C05T---	CF055C06T---	CF055C07T---
151-200 (D)	CF055D00T---	CF055D01T---	CF055D02T---	CF055D03T---	CF055D04T---	CF055D05T---	CF055D06T---	CF055D07T---
201-250 (E)	CF055E00T---	CF055E01T---	CF055E02T---	CF055E03T---	CF055E04T---	CF055E05T---	CF055E06T---	CF055E07T---
251-300 (F)	CF055F00T---	CF055F01T---	CF055F02T---	CF055F03T---	CF055F04T---	CF055F05T---	CF055F06T---	CF055F07T---
301-350 (G)	CF055G00T---	CF055G01T---	CF055G02T---	CF055G03T---	CF055G04T---	CF055G05T---	CF055G06T---	CF055G07T---
351-400 (H)	CF055H00T---	CF055H01T---	CF055H02T---	CF055H03T---	CF055H04T---	CF055H05T---	CF055H06T---	CF055H07T---
401-500 (J)	CF055J00T---	CF055J01T---	CF055J02T---	CF055J03T---	CF055J04T---	CF055J05T---	CF055J06T---	CF055J07T---
501-600 (L)	CF055L00T---	CF055L01T---	CF055L02T---	CF055L03T---	CF055L04T---	CF055L05T---	CF055L06T---	CF055L07T---
601-700 (N)	CF055N00T---	CF055N01T---	CF055N02T---	CF055N03T---	CF055N04T---	CF055N05T---	CF055N06T---	CF055N07T---
701-800 (P)	CF055P00T---	CF055P01T---	CF055P02T---	CF055P03T---	CF055P04T---	CF055P05T---	CF055P06T---	CF055P07T---
801-900 (R)	CF055R00T---	CF055R01T---	CF055R02T---	CF055R03T---	CF055R04T---	CF055R05T---	CF055R06T---	CF055R07T---
901-1000 (T)	CF055T00T---	CF055T01T---	CF055T02T---	CF055T03T---	CF055T04T---	CF055T05T---	CF055T06T---	CF055T07T---
1001-1100 (V)	CF055V00T---	CF055V01T---	CF055V02T---	CF055V03T---	CF055V04T---	CF055V05T---	CF055V06T---	CF055V07T---
1101-1200 (X)	CF055X00T---	CF055X01T---	CF055X02T---	CF055X03T---	CF055X04T---	CF055X05T---	CF055X06T---	CF055X07T---

**CB MAGNAFLOW 0.55 BMT**

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00ZM8---	CF055B01ZM8---	CF055B02ZM8---	CF055B03ZM8---	CF055B04ZM8---	CF055B05ZM8---	CF055B06ZM8---	CF055B07ZM8---
101-150 (C)	CF055C00ZM8---	CF055C01ZM8---	CF055C02ZM8---	CF055C03ZM8---	CF055C04ZM8---	CF055C05ZM8---	CF055C06ZM8---	CF055C07ZM8---
151-200 (D)	CF055D00ZM8---	CF055D01ZM8---	CF055D02ZM8---	CF055D03ZM8---	CF055D04ZM8---	CF055D05ZM8---	CF055D06ZM8---	CF055D07ZM8---
201-250 (E)	CF055E00ZM8---	CF055E01ZM8---	CF055E02ZM8---	CF055E03ZM8---	CF055E04ZM8---	CF055E05ZM8---	CF055E06ZM8---	CF055E07ZM8---
251-300 (F)	CF055F00ZM8---	CF055F01ZM8---	CF055F02ZM8---	CF055F03ZM8---	CF055F04ZM8---	CF055F05ZM8---	CF055F06ZM8---	CF055F07ZM8---
301-350 (G)	CF055G00ZM8---	CF055G01ZM8---	CF055G02ZM8---	CF055G03ZM8---	CF055G04ZM8---	CF055G05ZM8---	CF055G06ZM8---	CF055G07ZM8---
351-400 (H)	CF055H00ZM8---	CF055H01ZM8---	CF055H02ZM8---	CF055H03ZM8---	CF055H04ZM8---	CF055H05ZM8---	CF055H06ZM8---	CF055H07ZM8---
401-500 (J)	CF055J00ZM8---	CF055J01ZM8---	CF055J02ZM8---	CF055J03ZM8---	CF055J04ZM8---	CF055J05ZM8---	CF055J06ZM8---	CF055J07ZM8---
501-600 (L)	CF055L00ZM8---	CF055L01ZM8---	CF055L02ZM8---	CF055L03ZM8---	CF055L04ZM8---	CF055L05ZM8---	CF055L06ZM8---	CF055L07ZM8---
601-700 (N)	CF055N00ZM8---	CF055N01ZM8---	CF055N02ZM8---	CF055N03ZM8---	CF055N04ZM8---	CF055N05ZM8---	CF055N06ZM8---	CF055N07ZM8---
701-800 (P)	CF055P00ZM8---	CF055P01ZM8---	CF055P02ZM8---	CF055P03ZM8---	CF055P04ZM8---	CF055P05ZM8---	CF055P06ZM8---	CF055P07ZM8---
801-900 (R)	CF055R00ZM8---	CF055R01ZM8---	CF055R02ZM8---	CF055R03ZM8---	CF055R04ZM8---	CF055R05ZM8---	CF055R06ZM8---	CF055R07ZM8---
901-1000 (T)	CF055T00ZM8---	CF055T01ZM8---	CF055T02ZM8---	CF055T03ZM8---	CF055T04ZM8---	CF055T05ZM8---	CF055T06ZM8---	CF055T07ZM8---
1001-1100 (V)	CF055V00ZM8---	CF055V01ZM8---	CF055V02ZM8---	CF055V03ZM8---	CF055V04ZM8---	CF055V05ZM8---	CF055V06ZM8---	CF055V07ZM8---
1101-1200 (X)	CF055X00ZM8---	CF055X01ZM8---	CF055X02ZM8---	CF055X03ZM8---	CF055X04ZM8---	CF055X05ZM8---	CF055X06ZM8---	CF055X07ZM8---

**COLOUR AVAILABILITY**

ULTRA		METALLIC		COOLMAX		MATT		MAGNAFLOW	
DUN	DUNE®	ARI	ARIES®	WHN	WHITEHAVEN	BAS	BASALT	AGY	ARMOUR GREY
MON	MONUMENT®	AST	ASTRO®			DUN	DUNE	BCH	BIRCH
SUR	SURFMIST®	CEL	CELESTIAN®			MON	MONUMENT	MLH	MONOLEITH
WLB®	WALLABY®	COS	COSMIC®			SHG	SHALE GREY	OWH	OFF WHITE
WSP	WINDSPRAY®	GLT	GALACTIC®			SUR	SURFMIST	SLG	SLATE GREY
WDG	WOODLAND GREY®	RHE	RHEA®						

Most products also available in plain aluminium and plain copper – ask for details.

Price per lineal metre.

Minimum length 1.0 metre.



Maximum length 8.0 metres.

Both subject to suitability of profile.

**Stramit® Custom Flashings** have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

**Order by Fax** For best results, send your profile details by Fax (refer nos. on top of page). Ask for our Stramit Flashing Detail Pad.

## C & Z PURLINS

Product	Details	m/tonne	Size	Code	Unit Sch
<b>Stramit® Purlins and Girts</b> Hi-Tensile Z350    <b>U = Unpunched</b> <b>P = Punched</b>	Lightweight	475.09	10012	<b>C10012U</b>	lin m
	G550/G500	412.39	15010	<b>C15010U</b>	lin m
		346.25	15012	<b>C15012U</b>	lin m
	Standard	382.97	10015	<b>C10015U</b>	lin m
	G450	304.30	10019	<b>C10019U</b>	lin m
		279.11	15015	<b>C15015U</b>	lin m
		211.77	15019	<b>C15019U</b>	lin m
		176.46	15024	<b>C15024U</b>	lin m
		222.54	20015	<b>C20015U</b>	lin m
		174.46	20019	<b>C20019U</b>	lin m
		138.82	20024	<b>C20024U</b>	lin m
		153.94	25019	<b>C25019U</b>	lin m
		122.49	25024	<b>C25024U</b>	lin m
	300/400 Series	99.15	30024	<b>C30024U</b>	lin m
	G450	79.63	30030	<b>C30030U</b>	lin m
	Minimum length 1.00 metre	81.98	35024	<b>C35024U</b>	lin m
		65.84	35030	<b>C35030U</b>	lin m
		81.98	40024	<b>C40024U</b>	lin m
		65.84	40030	<b>C40030U</b>	lin m
	Downturn Lip setup charge				
Sizes from 100mm up available in C or Z profile, punched or unpunched					
Downturn Lip & Lapped Downturn Lip (except in C&Z100 and C75) available subject to lead time & price					
<b>Stramit® Fascia Purlins</b>  	Fscia Pur Flute Pnch		23019	<b>FP23019FP</b>	lin m
	Fscia Pur Flute Unpnch		23019	<b>FP23019FU</b>	lin m
Allow extra lead time.					
<b>Stramit® Easifloor Edge Bearer</b>			15019	<b>EFEB15019</b>	lin m
			15024	<b>EFEB15024</b>	lin m
<b>Lengths under 1.6LM incur a cutback charge</b>				<b>CUTBACKLTH</b>	each


Coating note: Coating supplied is Z350 galvanised.  
Please check availability at time of order.

Note: Downturn Lip (except for C&Z100) available on jobs – POA.  
Lapped Downturn Lip Z (except for C&Z100) also available on jobs – POA.  
Downturn Lip extra charge depending on volume.

### Stramit® Purlins and Girts Dimensions

C Sections	Web Depth mm	Flange Width mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m	Z Sections	Web Depth mm	Broad Flange mm	Narrow Flange mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
C10010	102	51	12.5	1.0	1.77	Z10010	102	53	49	12.5	1.0	1.77
C10012	102	51	13.0	1.2	2.10	Z10012	102	53	49	13.0	1.2	2.10
C10015	102	51	14.0	1.5	2.61	Z10015	102	53	49	14.0	1.5	2.61
C10019	102	51	15.0	1.9	3.29	Z10019	102	53	49	15.0	1.9	3.29
C15010	152	64	14.5	1.0	2.42	Z15010	152	65	61	14.5	1.0	2.42
C15012	152	64	15.0	1.2	2.89	Z15012	152	65	61	15.0	1.2	2.89
C15015	152	64	16.0	1.5	3.58	Z15015	152	65	61	16.0	1.5	3.58
C15019	152	64	17.0	1.9	4.51	Z15019	152	65	61	17.0	1.9	4.51
C15024	152	64	18.5	2.4	5.67	Z15024	152	65	61	18.5	2.4	5.67
C20015	203	76	16.0	1.5	4.49	Z20015	203	79	74	16.0	1.5	4.49
C20019	203	76	19.5	1.9	5.73	Z20019	203	79	74	19.5	1.9	5.73
C20024	203	76	21.0	2.4	7.20	Z20024	203	79	74	21.0	2.4	7.20
C25019	254	76	19.0	1.9	6.50	Z25019	254	79	74	19.0	1.9	6.50
C25024	254	76	20.5	2.4	8.16	Z25024	254	79	74	20.5	2.4	8.16
C30024	300	96	28.0	2.4	10.18	Z30024	300	100	93	28.0	2.4	10.18
C30030	300	96	31.5	3.0	12.68	Z30030	300	100	93	31.5	3.0	12.68
C35024	350	125	29.5	2.4	12.20	Z35024	350	129	122	29.5	2.4	12.20
C35030	350	125	30.0	3.0	15.19	Z35030	350	129	121	30.0	3.0	15.19
C40024	400	96	35.0	2.4	12.20	Z40024	400	100	93	35.0	2.4	12.20
C40030	400	96	33.5	3.0	15.19	Z40030	400	100	93	33.5	3.0	15.19

## C & Z PURLINS - EXACTA RANGE

Product C & Z Purlins	Details	Code	m/tonne	Unit
<b>Stramit® Exacta Purlins</b>  Stramit Exacta® purlins are dimensionally optimised for the most commonly used spans, with big improvements in capacity. The associated moment capacity tables have been developed strictly using the stramit interlocking bridging system.	'Z' Profile Range	Z15012EXP	* substitute "P" with "U" in	lin metre
		Z15015EXP	code for unpunched purlins	lin metre
		Z15019EXP		lin metre
		Z15024EXP		lin metre
		Z20012EXP		lin metre
		Z20015EXP		lin metre
		Z20019EXP		lin metre
		Z20024EXP		lin metre
		Z25019EXP		lin metre
		Z25024EXP		lin metre
	Z30024EXP		lin metre	
	Z30030EXP		lin metre	
	Z35030EXP		lin metre	
	Z35024EXP		lin metre	
	Z25024EXP		lin metre	
	'C' Profile Range	C15012EXP	* substitute "P" with "U" in	lin metre
		C15015EXP	code for unpunched purlins	lin metre
		C15019EXP		lin metre
		C15024EXP		lin metre
		C20012EXP		lin metre
C20015EXP			lin metre	
C20019EXP			lin metre	
C20024EXP			lin metre	
C25019EXP			lin metre	
C25024EXP			lin metre	
C30024EXP		lin metre		
C30030EXP		lin metre		
C35024EXP		lin metre		
C35030EXP		lin metre		
Coatings note: Coating supplied is z350 galvanised				
Lengths under 1.6LM incur a cutback charge			CUTBACKLTH	each

STRAMIT EXACTA® C-PURLINS AND GIRTS – Size range			
Section	Web (mm)	Flange (mm)	Thickness (mm)
EC150-10	150	58	1.0
EC150-12	150	58	1.2
EC150-15	150	58	1.5
EC150-19	150	58	1.9
EC150-24	150	58	2.4
EC200-12	200	72	1.2
EC200-15	200	72	1.5
EC200-19	200	72	1.9
EC200-24	200	72	2.4
EC250-19	250	73	1.9
EC250-24	250	73	2.4
EC300-24	300	93	2.4
EC300-30	300	93	3.0
EC350-30	350	120	3.0

STRAMIT EXACTA® Z-PURLINS AND GIRTS – Size range				
Section	Web (mm)	Flange (mm)	Flange (mm)	Thickness (mm)
EZ150-10	150	57	61	1.0
EZ150-12	150	57	61	1.2
EZ150-15	150	57	61	1.5
EZ150-19	150	57	61	1.9
EZ150-24	150	57	61	2.4
EZ200-12	200	69	74	1.2
EZ200-15	200	69	74	1.5
EZ200-19	200	69	74	1.9
EZ200-24	200	69	74	2.4
EZ250-19	250	71	76	1.9
EZ250-24	250	71	76	2.4
EZ300-24	300	91	98	2.4
EZ300-30	300	91	98	3.0
EZ350-30	350	116	124	3.0

## C & Z PURLINS - ZAM Coating for superior protection in severe environments

<b>Zam Purlins</b> - available in C or Z profile  Please check availability at time of order  <b>Note: Sizes C100-C400 are also available in Z profile.</b>		* substitute "P" with "U" in	
	C10015PIZM	code for unpunched purlins	lin metre
	C10019PIZM		lin metre
	C15015PIZM		lin metre
	C15019PIZM		lin metre
	C15024PIZM		lin metre
	C20015PIZM		lin metre
	C20019PIZM		lin metre
	C20024PIZM		lin metre
	C25019PIZM		lin metre
	C25024PIZM		lin metre
	C30024PIZM		lin metre
	C30030PIZM		lin metre
	CUTBACKLTH		each
	Lengths under 1.6LM incur a cutback charge		

Downturn Lip/Notching

Note: Downturn Lip (except for C & Z100) available on jobs-POA  
 Lapped Downturn Lip Z (except for C & Z100) also available on jobs - POA  
 Downturn Lip extra charge depends on volume  
 Note: Notching and mitre cut charges do apply - POA allow 2 extra days

# PURLIN BRIDGING

## BRIDGING

### GENERAL INFORMATION

To enhance performance in longer spans, bridging is generally used. Where wind uplift loading is dominant, greater economy can generally be achieved by using additional bridging in the end spans. The performance of purlins is improved considerably when the roof or wall cladding is attached, so bridging is normally required to ensure easy installation of cladding. Generally, bridging spacing should not exceed 20 times the section's depth, (eg. over 3000mm for a 150mm deep section).

### CONVENTIONAL BRIDGING/STRUTS

Conventional bridging usually consists of a suitable channel section fitted with end plates which is bolted between parallel purlins.

### INSTALLATION OF Stramit® Bridging

**Stramit® Bridging** can be installed up or down the roof slope. The system includes adjustable ridge and fascia bridging and boltless intermediate members. For convenience, start by installing the fascia bridging by bolting to the fascia purlin. Pass the locator end of the bridging through the purlin bridging holes, swing the bridge around to be perpendicular to the web of the purlin and lock any preceding bridge in place. Proceed up the slope to the ridge and install the ridge bridging. The adjustable ridge bridge (turnbuckle) allows the purlins to be pulled straight and the adjustment mechanism in the fascia bridging can adjust the fascia purlin for straightness and twist. Please contact your local Stramit office for details of component assemblies suitable for other installation procedures.


### HOLING

Purlins and girts have standard 18mm x 22mm holes punched to details supplied. Refer to punching schedule below.


Stramit® Purlin/Girt	'A' mm
C100	40 (A)
C150	60 (A) or 70 (VIC)
C200	110 (A)
C250	110 (VIC) or 160 (A)
C300	210 (A)
C350	260 (A)

'A' = A.I.S.C. > Hole Spacing



- NOTE: 1. Non standard hole centres are available.  
 2. Holes can be punched anywhere on purlin. (Incl Flange)  
 3. Round  $\emptyset$  holes available, contact your local Stramit office for details.




Mark No.	Overall length	No. Required	Hole Centres (d)								Total Metres
As Drawn PI	6000	1	40	60	70	110	160	210	260	6	
Opp. Hand PA	6000	1	40	60	70	110	160	210	260	6	



## BRIDGING • ACCESSORIES

Product	Details	Code	Size	Unit	
<b>Stramit® Bridging</b> 	<b>Stramit® Bolted Bridging</b> <i>Maximum length 3.0m</i>  (110 or 160 H/C) (210 H/C)* (210 H/C)* Made from C15015 Purlin	BI100 BI150 BI200 BI250 BI300 BI350	100 150 200 250 300 350	lin m lin m lin m lin m lin m lin m	
	Adjustable Strut	BR100 BR150 BR200 BR250	100 150 200 250	lin m lin m lin m lin m	
	Turnbuckle (Double eye)	<b>BTB10</b>		each	
	Starter Clip	<b>BSC100</b> <b>BSC150</b> <b>BSC200</b> <b>BSC250</b>	100 150 200 250	each each each each	
	Sag Rod	<b>BSR16</b>	16mm	lin m	
	Fully Threaded				
	Stock Sag Rods	<b>BSR12ZP----</b>	12mm	lin m	
		<i>Lengths 450, 550, 650, 750, 850, 950, 1050, 1150, 1250, 1350, 1450, 1550, 1650, 1750, 1850</i>			
		<i>Allow 10 Day lead time for non stock sizes.</i>			
	<b>Accessories</b> 	General Purpose Bracket <i>(to suit purlin size)</i>	<b>BGPB100GA</b> <b>BGPB150GA</b> <b>BGPB200GA</b> <b>BGPB250GA</b>	100 150 200 250	each each each each
		Clamp Plate <i>(to suit purlin size)</i>	<b>BCP100GA</b> <b>BCP150GA</b> <b>BCP200GA</b> <b>BCP250GA</b>	100 150 200 250	each each each each
		Angle Connector <i>(to suit purlin size)</i>	<b>BAC100</b> <b>BAC150</b> <b>BAC200</b> <b>BAC250</b>	100 150 200 250	each each each each
		Raking Girt Bracket	<b>BRGB100</b>	100	each
		Purlin & Fascia Bolts	<b>PB1230ZP</b>		each
		M12 x 30 (GR4.6) Flanged			

## FORMWORK

Product Formwork	Product Details	Code	BMT	Unit
<b>Stramit Condeck HP®</b> composite decking 	Hi Tensile steel G550 GA (300mm effective cover)	<b>CONHP75LG</b>	0.75	per m <sup>2</sup>
		<b>CONHP90LG</b>	0.90	per m <sup>2</sup>
		<b>CONHP100LG</b>	1.00	per m <sup>2</sup>
	10 x 16 Hex Head SD (no neoprene washers)	<b>S1016HTNN</b>		per 1000
	<b>Stramit Condeck Shades™</b> anti-reflective coating available allow extra lead time			per m <sup>2</sup>
	For lap fixing refer to <b>Stramit Condeck HP®</b> composite decking brochures Other thicknesses available subject to quantity and lead time			
<b>Stramit Condeck HP® ZAM</b>	Hi Tensile steel G550 300mm effective cover	<b>CONHP75IZM</b>	0.75	per m <sup>2</sup>
		<b>CONHP90IZM</b>	0.90	per m <sup>2</sup>
		<b>CONHP100IZM</b>	1.00	per m <sup>2</sup>
	Stramit Condeck Shades™ anti-reflective coating available			per m <sup>2</sup>
	10 x 16 Hex Teks (no neoprene washers)	<b>S1016HTNNH</b>		per 100
	For lap fixing refer to <b>Stramit Condeck HP®</b> composite decking brochures			


### ZAM COATED CONDECK HP

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.

\*Based on results from a comparison test of ZAM coating 380gsm (grams per square metre, nominal coating weight for both sides) with standard galvanised steel Z350gsm.


### ZAM, the highly corrosion-resistant hot dip coated steel sheet, is


- A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3%
- The designation "ZAM" comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.






Condeck HP® Plus **CONHPP100GA** lin metre

Product manufactured at Knoxfield – allow extra 1 or 2 days lead time for delivery outside metropolitan area – ask for details  
Other thicknesses available subject to quantity and lead time POA

<b>Stramit® Edgeforma</b> 	100mm	<b>CONEF100GA</b>	0.95	lin m
	125mm	<b>CONEF125GA</b>	0.95	in m
	150mm	<b>CONEF150GA</b>	0.95	lin m
	175mm	<b>CONEF175GA</b>	0.95	lin m
	200mm	<b>CONEF200GA</b>	0.95	lin m
	Available cut to length to maximum of 8.0m at listed rates. * Edgeforma can be custom made to slab height.			

<b>Stramit PrimeForm™</b> 	Hi Tensile steel G550 600mm effective cover	<b>PF60GA</b> <b>PF75GA</b>		per m <sup>2</sup> per m <sup>2</sup>
--	--	--------------------------------	--	--

## STRUCTURAL COMPONENTS

Product	Details	Code	Size/Finish	BMT (mm)	Unit
<b>Stramit® Framing</b> 	Standard Stud (Red)	<b>SBS7512UGA</b>	75 x 30 GA	1.2	lin m
	Standard Plate (Blue)	<b>SBPS7812UGA</b>	78 x 28 GA	1.2	lin m
	Standard Nogging (Green)	<b>SBN7212UGA</b>	72 x 32 GA	1.2	lin m
	PA Door Stud	<b>SBS6912UGA</b>	69 x 33 GA	1.2	lin m
	Mini Stud	<b>SBS5012UGA</b>	50 x 25 GA	1.2	lin m
	<i>35mm diameter holes available at additional cost and lead time. Steel framing sections are cut to length to order.</i>				
	<b>Stramit® Roof Battens</b> 7.5m length Fasteners	<b>RBV40TC7500</b> <b>SO540HMTZIP</b>	40x40x20 CTL	0.55	each per 1000
	<b>Stramit® Ceiling Battens</b> 6.1m length	<b>CBTC61</b>	24x26x10 6.1m ZA	0.42	each
	<b>Stramit® Trim Angle</b> 30 x 30 30 x 30 50 x 50	<b>TA3055GA</b> <b>TA3012GA</b> <b>TA5012GA</b>		0.55 1.2 1.2	lin m lin m lin m
	<b>Stramit® Standard Angle</b> 40 x 40 x 6.0m lengths	<b>AF4060GA60</b>	ZA		each
	<b>Stramit® Top Hats</b> (A) (B) (C) (D) 64 high x 34 x 20 x 6 96 high x 34 x 20 x 6 120 high x 34 x 20 x 6	Minimum length 1.500 metres <b>TH6475ZA</b> <b>TH64100ZA</b> <b>TH9675ZA</b> <b>TH96100ZA</b> <b>TH12070ZA</b> <b>TH12090ZA</b>	ZA ZA ZA ZA ZA ZA		0.75 1.00 0.75 1.00 0.70 0.90
	<i>(Available in various stock lengths, ask for details. Cut to length available at additional lead time)</i>				
<b>Builders Strapping</b>					
	Builders Strapping 32mm x 1.2mm 50M Roll	<b>BST321250</b>		1.2mm	per roll
	Builders Strapping 32mm x 1.6mm 50M Roll	<b>BST321650</b>		1.6mm	per roll


## FLOORING • ACCESSORIES

Designed to meet the needs of domestic and light commercial construction, **Stramit®** Metal Floor Sections offer an economical, easy to use solution to floor framing and construction.


With a wide range of section sizes offering freedom in design of floor joists, bearers, pier sizes and location, the **Stramit®** Metal Floor Sections adapt to a variety of house designs and conditions. These new section shapes also offer up to 30% more load capacity or 9% greater spanning performance than conventional C-sections.

The in-plane system saves building height or headroom and reduces brick or cladding costs.

- High tensile steel – for high strength and low weight
- Z350 Galvanised coating – to give long term protection to the steel base. Z350 coating exceeds requirements of the Building Code of Australia for most building areas
- Deeper sections – 235mm and 283mm joists allow for over 100mm pipe penetrations and standard toilet bends under floor
- 235mm joist – matches 3 courses of bricks
- Full range of sections – for economic design
- Designed to resist bounce – uses the latest technology to prevent low frequency vibration in the floor structure
- A complete system – with joists, bearers, brackets and accessories



Product	Details	Code	Unit
<b>Stramit® Flooring Joists</b>	182 x 12	<b>J18212</b>	lin metre
	182 x 15	<b>J18215</b>	lin metre
	182 x 19	<b>J18219</b>	lin metre
	182 x 24	<b>J18224</b>	lin metre
	235 x 15	<b>J23515</b>	lin metre
	235 x 19	<b>J23519</b>	lin metre
	235 x 24	<b>J23524</b>	lin metre
	283 x 19	<b>J28319</b>	lin metre
	283 x 24	<b>J28324</b>	lin metre
	<b>Bearers</b>	182 x 19	<b>B18219</b>
182 x 24		<b>B18224</b>	lin metre
235 x 19		<b>B23519</b>	lin metre
235 x 24		<b>B23524</b>	lin metre
283 x 19		<b>B28319</b>	lin metre
	283 x 24	<b>B28324</b>	lin metre
<b>Brackets</b>	Angle Brackets	<b>FCB1B</b> ( for <b>B235/283</b> only)	each
	FCB3A 140mm (suit B182)	<b>FCB3A</b>	each
	FCB3B 190mm (suit B235)	<b>FCB3B</b>	each
<b>Fasteners</b>	10 x 16 Hex Head no neo	<b>S1016HTNNH</b>	per 100
	Floor Screw 10G x 45	<b>S1045WNGT</b>	per 500
	Floor Screw 14G x 22	<b>S1422HTNN4</b>	per 500






## PATIO ROOFING DECKING

Product	Details	Ordering Code	BMT mm	Unit
<b>Roofing/Cladding/Accessories</b>				
<b>Stramit Sunset®</b>				
<p>Overall Sheet Width 335</p>	Sunset Decking GLS Classic Crm/Classic Crm	<b>SS42DLCLC</b>		per m <sup>2</sup>
	Sunset Decking GLS Classic Crm/WIL	<b>SS42DL07</b>		per m <sup>2</sup>
	Sunset Decking GLS Dover White/SUR	<b>SS42DL05</b>		per m <sup>2</sup>
	Sunset Decking GLS Paperbark/Paperbark	<b>SS42DLPPB</b>		per m <sup>2</sup>
	Sunset Decking GLS ClassicCrm/WDG	<b>SS42DL09</b>		per m <sup>2</sup>
	To convert prices to linear metres multiply by cover of sheet (ie 0.290). Supply ex Erskine Park. **Gloss colour is on the bottom. Please confirm at time of order. <b>All Product packaged for maximum protection.</b> Price quoted is an effective cover per square metre price.			
Fibreglass (available in opal only)	To suit Stramit Sunset® sheeting	<b>TSFGSS240PA</b>		lin metre
Sunset® Foam Insert	Infill strip for Stramit Sunset® sheeting ( 310mm )	<b>SSWS3787</b>		each
Fibreglass Foam Insert ( 290mm )	Infill strip for Stramit Sunset® fibreglass sheeting	<b>SSWS3788</b>		each
Sunset® Back Channel	Available in 3.0 & 5.0m stock lengths only			
		<b>RCSSHCLC30/50</b>		each
		<b>RCSSHDVW30/50</b>		each
		<b>RCSSXPPB30/50</b>		each
		<b>RCSSZA30/50</b>		each
Fasteners	10 x 16 Hex Head SDS  (for fixing to steel) NOTE: Class 4 screws available on request. All fasteners comply with Australian Standard AS3566 Class 3.	<b>S1016HT4</b> <b>S1016HT***4</b>	Plain Colour	per pack 1000 per pack 1000

## DOUBLE SIDED ROOFING

<b>Stramit® Corrugated</b> 	Gloss Dover White/Surfmist	<b>C42DL05</b>	0.42	m <sup>2</sup>
	Gloss Classic Cream/Classic Cream	<b>C42DLCLC</b>	0.42	m <sup>2</sup>
	Gloss Paperbark/Paperbark	<b>C42DLPPB</b>	0.42	m <sup>2</sup>
<b>Stramit® Mono clad</b> 	Gloss Dover White/Surfmist	<b>MC42DL05</b>	0.42	m <sup>2</sup>
	Gloss Classic Cream/Classic Cream	<b>MC42DLCLC</b>	0.42	m <sup>2</sup>
	Gloss Paperbark/Paperbark	<b>MC42DLPPB</b>	0.42	m <sup>2</sup>
<b>Stramit® Longspan</b> 	Gloss Dover White/Surfmist	<b>LS42DL05</b>	0.42	m <sup>2</sup>
	Gloss Classic Cream/Classic Cream	<b>LS42DLCLC</b>	0.42	m <sup>2</sup>
	Gloss Paperbark/Paperbark	<b>LS42DLPPB</b>	0.42	m <sup>2</sup>
	Price quoted is an effective cover per square metre price.			














## COLORBEAM

Details	Ordering Code	Finish	BMT mm	Flange Thickness mm	Unit	
	Colorbeam 100x50 4.0m	<b>CSB10011GA40</b>	GA	0.55	1.1	each
	Colorbeam 100x50 4.5m	<b>CSB10011GA45</b>	GA	0.55	1.1	each
	Colorbeam 100x50 5.0m	<b>CSB10011GA50</b>	GA	0.55	1.1	each
	Colorbeam 100x50 5.5m	<b>CSB10011GA55</b>	GA	0.55	1.1	each
	Colorbeam 100x50 6.0m	<b>CSB10011GA60</b>	GA	0.55	1.1	each
	Colorbeam 100x50 6.5m	<b>CSB10011GA65</b>	GA	0.55	1.1	each
	Colorbeam 100x50 7.0m	<b>CSB10011GA70</b>	GA	0.55	1.1	each
	Colorbeam 100x50 7.5m	<b>CSB10011GA75</b>	GA	0.55	1.1	each
	Colorbeam 100x50 8.0m	<b>CSB10011GA80</b>	GA	0.55	1.1	each
	Colorbeam 100x50 4.0m	<b>CSB10011CLC40</b>	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 4.5m	<b>CSB10011CLC45</b>	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 5.0m	<b>CSB10011CLC50</b>	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 5.5m	<b>CSB10011CLC55</b>	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 6.0m	<b>CSB10011CLC60</b>	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 6.5m	<b>CSB10011CLC65</b>	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 7.0m	<b>CSB10011CLC70</b>	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 7.5m	<b>CSB10011CLC75</b>	Classic Cream	0.55	1.1	each
	Colorbeam 100x50 8.0m	<b>CSB10011CLC80</b>	Classic Cream	0.55	1.1	each
	Colorbeam 150x50 4.0m	<b>CSB15015GA40</b>	GA	0.75	1.5	each
	Colorbeam 150x50 4.5m	<b>CSB15015GA45</b>	GA	0.75	1.5	each
	Colorbeam 150x50 5.0m	<b>CSB15015GA50</b>	GA	0.75	1.5	each
	Colorbeam 150x50 5.5m	<b>CSB15015GA55</b>	GA	0.75	1.5	each
	Colorbeam 150x50 6.0m	<b>CSB15015GA60</b>	GA	0.75	1.5	each
	Colorbeam 150x50 6.5m	<b>CSB15015GA65</b>	GA	0.75	1.5	each
	Colorbeam 150x50 7.0m	<b>CSB15015GA70</b>	GA	0.75	1.5	each
	Colorbeam 150x50 7.5m	<b>CSB15015GA75</b>	GA	0.75	1.5	each
	Colorbeam 150x50 8.0m	<b>CSB15015GA80</b>	GA	0.75	1.5	each
	Colorbeam 150x50 4.0m	<b>CSB15015CLC40</b>	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 4.5m	<b>CSB15015CLC45</b>	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 5.0m	<b>CSB15015CLC50</b>	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 5.5m	<b>CSB15015CLC55</b>	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 6.0m	<b>CSB15015CLC60</b>	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 6.5m	<b>CSB15015CLC65</b>	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 7.0m	<b>CSB15015CLC70</b>	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 7.5m	<b>CSB15015CLC75</b>	Classic Cream	0.75	1.5	each
	Colorbeam 150x50 8.0m	<b>CSB15015CLC80</b>	Classic Cream	0.75	1.5	each
	Colorbeam 200x50 4.0m	<b>CSB20020GA40</b>	GA	1.0	2.0	each
	Colorbeam 200x50 5.0m	<b>CSB20020GA50</b>	GA	1.0	2.0	each
	Colorbeam 200x50 6.0m	<b>CSB20020GA60</b>	GA	1.0	2.0	each
	Colorbeam 200x50 7.0m	<b>CSB20020GA70</b>	GA	1.0	2.0	each
	Colorbeam 200x50 8.0m	<b>CSB20020GA80</b>	GA	1.0	2.0	each
	Colorbeam 200x50 4.0m	<b>CSB20020CLC40</b>	Classic Cream	1.0	2.0	each
	Colorbeam 200x50 5.0m	<b>CSB20020CLC50</b>	Classic Cream	1.0	2.0	each
	Colorbeam 200x50 6.0m	<b>CSB20020CLC60</b>	Classic Cream	1.0	2.0	each
	Colorbeam 200x50 7.0m	<b>CSB20020CLC70</b>	Classic Cream	1.0	2.0	each
	Colorbeam 200x50 8.0m	<b>CSB20020CLC80</b>	Classic Cream	1.0	2.0	each








Lead Time 10 Days

10 Units Per Pack


## COLORBEAM

	Details	Ordering Code	Finish	Unit
	Colorbeam Framing Bracket 100	<b>CSAFB100GA</b>	GA	each
	Colorbeam Framing Bracket 150	<b>CSAFB150GA</b>	GA	each
	Colorbeam Framing Bracket 200	<b>CSAFB200GA</b>	GA	each
	Colorbeam Framing Bracket 100	<b>CSAFB100CLC</b>	Classic Cream	each
	Colorbeam Framing Bracket 150	<b>CSAFB150CLC</b>	Classic Cream	each
	Colorbeam Framing Bracket 200	<b>CSAFB200CLC</b>	Classic Cream	each
	Colorbeam Frame Bracket 100 15deg	<b>CSAFB10015GA</b>	GA	each
	Colorbeam Frame Bracket 150 15deg	<b>CSAFB15015GA</b>	GA	each
	Colorbeam Frame Bracket 200 15deg	<b>CSAFB20015GA</b>	GA	each
	Colorbeam Frame Bracket 100 15deg	<b>CSAFB10015CLC</b>	Classic Cream	each
	Colorbeam Frame Bracket 150 15deg	<b>CSAFB15015CLC</b>	Classic Cream	each
	Colorbeam Frame Bracket 200 15deg	<b>CSAFB20015CLC</b>	Classic Cream	each
 <p>(15° and 22.5°)</p>	Colorbeam Frame Bracket 100 22deg	<b>CSAFB10022GA</b>	GA	each
	Colorbeam Frame Bracket 150 22deg	<b>CSAFB15022GA</b>	GA	each
	Colorbeam Frame Bracket 200 22deg	<b>CSAFB20022GA</b>	GA	each
 <p>(15° and 22.5°)</p>	Colorbeam Frame Bracket 100 22deg	<b>CSAFB10022CLC</b>	Classic Cream	each
	Colorbeam Frame Bracket 150 22deg	<b>CSAFB15022CLC</b>	Classic Cream	each
	Colorbeam Frame Bracket 200 22deg	<b>CSAFB20022CLC</b>	Classic Cream	each
	Colorbeam Apex 100 15deg	<b>CSAB10015GA</b>	GA	each
	Colorbeam Apex 150 15deg	<b>CSAB15015GA</b>	GA	each
	Colorbeam Apex 200 15deg	<b>CSAB20015GA</b>	GA	each
	Colorbeam Apex 100 22deg	<b>CSAB10022GA</b>	GA	each
	Colorbeam Apex 150 22deg	<b>CSAB15022GA</b>	GA	each
	Colorbeam Apex 200 22deg	<b>CSAB20022GA</b>	GA	each
	Colorbeam Apex Plate Cover 100 15deg	<b>CSACP10015GA</b>	GA	each
	Colorbeam Apex Plate Cover 150 15deg	<b>CSACP15015GA</b>	GA	each
	Colorbeam Apex Plate Cover 200 15deg	<b>CSACP20015GA</b>	GA	each
	Colorbeam Apex Plate Cover 100 22.5deg	<b>CSACP10022GA</b>	GA	each
	Colorbeam Apex Plate Cover 150 22.5deg	<b>CSACP15022GA</b>	GA	each
	Colorbeam Apex Plate Cover 200 22.5deg	<b>CSACP20022GA</b>	GA	each
	Colorbeam Suspension Bracket 100	<b>CSSB100GA</b>	GA	each
	Colorbeam Suspension Bracket 150	<b>CSSB150GA</b>	GA	each
	Colorbeam Suspension Bracket 200	<b>CSSB200GA</b>	GA	each
	Colorbeam Suspension Bracket 100	<b>CSSB100CLC</b>	Classic Cream	each
	Colorbeam Suspension Bracket 150	<b>CSSB150CLC</b>	Classic Cream	each
	Colorbeam Suspension Bracket 200	<b>CSSB200CLC</b>	Classic Cream	each
	Colorbeam Corner Bracket 100	<b>CSCB100GA</b>	GA	each
	Colorbeam Corner Bracket 150	<b>CSCB150GA</b>	GA	each
	Colorbeam Corner Bracket 200	<b>CSCB200GA</b>	GA	each

## FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Fencing/Accessories					
<b>Infill Sheets</b>	<b>Stramit Monoclad®</b> Fencing				
	Stock Lengths				
	Sheeting 2.090	<b>SFMCF---2090</b>	CB	0.35	each
	Sheeting 1.790	<b>SFMCF---1790</b>	CB	0.35	each
	Sheeting 1.490	<b>SFMCF---1490</b>	CB	0.35	each
	Also available Cut to length in all colours	<b>MC35F---</b>	CB	0.35	sq. metre
<b>Infill Sheets</b>	<b>Sawtooth</b> Fencing				
	Stock Lengths				
	Sheeting 2.090	<b>SFGLST---2090</b>	Colour	0.35	each
	Sheeting 1.790	<b>SFGLST---1790</b>	Colour	0.35	each
	Sheeting 1.490	<b>SFGLST---1490</b>	Colour	0.35	each
<b>Rails Top &amp; Bottom</b>	Rail Top/Bottom 2.370	<b>SFR---2370</b>	Colour		each
	Rail Top/Bottom 3.100	<b>SFR---3100</b>	Colour		each
	Fence Rail Cap (Cut in two for single caps)	<b>SFRC---</b>	Colour		each
<b>Fence Posts</b>	Post 2.700	<b>SFP---2700</b>	Colour		each
	Post 2.400	<b>SFP---2400</b>	Colour		each
	Post 2.100	<b>SFP---2100</b>	Colour		each
<b>Lattice</b>	Standard Lattice 0.300 x 3.100	<b>SFLFZ300---3100</b>	Colour		each
	Standard Lattice 0.300 x 2.350	<b>SFLFZ300---2350</b>	Colour		each
	Standard Lattice 0.300 x 1.575	<b>SFLFZ300---1575</b>	Colour		each
	Standard Lattice 0.300 x 0.815	<b>SFLFZ300---0815</b>	Colour		each
	Premium Lattice 0.300 x 2.350	<b>SFL300---2350</b>	Colour		each
<b>Panel 2.400 x 1.800</b>	<b>Standard Panel</b> <i>includes</i> -with Monoclad				
	2 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.790				
	<b>Total Price Std Panel</b>				
	15 x Screws 10 x 16 Hex Head				
	NB: Price does not include screws or rail caps				
	<b>Standard Panel with Std Lattice</b> <i>includes</i> -with Monoclad				
	3 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.490				
	1 x Std Lattice 0.300 x 2.350				
	<b>Total Price Std Panel</b>				
	22 x Screws 10 x 16 Hex Head				
	NB: Price does not include screws or rail caps				
	<b>Std Panel with Premium Lattice</b> <i>includes</i> -with Monoclad				
	4 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.490				
	Premium Lattice 0.300 x 2.350				
	<b>Total Price Std Panel</b>				
	23 x Screws 10 x 16 Hex Head				
	NB: Price does not include screws or rail caps				
	10 x 16 Hex Tek No Neo Pack 100 <i>(minimum pack of 100)</i>	<b>S1016HTNN---H</b>	Colour		per 100
<b>Galvanised Fence Posts</b>	2.0m x 1.9mm (100mm girth)	<b>C10019TU2000</b>			each
	2.1m x 1.0mm (150mm girth)	<b>C15010U2100</b>			each
	2.3m x 1.9mm (100mm girth)	<b>C10019TU2300</b>			each
	2.4m x 1.0mm (150mm girth)	<b>C15010U2400</b>			each

## FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
<b>Fencing/Accessories</b>					
<b>Corner/Gate Posts</b>  	Gate Post 65mm x 65mm x 2400mm	<b>SFGP65---2400</b>	Colour		each
	Gate Post 65mm x 65mm x 2700mm	<b>SFGP65---2700</b>	Colour		each
	Gate Post Cap 65mm x 65mm	<b>SFGPC65---</b>	Black or Grey only		each
<b>Post Balls</b> 	Post Ball Single	<b>SFGLPBS---</b>	Colour		each
	Post Ball Double	<b>SFGLPBD---</b>	Colour		each
	Post Ball Single 50 x 50	<b>SFGLPBS50---</b>	Colour		each
	Post Ball Single 65 x 65	<b>SFGLPBS65---</b>	Colour		each
<b>Gate Kits</b>  	<b>Single Gate Frame Kit</b>	<b>SFGKS---1200</b>	Colour	<b>Gate Height</b> 1200	each
		<b>SFGKS---1500</b>	Colour	1500	each
		<b>SFGKS---1650</b>	Colour	1650	each
		<b>SFGKS---1800</b>	Colour	1800	each
		<b>SFGKD---1200</b>	Colour	1200	each
	<b>Double Gate Frame Kit</b>	<b>SFGKD---1500</b>	Colour	1500	each
		<b>SFGKD---1650</b>	Colour	1650	each
		<b>SFGKD---1800</b>	Colour	1800	each
		<b>SFGSBLGA</b>			each
		<b>Fence Gate Support Bkt Lattice</b>			
Gate Kit comprises - Gate Styles, Zinc Plated Hinges, Zinc Plated D-Latch set, Gate Caps, Hex Head Tek Screws, and Drop bolts on double gates. <b>Order separately - Infill sheet/s, Rail/s, Gate Posts &amp; Gate Post Caps as required.</b> Specify gate opening width when ordering gate.					

### HOW TO ORDER:

Fence										
Panel Height*	Number of Panels	Profile?	Lattice?		End Posts?		Colour?			
		M=Monoclad S=Sawtooth	Yes/No	S=Standard P=Premium	65x65	Number of End Posts	Infill Sheets	Posts & Rails	Lattice	End Posts
1500					2400					
1800					2400					
2100					2700					

\*Height includes lattice (if required)

Standard Gates										
Gate Height*	Gate Type?	Profile?	Lattice?		Gate Posts?		Colour?			
	S=Single D=Double	M=Monoclad S=Sawtooth	Yes/No	S=Standard P=Premium	65x65	Number of Gate Posts	Infill Sheets	Posts & Rails	Lattice	Gate Posts
1200					2400					
1500					2400					
1650					2400					
1800					2400					
2100					2700					

\*Height includes lattice (if required)

Colour Availability <sup>Use</sup>		Screws:
Bluestone®	Mountain Blue	DOC
Domain®	Primrose	CLC
Estate®	Ironbark	EST
Evergreen®	Caulfield Green	CTG
Grey Ridge®	Slate Grey	WDG
Harvest®	Wheat	HAR
Meadow®	Mist Green	PEC
Red Oak®	Heritage Red	MNR
Riversand®	Stone	RSD
Summershade®	Moss Vale Sand	SMS
Terrace®	Merino	PPB
Willow®	Rivergum	WIL
Eclipse®	Night Sky	ECL

© Trademarks of BlueScope Steel Limited.

Some colours may be subject to minimum quantities and lead times. Please contact your nearest Stramit sales office.

**Note:** Gates Styles not available in all sizes in stock colours. Please contact your nearest Stramit sales office.

# TERMS AND CONDITIONS OF SALE

EFFECTIVE DATE: 1 APRIL 2018

## IN THIS DOCUMENT THE FOLLOWING WORDS HAVE THE FOLLOWING MEANINGS:

**Account Number** means the computer-generated identification number given by Stramit to the Buyer;

**All Present and After Acquired Property** have the meanings given to those terms under the PPS Act;

**Any Other Agreement** means any deed, guarantee, indemnity, security, contract, terms, conditions or agreement between any of Stramit, the Buyer, a guarantor and/or a co-surety or any of their related bodies corporate (as defined in the Corporations Act 2001) in respect of or in connection with any contract for sale of Goods and/or Services and the Guaranteed Debt;

**Credit Application** means the application for a Credit Account made by the Buyer;

**Australian Consumer Law** means the Australian Consumer Law in the Competition and Consumer Act 2010 (Cth);

**Buyer** means the person or entity who has applied for a Credit Account and includes the person, partnership, corporation or other legal entity which places an Order with Stramit for the supply of Goods and/or Services;

**Circulating and Non-Circulating Assets** have the meanings given to those terms under the PPS Act;

**Contract** has the meaning given to that term in clause 1.1 of the Sale Terms;

**Consumer** means a consumer as that term is defined in the Australian Consumer Law;

**Credit Account** means the commercial credit account the Buyer has with Stramit under the Credit Terms;

**Credit Limit** means the maximum cumulative monetary limit for all debts owed by the Buyer to Stramit at any time for Goods and Services purchased on credit;

**Credit Terms** means the terms and conditions of the Credit Account as set out below;

**Delivery Site** means the Buyer's premises or a site nominated by the Buyer for delivery of Goods;

**Event of Default** means any means any one or more of the following: (a) if the Buyer fails to take delivery of, or to pay for Goods and/or Services by the due date or otherwise breached any other term of any Contract; or (b) if an administrator, liquidator or provisional liquidator or external manager is appointed in respect of the Buyer; or (c) the Buyer enters into any composition or arrangement with its creditors; or (d) Stramit has reasonable grounds for suspecting that an event in (b) or (c) has occurred; Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (e) Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (f) contractual performance by either Stramit or the Buyer is delayed or prevented due to any Force Majeure Event.

**Force Majeure Event** means any event outside a party's reasonable control including acts of God, declared or undeclared war, act of terrorism, fire, flood, storm, earthquake, hurricane, cyclone, riot, power failure, industrial action, defaults of manufacturers or suppliers, the inability to obtain equipment, supplies or other facilities that are not caused by a failure to pay, labour disputes, theft, any criminal act or other similar events beyond a party's control that may prevent or delay a party from performing their obligations under any Contract;

**Goods** means the building products requested by the Buyer in its Order and includes Special Building Products and the proceeds (as defined in the PPS Act) of those Goods;

**Guaranteed Debts** means the debts guaranteed by a guarantor;

**GST** means goods and services tax as defined under the A New Tax System (Goods and Services Tax) 1999;

**Interest Rate** means the rate of 6% above the cash rate last published by the Reserve Bank of Australia (as at the due date).

**Order** means a request by the Buyer to Stramit for the supply of Goods and/or Services;

**Part** means any part of the Credit Account;

**PPS Act** means the Personal Property Securities Act 2009, and includes the Personal Property Securities Regulations 2010 and any amendments or re-enactments of the PPS Act or the Regulations;

**PPS Register** means the personal properties security register established under the PPS Act;

**Price List** means the Customer price list issued by Stramit from time to time in the particular Stramit region in which an Order is placed;

**Purchase Order Number** is the Buyer's identifier to be supplied by the Buyer to Stramit when placing an Order;

**Sale Terms** means the terms and conditions of sale and supply of Goods and Services by Stramit to the Buyer as set out below and the terms set out in the Price List;

**Security Interest** has the meaning given to it under the PPS Act;

**Services** means any services performed by Stramit for the Buyer associated with

Stramit's supply of Goods, including delivery of the Goods;

**Small Business Contract** means a contract for the supply of goods or services where:

(1) at the time the contract is entered into, at least one party to the contract is a business that employs fewer than 20 persons; and

(2) either of the following applies:

(A) the upfront price payable under the contract does not exceed \$300,000;

(B) the contract has a duration of more than 12 months and the upfront price payable under the contract does not exceed \$1,000,000.

However, if the relevant parts of the definition of 'Small Business Contract' under the Australian Consumer Law are amended at any time, this definition is also amended accordingly;

**Special Building Products** means building products produced by Stramit which the Buyer requests Stramit to produce according to a design, drawing or specification provided to Stramit by the Buyer and goods and materials which the Buyer requests Stramit to process, purchase or supply;

**Stramit** means: (a) Stramit Corporation Pty Ltd ABN 57 005 010 195; (b) its successors and assigns; and (c) the seller of Goods and Services under the business names 'Stramit Building Products', 'Eziform Sheetmetal' and 'Taurean Door Systems'.

## SALE TERMS

Words commencing with a capital letter and in bold are defined in these Sales Terms.

### 1. TERMS APPLICABLE TO THE SUPPLY OF GOODS AND/OR SERVICES

- 1.1 The contract between the Buyer and Stramit is constituted by: (i) the Sale Terms; (ii) the Credit Terms; (iii) each other Part (excluding the Guarantee); and (iv) to the extent to which Stramit accepts an order in accordance with clause 2.2 (each a "Contract"). The Sales Terms, the Credit Terms, each other Part (excluding the Guarantee) and the extent to which Stramit accepts the Order govern all contracts for the supply of Goods and/or Services by Stramit to the Buyer and constitute the entire agreement in connection with the supply of Goods and/or Services between Stramit and the Buyer.
- 1.2 All prior representations, trade custom or previous dealings between Stramit and the Buyer are excluded and are not applicable in the interpretation of the contract. No modification or variation to the Sale Terms or Credit Terms, any additional terms or conditions or any terms inconsistent with the Sale Terms or Credit Terms provided by the Buyer (whether put forward in the Order, the Buyer's specification or otherwise) will bind Stramit, unless expressly and specifically agreed to in writing by Stramit. These Sale Terms and Credit Terms supersede any terms and conditions which have previously governed a contract for the sale of Goods and/or supply of Services by Stramit to the Buyer. The Sale Terms and Credit Terms will prevail to the extent of any inconsistency between them and any quotation, Order or other documents from the Buyer. These Sale Terms and Credit Terms bind the Buyer even if Stramit or the Buyer do not sign them promptly or at all.
- 1.3 To the extent permitted by the PPS Act the parties agree to contract out of the following sections of the PPS Act:
  - 1.3.1 to the extent that Stramit is required to give notice to the Buyer: sections 95, 118, 121(4), 130 and 135; and
  - 1.3.2 sections 125, 132(3)(d) and 132(4).
- 1.4 The Buyer waives its rights to receive notice from Stramit of a registration event under section 157(1) of the PPS Act.
- 1.5 Stramit may at any time, and from time to time vary these Sale Terms and/or Credit Terms by notice in writing to the Buyer, or by updating the Sales Terms and/or Credit Terms found on Stramit's website, [www.stramit.com.au](http://www.stramit.com.au). Subject to Clause 2, if the Contract is a Small Business Contract, then the Buyer may consider the variation and, if not acceptable, may elect not to proceed with the purchase of the Goods or Services ordered before the date of the variation but which are intended to be subject to the variation. If the Contract is not a Small Business Contract, the Buyer agrees that Goods delivered and Services performed and/or ordered after the date of a notice of variation will be subject to the variation and acceptance of the Goods or Services or the placing of the Order shall be deemed to be an acceptance of such varied terms and conditions. Sale Terms shall apply from the date of alteration. A copy of current Sale Terms can be found on Stramit's website, [www.stramit.com.au](http://www.stramit.com.au). The Buyer acknowledges and warrants that he/she/it will regularly inspect the said website for any updated or altered Sale Terms.

### 2. ORDERING AND SUPPLY OF GOODS AND/OR SERVICES

- 2.1 The Buyer may place an Order verbally or in writing. An Order constitutes an offer by the Buyer to purchase Goods and/or Services from Stramit pursuant to Clause 1.1.
- 2.2 Stramit may accept or decline, in whole or in part, any Order. Acceptance may be verbal or in writing, or by Stramit delivering or

making the Goods and/or Services available for collection (whichever occurs first). Acceptance of an Order by Stramit gives rise to a Contract for the supply of the ordered Goods and/or Services on these Sale Terms.

- 2.3 Stramit may, in its sole discretion, agree to a written request from the Buyer for cancellation or variation (including variation to delivery times) of a Contract under clause 2.2. Stramit's acceptance must be in writing.

### 3. PRICES, QUOTATIONS PAYMENT AND DEFAULT

- 3.1 Unless otherwise expressly agreed in writing, the amount payable for the Goods and/or Services will be the price on Stramit's invoice plus any duties, fees, taxes (including GST), delivery charges and levies charged or imposed on or in respect of a Contract referred to in clause 2.2, plus any amount that reflects any increase in exchange rates, costs of labour, materials and overheads in connection with Stramit's supply.
- 3.2 Until Stramit confirms that a credit facility has been granted to the Buyer, all Goods and Services must be paid for on a cash on delivery or performance basis. If a credit facility has been granted, the Buyer must pay Stramit for the Goods and/or Services either:
- 3.2.1 as required by the Credit Terms; or
- 3.2.2 if required by Stramit, prior to Stramit ordering materials or commencing manufacture of the Goods.
- 3.3 A quotation will not constitute an offer to sell Goods or Services to the Buyer. No Contract for the supply of Goods or Services will exist between the Stramit and Buyer until Buyer's order for Goods or Services has been accepted by Stramit (such acceptance of the Buyer's order may be made and communicated by Stramit in writing or by over act of acceptance).
- 3.4 Any written quotation provided by Stramit expires on the date stated or otherwise 30 days after the date the quotation is issued by Stramit. Stramit may withdraw or vary a quotation before accepting an Order. Prior to acceptance of an Order of the Goods by Stramit, if there is an increase in Stramit's costs or pricing, then Stramit may increase its quoted price and the Buyer must pay the increased price.
- 3.5 If the Buyer commits an Event of Default then:-
- 3.5.1 all monies payable (including under a Credit Account, or under any Agreement) by the Buyer to Stramit may, at Stramit's election, become immediately due and payable notwithstanding the due date for payment may not have expired; and
- 3.5.2 Stramit, without prejudice to any other rights Stramit may have, may do any or all of the following:
- (i) suspend or withdraw the Credit Account;
  - (ii) terminate or suspend the whole or any outstanding part of any Contract in force between Stramit and the Buyer;
  - (iii) recover from the Buyer the cost of materials or goods acquired for the purpose of future deliveries Goods or the performance of Services;
  - (iv) immediately re-possess any Goods to which title has not passed.
  - (v) charge interest to the Buyer at the Interest Rate calculated daily on any overdue amount and payable together with the overdue amount;
  - (vi) immediately enforce any security it holds over the land or personal property of the Buyer; and
  - (vii) register a default with any credit reference facility
- 3.6 Stramit may in its sole discretion apply any payment received from the Buyer towards any debt (including interest charged under clause 3.5.2(v)) owed by the Buyer to Stramit at any time.
- 3.7 If in Stramit's reasonable opinion the financial position or status of the Buyer requires it, Stramit may refuse to make a delivery or cancel any contract under clause 2.2.
- 3.8 The Buyer must pay to Stramit on demand all reasonably incurred costs, charges and expenses (including legal expenses on an indemnity basis) that Stramit incurs as a result of any breach of these Sale Terms or Contract by the Buyer.
- 3.9 The Buyer must supply Stramit with its Account Number and Purchaser Order Number at the time of placing the Order. The Buyer is liable to pay the amount of an invoice, regardless of whether the Buyer's Account Number or Purchase Order Number is included on the invoice.
- 3.10 The Buyer is liable for all purchases made under its account number and/or account name. It is not the responsibility of Stramit to confirm authority for the purposes of supplying Goods or Services to Buyer, its agent(s) or those who Stramit deems to be its agents. It is the sole responsibility of Buyer to ensure there is no unauthorised use of their account number or name. A statement on a certificate given by Stramit setting out the quantities, descriptions, prices and dates and other information in respect of Goods and/or Services will be conclusive and binding on the parties in the absence of manifest error.
- 3.11 The Buyer will not assert any right of set-off against Stramit and will pay all sums due and payable without deduction.

### 4. DELIVERY AND COLLECTION

- 4.1 Stramit may:
- 4.1.1 make the Goods available for collection at Stramit's premises; or
- 4.1.2 deliver (or arrange delivery) of the Goods in the manner it deems fit to the Delivery Site.
- 4.2 The Buyer's Order must specify if the Goods are to be delivered to the Delivery Site or collected from Stramit. If delivery is specified then the Delivery Site must be nominated.
- 4.3 Stramit will advise the Buyer of the estimated delivery or collection date and time and may alter it if necessary. Any times quoted for delivery are estimates only and Stramit may supply by installments. To the extent permitted by law, Stramit will not be liable to the Buyer for any costs, loss or damage whatsoever (including indirect or consequential loss) caused directly or indirectly by any delay or failure to deliver the Goods or to perform the services or to make the Goods available for collection on the date or at the time specified. The Buyer must accept and pay for the Goods and/or the Services notwithstanding any extension or delay in the delivery or the availability of Goods for collection or in the performance of the Services.
- 4.4 If the Buyer does not collect the Goods by the collection date, then Stramit may, without limiting any other rights available to it, store the Goods or deliver them to the Delivery Site and the Buyer must, on demand, pay all costs of delivery and any additional charges (including storage costs) and costs incurred by Stramit.
- 4.5 The Buyer must provide a suitable and safe area at the Delivery Site to unload the Goods and ensure that Stramit's (or its agent, employee or contractor) use of the Delivery Site conforms to occupational health and safety legislation. The Buyer indemnifies and holds harmless Stramit (or its agent, employee or contractor) from any and all claims arising out of delivery of the Goods, except to the extent the Stramit (or its agent, employee or contractor) have been negligent or breached the law or the Contract.
- 4.6 If the Delivery Site is unattended, the Buyer authorises, Stramit or its contractors to deposit the Goods at the Delivery Site or retain the Goods if delivery is, in Stramit's reasonable opinion inappropriate. Stramit will not be obliged to obtain a signed receipt or other acknowledgment from any person at the nominated place for delivery but if a signed receipt or other acknowledgment is obtained from someone believed by Stramit to be authorised by Buyer to sign or otherwise take delivery, then such signed receipt or other acknowledgement will be conclusive evidence of Buyer's acceptance of the good delivered. The Buyer will indemnify and hold Stramit (and its contractors) harmless from any loss or damage caused by the depositing of Goods at an unattended Delivery Site.
- 4.7 To the extent permitted by law, Stramit will not be liable to the Buyer or to its employees or agents for any property damage or personal injury arising from any loading, unloading or delivery of the Goods. The Buyer indemnifies Stramit from any loss or damage suffered by Stramit as a result of any property damage or personal injury caused by the delivery and unloading of Goods except for and to the extent that the loss, damage or liability is caused by a negligent act or omission of Stramit or its contractors.
- 4.8 The Buyer must pay all costs and fees resulting from any or all of the following:
- 4.8.1 any delay in delivery caused by the Buyer or the Delivery Site conditions;
- 4.8.2 unexpected labour costs;
- 4.8.3 Delivery Site conditions resulting in the incurring of additional costs and
- 4.8.4 the nature of the Goods and/or Services ordered by the Buyer.
- 4.9 The Buyer must pay for any permit or licence or other extraordinary costs of transporting or delivering ordered Goods, including wide or long loads.
- 4.10 The Buyer must notify Stramit of any claim in writing within:
- 4.10.1 2 days after delivery or collection that the Goods supplied do not accord with those ordered;
- 4.10.2 14 days of receiving an invoice from Stramit that it disputes the invoice;
- 4.10.3 (if the Buyer is not a Consumer) 2 days of delivery or collection of Goods that it is alleged they are defective or damaged; or
- 4.10.4 (if the Buyer is not a Consumer) 2 days of performance of any allegedly deficient Services, and the Buyer will be taken to have accepted the Goods as delivered and/or the Services as performed or the invoice as rendered if the Buyer fails to so notify Stramit, and must pay for the Goods or Services in full.
- 4.11 If the Buyer is a Consumer, the Buyer must notify Stramit for matters within the contemplation of sub-clauses 4.10.3 and 4.10.4 within a reasonable time, and in any event promptly upon becoming aware of a claim within the contemplation of sub-clauses 4.10.3 and 4.10.4.

### 5. PASSING OF RISK

The risk of any loss or damage to or deterioration of the Goods from any cause whatsoever passes from Stramit to the Buyer, on the earlier of, when the Buyer takes possession of the Goods or otherwise if:

- 5.1 the Buyer collects the Goods and if Stramit or its contractors have loaded the Goods for the Buyer, when the Goods are fully loaded onto the Buyer's vehicle or vessel;
- 5.2 Stramit delivers the Goods to the Delivery Site and the Buyer unloads the Goods, when the Buyer begins unloading the Goods; or
- 5.3 Stramit delivers the Goods and unloads them at the Delivery Site, when Stramit has finished unloading the Goods.

## 6. RETENTION OF TITLE

- 6.1 The Buyer agrees that legal and equitable title to the Goods remains with Stramit until the Buyer has paid for the Goods in full and has paid all other money owing for any reason at any time under any contract, agreement or account between Stramit and the Buyer, including all payments to be made under clauses 3.1 and 3.8.
- 6.2 Until title to the Goods passes, the Buyer:
  - 6.2.1 holds the Goods as the bailee and fiduciary agent of Stramit;
  - 6.2.2 must store the Goods separately and securely and in such manner as to indicate clearly that they remain the property of Stramit;
  - 6.2.3 must insure the Goods for their full replacement value;
  - 6.2.4 must not create or allow to be created any Security Interest or any other form of encumbrance over the Goods which is inconsistent with Stramit's title to the Goods;
  - 6.2.5 must not assign, charge or encumber or grant any interest over any obligations which any third party may owe to the Buyer as a result of the use, manufacture or resale of the Goods;
  - 6.2.6 may not claim any lien or interest in the Goods to secure any liquidated or un-liquidated debt or obligation that Stramit owes to the Buyer; and
  - 6.2.7 must not remove, deface or obliterate any identifying plate, mark or number on any of the Goods.
- 6.3 Despite clause 6.2, unless Stramit notifies the Buyer to the contrary, the Buyer may, in the ordinary course of its business:
  - 6.3.1 re-sell the Goods (Re-sold Goods), but only as a fiduciary agent of Stramit, in which case the Buyer must perform in favour of Stramit all the obligations and assume all of the liabilities of a fiduciary agent. Any right to bind Stramit to any liability to a third party by contract or otherwise is expressly excluded; and
  - 6.3.2 use any of the Goods or part of the Goods in a manufacturing or construction process of its own or of a third party which manufactures, processes, assembles or commingles the Goods so that they become part of a product or mass (Manufactured Product), in which case it will hold the Manufactured Product on trust for Stramit as bailee and fiduciary agent of Stramit and may sell the Manufactured Product.
- 6.4 If the Buyer re-sells or deals with the Goods or the Manufactured Product before title to the Goods passes to the Buyer, then the Buyer:
  - 6.4.1 assigns absolutely and unconditionally in favour of Stramit the Buyer's entitlement to all the proceeds of the re-sale or dealing, and must notify the purchaser in writing of the assignment at the time of the re-sale or dealing; and
  - 6.4.2 will hold such part of the proceeds of the re-sale or dealing on trust for and as the fiduciary agent of Stramit immediately when they are received or receivable.
- 6.5 When referring to "such part" in sub-clause 6.4.2 and/or for the purpose of quantifying the amount of money paid to the Buyer and held in trust for Stramit from the proceeds of the sale of or dealing with the Goods or Manufactured Product, that part or amount will be equal in dollar terms to the value of the Goods on the day on which they become part of the Manufactured Product.
- 6.6 The Buyer must keep the proceeds in a separate bank account until the liability to Stramit is discharged.
- 6.7 If the amount payable for all Goods sold by Stramit to the Buyer is greater than the sum of:
  - 6.7.1 the proceeds actually received by Stramit in respect of all dealings by the Buyer with the Goods (including the sale of Re-Sold Goods or Manufactured Product); and
  - 6.7.2 all other payments received by Stramit in respect of the Goods, then the difference remains a debt owing by the Buyer to Stramit.
- 6.8 Where the Buyer has not paid for the Goods in full by the due date for payment, then the Buyer irrevocably authorises Stramit to repossess the Goods and to enter any site owned, possessed or controlled by the Buyer at any time and without notice to search for, inspect or repossess the Goods, whether such Goods are in their original form, or in a modified form or mixed with other products of the Buyer. Stramit is not liable to the Buyer as a result of any action taken pursuant to this clause, except to the extent that Stramit has been negligent or breached the law or the Contract. Stramit may delay taking action to dispose of or retain the repossessed Goods under the PPS Act for a period of up to 12 months.
- 6.9 Stramit's property in the Goods remains absolute even if the Goods have become fixtures to the premises of the Buyer or a third party. If Stramit enters those premises to reclaim possession of the Goods and incurs any liability to a third party in connection with the entry or reclamation, or if the Buyer suffers any loss or damage as a result of the entry or reclamation, then Stramit will not be liable to the Buyer for any liability, loss or damage and the Buyer indemnifies Stramit against any liability, loss or damage to any third party except to the extent Stramit

has been negligent or breached the law or the Contract.

- 6.10 The provisions of this clause 6 apply despite any arrangement between the parties under which Stramit grants the Buyer credit.

## 7. DESCRIPTION OF BUILDING PRODUCTS AND SAMPLES

- 7.1 All physical samples and descriptions, specifications, illustrations, drawings, data, dimensions and weights in respect of the Goods contained in catalogues, the Price List or other Stramit advertising material are approximate, and are only intended by Stramit to be a general description.
- 7.2 Stramit may produce Goods with minor modifications from any of its samples, drawings and specifications (within acceptable manufacturing tolerances).
- 7.3 Stramit is not liable to the Buyer for any loss or damage suffered by the Buyer as a result of the Buyer relying upon any such specifications, illustrations, drawings, data, dimensions, weights or the characteristics of any samples except to the extent Stramit has been negligent or breached the law or the Contract.

## 8. TOOLS, EQUIPMENT, PATTERNS, DESIGNS AND SYSTEMS OF MANUFACTURE

- 8.1 Any tool, equipment, pattern, design or system of manufacture (Manufacturing Devices) acquired and used by Stramit in filling an Order remains the property of Stramit and cannot be used without Stramit's prior written authority.
- 8.2 Stramit may charge the Buyer for Stramit's acquisition and use of any Manufacturing Device. Payment of such charge will not vest in the Buyer any intellectual property rights or other rights in the Manufacturing Device.
- 8.3 Stramit may hire or lend tools or equipment to a Buyer on agreed terms. Stramit will invoice the Buyer for hire and delivery charges after the tools or equipment are in possession of the Buyer. The Buyer must pay the amount invoiced within 30 days of the invoice date.
- 8.4 The Buyer indemnifies and holds harmless Stramit against any claim, demand or suit arising out of any loss, damage or personal injury caused to the Buyer, its employees and agents or a third party by a tool or equipment provided by Stramit to the Buyer except to the extent Stramit has been negligent or breached the law or the Contract.

## 9. BUYER'S SPECIFICATIONS OR MATERIALS AND SPECIAL BUILDING PRODUCTS

- 9.1 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, then the Buyer agrees that:
  - 9.1.1 Stramit will not be responsible for any failure of any Special Building Products or lack of fitness for use or for any property damage or personal injury whatsoever caused by the Special Building Products.
  - 9.1.2 the Customer agrees that it does not rely on the skill or judgment of Stramit in relation to the suitability of any Special Building Products goods for a particular purpose; and
  - 9.1.3 any advice, recommendation, information or assistance provided by Stramit is provided without liability to Stramit whatsoever.
- 9.2 If the Buyer is a Consumer, or the Contract is a Small Business Contract, and Stramit, then the Buyer acknowledges and agrees that:
  - 9.2.1 it must install and operate the Special Building Products goods in accordance with any applicable installation instructions and/or manuals, and with professional skill, competence and due care having regards to the complexity and nature of the work; and
  - 9.2.2 any advice, recommendation, information or assistance provided by Stramit, is provided in good faith, relying upon the accuracy and completeness of information provided by Buyer to Stramit.
- 9.3 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract the Buyer will indemnify and hold Stramit harmless from:
  - 9.3.1 any direct or indirect loss or damage caused to, or suffered by, the Buyer or to any third party by the Special Building Products and the Buyer releases Stramit from all liability in respect of any fault or defect in any Special Building Product; and
  - 9.3.2 any claim, demand or suit arising out of Stramit's use of or reliance upon any design, specification or drawing provided to Stramit by the Buyer.
- 9.4 The Buyer warrants and represents that any designs, specifications or drawings it provides to Stramit for the manufacture of Special Building Products will not breach or infringe any copyright, patent or registered design or any other right of any third party. If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, the Buyer will indemnify and forever hold Stramit harmless from any loss, damage, liability or costs suffered or incurred by Stramit arising from a breach by the Buyer of this warranty and representation.
- 9.5 If Stramit, on request of the Buyer, processes the Buyer's materials, Stramit will not warrant that the materials supplied by the Buyer are suitable for such processing.
  - 9.6 Stramit will not be liable for any:
    - 9.6.1 failure of any processed Buyer's materials; or
    - 9.6.2 failure of any Goods manufactured using the Buyer's materials; or
    - 9.6.3 damage caused by or connected with the Buyer's materials at any time during or after processing by Stramit.

- 9.7 The Buyer must bear any additional expense or the cost of:
- 9.7.1 any testing or inspection of Goods manufactured using the Buyer's materials or any Special Building Products; and
- 9.7.2 any delay in processing caused by any defect in the Buyer's materials or by the nature of the Buyer's materials.

## 10. LIMITATION OF LIABILITY

- 10.1 Unless agreed in writing by Stramit, Stramit will not accept the return of goods. Goods accepted for return by Stramit may attract a charge to recover costs, restocking, disposal and repackaging charges. The amount of this charge will be determined by Stramit and recoverable from the Buyer. Proof of purchase from Buyer must accompany all goods returned to Stramit
- 10.2 If the Buyer is a Consumer or the Contract is a Small Business Contract, the provisions of this clause 10.2 apply:
  - (a) the Goods and Services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the Australian Consumer Law, Stramit's obligations to the Buyer in respect of a breach of any term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
    - (i) the repair or replacement of the Goods or the supply of equivalent Goods; or
    - (ii) paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
    - (iii) in the case of Services, the re-supply of Services or paying for the cost of resupplying the Services by a service provider approved in writing by Stramit.
- 10.3 Stramit's obligations, if clause 10.2 applies, do not include:
  - (i) the cost of removing defective Goods whether installed or otherwise;
  - (ii) the cost of installing replacement Goods; or
  - (iii) defects in Goods caused by improper installation or improper maintenance or care of Goods, or related components, or normal wear and tear.
- 10.4 Subject to clause 10.2, if the Buyer is not a Consumer or the Contract is not a Small Business Contract, all terms, representations, guarantees, implied warranties and conditions, whether implied by statute or otherwise, including as to merchantability, description, quality, suitability, or fitness for purpose as to design, assembly, installation, materials or workmanship or otherwise are expressly excluded. Stramit does not exclude, restrict or modify any liability that cannot be excluded, restricted or modified except to a limited extent, as between Stramit and the Buyer by law.
- 10.5 Stramit's obligations to the Buyer in respect of a breach of any a non-excludable term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
  - 10.5.1 the repair or replacement of the Goods or the supply of equivalent Goods; or
  - 10.5.2 paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
  - 10.5.3 in the case of Services, the re-supply of Services or paying for the cost of resupplying
- 10.6 Stramit's obligations if clause 10.5 applies do not include:
  - 10.6.1 the cost of removing defective Goods whether installed or otherwise;
  - 10.6.2 the cost of installing replacement Goods; or
  - 10.6.3 defects in Goods caused by improper installation or improper maintenance or care of Goods or related components or normal wear and tear.
- 10.7 To the extent permitted by law, Stramit will not be liable to the Buyer or any other person for any direct, indirect, special, incidental or consequential loss or damage (including loss or damage caused by negligence or any wilful act or default of Stramit, its employees or agents) whatsoever arising from the use of the Goods, or a breach of a contract under clause 2.2 or any statutory implied warranty, term or condition in relation to the Goods. In this clause, "direct, indirect, special, incidental or consequential loss or damage" includes (a) any loss of income, profit or business; (b) any loss of goodwill or reputation; and (c) any loss of value of intellectual property.
- 10.8 To the extent permitted by law, Stramit will not be liable to the Buyer, its employees or agents for any costs, claims, damages or demands arising from personal injury, loss or damage whatsoever occurring by reason of:
  - 10.8.1 the Goods or their design, production or processing;
  - 10.8.2 the Services;
  - 10.8.3 any act or omission of Stramit, its employees or agents; or
  - 10.8.4 any statement, representation, recommendation, advice, supervision or assistance made or given by an employee or agent of Stramit, whether oral or written.
- 10.9 Stramit will not be responsible for the consequences of any technical advice given by its employees or agents in relation to the design, specifications, installation or use of Goods. The Buyer acknowledges that it will not rely and has not relied on any skill or judgment of Stramit, its employees or agents about the suitability of any Goods and/or Services for a particular purpose.
- 10.10 The Buyer acknowledges that Stramit does not make and has not made any representation or warranty regarding the Goods and/or

Services or any matter which is or might be relevant to the Buyer other than as set out in these Sale Terms.

## 11. INDEMNITIES RELATING TO ACCESSING PREMISES

- 11.1 Any Buyer, or its agent, employee or contractor (Buyer's Representative) who enters Stramit's premises does so at his/her own risk. Stramit will not be liable for any loss, damage or injury caused by any act or omission whatsoever whilst the Buyer's Representative attends Stramit's premises. The Buyer indemnifies and will forever hold Stramit harmless against all claims, demands or suits made by a Buyer's Representative in connection with his/her attendance at Stramit's premises.
- 11.2 Where Stramit or its agent, employee or contractor (Stramit Representative) enters upon a Delivery Site, the Buyer must provide full and safe access to the Delivery Site and ensure that the Delivery Site is compliant with all occupational health and safety legislation and the Buyer will be liable for, and must indemnify Stramit against the costs of any loss or damage to property and personal injury to any Stramit Representative occurring directly or indirectly as a result of the Buyer's failure to comply with this clause.

## 12. GENERAL MATTERS

- 12.1 Stramit may vary or waive any or all of these Sale Terms at any time and will notify the Buyer in writing of any variation or waiver.
- 12.2 The failure of Stramit to exercise a right or remedy, or any delay by Stramit in exercising a right or remedy, or the exercise by Stramit of only part of a right or remedy, or the granting of any indulgence by Stramit in favour of the Buyer does not:
  - 12.2.1 affect Stramit's rights against the Buyer;
  - 12.2.2 constitute a waiver of any term or condition; or
  - 12.2.3 prohibit Stramit from exercising that right or remedy in relation to that breach or any other breach.
- 12.3 A waiver of a breach of a term or condition does not constitute a waiver of another breach of the same term or any other term.
- 12.4 The Buyer agrees that these Sale Terms shall be construed according to the laws of the State or Territory as Stramit may in its sole discretion determine. Proceedings by either Stramit or the Buyer may be instituted and/or continued in such State or Territory as Stramit may in its sole discretion determine. Failing such determination the Buyer consents to any proceedings being instituted and heard by any appropriate Court sitting in the State of New South Wales applying the laws of that State.
- 12.5 The Buyer must not assign any of its rights or obligations under these Sale Terms without the prior written approval of Stramit.
- 12.6 Stramit will not be liable for any delay or failure to fill an Order to the extent and for so long as performance is prevented or delayed by:
  - (a) any event or circumstance beyond Stramit's power or control;
  - (b) any delay or failure of supply by any of Stramit's suppliers; or
  - (c) a breakdown in Stramit's or its contractor's tools, equipment, vehicles or machinery.
- 12.7 If all or part of a clause in these Sale Terms is void, illegal or unenforceable, it may be severed without affecting the enforceability of any other provision.
- 12.8 If the Buyer is acting as the trustee of any trust (whether disclosed or not), then:
  - 12.8.1 the Buyer declares that it is entering into the Contract both in its own capacity and as trustee of the trust with the ability to bind and the intention of binding, both;
  - 12.8.2 the Buyer shall be liable both in its own name and as trustee of the trust; and
  - 12.8.3 the Buyer acknowledges that the assets of the trust shall be available to meet payment and obligations under the Contract, and of the Buyer's accounts.
- 12.9 A breach of these Sale Terms is a breach of the Credit Terms.

# CONTACT US

The Stramit web page can be found at [stramit.com.au](http://stramit.com.au). Details of many Stramit® products can also be seen on the AIA site 'Product Selector' [selector.com.au](http://selector.com.au).

REGION	LOCATION	CONTACT DETAILS	BRANCH OPENING HOURS <sup>1</sup>	ORDER CUT-OFF TIMES <sup>2</sup>		
				STANDARD DELIVERY	NEXT DAY DELIVERY <sup>3</sup>	PICK-UP HOURS <sup>4</sup>
NSW & ACT	SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759	Ph 02 9834 0909 Fax 02 9834 0988	7.30am - 5pm	4pm	N/A	6am - 4pm
	CANBERRA 4 Bass St, Queanbeyan NSW 2620	Ph 02 6298 2500 Fax 02 6298 2533	7.30am - 5pm	4pm	N/A	7.30am - 4pm
	COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450	Ph 02 6656 3800 Fax 02 6656 3808	7.30am - 5pm	4pm	N/A	7am - 4pm
	NEWCASTLE 17 Nelson Rd, Cardiff NSW 2285	Ph 02 4041 3400 Fax 02 4041 3423	7.30am - 5pm	4pm	N/A	7am - 4pm
	ORANGE 51 Leewood Dr, Orange NSW 2800	Ph 02 6360 9200 Fax 02 6360 9211	7.30am - 5pm	4pm	N/A	7am - 4pm
VIC	MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180	Ph 03 9237 6300 Fax 03 9237 6399	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	ALBURY 18 Ariel Dr, Albury NSW 2640	Ph 02 6092 3700 Fax 02 6092 3766	7.30am - 5pm	4pm	N/A	7am - 4pm
	BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555	Ph 03 5448 6400 Fax 03 5447 9677	8am - 5pm	4pm	N/A	8am - 4.30pm
TAS	HOBART 57 Crooked Billett Dr, Brighton TAS 7030	Ph 03 6262 8788 Fax 03 6262 8712	7.30am - 5pm	4pm	N/A	7am - 4pm
SA	ADELAIDE 11 Stock Rd, Cavan SA 5094	Ph 08 8219 2000 Fax 08 8219 2021	7.30am - 5pm	4pm	N/A	7am - 4pm
South QLD	BRISBANE 57-71 Platinum St, Crestmead QLD 4132	Ph 07 3803 9999 Fax 07 3803 1499	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	MARYBOROUGH 10 Activity St, Maryborough QLD 4650	Ph 07 4123 9500 Fax 07 4123 9508	7am - 4.30pm	4pm	N/A	7am - 4pm
	ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702	Ph 07 4921 5600 Fax 07 4921 5608	7am - 4.30pm	4pm	N/A	7am - 4pm
North QLD	CAIRNS 53 Vickers St, Edmonton QLD 4869	Ph 07 4034 6555 Fax 07 4034 6511	7am - 4.30pm	4pm	N/A	7am - 4pm
	TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814	Ph 07 4412 3900 Fax 07 4412 3909	7am - 4.30pm	4pm	N/A	7am - 4pm
	MACKAY 6 Brickworks Court, Glenella QLD 4740	Ph 07 4965 4000 Fax 07 4965 4012	7am - 4.30pm	4pm	N/A	7am - 4pm
NT	DARWIN 55 Albatross St, Winnellie NT 0820	Ph 08 7922 4600 Fax 08 7922 4608	7.30am - 4.30pm	3.30pm	N/A	7am - 4pm
WA	PERTH 605-615 Bickley Rd, Maddington WA 6109	Ph 08 9493 8800 Fax 08 9493 8899	7.30am - 5pm	4pm	12.30pm	7am - 4pm

<sup>1</sup> Business days only (excludes weekend and public holidays).

<sup>2</sup> Days only (excludes weekend and public holidays). Standard Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Next Day Delivery refers to order cut-off times for orders to be delivered the next Business Day.

<sup>3</sup> Additional charges may apply.

<sup>4</sup> Orders picked up outside of office hours must be confirmed prior to pick-up.