

DARWIN



PRODUCT AND SERVICE GUIDE

EFFECTIVE MAY 2018

Supersedes March 2017



DARWIN

Ph 08 7922 4600

Fax 08 7922 4608

darwin@stramit.com.au

stramit.com.au





OUR STEEL-CLAD COMMITMENT TO YOU EVERY TIME YOU WORK WITH US.

Our Declaration of Done is what sets Stramit® apart. It's our set of promises to you that make getting the job done easy. Want on-time delivery? Done. Great quality products? Done. No matter the size of the job, when you work with Stramit, you can Consider It Done.



ON-TIME DELIVERY

We'll deliver in full, on-time and to specification or we'll credit you 5% of the order confirmation value. Give us 2 days' lead time without making a change and we'll double it to 10%.



GREAT QUALITY PRODUCTS

Great quality products every time, or we'll replace them at no cost to you.



BEST STOCK AVAILABILITY

With our most popular items always in stock, we have what you need, when you need it.



AUSTRALIA WIDE COVERAGE

With a national footprint and local teams covering every State and Territory, we'll work together to get your job done.



PERSONAL SERVICE

You'll be supported by an experienced sales team backed by a network of technical experts.



RESPONSIVE SUPPORT

You'll speak to us within 6 rings and we'll always keep you informed.



FAST ORDER CONFIRMATION

Accurate same day order confirmation, allowing an extra day for structural products, or we'll credit you \$50.



ACCURATE INVOICING

Your invoice will be accurate or we'll credit you the difference plus \$50 within 5 days.

INDEX

PRODUCTS AND SERVICE GUIDE

Selecting Your Product – Cover, & Pitch	2
Product Availability – Finish and Colour	3
Darwin Delivery Area Map	4
Delivery Information	5
OPU Load Guidelines	6-7
Quick Roofing Estimate	8

ROOFING/CLADDING

Stramit® Corrugated	9
Stramit® Curving Quality	10
Stramit Monoclad®	11
Stramit Longspan®	12
Stramit Speed Deck Ultra®	13
Stramit CapacityPLUS™ 660	13
Stramit® C-Clad 280	14
Stramit Premier 300™	14
Stramit K-Panel®	14
Stramit Minirib®	14
Stramit Mini Corry®	14
Acoustic Products, Accessories	15
Fasteners – Cyclonic Areas	16-17

INSULATING PRODUCTS

Foil, Blanket, Wire	18
---------------------	----

METAL FASCIA & BARGE

Stramit® Fascia & Accessories	19
--	----

GUTTER & DOWNPIPE

Stramit® M Pattern, Stramit® Barge Capping	20
Stramit® Quad 150 & Accessories	21
Stramit Queenslander Quad®, Stramit® Quad 175	22
Half Round Gutter	23
Stramit® 150mm Half Round & Flatback Half Round Gutter	24
Stramit® 200mm Half Round Gutter, Downpipe - Rectangular	25
Stramit® Downpipe – Round	26

FLASHINGS

Stramit® Custom Flashings – Ordering Procedure	27
Stramit® Custom Flashings	28-30
Stramit® Customer Order – Flashing Detail Sheet	31

PREMIUM PRODUCTS

Product Availability	32
Stramit® MagnaFlow® – Roofing, Cladding, Rainwater	33
Stramit® Roofing, Cladding, Valleys & Ridges	34
Stramit® Fascia, Gutters & Accessories	35
Stramit® Custom Flashings	36-39

NON-STANDARD RAINWATER AND FLASHINGS

Non Standard Rainwater Head Guide	40
Builder's Products	41
Rainwater Caps/Rainheads/Overflows/Roof Ventilation	42
Vented Ridge	42
Stramit® Sumps/Adj Box Gutter Brackets/Safe Trays	43

STRUCTURAL COMPONENTS

Stramit® Stud Sections	44
Stramit® Roof & Ceiling Battens, Top Hats	45
Stramit® C & Z Purlins (Z350 Coating), Stramit® Eave Purlins	46
Stramit® Purlins Bridging Hole Punching	47
Stramit® Purlins & Girts AISC Bridging System	48
Stramit® Purlins & Girts General Accessories	49-50
Stramit® Purlins & Girts Order Form	51
Stramit® Bridging & Girts Accessories Order Form	52-53
Stramit® C & Z Purlins (ZAM Coating)	54
Stramit® Purlins & Girts	
AISC Bridging System (ZAM Coating)	55-56
Stramit® Purlins & Girts Accessories (ZAM Coating)	57

FIREWALL/FLOORING/FORMWORK SYSTEMS

Stramit Uniguard™ Fire Resisting Wall System	58
Stramit Condeck HP®, Stramit® Edgeforma	59
Stramit® Flooring	60

STRAMIT HOME IMPROVEMENT PRODUCTS

Stramit Fencing & Accessories	61
Stramit Sunset Patio Deck	62
Patio Deck Accessories	63
Residential Roller Doors	64
Light Industrial Roller Doors	65
Residential Sectional Doors	66-67
Roller Door Accessories	68-69
Roller Door Motor Accessories	69-70

GENERAL ORDER INFORMATION

Colorbond / Zinalume Steel Care & Maintenance	71
Site Delivery Instruction Form	72
Sales Order Form	73

TERMS AND CONDITIONS OF SALE

74-77












IMPORTANT NOTE: HANDLING AND STORAGE

Roofing and cladding sheets, when stored on site must be kept dry by storing under cover.

Wet storage stains can occur from condensation even in dry weather. Do not leave goods with strippable plastic coating in direct sunlight.

**NOTE: Technical details displayed in this book are a guide only.
For further information, please consult the relevant Stramit Technical Manual.**

SELECTING YOUR PRODUCT - COVER & PITCH

Product Roofing/Cladding	Page	BMT mm	TCT mm	Cover Width mm	Weight kg/m ²	Minimum Pitch
Stramit® Corrugated 	9	0.42 0.48	0.47 0.53	762 762	4.35 4.93	5 Degrees (1 in 12)
Fixing Screws required 3/sheet/batten [†]						
Stramit® Curving Quality 	10	0.60	0.65	762	6.09	5 Degrees (1 in 12)
Ex Brisbane Fixing Screws required 3/sheet/batten [†]						
Stramit Monoclad® 	11	0.42 0.48	0.47 0.53	762	4.35 4.93	2 Degrees (1 in 30)
Fixing Screws required 4/sheet/batten [†]						
Stramit Longspan® 	12	0.42 0.48	0.47 0.53	700 700	4.73 5.37	1.5 Degrees (1 in 40)
Ex Brisbane Fixing Screws required 3/sheet/batten [†]						
Stramit Speed Deck Ultra® 	13	0.42 0.48	0.47 0.53	700 700	4.73 5.41	1 Degree (1 in 60)
Ex Brisbane						
Stramit CapacityPLUS™ 660 	13	0.42 0.48	0.47 0.53	660	4.97 5.64	1 Degree (1 in 60)
Ex Brisbane Fixing Screws required 3/sheet/batten [†]						
Stramit Mini Corry® 	14	0.42	0.47	825	4.01	Walls only
Ex Brisbane Fixing Screws required 7/sheet/batten [†]						
Stramit Minirib® 	14	0.42	0.47	900	3.68	Walls only
Ex Brisbane Fixing Screws required 4/sheet/batten [†]						
Stramit K-Panel® 	14	0.35	0.40	864	3.17	Walls only
Ex Brisbane Fixing Screws required 4/sheet/batten [†]						
Stramit® C-Clad 280 	14	0.55	0.60	280	5.85	Walls only
Ex Brisbane Fixing Screws required 1/sheet/batten [†]						
Stramit Premier 300™ 	14	0.55	0.60	300	6.03	Walls only
Ex Brisbane Fixing Screws required 1/sheet/batten [†]						

TCT = Total Coated Thickness. This is a nominal dimension. It should not be used in specifications due to variances in Coating and paint finish.
 BMT = Base Metal Thickness. This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.

[†] NOT suitable for cyclonic conditions.

PRODUCT AVAILABILITY – XRW COLORBOND

Product/Roofing/Cladding	BMT	ZA	GA	BAS	CLC	CTG	COV	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WLB	WDG	WSP
Stramit Monoclad®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Corrugated	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Curving Quality (Ex Mackay)	0.60	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Speed Deck	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Longspan®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit CapacityPLUS™ 660	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® C-Clad 280 (Ex Brisbane)	0.55	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Premier 300™ (Ex Brisbane)	0.55	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Minirib® (Ex Brisbane)	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit K-Panel® (Ex Brisbane)	0.35	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓
	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit Mini Corry® (Ex Brisbane)	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fascia	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Valley (Ribbed)	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Valley Folded	0.60	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Roll Top Ridge 450	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Edge Roll 50mm 2m	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Edge Roll 50mm 3m	0.40	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Roll Barge Cap	0.40	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® M Pattern	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® S Pattern (Ex Brisbane)	0.42	✓			✓		✓				✓						✓				✓	✓			
Stramit® QLD Slotted Quad	0.42	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Quad 150 (Ex Brisbane)	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Quad 175 (Ex Brisbane)	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓			✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Half Round Gutter 150	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Downpipe 100 X 75	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Downpipe 85 / 100	0.40	✓	▲	✓	▲	✓	✓	▲	▲	▲	✓	▲	▲	✓	▲	▲	✓	▲	▲	▲	✓	✓	✓	▲	▲
Product/Roofing/Cladding	BMT	ZA	GA	BAS	CLC	CTG	COV	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WLB	WDG	WSP


● Not all colours available at every branch, please contact your local Stramit sales office for more details.

ABBREVIATION CODE AND COLOUR NAMES

BMT Base Metal Thickness	DOC Deep Ocean® (Mountain Blue)	PEC Pale Eucalypt® (Mist Green)
TCT Total Coated Thickness	DUN Dune® (Birch)	PPB Paperbark® (Merino)
ZA Zinalume	EVH Evening Haze®	SHG Shale Grey™ (Gull Grey)
COL Colorbond®	GLY Gully™	SUR Surfmist® (Off White)
CB Colorbond®	IST Ironstone®	TRN Terrain®
GA Galvanised	JAS Jasper®	WLB Wallaby®
BAS Basalt®	MGV Mangrove®	WDG Woodland Grey® (Slate Grey)
CLC Classic Cream™ (Smooth Cream)	MNR Manor Red® (Heritage Red)	WSP Windspray® (Armour Grey)
CTG Cottage Green® (Caulfield Green)	MON Monument®	
COV Cove™	NTS Night Sky®	

NOTE: 0.48 BMT – Standard colours available on 3 week lead time. Most colours stocked. Limited quantity. Please phone for availability.

DARWIN MAP



STANDARD DELIVERY DETAILS

NOTE

Any Customer who has exceeded their credit limit or whose payments are overdue, may experience delays in the manufacture and delivery of goods ordered.

Due to handling and transport limitations, the maximum length for purlin and structural steel products is 12000mm. Although longer lengths can be manufactured, extra handling costs may apply.

Strict safety procedures apply at our plant and all customers are required to adhere to these at all times.

TO ORDER

Refer to the schedule below for order close-off and delivery times.

Orders placed after the following cut-off times will be treated the same as orders taken the next day.

- C100 Purlins ordered by 12.00pm Friday available for despatch following Wednesday.
- Z100 Purlins ordered by 12.00pm Thursday available for despatch following Tuesday.
- C150 Purlins ordered by 12.00pm Monday available for despatch following Thursday.
- Z150 Purlins ordered by 12.00pm Tuesday available for despatch following Friday.
- C200 Purlins ordered by 12.00pm Wednesday available for despatch following Monday.
- Z200 Purlins ordered by 12.00pm Wednesday available for despatch following Monday.
- C250 Purlins ordered by 12.00pm Thursday available for despatch following Tuesday.
- Z250 Purlins ordered by 12.00pm Thursday available for despatch following Tuesday.
- Fascia Purlins/Flooring System – Order by 12.00pm any day – Ready for despatch after 12 working days.
- Corrugated/Monoclad/Flashings – Order by 2.00pm any day – ready for despatch after 2nd working day.
- All stock items – Order by 2.00pm – Available next working day.

DELIVERY CHARGES

- Delivery to store – Darwin/Palmerston only – \$50.00 per Stramit invoice Area 1.
- Delivery to site – Darwin/Palmerston – \$155.00 per delivery.
- Delivery to sites with overhead cranes in Darwin/Palmerston – \$125.00 per hour.
- Specific site time deliveries – Darwin and Palmerston \$140
- Other areas POA.
- Deliveries requiring extendable trailers in Darwin/Palmerston – POA.
- Delivery to sites outside above areas – POA.
- Delivery for lengths over 12m – POA.

DELIVERY HOURS

Deliveries will be quoted as either AM or PM deliveries between the hours of 7.30am and 4.30pm on week days. Stramit will only commit to a specific delivery time if a site crane has been organised and the above delivery charge will apply. Additional charges will apply to deliveries outside these times and on weekends and public holidays.

UNLOADING OF DELIVERIES

Customers/receivers are responsible at all times. Our terms are "ON LORRY AT SITE OR STORE".

On unattended sites our driver will attempt to deliver goods as close to site as possible.

Stramit will not accept claims for damage to product during unloading, claims for pilfering, nor claims for missing product on part or all of delivery made.

CUSTOMER PICK-UPS

Customer pick-ups can be made between the hours of 7.00am and 4.00pm Monday to Friday. Stramit is closed on weekends and public holidays.

PACKAGING

Standard packs will be used. If special packing is required by customer, the following additional cost will be placed on the customer's account.

- Top and bottom cover sheets – when available will be downgrade material @ \$5.00/m per side.
- Sleeves for flashings – \$14 per metre.
- Sea wrap – \$97.50 per pack.
- Rainwater, sheeting & Flat sheet timber crates - \$15 per lin metre.

RETURN OF GOODS

Stock line items may be returned for credit, subject to the following charges:

- Where goods are returned by customer a re-stocking fee of 20% (\$20.00 minimum) is applicable.
- Where goods are picked up from site by Stramit a standard delivery charge will apply plus the re-stocking fee of 20% (\$20.00 minimum).
- Non-stock items such as cut-to-length products are not returnable to Stramit.

PRICES – MINIMUM SURCHARGE

Invoices less than \$100 including GST will incur a surcharge of \$10 per invoice plus GST.

Refer to Terms and Conditions of Sale inside back cover of this price list.

IMPORTANT NOTE: HANDLING AND STORAGE

Roofing and cladding sheets, when stored on site must be kept dry by storing under cover.










Wet storage stains can occur from condensation even in dry weather. Do not leave goods with strippable plastic coating in direct sunlight.

LOADING REQUIREMENTS



OVERHANG LIMITS

THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



A 450MM SQUARE BRIGHT RED FLAG IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)

NOTE: For securing your load details refer to Page 7

LOADING REQUIREMENTS




SECURE YOUR LOAD!

**DO NOT USE OCCY STRAPS
OR FLEXI STRAPS**

Minimum 2 lashings
per stack for items
longer than 750 mm.


Recommended
Minimum Lashing
1.5m apart



**No low friction
surfaces** (metal
on metal, plastic
on metal, etc.)

Watch your Lashing Angle!
The More Upright
The More secure

**Roof Racks must be secure,
Maximum loads:
Sports Racks - 40kg
Trades Racks - 100kg**



*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

VEHICLES CONSIDERED INAPPROPRIATE CANNOT BE LOADED!

YOUR SAFETY IS OUR CONCERN

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility

Table 1 - Lashing Requirements

Lashing Angle to Horizontal \angle	25 mm hand tightened webbing	25 mm ratchet webbing	35 mm ratchet webbing	8 mm synthetic rope with single hitch
60 to 90°	52 kg per strap	170 kg	430 kg	87 kg per rope
45 to 60°	46 kg per strap	140 kg	350 kg	71 kg per rope
30 to 45°	30 kg per strap	100 kg	250 kg	50 kg per rope
15 to 30°	15 kg per strap	52 kg	130 kg	26 kg per rope

Key Assumptions in Tables 1

- All lashings are fully tensioned. If not, then more lashings may be required.
- No low friction surfaces** (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
- A minimum static coefficient of friction of $\mu = 0.40$ is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
- Round loads** require **belly wrapping** and extra restraints.

QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF

The table of Roof Slope Factors below allows quick calculations of roof area, sheet length and hip length.

These methods are for quick estimating purposes only. Accurate measurements must be taken from the actual roof frame before ordering roofing and rainwater products.

As an example, take a typical hipped roof where all four roof sections have the same slope (30°) and all hips are of equal length.

ROOF AREA

First determine the area of the roof plan by multiplying the length of the roof by the width. Before making the calculation, add gutter overhangs of 50mm. In this case, there are gutters on all four sides. To find the area of the hipped roof, simply multiply this plan area by the Roof Slope Factor for Roof Area. The same method is used for gable roofs.

$$19.1 \times 8.1 = 154.7 \times 1.155 = 178.7$$

Therefore, roughly 179m² of sheeting will be needed to cover the roof. On complex roof shapes, extra may need to be added to allow for wastage.

SHEET LENGTH

On the roof plan, measure the distance from the line of the ridge to the outside edge of the fascia, which in the example is half the span or 4000mm. Multiply this measurement by the Sheet Length Roof Slope Factor to find the length of the sheet required to span from the ridge to the fascia. Note that all roof sheeting must extend at least 50mm beyond the fascia line to provide gutter overhang.

$$4000 + 50 \times 1.155 = 4678\text{mm}$$

HIP CAPPING

To find the length of ridge capping required to cover one hip, measure the distance from the ridge line to the fascia on the roof plan (here 4000mm) add the gutter overhang and multiply by the Hip Length Roof Slope Factor for 30°. Multiply by 4.


$$4000 + 50 \times 1.528 \times 4 = 24.8\text{m}$$

RIDGE CAPPING

For hipped roofs where all sides have the same slope, the length of the top ridge is equal to the length of the roof plan minus the width, regardless of slope. Add 5% to all capping to allow for laps.

$$19 - 8 = 11 + 5\% = 11.55\text{m}$$

Typical hipped roof (roof slope = 30°)



* Refer to the Stramit take off "Made Easy Guide" for further information

ROOF SLOPE FACTORS

Roof Slope (degrees)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Roof Area/Sheet Length	1.000	1.001	1.001	1.002	1.004	1.006	1.008	1.010	1.012	1.015	1.019	1.022	1.026	1.031	1.035
Hip Length	1.414	1.415	1.415	1.416	1.417	1.418	1.420	1.421	1.423	1.425	1.428	1.430	1.433	1.436	1.439

Roof Slope (degrees)	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Roof Area/Sheet Length	1.040	1.046	1.051	1.058	1.064	1.071	1.079	1.086	1.095	1.103	1.113	1.122	1.133	1.143	1.155
Hip Length	1.443	1.447	1.451	1.456	1.460	1.465	1.471	1.477	1.483	1.489	1.496	1.503	1.511	1.519	1.528

Roof Slope (degrees)	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Roof Area/Sheet Length	1.167	1.179	1.192	1.206	1.221	1.236	1.252	1.269	1.287	1.305	1.325	1.346	1.367	1.390	1.414
Hip Length	1.537	1.546	1.556	1.567	1.578	1.590	1.602	1.616	1.630	1.644	1.660	1.677	1.694	1.712	1.732







Roof Slope (degrees)	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Roof Area/Sheet Length	1.440	1.466	1.494	1.524	1.556	1.589	1.624	1.662	1.701	1.743	1.788	1.836	1.887	1.942	2.000
Hip Length	1.753	1.775	1.798	1.823	1.849	1.877	1.907	1.939	1.973	2.010	2.049	2.091	2.136	2.184	2.236

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Product Details	BMT mm	Finish	Code	Unit	
Stramit® Corrugated 	DTC M/177/01 Roof & M/253 Wall	0.42	ZA	C42ZA	per m ²	
		0.48		C48ZA	per m ²	
		0.42	CB	C42X***	per m ²	
		0.48		C48X***	per m ²	
		0.42	GA	C42GA	per m ²	
		0.42	SUR/CLC	C42D***	per m ²	
	Minimum Length 500mm Short length surcharge (under 1m)			(ex Brisbane) CUTBACKLTH	per sheet	
Tolerance +0, -15mm	‡Minimum order quantities apply.					
Translucent Roof Sheeting to suit Stramit® Corrugated roofing 	2400gsm Fibreglass			TSFGC24CLR	lin metre	
	3050gsm Fibreglass			TSFGC30CLR	lin metre	
	Polycarbonate			TSPCCCLR**	lin metre	
	Sizes: 1.8, 2.1, 2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0, 8.1 Cutback available					
	Available in CLR-Clear, DKT-Dark Tint, GRY-Grey, LBZ-Light Bronze, OPL-Opal Cool Lite Wonderglass Cool Lite Wonderglass 32 Weather Seal Washer				TSWGCLC24WHI TSWGC24*** TSFGWW32H	lin metre lin metre lin metre
For fasteners refer to page 12.						
Fasteners 	Fixing to timber					
	14 x 50 type 17 neo			S1450H174	per 1000	
	14 x 50 type 17 neo (painted)			S1450H17***4	per 1000	
	14 x 50 type 17 bonded seal			S1450H17B254	per 250	
	14 x 50 type 17 bonded seal (painted)			S1450H17B25***	per 250	
	14 x 50 type 17 cyclone assembly			S1450H17CA	per 250	
	14 x 50 type 17 cyclone assembly (painted)			S1450H17CA ***	per 250	
	12 x 25 type 17 neo (walls only)			S1225H174	per 500	
	Fixing to battens					
	14 x 55 Hex Zip Cyclone Assembly			S1455HZPCA4	per 250	
14 x 55 Hex Zip Cyclone Assembly (painted)			S1455HZPCA***4	per 250		
14 x 55 Hex Zip 25mm Multiseal			S1455HZPB25	per 250		
14 x 55 Hex Zip 25mm Multiseal (painted)			S1455HZPB25***	per 250		
Fixing to steel:						
For Fasteners fixing to steel refer to page 12						
	10 x 16 Hex SDS neo (walls only)			S1016HT4	per 1000	
	NOTE: All fasteners comply with Australian Standard AS3566 – Class 4.					
Flashings 	Stramit® Roll Top Ridge Cap Ex Brisbane					
	450mm x 6000mm		ZA	RTRL40ZA60	each	
	450mm x 6000mm		CB	RTRL40X***60	each	
	Cut to length		ZA	RTRL40ZA	lin metre	
	(Available from Cairns & Townsville)		CB	RTRL40X***	lin metre	
	Stramit® Gable Roll					
	38mm x 1800mm		ZA	ER38ZA18	each	
38mm x 1800mm		CB	ER38X***18	each		
50mm x 3000mm		ZA	ER50ZA30	each		
50mm x 3000mm		CB	ER50X***30	each		
Accessories 	Infill Strips			CEFS	each	
	Infill Strips - Fire Retardant			CEFSFR	each	

NOTE: For flashing profiles, see **Stramit® Custom Flashings**, page 28.


CURVED ROOFING • TANK IRON • ACCESSORIES

Product	Product Details	BMT mm	Finish	Code	Unit
Stramit® Curving Quality 	10.5 corrugations, 762 cover	0.60	ZA	CD60ZA	per m ²
		0.60	CB	CD60X***	per m ²
		0.60	GA	CD60GA	per m ²
	Short length surcharge (under 1m) Minimum Length 700mm			CUTBACKLTH	per sheet
	If end lapping with .42 or .48 bmt sheets, we must be advised at time of ordering.				
Tolerance +0, -15mm					
Flashings 	Luran Plastic Curved Sections to match Colorbond				
	Barge 300, 400 & 500 radius			CAFIBCB***COL	each
	Hip 300, 400 & 500 radius			CAFIBCH***COL	each
	Valley 300, 400 & 500 radius 600 radius available			CAFIBCV***COL	each
Straight PVC Sections (Suit each flashing above) 	Straight Ridge Capping (suits concave profiles to 300mm drop)	2600mm		CAPVCSTX***26	each
	Straight Ridge Capping (suits concave profiles to 300mm drop)	1800mm		SPEC ORDER	each
	Straight Valley	2400mm		SPEC ORDER	each
	Straight Barge	2400mm		SPEC ORDER	each
	Tank Iron				
	8 corrugations, 610 cover	0.60	Aquaplate® GA	CT61060AQGA	per m ²
	10 corrugations, 720 cover	0.60	Aquaplate® GA	CT72060AQGA	per m ²
		0.60	Aquaplate® CB#	CT72060AQ***	per m ²
	8 corrugations, 610 cove	0.60	Aquaplate® CB*	CT61060AQ***	per m ²
	Short length surcharge (under 1m)			CUTBACKLTH	per sheet
NB: Add curving cost to material cost for total price. # 10 corrugations Paperbark, Pale Eucalypt, Windspray, Surfmist and Deep Ocean. * 8 corrugations Paperbark, Pale Eucalypt, Windspray, Surfmist and Deep Ocean. Tank Iron rolled Wednesday only ex Brisbane. Other colours available, check with sales.					
Curving 	Bullnose				
	Curving cost up to 3500mm			CURV0035	per curve
	Curving cost over 3500mm			CURV3570	per curve
	Barrel Vault				
	Curving requires a lead time of up to 5 days, please enquire when ordering.				
	NB: Standard bullnosing of corrugated sheet to 3.0m curved one end to 90°, minimum radius 500mm.				
	Stramit will not accept claims for any material curved under 500mm radius.				
	1. Customer to supply dimensions		3. General information needed		
	A. Straight length of roof section (metres)		i) No. sheets required		
B. Straight length of wall section (metres)		ii) Topside colour or finish			
C. Radius of curve (mm)		iii) Direction of laying (L to R, R to L)			
D. Angle of pitch (°)		iv) Does curved sheet end lap straight sheet?			
E. Angle of curve (°)					
F. Horizontal distance from wall to outside of fascia					
2. Customer to supply template					
C. Radius of curve (mm)					
Type of template					
NOTE: Where special transport is required, transport costs will be charged as appropriate.					



NOTE: Extreme caution must be exercised when End Lapping Bullnose Sheets. Sheets must be installed in the correct sequence.

NOTE: For flashing profiles, see **Stramit® Custom Flashings**, page 28.


ROOFING • CLADDING • ACCESSORIES


Product Roofing/Cladding/Accessories	Product Details	BMT mm	Finish	Code	Unit	
 <p>Stramit MonoClad®</p> <p>Minimum Length 300mm Short length surcharge (under 1m) ‡Minimum order quantities apply.</p> <p>Tolerance +0, -15mm</p>		0.42	ZA	MC42ZA	per m ²	
		0.48	ZA	MC48ZA	per m ²	
		0.42	CB	MC42X***	per m ²	
		0.48	CB	MC48X***	per m ²	
		0.42	GA	MC42GA	per m ²	
		Double-Sided (ex-Bris)			MC42D***	per m ²
					CUTBACKLTH	per sheet


NEW PRODUCT

 <p>MC MonoLap 73mm 7.62m (10 sheets per roll)</p> <p>12x68 Hex Tek Cls4 – only suitable for MC Monolap above (40 screws per roll – incl plate & washer)</p> <p>MC MonoLap Stop End Tool</p> <p>^NOTE: Other colours subject to lead time. Please contact your Stramit representative for further information.</p>				MCMONOLAP76	Roll
			SUR^	S1268HTMCSUR4	Pack
			Plain	S1268HTMC4	Pack
				MCMONOLAPSETD	EACH
<p>Translucent Roof Sheeting to suit Stramit MonoClad® roofing Available Ex Brisbane</p>  <p>2400gsm Fibreglass</p> <p>3050gsm Fibreglass</p> <p>Polycarbonate</p> <p>Sizes: 1.8, 2.1, 2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0, 8.1</p> <p>Cutback available.</p> <p>Available in CLR-Clear, DKT-Dark Tint, GRY-Grey, LBZ-Light Bronze, OPL-Opal</p> <p>Cool Lite Wonderglass</p> <p>Wonderglass</p> <p>32 Weather Seal Washer</p>				TSFGMC24CLR	lin metre
				TSFGMC30CLR	lin metre
				TSPCMCLRXX	lin metre
				TSWGCLM24WHI	lin metre
				TSWGMC24OPL	lin metre
				TSFGWW32H	pack 100

For fasteners refer to page 12.






<p>Fasteners</p> 					
				S1016HT4	per 1000
				S1016HT***4	per 1000
NOTE: All fasteners comply with Australian Standard AS3566 – Class 4.					

<p>Flashings</p> 						

<p>Accessories</p> 				MCSETD	each
				MCEFSBTM	each
				MCEFSTOP	each









NOTE: For flashing profiles, see Stramit® Custom Flashings, page 28.

ROOFING • CLADDING • ACCESSORIES

Product	Product Details	BMT mm	Finish	Code	Unit
Stramit Longspan® 	DTC M/178/01 Roof	0.42	ZA	LS42ZA	per m ²
		0.48	ZA	LS48ZA	per m ²
		0.42	CB	LS42X***	per m ²
		0.48	CB	LS48X***	per m ²
		0.42	GA	LS42GA	per m ²
	Tolerance +0, -15mm Note: Ex Brisbane. (Cairns & Mackay lead time 4 working days - Larger orders may require longer)	Minimum Length 550mm Short length surcharge (under 1m) ‡Minimum order quantities apply.			CUTBACKLTH
Translucent Roof Sheeting to suit Stramit Longspan® roofing Available Ex Brisbane	2400gsm Fibreglass 3050gsm Fibreglass			TSFGLS24CLR TSFGLS30CLR TSFGWW32H	lin metre lin metre per 100
Fasteners for fixing Fiberglass 	Fiberglass Tek® M6.5-14 x 65mm Hex Hd		Plain	TSFG1465WW32	per box 500
Fasteners for fixing Polycarbonate 	PolyZIP® M6.5-14 x 50mm Hex Hd		Plain	TSPC1450DW26	per box 250
Fasteners 	Fixing to timber 14 x 65 type 17 neo 14 x 65 type 17 neo (painted) 14 x 65 type 17 bonded seal 14 x 65 type 17 bonded seal (painted) 14 x 65 type 17 cyclone assembly 14 x 65 type 17 cyclone assembly (painted) 12 x 25 type 17 neo (walls only) Fixing to steel 14 x 53 Hex SDS neo 14 x 53 Hex SDS neo (painted) 14 x 53 Hex SDS 25mm Multiseal 14 x 53 Hex SDS 25mm Multiseal (painted) 14 x 53 Hex SDS Cyclone Assembly 14 x 53 Hex SDS Cyclone Assembly (painted) 10 x 16 Hex SDS neo (walls only) 14 x 25 Hex SDS neo (painted) 14 x 25 Hex SDS (No Neo)			S1465H17 S1465H17***4 S1465H17B254 S1465H17B25*** S1465H17CA4 S1465H17CA***4 S1225H17 S1453HT4 S1453HT***4 S1453HTB25 S1453HTB25*** S1453HTCA4 S1453HTCA***4 S1016HT4 S1425HT***4 S1425HTNN	per 1000 per 1000 per 250 per 250 per 250 per 250 per 250 per 500 per 1000 per 1000 per 250 per 250 per 250 per 250 per 1000 per 500 per 500
Accessories Available Ex Brisbane	Infill Strips 			LSEFSBTM LSEFSTOP	each each








NOTE: Sheets longer than 12.0 metres will incur extra delivery charges.

ROOFING • ACCESSORIES

Product Roofing/Accessories	Product Details	BMT mm	Finish	Code	Unit
 <p>Design Reg No. 123185</p>	DTC M/198 Roof	0.42	ZA	UD42ZA	per m ²
		0.42	CB	UD42X***	per m ²
		0.48	ZA	UD48ZA	per m ²
		0.48	CB	UD48X***	per m ²
		0.42	GA	UD42GA	per m ²
	Minimum Length 1200mm Short length surcharge (under 1m)			CUTBACKLTH	per sheet
Tolerance +0, -15mm Note: Ex Brisbane. (Darwin lead time 4 working days - Larger orders may require longer) Please refer to the Stramit Speed Deck Ultra ® roofing brochure for full details of wind loading installation procedure etc.					
NEW PRODUCT					
	Farlap Lapping Accessory Farlap Lapping Accessory 7m roll Farlap Turn-Up/Turn down tool Skylap Joint System			UDFARLAP UDFARLAP70 UDFARLAPSETD UDSKYLAP	each each each each
Fibreglass Sheeting to suit Stramit Speed Deck Ultra ® roofing	 <p>700mm Cover</p>	2400gsm 3050gsm		TSGGUD24CLR TSGGUD30CLR	lin metre lin metre
NOTE: Allow 5 working days for delivery.					
Fixing Clips		Fixing Clips no fasteners (40 per box) Pre-loaded Fixing Clips (40 per box) 12 x 30 screws to suit steel purlin only Guide Only - Fixing Clips per m ² = 1.8 Rib Stop End (end Cap)	GA GA ZA	UDFC UDFCPL UDRSEZA	each each each
Accessories		Stop Ending Tool (non return) Infill Strips	0.760mm 0.760mm	UDSETD UDEFBSTM UDEFSTOP	each each each
Stramit CapacityPLUS™ 660	 <p>50 high 75 rib 660 cover 145 pan (Overall sheet width 735mm)</p>	0.42 0.42 0.48 0.48	ZA CB ZA CB	CP42ZA CP42X*** CP48ZA CP48X***	per m ² per m ² per m ² per m ²
Tolerance +0, -15mm					
Minimum Length 800mm					
Fibreglass Sheeting	Suit Stramit Capacity Plus ® Sheeting  <p>50 high 75 rib 660 cover 145 pan (Overall sheet width 735mm)</p>	2400gsm 3050gsm		TSGGCP24CLR TSGGCP240PA TSGGCP30CLR TSGGCP300PA	lin metre lin metre lin metre lin metre
Fasteners Class 4 (AS35666)		145 x 95 Hex Tek Cyclone Assembly (for crest fixing to steel)	Plain	S1495HTCA4	per box 200

NOTE: For flashing profiles, see **Stramit® Custom Flashings**, page 28.





GLADDING • ACCESSORIES

Product Cladding/Accessories	Product Details	BMT mm	Finish	Code	Unit
Stramit® C-Clad 280 Available Ex Brisbane 	Available in some ultra & metallic finishes. Timber Crate required NOTE: Lead time 10 working days. Large project orders may require extended lead time. Recommended max manufactured length is 6.0m. Any lengths over this at customers risk. Minimum Length 500mm.	0.55	ZA	CC28055ZA	per m ²
		0.55	CB	CC28055X***	per m ²
Stramit Premier 300™ Available Ex Brisbane 	Available in some ultra & metallic finishes. Minimum Length 500mm. Recommended max manufactured length is 6.0m. Any lengths over this at customers risk. Lead time 7 working days. Subject to coil availability. Packing charges will apply.	0.55	ZA	CC30055ZA	per m ²
		0.55	CB	CC30055X***	per m ²
Fasteners C-Clad 280 & Premier 300™ 	Starter Clip 10 x 25 Wafer Type 17 (for fixing to timber)		Plain	CCSC S1025W17	each per box 1000
	10 x 16 Wafer Tek (for fixing to steel)		Plain	S1016WT	per box 1000
Stramit K-Panel® Available Ex Brisbane 	Tolerance +0, -15mm Minimum Length 300mm. Recommended max manufactured length is 6.0m. Any lengths over this at customers risk. Short length surcharge (under 1m) CUTBACKLTH per sheet	0.35	ZA	KP35ZA	per m ²
		0.35	CB	KP35X***	per m ²
		0.42	ZA	KP42ZA	per m ²
		0.42	CB	KP42X***	per m ²
		0.42	MATT	KP42T***	per m ²
	NOTE: Milled Mondays & Wednesdays only Maximum length manufactured is 6.0 metres.				
Stramit Minirib® Available Ex Brisbane 	Tolerance +0, -15mm Minimum Length 550mm. Recommended max manufactured length is 6.0m. Any lengths over this at customers risk. Short length surcharge (under 1m) CUTBACKLTH per sheet	0.42	ZA	MR42ZA	per m ²
		0.42	CB	MR42X***	per m ²
		0.42	MATT	MR42T***	per m ²
	Timber Crate required Maximum length manufactured is 6.0 metres.				
Stramit Mini Corry® Available Ex Brisbane 	Tolerance +0, -15mm Short length surcharge (under 1m) CUTBACKLTH per sheet	0.42	ZA	MK42ZA	per m ²
		0.48	ZA	MK48ZA	per m ²
		0.42	CB	MK42X***	per m ²
		0.48	CB	MK48X***	per m ²
		0.42	MATT	MK42T***	per m ²
	Timber Crate required Maximum length manufactured is 6.0 metres.				
Fasteners 	10 x 25 Ripple Zips		Plain	S1025HRZIP4	per box 1000
			Plain	S1025HRZIP4H	per bag 100
			Colour	S1025HRZIP***4	per box 1000
			Colour	S1025HRZIP***4H	per bag 100
Timber Crates	Rainwater Crate - 500 wide			TCRW	per lin metre
	Flat Sheet Crate - 1300 wide			TCFL	per lin metre
	Sheeting Crate - 900 wide Maximum length 6 metres			TCSH	per lin metre




An extra charge will apply for packing of order under 100m². Please contact your Stramit office.

ACOUSTIC PRODUCTS






Acoustic Pattern SUR available locally in Corri and Monoclad. Zinc & other profiles ex Brisbane

Product Cladding/Accessories	Product Details	BMT mm	Finish	Code	Unit
Stramit Monoclad® 	Perforated Acoustic Pattern	0.42	ZA	MC42IAZP11	per m ²
		0.42	SUR	MC42IOWHP11	per m ²
Note: ZA - Ex Brisbane lead time 4-7 working days					
Stramit® Corrugated 	Perforated Acoustic Pattern	0.42	ZA	C42IAZP11	per m ²
		0.42	SUR	C42IOWHP11	per m ²
Standard perforation 11% open area Note: ZA - Ex Brisbane lead time 4-7 working days					
Stramit Longspan® 	Perforated Acoustic Pattern	0.42	ZA	LS42IAZP11	per m ²
		0.42	SUR	LS42IOWHP11	per m ²
Note: ZA - Ex Brisbane lead time 4-7 working days					
Stramit® Premier 300 	Perforated Acoustic Pattern	0.55	SUR	CC30055IOWHP11	per m ²
	Note: Ex Brisbane lead time 4-7 working days subject to mill capacity. Packing charges will apply.				

ACCESSORIES

Product Accessories	Details	Code	Roll Area	Unit
General Accessories 	Colour spray can	PP***		each
	Touch-up Paint Marker Pens	TUPM***		each
	Silicone Sealant (clear) (grey)	SILCLR		each
		SILGRY		each
	Pop Rivets	PR4095*** PR4095		per 100 per 100
CAUTION: Use of spray can on roofing and rainwater goods will void Stramit Warranty.				
Roof Ventilation 	Rotary Ventilators 300mm	RV300MF RV300***	Mill Finish Colour	each each
	Dektites®	Various sizes available		each
	Dektite 50-70	DEK2BLK	Black	each
	Dektite 5-127	DEK3BLK	Black	each
	Dektite 75-175	DEK4BLK	Black	each
	Dektite 100-200	DEK5BLK	Black	each
	Dektite 125-230	DEK6BLK	Black	each
	Dektite 150-300	DEK7BLK	Black	each
Roof Rack 	Insulation Spacer SDU 75mm	RRISGA		per box 20
	Insulation Spacer SDU 100mm	RRIS100GA		per box 20
	Galv. 1 per sheet per purlin			
	Fix Roofrack to Metal Purlins 1.6 to 3.0mm	S1230HTNN		per box 1000
	Roof RazorC3 InsSpchr 115mm	RRZCIS115GA		per box 6
	Roof RazorC3 InsSpchr 85mm	RRZCISGA		per box 6
	Roof Razor InsSpchr 115mm Roof Razor InsSpchr 85mm	RRZIS115GA RRZISGA	GA GA	per box 6 per box 6

FASTENERS – CYCLONIC AREAS (Class 4)

Product Fasteners	Product Details	Code	Finish	Unit
Suit Stramit® Corrugated sheeting				
	14 x 50 Hex Head Type 17 Roof-Lok Ass. fixing to hardwood	S1450H17CA S145017CA***	Plain Colour	per box 250 per box 250
	14 x 55 Cyclonic Roofzips Roof-Lok Ass. fixing to metal battens	S1455HZPCA4 S1455HZPCA***4	Plain Colour	per box 250 per box 250
	14 X 53 Hex Head Tek Roof-Lok Ass. fixing to steel	S1453HTCA4 S1453HTCA***4	Plain Colour	per box 250 per box 250
	14 x 55mm Cyclonic Roofzips Multiseal Ass. fixing to metal battens	S1455HZPB25 S1455HZPB25***	Plain Colour	per box 250 per box 250
	14 x 53mm Hex Head Tek Multiseal Ass. fixing to steel	S1453HTB25 S1453HTB25***	Plain Colour	per box 250 per box 250




Wall fixing to suit **Stramit® Corrugated, Monoclad® & Longspan®**

	14 x 25 Hex Type 17 Fixing to hardwood	S1425H17 S1425H17***	Plain Colour	per box 500 per box 500
	14 x 25 Hex Tek Fixing to steel	S1425HT4 S1425HT4H S1425HT***4	Plain Plain Colour	per box 500 per bag 100 per box 500
	14 x 25 Hex Tek No Neo Fixing to steel	S1425HTNN	Plain	per box 500
	12 x 20 Hex Head Tek Fixing to Steel	S1220HT4 S1220HT***4	Plain Colour	per box 500 per box 500
	12 X 20 Hex Head Tek No Neo Fixing to Steel	S1220HTNN	Plain	per box 500

FASTENERS – CYCLONIC AREAS (Class 4)








Product Fasteners	Product Details	Code	Finish	Unit
Suit Stramit MonoClad® & Stramit Longspan® sheeting				
	14 x 65 Hex Head Type 17 Roof-Lok Ass. Fixing to hardwood (Crest fixing)	S1465H17CA4 S1465H17CA***4	Plain Colour	per box 250 per box 250
	14 x 55 Cyclonic Roofzips Roof-Lok fixing to metal battens (Crest fixing 0.55mm to 1.0mm)	S1455HZPCA4 S1455HZPCA***4	Plain Colour	per box 250 per box 250
	14 x 53 Hex Head Tek Roof-Lok Ass. Fixing to steel (Crest fixing 1.0 to 5.0mm)	S1453HTCA4 S1453HTCA***4	Plain Colour	per box 250 per box 250
	14 x 65 Hex Head Type 17 25mm Multiseal Ass. Fixing to hardwood (Ridge Cap Fixing)	S1465H17B254 S1465H17B25***	Plain Colour	per box 250 per box 250
	14 x 55 Cyclonic Roofzips Multiseal Ass. Fixing to metal battens (Ridge Cap Fixing 0.5 to 1.0mm)	S1455HZPB25 S1455HZPB25***	Plain Colour	per box 250 per box 250
	14 x 53mm Hex Head Tek Multiseal Ass. Fixing to steel (Ridge Cap Fixing 1.0 to 5.0mm)	S1453HTB25 S1453HTB25***	Plain Colour	per box 250 per box 250

FASTENERS (Class 5)

Product Fasteners	Product Details	Code	Finish	Unit
Suit Stramit MonoClad® & Stramit Longspan® & Stramit® Corrugated sheeting				
	M6 x 50 Hex Head SDS – Roof Zips (Crest fixing to soft timber and steel)	S0650HZIP5 S0650HZIP***5	Plain Colour	per box 1000 per box 1000
	14 x 50 Hex Head Type 17 (Crest fixing to hardwood)	S1450H175 S1450H17***5	Plain Colour	per box 1000 per box 1000
	14 x 53 Hex Head Tek Crest fixing to steel (1.0mm – 5.0mm)	S1453HT5 S1453HT***5	Plain Colour	per box 1000 per box 1000










- Screws available in Multiseal assembly on application
- Recommended for use with COLORBOND ULTRA steel in both Category 4 (severe marine & industrial) and Category 5 (very severe marine & industrial) corrosive environments.

FOIL • BLANKET • WIRE


Product	Product Details	Code	Roll Area	Cover	Unit
Foil/Blanket/Batts/Wire Sisalation 1.35m x 60m Rolls Double-sided fibre retardant 	439/203 Light Anti-glare	FLLWAG600	81m ²	72m ²	per roll
	433/233 Medium Anti-glare	FLMWAG600	81m ²	72m ²	per roll
	453/253 Heavy Anti-glare	FLHWAG600	81m ²	72m ²	per roll
	438 Anti Glare (roof)	FLULWAG600	81m ²		per roll
Reflective Insulation 	Foam Cell Multi Purpose (8.4mm x 1350mm x 22.25m)	FLCCFM84AG2225	30m ²		m ²
	Foam Cell Resi Liner (4.0mm x 1350mm x 22.25m)	FLCCFR40AG2225	30m ²		m ²
	Foam Cell Shed Liner (4.0mm x 1350mm x 22.25m)	FLCCFS40AG2225	30m ²		m ²
	Foam Cell Shed Liner (4.0mm x 1350mm x 33.44m)	FLCCFS40AG3344	45m ²		m ²
	Foam Cell Insulbreak 65l (6.5mm x 1350mm x 22.25m)	FLCCF650AG2225	30m ²		m ²
Foil Tape	Foil Tape 48mm 50.0m	FLTAPE48500			each
	Foil Tape 72mm 50.0m	FLTAPE72500			each
	Spot Fix	FLTACKB			box 500
	Double Sided Tape 24mm 23m	FLTAPEC24230			each
	Double Sided Tape 48mm 23mm	FLTAPEC48230			each
Permastop Building Blanket Lightweight foil adhered 	R1.4 1.2m x 20m (60mm thick)	BB60LW200	24m ²		per roll
	R1.8 1.2m x 15m (75mm thick)	BB75LW150	18m ²		per roll
	R2.5 1.2m x 10m (100mm thick)	BB100LW100	12m ²		per roll
	R1.4 1.2m x 15m (60mm tropical)	BB60TLWD150	18m ²		per roll
	R1.8 1.2m x 15m (75mm tropical) Cut to length POA	BB75TLWD150	18m ²		per roll
Permastop Building Blanket Medium weight foil adhered 	R1.4 1.2m x 20m (55mm thick)	BBNT55MW200	24m ²		per roll
	R1.8 1.2m x 15m (75mm thick)	BBNT75MW150	18m ²		per roll
	R2.5 1.2m x 10m (100mm thick)	BBNT100MW100	12m ²		per roll
Permastop Building Blanket Heavyweight foil adhered 	R1.4 1.2m x 20m (55mm thick)	BBNT55HW200	24m ²		per roll
	R1.8 1.2m x 15m (75mm thick)	BBNT75HW150	18m ²		per roll
	R2.5 1.2m x 10m (100mm thick)	BB100HW100	12m ²		per roll
Roofing Wire 	300 x 150 x 2mm Safety Mesh	WMAUS500	90m ²		per roll
	150 x 13 x 0.56 Vermin Wire	WMVERMIN460	46m		per roll
Ceiling Batts - Pink Batts 	C/Batt 1160 x 430 R2.5 Pk16	BBC430R25	8m ²		per pack
	C/Batt 1160 x 430 R3.0 Pk16	BBC430R30	8m ²		per pack
	C/Batt 1160 x 430 R3.5 Pk16	BBC430R35	8m ²		per pack
	C/Batt 1160 x 580 R3.3 Pk16	BBC580R33	11m ²		per pack
	C/Batt 1160 x 580 R3.5 Pk10	BBC580R35	7m ²		per pack
	Fire Stop w/Batt 1200x168 Pk10	BBWFS168	12lm		per pack

NOTE: R Values shown are material values only. Please refer to your Stramit Representative regarding actual total R Value achieved.

FASCIA • ACCESSORIES


Product Fascia/Accessories	Product Details	Code	Finish	Unit	
Stramit® Fascia					
	Cut to length *Minimum order quantities apply.	FBNTX***	CB	per lin metre	
Accessories					
		Versatile Rafter Bracket (50/box) (Fascia Board Bracket)	FBNTRBZA	ZA	each
		Fascia Splice Plate (Joiner)	FBNTSPZA	ZA	each
		External Corner	FBNTECX***	CB	each
		Bat Clip	BATOC		each
		Internal Corner (Barge)	FBNTICX***	CB	each
		Barge Corner Cover Cap (Left and Right)	FBNTBCLX***	CB	each
Fasteners					
	10 x 25 Wafer Type 17 (for fixing to timber)	S1025W17	Plain	per box 1000	
	10 x 16 Wafer Tek (for fixing steel)	S1016WT	Plain	per box 1000	

GUTTERS • ACCESSORIES

Product Gutters/Accessories	Product Details	Code	Finish	BMT mm	Unit
Stramit® M Pattern Hi Tensile G550 ECSA 7900mm ² 	Cut to length*	FGMSZA	ZA	0.42	lin metre
		FGMSX***	CB	0.42	lin metre
	Stock length	FGMSZA60	ZA	0.42	each
		FGMSX***60	CB	0.42	each

*Minimum order quantities apply.

Accessories



Gutter Bracket GPM
(Box 50)

FGMCBZA

ZA

each




Snap Clip
for use with
Stramit® Fascia
(box 100)

FBSCZA

Coated

each




Gutter Stiffener
for use with Snap Clip
(Box 150)

FGMSBZA

ZA

each



Stop End
(box 50)

FGSEZA

ZA


each

FGSEX***

CB

each

Stramit® M Pattern Barge Capping



Cut to length*

FGBCZA

ZA

lin metre

FGBCX***



CB

lin metre

















*Minimum order quantities apply.

M Pattern Gutter ex Brisbane







GUTTERS • ACCESSORIES

Product Gutters/Accessories	Product Details	Code	Finish	Unit
Stramit® Quad 150 ECSA 8500mm ² 	6.0m stock length	QQ150ZA60 QQ150ZA QQ150X***	ZA ZA CB	length lin metre lin metre
	Cut to length available Ex Brisbane Minimum order required			
Accessories (Box 70) 	Concealed Bracket	QQ150CBZA	ZA	each
	Gutter Stiffener for use with Snap Clip (Box 150)	QQ150SBZA	ZA	each
	External Bracket (T Head Bracket) (Box 50)	QQ150EBGA	GA	each
	Spike Bracket (Box 75)	QQ150SPBZP	Plated	each
	Overstrap Bracket	QQ1500BZA	ZA	each
	Overstrap	QQ0SZA 390 x 40mm	ZA	each
	Corners (Internal)	QQ150ICGA QQ150ICZA QQ150ICX***	GA ZA CB	each each each
	Corners (External)	QQ150ECGA QQ150ECZA QQ150ECX***	GA ZA CB	each each each
	Stop Ends (Left)	QQ150SELGA QQ150SELZA QQ150SELX***	GA ZA CB	each each each
	Stop Ends (Right)	QQ150SERGA QQ150SERZA QQ150SERX***	GA ZA CB	each each each
	Return End (Left) (Full Stop End)	QQ150RELGA QQ150RELZA QQ150RELX***	GA ZA CB	each each each
	(Right)	QQ150RERGA QQ150RERZA QQ150RERX***	GA ZA CB	each each each

GUTTERS • ACCESSORIES















Product Gutters/Accessories	Product Details	Code	Finish	BMT mm	Unit
Stramit Queenslander Quad® ECSA 7800mm ² 	Cut to length	QQSX***	CB		lin metre
		QQPX***	CB		lin metre
		QQSZA	ZA		lin metre
		QQPZA	ZA		lin metre
NOTE: Ex Brisbane - oversize holes/slots manufactured in Brisbane & Townsville only. Lead time 4-7 working days					
Accessories					
	Concealed Bracket (box 70)	QQSCBZA	ZA		each
		Gutter Stiffener (for use with Snap Clip)	QQSSBZA	ZA	
		Corners (Internal)	QQSICZA	ZA	
	QQSICX***		CB		each
	Corners (External)	QQSECZA	ZA		each
		QQSECX***	CB		each
	Spike Bracket	QQ175SPBZP	Plated		each
			Stop End Blank (Left or Right)	QQSSELZA	ZA
QQSSELX***	CB				each
QQSSERZA	ZA				each
QQSSERX***	CB				each
	Fascia Board Gutter Spacer	FBGS	Coated		each
		Gutter Spacer Inserting Tool	FBGST	Coated	
Stramit® Quad 175					
ECSA 14800mm ² 	Ex Brisbane Cut to length	QQ175GA	GA	0.55	lin metre
		QQ175ZA	ZA	0.55	lin metre
		QQ175X***	CB	0.55	lin metre
Accessories					
	Spike Bracket (Box 75)	QQ175SPBZP	Pltd		each
			Stiffener Bracket (Box 150)	QQ175SBZA	ZA
	Corners (Internal)			QQ175ICGA	GA
		QQ175ICZA	ZA		each
		QQ175ICX***	CB		each
	Corners (External)	QQ175ECGA	GA		each
		QQ175ECZA	ZA		each
		QQ175ECX***	CB		each
	Stop End Blank (Left)	QQ175SELGA	GA		each
		QQ175SELZA	ZA		each
		QQ175SELX***	CB		each
			Stop Ends (Right)	QQ175SERGA	GA
QQ175SERZA	ZA				each
QQ175SERX***	CB				each
	Brackets Concealed (Box 40)	QQ175CBZA	ZA		each

HALF ROUND GUTTER & ACCESSORIES




Product Gutters/Accessories	Product Detail	Code	Unit	
Half Round Gutter 	100	HRG100/ZA/X***	lin metre	
	175	HRG175/ZA/X***	lin metre	
	200	HRG200/ZA/X***	lin metre	
	225	HRG225/ZA/X***	lin metre	
	250	HRG250/ZA/X***	lin metre	
	300	HRG300/ZA/X***	lin metre	
	350	HRG350/ZA/X***	lin metre	
	400	HRG400/ZA/X***	lin metre	
	450	HRG450/ZA/X***	lin metre	
	Max Length 6.0mm Guage of gutter 0.55	Lead time 10 working days. Ex Brisbane.		
	Also available in Stainless Steel, Copper, Metallic and Ultra.			
	Please contact your local Stramit representative for details.			
Fabricated Corners to suit Half Round Gutter 	175mm 90° Ext/Int Corner	HRG175IC/EC/ZA/X***	each	
	200mm 90° Ext/Int Corner	HRG200IC/EC/ZA/X***	each	
	225mm 90° Ext/Int Corner	HRG225IC/EC/ZA/X***	each	
	250mm 90° Ext/Int Corner	HRG250IC/EC/ZA/X***	each	
	300mm 90° Ext/Int Corner	HRG300IC/EC/ZA/X***	each	
	350mm 90° Ext/Int Corner	HRG350IC/EC/ZA/X***	each	
	400mm 90° Ext/Int Corner	HRG400IC/EC/ZA/X***	each	
	450mm 90° Ext/Int Corner	HRG450IC/EC/ZA/X***	each	
		Lead time 4-7 working days.		
	Stop End to suit Half Round Gutter 	175mm H/Rd Stop End	HRG175SE/ZA/X***	each
200mm H/Rd Stop End		HRG200SE/ZA/X***	each	
225mm H/Rd Stop End		HRG225SE/ZA/X***	each	
250mm H/Rd Stop End		HRG250SE/ZA/X***	each	
300mm H/Rd Stop End		HRG300SE/ZA/X***	each	
350mm H/Rd Stop End		HRG350SE/ZA/X***	each	
400mm H/Rd Stop End		HRG400SE/ZA/X***	each	
450mm H/Rd Stop End		HRG450SE/ZA/X***	each	
Nozzles to suit Half Round Gutter 	90mm H/Rd Nozzle	HRG90NOZZA/X***	each	
	100mm H/Rd Nozzle	HRG100NOZZA/X***	each	
	125mm H/Rd Nozzle	HRG125NOZZA/X***	each	
	150mm H/Rd Nozzle	HRG150NOZZA/X***	each	
		Copper & Stainless Steel made to order POA.		
	Products manufactured to order are non-returnable.			
	Lead time 4-7 working days.			
Half Round Brackets Type A1 	100mm x 1.6mm	HRG100BA1GA/X***	each	
	150mm x 1.6mm	HRG150BA1GA/X***	each	
	150mm x 1.6mm	HRG150BA1SS	each	
Half Round Brackets Type A4 Heavy Duty Aluminium (H/Duty required 200mm & over) 	150mm	HRG150BA4ALPR/X***	each	
	175mm	HRG175BA4ALPR/X***	each	
	200mm	HRG200BA4ALPR/X***	each	
	225mm	HRG225BA4ALPR/X***	each	
	250mm	HRG250BA4ALPR/X***	each	
	300mm	HRG300BA4ALPR/X***	each	
	350mm	HRG350BA4ALPR	each	
	400mm	HRG400BA4ALPR	each	
	450mm	HRG450BA4ALPR	each	
		Setup Charge	PDCOATSU	each
	All manufactured to order. Check lead times.			
	Powder Coating set up fee applies for under 20 brackets.			
	Brackets other than shown POA.			
	Other Bead Profiles available on request. Check with Sales on lead time.			
	* Gutter also available in S/Steel, Copper, Metallic & Ultra.			

ALL POWDER COATED BRACKETS ARE NOT RECOMMENDED FOR COASTAL, MARINE OR SEVERE CORROSIVE ENVIRONMENTS.




GUTTERS • ACCESSORIES

Product Gutters/Accessories	Size	Code	Finish	Unit
Stramit® Flatback Half Round Gutter				
	Plain	150	HRGFB150PZA HRGFB150PX***	ZA lin metre CB lin metre
	Slotted	150	HRGFB150SZA HRGFB150SX***	ZA lin metre CB lin metre
	Ex Brisbane			
Accessories				
	Universal Stop End to suit	150	HRG150SEUZA HRG150SEUX***	ZA each CB each
	Corners (Angles – Internal)	150	HRGFB150ICPZA HRGFB150ICPX***	ZA each CB each
	Corners (Angles – External)	150	HRGFB150ECPZA HRGFB150ECPX***	ZA each CB each
	Stiffener Bracket	150	HRGFB150SBZA	ZA each
	Snap Clip (100/box)		FBSCZA	Coated each
	Flatback HR Gutter Concealed Bracket	150	HRGFB150CSBZA	ZA each
Cast Angles				
	Cast Angles (Ext) <i>To suit Flatback</i>	150	HRGFB150CAEMF HRGFB150CAEX***	ZA* each CB* each
	Cast Angles (Int) <i>To suit Flatback</i>	150	HRGFB150CAIMF HRGFB150CAIX***	ZA* each CB* each
	Cast Angles (Ext) <i>To suit Half Round</i>	150	HRG150CAEMF HRG150CAEX***	ZA* each CB* each
	Cast Angles (Int) <i>To suit Half Round</i>	150	HRG150CAIMF HRG150CAIX***	ZA* each CB* each
	Cast Angles (Ext) <i>To suit Half Round</i>	150	HRG150CAEMF HRG150CAEX***	ZA* each CB* each
	Cast Angles (Int) <i>To suit Half Round</i>	150	HRG150CAIMF HRG150CAIX***	ZA* each CB* each
*surcharge applies for minimum order quantity				
150mm Half Round Gutter				
	Plain	150	HRGR150PZA HRGR150PX***	ZA lin metre CB lin metre
	Slotted	150	HRGR150SZA HRGR150SX***	ZA lin metre CB lin metre
Accessories				
	150mm Half Round Gutter Bracket	150	HRG150EBMF HRG150EBX***	Plain each CB each
	Universal Stop End to suit Flatback and Half Round Gutter	150	HRG150SEUZA HRG150SEUX***	ZA each CB each
 	Corners (Angles – Internal)	150	HRG150ICPZA HRG150ICPX***	ZA each CB each
	Corners (Angles – External)	150	HRG150ECPZA HRB150ECPX***	ZA each CB each






GUTTERS • ACCESSORIES

Product	Size	Finish	Ordering Code	Unit
Gutters/Accessories				
200mm Half Round Gutter ECSA 13500mm ²	200 200		HRGR200PZA HRGR200PX***	lin metre lin metre
 Ex Brisbane	Available in all XRW finish			
NOTE: Refer to Page 23 for stop ends, nozzles and corners				
Heavy Duty Brackets Type A4 and Type A2	Type A4 Type A4 Type A2	200 200 200	HRG200BA4X*** HRG200BA4PR HRG200BA2X***	each each each
 				

DOWNPIPE • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Downpipe/Accessories					
Stramit® Downpipe Tapered Rectangular	100mm x 75mm x 1800mm 100mm x 75mm x 2400mm 100mm x 75mm x 3000mm	DP10075ZA18 DP10075ZA24 DP10075ZA30	ZA ZA ZA	0.40 0.40 0.40	length length length
	100mm x 75mm x 2400mm 100mm x 75mm x 3000mm	DP10075X***24 DP10075X***30	CB CB	0.40 0.40	length length
Ex Brisbane					
Accessories					
	Strap Astragal 100mm x 75mm 100mm x 75mm	AST10075ZA AST10075X***	ZA CB		each each
	Nozzle/Drop 100mm x 75mm	NOZ10075ZA	ZA		each
Half Round Nozzles	PVC	PVCHRG150NZ090 PVCHRG150NZ100	PVC PVC		each each
					

DOWNPIPE • ACCESSORIES

Product Downpipe/Accessories	Product Details	Code	Finish	BMT mm	Unit	
Downpipe Tapered Round 	1800mm x 100mm	DP100MX***18	CB	0.55	each	
	1800mm x 100mm	DP100MZA18	ZA	0.55	each	
	2400mm x 100mm	DP100MZA24	ZA	0.55	each	
	2400mm x 100mm	DP100MX***24	CB	0.55	each	
	100mm Dia (up to 3.0m lengths)	DP100MZA DP100MX***	ZA CB	0.55 0.55	lin metre lin metre	
	150mm Dia (up to 4.0m lengths)	DP150MZA DP150MX***	ZA CB	0.55 0.55	lin metre lin metre	
	Also available in Stainless Steel and Copper POA					
	<hr/>					
	Accessories 	Strap Astragal 100mm	AST100ZA	ZA		each
		100mm	AST100X***	CB		each
		Nozzle/Drop 85mm	NOZ85GA	GA		each
		85mm	NOZ85ZA	ZA		each
		90mm	PVCNOZ90	PVC		each
		100mm	NOZ100GA	GA		each
		100mm	NOZ100ZA	ZA		each
		Crimp Bends (Not sealed) 85mm x 45°	CB8545ZA	ZA		each
		85mm x 90°	CB8590ZA	ZA		each
		100mm x 45°	CB10045ZA	ZA		each
		100mm x 90°	CB10090ZA	ZA		each
		<hr/>				
Round Adjustable Standard Offsets 		90mm	OS90ZA OS90X***	ZA CB		each each
		100mm	OS100ZA OS100X***	ZA CB		each each
		150mm	OS150ZA OS150X***	ZA CB		each each
	Also available in stainless steel and copper.					

CUSTOM FLASHINGS – ORDERING PROCEDURE

ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If Colour, nominate the side on which colour is required
3. Nominate the dimensions by the letters shown on diagrams
4. Nominate the angles on all bends
5. Nominate the quantity and length of profile

EXAMPLE

1. Type 4, Colour Paperbark
2. Colour on side C
3. A – 15mm, B – 100mm, C – 150mm, D – 150mm
4. CB = 90°, CD = 90°, AB = 65°
5. 1 off, 2550mm

<p>Type 1</p>	<p>Type 2</p>	<p>Type 3</p>	<p>Type 4</p>	<p>Type 5</p>	<p>Type 6</p>
<p>Type 7</p>	<p>Type 8</p>	<p>Type 9</p>	<p>Type 10</p>	<p>Type 11</p>	<p>Type 12</p>
<p>Type 13</p>	<p>Type 14</p>	<p>Type 15</p>	<p>Type 16</p>	<p>Type 17</p>	<p>Type 18</p>
<p>Type 19</p>	<p>Type 20</p>	<p>Type 21</p>	<p>Type 22</p>	<p>Type 23</p>	<p>Type 24</p>
<p>Type 25</p>	<p>Type 26</p>	<p>Type 27</p>	<p>Type 28</p>	<p>Type 29</p>	<p>Type 30</p>
<p>Type 31</p>	<p>Type 32</p>	<p>Type 33</p>	<p>Type 34</p>	<p>Type 35</p>	<p>SPECIAL</p>

CUSTOM FLASHINGS

ZA 0.55mm

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00ZA	CF055B01ZA	CF055B02ZA	CF055B03ZA	CF055B04ZA	CF055B05ZA	CF055B06ZA
101-150 (C)	CF055C00ZA	CF055C01ZA	CF055C02ZA	CF055C03ZA	CF055C04ZA	CF055C05ZA	CF055C06ZA
151-200 (D)	CF055D00ZA	CF055D01ZA	CF055D02ZA	CF055D03ZA	CF055D04ZA	CF055D05ZA	CF055D06ZA
201-250 (E)	CF055E00ZA	CF055E01ZA	CF055E02ZA	CF055E03ZA	CF055E04ZA	CF055E05ZA	CF055E06ZA
251-300 (F)	CF055F00ZA	CF055F01ZA	CF055F02ZA	CF055F03ZA	CF055F04ZA	CF055F05ZA	CF055F06ZA
301-350 (G)	CF055G00ZA	CF055G01ZA	CF055G02ZA	CF055G03ZA	CF055G04ZA	CF055G05ZA	CF055G06ZA
351-400 (H)	CF055H00ZA	CF055H01ZA	CF055H02ZA	CF055H03ZA	CF055H04ZA	CF055H05ZA	CF055H06ZA
401-500 (J)	CF055J00ZA	CF055J01ZA	CF055J02ZA	CF055J03ZA	CF055J04ZA	CF055J05ZA	CF055J06ZA
501-600 (L)	CF055L00ZA	CF055L01ZA	CF055L02ZA	CF055L03ZA	CF055L04ZA	CF055L05ZA	CF055L06ZA
601-700 (N)	CF055N00ZA	CF055N01ZA	CF055N02ZA	CF055N03ZA	CF055N04ZA	CF055N05ZA	CF055N06ZA
701-800 (P)	CF055P00ZA	CF055P01ZA	CF055P02ZA	CF055P03ZA	CF055P04ZA	CF055P05ZA	CF055P06ZA
801-900 (R)	CF055R00ZA	CF055R01ZA	CF055R02ZA	CF055R03ZA	CF055R04ZA	CF055R05ZA	CF055R06ZA
901-1000 (T)	CF055T00ZA	CF055T01ZA	CF055T02ZA	CF055T03ZA	CF055T04ZA	CF055T05ZA	CF055T06ZA
1001-1100 (V)	CF055V00ZA	CF055V01ZA	CF055V02ZA	CF055V03ZA	CF055V04ZA	CF055V05ZA	CF055V06ZA
1101-1200 (X)	CF055X00ZA	CF055X01ZA	CF055X02ZA	CF055X03ZA	CF055X04ZA	CF055X05ZA	CF055X06ZA

GA 0.55mm

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00GA	CF055B01GA	CF055B02GA	CF055B03GA	CF055B04GA	CF055B05GA	CF055B06GA
101-150 (C)	CF055C00GA	CF055C01GA	CF055C02GA	CF055C03GA	CF055C04GA	CF055C05GA	CF055C06GA
151-200 (D)	CF055D00GA	CF055D01GA	CF055D02GA	CF055D03GA	CF055D04GA	CF055D05GA	CF055D06GA
201-250 (E)	CF055E00GA	CF055E01GA	CF055E02GA	CF055E03GA	CF055E04GA	CF055E05GA	CF055E06GA
251-300 (F)	CF055F00GA	CF055F01GA	CF055F02GA	CF055F03GA	CF055F04GA	CF055F05GA	CF055F06GA
301-350 (G)	CF055G00GA	CF055G01GA	CF055G02GA	CF055G03GA	CF055G04GA	CF055G05GA	CF055G06GA
351-400 (H)	CF055H00GA	CF055H01GA	CF055H02GA	CF055H03GA	CF055H04GA	CF055H05GA	CF055H06GA
401-500 (J)	CF055J00GA	CF055J01GA	CF055J02GA	CF055J03GA	CF055J04GA	CF055J05GA	CF055J06GA
501-600 (L)	CF055L00GA	CF055L01GA	CF055L02GA	CF055L03GA	CF055L04GA	CF055L05GA	CF055L06GA
601-700 (N)	CF055N00GA	CF055N01GA	CF055N02GA	CF055N03GA	CF055N04GA	CF055N05GA	CF055N06GA
701-800 (P)	CF055P00GA	CF055P01GA	CF055P02GA	CF055P03GA	CF055P04GA	CF055P05GA	CF055P06GA
801-900 (R)	CF055R00GA	CF055R01GA	CF055R02GA	CF055R03GA	CF055R04GA	CF055R05GA	CF055R06GA
901-1000 (T)	CF055T00GA	CF055T01GA	CF055T02GA	CF055T03GA	CF055T04GA	CF055T05GA	CF055T06GA
1001-1100 (V)	CF055V00GA	CF055V01GA	CF055V02GA	CF055V03GA	CF055V04GA	CF055V05GA	CF055V06GA
1101-1200 (X)	CF055X00GA	CF055X01GA	CF055X02GA	CF055X03GA	CF055X04GA	CF055X05GA	CF055X06GA

CB XRW 0.55mm

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00X---	CF055B01X---	CF055B02X---	CF055B03X---	CF055B04X---	CF055B05X---	CF055B06X---
101-150 (C)	CF055C00X---	CF055C01X---	CF055C02X---	CF055C03X---	CF055C04X---	CF055C05X---	CF055C06X---
151-200 (D)	CF055D00X---	CF055D01X---	CF055D02X---	CF055D03X---	CF055D04X---	CF055D05X---	CF055D06X---
201-250 (E)	CF055E00X---	CF055E01X---	CF055E02X---	CF055E03X---	CF055E04X---	CF055E05X---	CF055E06X---
251-300 (F)	CF055F00X---	CF055F01X---	CF055F02X---	CF055F03X---	CF055F04X---	CF055F05X---	CF055F06X---
301-350 (G)	CF055G00X---	CF055G01X---	CF055G02X---	CF055G03X---	CF055G04X---	CF055G05X---	CF055G06X---
351-400 (H)	CF055H00X---	CF055H01X---	CF055H02X---	CF055H03X---	CF055H04X---	CF055H05X---	CF055H06X---
401-500 (J)	CF055J00X---	CF055J01X---	CF055J02X---	CF055J03X---	CF055J04X---	CF055J05X---	CF055J06X---
501-600 (L)	CF055L00X---	CF055L01X---	CF055L02X---	CF055L03X---	CF055L04X---	CF055L05X---	CF055L06X---
601-700 (N)	CF055N00X---	CF055N01X---	CF055N02X---	CF055N03X---	CF055N04X---	CF055N05X---	CF055N06X---
701-800 (P)	CF055P00X---	CF055P01X---	CF055P02X---	CF055P03X---	CF055P04X---	CF055P05X---	CF055P06X---
801-900 (R)	CF055R00X---	CF055R01X---	CF055R02X---	CF055R03X---	CF055R04X---	CF055R05X---	CF055R06X---
901-1000 (T)	CF055T00X---	CF055T01X---	CF055T02X---	CF055T03X---	CF055T04X---	CF055T05X---	CF055T06X---
1001-1100 (V)	CF055V00X---	CF055V01X---	CF055V02X---	CF055V03X---	CF055V04X---	CF055V05X---	CF055V06X---
1101-1200 (X)	CF055X00X---	CF055X01X---	CF055X02X---	CF055X03X---	CF055X04X---	CF055X05X---	CF055X06X---

CUSTOM FLASHINGS

ZA 0.80mm

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF080B00ZA	CF080B01ZA	CF080B02ZA	CF080B03ZA	CF080B04ZA	CF080B05ZA	CF080B06ZA
101-150 (C)	CF080C00ZA	CF080C01ZA	CF080C02ZA	CF080C03ZA	CF080C04ZA	CF080C05ZA	CF080C06ZA
151-200 (D)	CF080D00ZA	CF080D01ZA	CF080D02ZA	CF080D03ZA	CF080D04ZA	CF080D05ZA	CF080D06ZA
201-250 (E)	CF080E00ZA	CF080E01ZA	CF080E02ZA	CF080E03ZA	CF080E04ZA	CF080E05ZA	CF080E06ZA
251-300 (F)	CF080F00ZA	CF080F01ZA	CF080F02ZA	CF080F03ZA	CF080F04ZA	CF080F05ZA	CF080F06ZA
301-350 (G)	CF080G00ZA	CF080G01ZA	CF080G02ZA	CF080G03ZA	CF080G04ZA	CF080G05ZA	CF080G06ZA
351-400 (H)	CF080H00ZA	CF080H01ZA	CF080H02ZA	CF080H03ZA	CF080H04ZA	CF080H05ZA	CF080H06ZA
401-500 (J)	CF080J00ZA	CF080J01ZA	CF080J02ZA	CF080J03ZA	CF080J04ZA	CF080J05ZA	CF080J06ZA
501-600 (L)	CF080L00ZA	CF080L01ZA	CF080L02ZA	CF080L03ZA	CF080L04ZA	CF080L05ZA	CF080L06ZA
601-700 (N)	CF080N00ZA	CF080N01ZA	CF080N02ZA	CF080N03ZA	CF080N04ZA	CF080N05ZA	CF080N06ZA
701-800 (P)	CF080P00ZA	CF080P01ZA	CF080P02ZA	CF080P03ZA	CF080P04ZA	CF080P05ZA	CF080P06ZA
801-900 (R)	CF080R00ZA	CF080R01ZA	CF080R02ZA	CF080R03ZA	CF080R04ZA	CF080R05ZA	CF080R06ZA
901-1000 (T)	CF080T00ZA	CF080T01ZA	CF080T02ZA	CF080T03ZA	CF080T04ZA	CF080T05ZA	CF080T06ZA
1001-1100 (V)	CF080V00ZA	CF080V01ZA	CF080V02ZA	CF080V03ZA	CF080V04ZA	CF080V05ZA	CF080V06ZA
1101-1200 (X)	CF080X00ZA	CF080X01ZA	CF080X02ZA	CF080X03ZA	CF080X04ZA	CF080X05ZA	CF080X06ZA

GA 0.95mm

Ex Brisbane

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF095B00GA	CF095B01GA	CF095B02GA	CF095B03GA	CF095B04GA	CF095B05GA	CF095B06GA
101-150 (C)	CF095C00GA	CF095C01GA	CF095C02GA	CF095C03GA	CF095C04GA	CF095C05GA	CF095C06GA
151-200 (D)	CF095D00GA	CF095D01GA	CF095D02GA	CF095D03GA	CF095D04GA	CF095D05GA	CF095D06GA
201-250 (E)	CF095E00GA	CF095E01GA	CF095E02GA	CF095E03GA	CF095E04GA	CF095E05GA	CF095E06GA
251-300 (F)	CF095F00GA	CF095F01GA	CF095F02GA	CF095F03GA	CF095F04GA	CF095F05GA	CF095F06GA
301-350 (G)	CF095G00GA	CF095G01GA	CF095G02GA	CF095G03GA	CF095G04GA	CF095G05GA	CF095G06GA
351-400 (H)	CF095H00GA	CF095H01GA	CF095H02GA	CF095H03GA	CF095H04GA	CF095H05GA	CF095H06GA
401-500 (J)	CF095J00GA	CF095J01GA	CF095J02GA	CF095J03GA	CF095J04GA	CF095J05GA	CF095J06GA
501-600 (L)	CF095L00GA	CF095L01GA	CF095L02GA	CF095L03GA	CF095L04GA	CF095L05GA	CF095L06GA
601-700 (N)	CF095N00GA	CF095N01GA	CF095N02GA	CF095N03GA	CF095N04GA	CF095N05GA	CF095N06GA
701-800 (P)	CF095P00GA	CF095P01GA	CF095P02GA	CF095P03GA	CF095P04GA	CF095P05GA	CF095P06GA
801-900 (R)	CF095R00GA	CF095R01GA	CF095R02GA	CF095R03GA	CF095R04GA	CF095R05GA	CF095R06GA
901-1000 (T)	CF095T00GA	CF095T01GA	CF095T02GA	CF095T03GA	CF095T04GA	CF095T05GA	CF095T06GA
1001-1100 (V)	CF095V00GA	CF095V01GA	CF095V02GA	CF095V03GA	CF095V04GA	CF095V05GA	CF095V06GA
1101-1200 (X)	CF095X00GA	CF095X01GA	CF095X02GA	CF095X03GA	CF095X04GA	CF095X05GA	CF095X06GA

NOTE:

Squash fold = 2 bends. No extra charge for tapered flashings.

Maximum length = 8.0 metres.

Flashings under 1 linear metre will be charged as 1 metre.

Girth under 100mm Max length = 3.6m

CUSTOM FLASHINGS

ZA 1.20mm

Ex Brisbane

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF0120B00ZA	CF0120B01ZA	CF0120B02ZA	CF0120B03ZA	CF0120B04ZA	CF0120B05ZA	CF0120B06ZA
101-150 (C)	CF0120C00ZA	CF0120C01ZA	CF0120C02ZA	CF0120C03ZA	CF0120C04ZA	CF0120C05ZA	CF0120C06ZA
151-200 (D)	CF0120D00ZA	CF0120D01ZA	CF0120D02ZA	CF0120D03ZA	CF0120D04ZA	CF0120D05ZA	CF0120D06ZA
201-250 (E)	CF0120E00ZA	CF0120E01ZA	CF0120E02ZA	CF0120E03ZA	CF0120E04ZA	CF0120E05ZA	CF0120E06ZA
251-300 (F)	CF0120F00ZA	CF0120F01ZA	CF0120F02ZA	CF0120F03ZA	CF0120F04ZA	CF0120F05ZA	CF0120F06ZA
301-350 (G)	CF0120G00ZA	CF0120G01ZA	CF0120G02ZA	CF0120G03ZA	CF0120G04ZA	CF0120G05ZA	CF0120G06ZA
351-400 (H)	CF0120H00ZA	CF0120H01ZA	CF0120H02ZA	CF0120H03ZA	CF0120H04ZA	CF0120H05ZA	CF0120H06ZA
401-500 (J)	CF0120J00ZA	CF0120J01ZA	CF0120J02ZA	CF0120J03ZA	CF0120J04ZA	CF0120J05ZA	CF0120J06ZA
501-600 (L)	CF0120L00ZA	CF0120L01ZA	CF0120L02ZA	CF0120L03ZA	CF0120L04ZA	CF0120L05ZA	CF0120L06ZA
601-700 (N)	CF0120N00ZA	CF0120N01ZA	CF0120N02ZA	CF0120N03ZA	CF0120N04ZA	CF0120N05ZA	CF0120N06ZA
701-800 (P)	CF0120P00ZA	CF0120P01ZA	CF0120P02ZA	CF0120P03ZA	CF0120P04ZA	CF0120P05ZA	CF0120P06ZA
801-900 (R)	CF0120R00ZA	CF0120R01ZA	CF0120R02ZA	CF0120R03ZA	CF0120R04ZA	CF0120R05ZA	CF0120R06ZA
901-1000 (T)	CF0120T00ZA	CF0120T01ZA	CF0120T02ZA	CF0120T03ZA	CF0120T04ZA	CF0120T05ZA	CF0120T06ZA
1001-1100 (V)	CF0120V00ZA	CF0120V01ZA	CF0120V02ZA	CF0120V03ZA	CF0120V04ZA	CF0120V05ZA	CF0120V06ZA
1101-1200 (X)	CF0120X00ZA	CF0120X01ZA	CF0120X02ZA	CF0120X03ZA	CF0120X04ZA	CF0120X05ZA	CF0120X06ZA

GA 1.55mm

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF0155B00GA	CF0155B01GA	CF0155B02GA	CF0155B03GA	CF0155B04GA	CF0155B05GA	CF0155B06GA
101-150 (C)	CF0155C00GA	CF0155C01GA	CF0155C02GA	CF0155C03GA	CF0155C04GA	CF0155C05GA	CF0155C06GA
151-200 (D)	CF0155D00GA	CF0155D01GA	CF0155D02GA	CF0155D03GA	CF0155D04GA	CF0155D05GA	CF0155D06GA
201-250 (E)	CF0155E00GA	CF0155E01GA	CF0155E02GA	CF0155E03GA	CF0155E04GA	CF0155E05GA	CF0155E06GA
251-300 (F)	CF0155F00GA	CF0155F01GA	CF0155F02GA	CF0155F03GA	CF0155F04GA	CF0155F05GA	CF0155F06GA
301-350 (G)	CF0155G00GA	CF0155G01GA	CF0155G02GA	CF0155G03GA	CF0155G04GA	CF0155G05GA	CF0155G06GA
351-400 (H)	CF0155H00GA	CF0155H01GA	CF0155H02GA	CF0155H03GA	CF0155H04GA	CF0155H05GA	CF0155H06GA
401-500 (J)	CF0155J00GA	CF0155J01GA	CF0155J02GA	CF0155J03GA	CF0155J04GA	CF0155J05GA	CF0155J06GA
501-600 (L)	CF0155L00GA	CF0155L01GA	CF0155L02GA	CF0155L03GA	CF0155L04GA	CF0155L05GA	CF0155L06GA
601-700 (N)	CF0155N00GA	CF0155N01GA	CF0155N02GA	CF0155N03GA	CF0155N04GA	CF0155N05GA	CF0155N06GA
701-800 (P)	CF0155P00GA	CF0155P01GA	CF0155P02GA	CF0155P03GA	CF0155P04GA	CF0155P05GA	CF0155P06GA
801-900 (R)	CF0155R00GA	CF0155R01GA	CF0155R02GA	CF0155R03GA	CF0155R04GA	CF0155R05GA	CF0155R06GA
901-1000 (T)	CF0155T00GA	CF0155T01GA	CF0155T02GA	CF0155T03GA	CF0155T04GA	CF0155T05GA	CF0155T06GA
1001-1100 (V)	CF0155V00GA	CF0155V01GA	CF0155V02GA	CF0155V03GA	CF0155V04GA	CF0155V05GA	CF0155V06GA
1101-1550 (X)	CF0155X00GA	CF0155X01GA	CF0155X02GA	CF0155X03GA	CF0155X04GA	CF0155X05GA	CF0155X06GA

NOTE:

Squash fold = 2 bends. No extra charge for tapered flashings.

Maximum length = 8.0 metres.

Flashings under 1 linear metre will be charged as 1metre.

Girth under 100mm Max length = 3.6m

PRODUCT AVAILABILITY – ULTRA & METALLIC COLORBOND

Product/Roofing/Cladding	BMT	DUN	MON	SUR	WDG	WLB	WSP	ARI	AST	CEL	COS	GLT	RHE	BAS	MON	SUR
Stramit Monoclad®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit® Corrugated	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit® Speed Deck	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit Longspan®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit Minirib®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit K-Panel®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit Mini Corry®	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit Mini Corry®	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Stramit® Premier 300	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fascia	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® Valley Folded	0.55	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit Roll Top Ridge 400	0.40	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® Edge Roll 50mm 2m	0.40	✓	✓	✓	✓	✓	✓									
Stramit® Roll Barge Cap	0.40	✓	✓	✓	✓	✓	✓									
Stramit® QLD Slotted Quad	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® QLD Quad 175 (Gutter Only No Stop Ends)	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Quad 150	0.42	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® Compact Gutter	0.42	✓	✓	✓	✓	✓	✓									
Stramit® Downpipe 100 X 75	0.55	✓	✓	✓	✓	✓	✓							✓	✓	✓
Stramit® Downpipe 85 / 100	0.55	✓	✓	✓	✓	✓	✓									
Product/Roofing/Cladding	BMT	ULTRA						METALLIC						MATT		

● All premium products are Ex Brisbane, please contact your local Stramit office for more information.

COLOUR AVAILABILITY

ULTRA		STAINLESS		STD NEW METALLIC		MATT	
DUN	DUNE®	DOC	DEEP OCEAN®	ARI	ARIES®	BAS	BASALT
MON	MONUMENT®	DUN	DUNE®	AST	ASTRO®	MON	MONUMENT
SUR	SURFMIST®	SUR	SURFMIST®	CEL	CELESTIAN®	SUR	SURFMIST
WDG	WOODLAND GREY®	WSP	WINDSPRAY®	COS	COSMIC®		
WLB	WALLABY®			GLT	GALACTIC®		
WSP	WINDSPRAY®			RHE	RHEA®		

MAGNAFLOW® • ROOFING • CLADDING • RAINWATER

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)
Stramit® Corrugated	0.42
Stramit Monoclad®	0.42
Stramit Longspan®	0.42
Stramit Speed Deck Ultra®	0.42
Stramit® Roll Top Ridge	0.42 / 0.55
Stramit® Valley Folded	0.55
Stramit® Flashings & Others	0.55
Stramit® Downpipes 95 x 45	0.55
Stramit® Downpipes 100 x 50	0.55
Stramit® Downpipes 100 x 75	0.55
Stramit® Downpipes 100 x 100	0.55

Please refer to Sales office for lead times and availability.
Residential gutters are also available, please contact your local office for details.
0.48 Roofing available on selected colours.

COLOUR AVAILABILITY

- | | |
|------------|-------------|
| Off White | Armour Grey |
| Birch | Monolith |
| Slate Grey | |

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

SUBSTRATE

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.

RECOMMENDED END USES

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.



MAGNAFLOW® WARRANTIES

A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.








THE MAGIC OF MAGNESIUM

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area. As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products



PREMIUM PRODUCTS • ROOFING • CLADDING













Product	Product Details	BMT mm	Finish	Code	Unit
Stramit® Corrugated 		0.42	CB Coolmax	C42KWHN	per m ²
		0.42	CB Ultra	C42U***	per m ²
		0.42	CB S Steel	C42SSUR	per m ²
		0.42	CB Matt	C42T***	per m ²
		0.48	CB Coolmax	C48KWHN	per m ²
		0.48	CB Ultra	C48U***	per m ²
		0.48	CB Metallic	C48M***	per m ²
Stramit Monoclad® 		0.42	CB Coolmax	MC42KWHN	per m ²
		0.42	CB Ultra	MC42U***	per m ²
		0.42	CB S Steel	MC42SSUR	per m ²
		0.42	CB Matt	MC42T***	per m ²
		0.48	CB Coolmax	MC48KWHN	per m ²
		0.48	CB Ultra	MC48U***	per m ²
		0.48	CB Metallic	MC48M***	per m ²
Longspan® 		0.42	CB Coolmax	LS42KWHN	per m ²
		0.42	CB Ultra	LS42U***	per m ²
		0.42	CB S Steel	LS42SSUR	per m ²
		0.42	CB Matt	LS42T***	per m ²
		0.48	CB Coolmax	LS48KWHN	per m ²
		0.48	CB Ultra	LS48U***	per m ²
		0.48	CB Metallic	LS48M***	per m ²
Stramit Speed Deck Ultra® 		0.42	CB Coolmax	UD42KWHN	per m ²
		0.42	CB Ultra	UD42U***	per m ²
		0.42	CB Matt	UD42T***	per m ²
		0.48	CB Coolmax	UD48KWHN	per m ²
		0.48	CB Ultra	UD48U***	per m ²
		0.48	CB Metallic	UD48M***	per m ²
	Ex Brisbane			Fixing Clips POA	
Stramit Mini Corry® ex Sydney 		0.42	CB Ultra	MK42U***	per m ²
		0.42	CB Matt	MK42T***	per m ²
		0.48	CB Ultra	MK48U***	per m ²
		0.48	CB Metallic	MK48M***	per m ²
				Note: Also available in Stramit Minirib	
Sramit C-Clad 280 		0.55	CB Ultra	CC28055U***	per m ²
		0.55	CB Matt	CC28055T***	per m ²
		0.55	CB Metallic	CC28055M***	per m ²
Ex Brisbane					
Stramit Premier 300 		0.55	CB Ultra	CC30055U***	per m ²
		0.55	CB Matt	CC30055T***	per m ²
		0.55	CB Metallic	CC30055M***	per m ²
Ex Brisbane					

PREMIUM PRODUCTS • VALLEYS & RIDGES

Product	Details	Code	Finish	BMT mm	Unit
Stramit® Valley (Folded Gutter)	450mm	VPFL55U***	CB Ultra	0.55	lin metre
		VPFL55SSUR	CB Stainless	0.55	lin metre
	400mm	VPF55T**	CB Matt	0.55	lin metre
Stramit® Roll Top Ridge (400mm)	Cut to Length (max 6m)	RTR55U***	CB Ultra	0.55	lin metre
		RTR55T***	CB Matt	0.55	lin metre
		RTR55S***	CB Stainless	0.55	lin metre
Stramit® Ridge Cap (3 Break) (400mm)	Cut to Length	RFMC55U***	CB Ultra	0.55	lin metre
		RFMC55SSUR	CB Stainless	0.55	lin metre
Stramit® Gable Roll	50mm x 2.0m	ER50U***20	CB Ultra	0.55	length
		ER50SSUR20	CB Stainless	0.55	length
Stramit® Downpipe	100mm x 75mm x 2.4m	DP10075U***24	CB Ultra	0.55	length
		DP10075T***24	CB Matt	0.55	length
		DP10075SSUR24	CB Stainless	0.55	length
Stramit® Roll Top Barge	Cut to Length (max 6m)	RTB55U***	CB Ultra	0.55	lin metre

All product ex Brisbane except Corri and Monoclad

PREMIUM PRODUCTS • FASCIA • GUTTERS • ACCESSORIES

Product	Product Details	Code	Finish	Unit	
FASCIA Stramit® Fascia		FBU*** FBT***	CB Ultra CB Matt	lin metre lin metre	
ACCESSORIES		Internal Corner External Corner	FBICU*** FBECU*** FBECT*** FBICT***	CB Ultra CB Ultra CB Matt CB Matt	each each each each
GUTTERS Stramit Queensland Quad®		QQSU*** QQST***	CB Ultra CB Matt	lin metre lin metre	
Accessories		Concealed Bracket	QQSCBSS	Stainless Steel	each
Stramit® Quad 150		QQ150U*** QQ150T***	CB Ultra CB Matt	lin metre lin metre	
Accessories		Concealed Bracket	QQ150CBSS	Stainless Steel	each
Stramit Quad 175®		QQ175U*** QQ175M*** QQ175T***	CB Ultra CB Metallic CB Matt	lin metre lin metre lin metre	
Stramit Compact Gutter®		CGSU***	CB Ultra	lin metre	
Accessories		Concealed Bracket	CGCBSS	Stainless Steel	each
Stramit Half Round 150 Gutter®		HRGR150PU*** HRGR150PSSUR HRGR150PT*** HRGR150SU*** HRGR150SSSUR HRGR150ST***	CB Ultra CB Stainless CB Matt CB Ultra CB Ultra CB Matt	lin metre lin metre lin metre lin metre lin metre lin metre	
Stramit Flatback Half Round Gutter®		HRGFB150PU*** HRGFB150PSSUR HRGFB150PT*** HRGFB150SU*** HRGFB150SSSUR HRGFB150ST***	CB Ultra CB Stainless CB Matt CB Ultra CB Stainless CB Matt	lin metre lin metre lin metre lin metre lin metre lin metre	
Stramit Compact Gutter® Barge		CGBU***	CB Ultra	lin metre	

*Note - When using stainless steel brackets with ultra products Isolation is required.

PREMIUM PRODUCTS • CUSTOM FLASHINGS

CB ULTRA 0.55mm

GirUh WidUh (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00U---	CF055B01U---	CF055B02U---	CF055B03U---	CF055B04U---	CF055B05U---	CF055B06U---
101-150 (C)	CF055C00U---	CF055C01U---	CF055C02U---	CF055C03U---	CF055C04U---	CF055C05U---	CF055C06U---
151-200 (D)	CF055D00U---	CF055D01U---	CF055D02U---	CF055D03U---	CF055D04U---	CF055D05U---	CF055D06U---
201-250 (E)	CF055E00U---	CF055E01U---	CF055E02U---	CF055E03U---	CF055E04U---	CF055E05U---	CF055E06U---
251-300 (F)	CF055F00U---	CF055F01U---	CF055F02U---	CF055F03U---	CF055F04U---	CF055F05U---	CF055F06U---
301-350 (G)	CF055G00U---	CF055G01U---	CF055G02U---	CF055G03U---	CF055G04U---	CF055G05U---	CF055G06U---
351-400 (H)	CF055H00U---	CF055H01U---	CF055H02U---	CF055H03U---	CF055H04U---	CF055H05U---	CF055H06U---
401-500 (J)	CF055J00U---	CF055J01U---	CF055J02U---	CF055J03U---	CF055J04U---	CF055J05U---	CF055J06U---
501-600 (L)	CF055L00U---	CF055L01U---	CF055L02U---	CF055L03U---	CF055L04U---	CF055L05U---	CF055L06U---
601-700 (N)	CF055N00U---	CF055N01U---	CF055N02U---	CF055N03U---	CF055N04U---	CF055N05U---	CF055N06U---
701-800 (P)	CF055P00U---	CF055P01U---	CF055P02U---	CF055P03U---	CF055P04U---	CF055P05U---	CF055P06U---
801-900 (R)	CF055R00U---	CF055R01U---	CF055R02U---	CF055R03U---	CF055R04U---	CF055R05U---	CF055R06U---
901-1000 (U)	CF055U00U---	CF055U01U---	CF055U02U---	CF055U03U---	CF055U04U---	CF055U05U---	CF055U06U---
1001-1100 (V)	CF055V00U---	CF055V01U---	CF055V02U---	CF055V03U---	CF055V04U---	CF055V05U---	CF055V06U---
1101-1200 (X)	CF055X00U---	CF055X01U---	CF055X02U---	CF055X03U---	CF055X04U---	CF055X05U---	CF055X06U---

CB METALLIC 0.55mm

GirUh WidUh (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00M---	CF055B01M---	CF055B02M---	CF055B03M---	CF055B04M---	CF055B05M---	CF055B06M---
101-150 (C)	CF055C00M---	CF055C01M---	CF055C02M---	CF055C03M---	CF055C04M---	CF055C05M---	CF055C06M---
151-200 (D)	CF055D00M---	CF055D01M---	CF055D02M---	CF055D03M---	CF055D04M---	CF055D05M---	CF055D06M---
201-250 (E)	CF055E00M---	CF055E01M---	CF055E02M---	CF055E03M---	CF055E04M---	CF055E05M---	CF055E06M---
251-300 (F)	CF055F00M---	CF055F01M---	CF055F02M---	CF055F03M---	CF055F04M---	CF055F05M---	CF055F06M---
301-350 (G)	CF055G00M---	CF055G01M---	CF055G02M---	CF055G03M---	CF055G04M---	CF055G05M---	CF055G06M---
351-400 (H)	CF055H00M---	CF055H01M---	CF055H02M---	CF055H03M---	CF055H04M---	CF055H05M---	CF055H06M---
401-500 (J)	CF055J00M---	CF055J01M---	CF055J02M---	CF055J03M---	CF055J04M---	CF055J05M---	CF055J06M---
501-600 (L)	CF055L00M---	CF055L01M---	CF055L02M---	CF055L03M---	CF055L04M---	CF055L05M---	CF055L06M---
601-700 (N)	CF055N00M---	CF055N01M---	CF055N02M---	CF055N03M---	CF055N04M---	CF055N05M---	CF055N06M---
701-800 (P)	CF055P00M---	CF055P01M---	CF055P02M---	CF055P03M---	CF055P04M---	CF055P05M---	CF055P06M---
801-900 (R)	CF055R00M---	CF055R01M---	CF055R02M---	CF055R03M---	CF055R04M---	CF055R05M---	CF055R06M---
901-1000 (U)	CF055M00M---	CF055M01M---	CF055M02M---	CF055M03M---	CF055M04M---	CF055M05M---	CF055M06M---
1001-1100 (V)	CF055V00M---	CF055V01M---	CF055V02M---	CF055V03M---	CF055V04M---	CF055V05M---	CF055V06M---
1101-1200 (X)	CF055X00M---	CF055X01M---	CF055X02M---	CF055X03M---	CF055X04M---	CF055X05M---	CF055X06M---

CB COOLMAX 0.55mm

GirUh WidUh (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00KWHN	CF055B01KWHN	CF055B02KWHN	CF055B03KWHN	CF055B04KWHN	CF055B05KWHN	CF055B06KWHN
101-150 (C)	CF055C00KWHN	CF055C01KWHN	CF055C02KWHN	CF055C03KWHN	CF055C04KWHN	CF055C05KWHN	CF055C06KWHN
151-200 (D)	CF055D00KWHN	CF055D01KWHN	CF055D02KWHN	CF055D03KWHN	CF055D04KWHN	CF055D05KWHN	CF055D06KWHN
201-250 (E)	CF055E00KWHN	CF055E01KWHN	CF055E02KWHN	CF055E03KWHN	CF055E04KWHN	CF055E05KWHN	CF055E06KWHN
251-300 (F)	CF055F00KWHN	CF055F01KWHN	CF055F02KWHN	CF055F03KWHN	CF055F04KWHN	CF055F05KWHN	CF055F06KWHN
301-350 (G)	CF055G00KWHN	CF055G01KWHN	CF055G02KWHN	CF055G03KWHN	CF055G04KWHN	CF055G05KWHN	CF055G06KWHN
351-400 (H)	CF055H00KWHN	CF055H01KWHN	CF055H02KWHN	CF055H03KWHN	CF055H04KWHN	CF055H05KWHN	CF055H06KWHN
401-500 (J)	CF055J00KWHN	CF055J01KWHN	CF055J02KWHN	CF055J03KWHN	CF055J04KWHN	CF055J05KWHN	CF055J06KWHN
501-600 (L)	CF055L00KWHN	CF055L01KWHN	CF055L02KWHN	CF055L03KWHN	CF055L04KWHN	CF055L05KWHN	CF055L06KWHN
601-700 (N)	CF055N00KWHN	CF055N01KWHN	CF055N02KWHN	CF055N03KWHN	CF055N04KWHN	CF055N05KWHN	CF055N06KWHN
701-800 (P)	CF055P00KWHN	CF055P01KWHN	CF055P02KWHN	CF055P03KWHN	CF055P04KWHN	CF055P05KWHN	CF055P06KWHN
801-900 (R)	CF055R00KWHN	CF055R01KWHN	CF055R02KWHN	CF055R03KWHN	CF055R04KWHN	CF055R05KWHN	CF055R06KWHN
901-1000 (U)	CF055M00KWHN	CF055M01KWHN	CF055M02KWHN	CF055M03KWHN	CF055M04KWHN	CF055M05KWHN	CF055M06KWHN
1001-1100 (V)	CF055V00KWHN	CF055V01KWHN	CF055V02KWHN	CF055V03KWHN	CF055V04KWHN	CF055V05KWHN	CF055V06KWHN
1101-1200 (X)	CF055X00KWHN	CF055X01KWHN	CF055X02KWHN	CF055X03KWHN	CF055X04KWHN	CF055X05KWHN	CF055X06KWHN

NOTE: Squash fold = 2 bends.
 No extra charge for tapered flashings.
 Maximum length = 8.0 metres.
 Flashings under 1 linear metre will be charged as 1 metre.

CUSTOM FLASHINGS STAINLESS STEEL

304 STAINLESS 2B 0.55 BMT

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00SS02	CF055B01SS02	CF055B02SS02	CF055B03SS02	CF055B04SS02	CF055B05SS02	CF055B06SS02
101-150 (C)	CF055C00SS02	CF055C01SS02	CF055C02SS02	CF055C03SS02	CF055C04SS02	CF055C05SS02	CF055C06SS02
151-200 (D)	CF055D00SS02	CF055D01SS02	CF055D02SS02	CF055D03SS02	CF055D04SS02	CF055D05SS02	CF055D06SS02
201-250 (E)	CF055E00SS02	CF055E01SS02	CF055E02SS02	CF055E03SS02	CF055E04SS02	CF055E05SS02	CF055E06SS02
251-300 (F)	CF055F00SS02	CF055F01SS02	CF055F02SS02	CF055F03SS02	CF055F04SS02	CF055F05SS02	CF055F06SS02
301-350 (G)	CF055G00SS02	CF055G01SS02	CF055G02SS02	CF055G03SS02	CF055G04SS02	CF055G05SS02	CF055G06SS02
351-400 (H)	CF055H00SS02	CF055H01SS02	CF055H02SS02	CF055H03SS02	CF055H04SS02	CF055H05SS02	CF055H06SS02
401-500 (J)	CF055J00SS02	CF055J01SS02	CF055J02SS02	CF055J03SS02	CF055J04SS02	CF055J05SS02	CF055J06SS02
501-600 (L)	CF055L00SS02	CF055L01SS02	CF055L02SS02	CF055L03SS02	CF055L04SS02	CF055L05SS02	CF055L06SS02
601-700 (N)	CF055N00SS02	CF055N01SS02	CF055N02SS02	CF055N03SS02	CF055N04SS02	CF055N05SS02	CF055N06SS02
701-800 (P)	CF055P00SS02	CF055P01SS02	CF055P02SS02	CF055P03SS02	CF055P04SS02	CF055P05SS02	CF055P06SS02
801-900 (R)	CF055R00SS02	CF055R01SS02	CF055R02SS02	CF055R03SS02	CF055R04SS02	CF055R05SS02	CF055R06SS02
901-1000 (T)	CF055T00SS02	CF055T01SS02	CF055T02SS02	CF055T03SS02	CF055T04SS02	CF055T05SS02	CF055T06SS02
1001-1100 (V)	CF055V00SS02	CF055V01SS02	CF055V02SS02	CF055V03SS02	CF055V04SS02	CF055V05SS02	CF055V06SS02
1101-1200 (X)	CF055X00SS02	CF055X01SS02	CF055X02SS02	CF055X03SS02	CF055X04SS02	CF055X05SS02	CF055X06SS02

316 STAINLESS N4 0.55 BMT

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00SS14	CF055B01SS14	CF055B02SS14	CF055B03SS14	CF055B04SS14	CF055B05SS14	CF055B06SS14
101-150 (C)	CF055C00SS14	CF055C01SS14	CF055C02SS14	CF055C03SS14	CF055C04SS14	CF055C05SS14	CF055C06SS14
151-200 (D)	CF055D00SS14	CF055D01SS14	CF055D02SS14	CF055D03SS14	CF055D04SS14	CF055D05SS14	CF055D06SS14
201-250 (E)	CF055E00SS14	CF055E01SS14	CF055E02SS14	CF055E03SS14	CF055E04SS14	CF055E05SS14	CF055E06SS14
251-300 (F)	CF055F00SS14	CF055F01SS14	CF055F02SS14	CF055F03SS14	CF055F04SS14	CF055F05SS14	CF055F06SS14
301-350 (G)	CF055G00SS14	CF055G01SS14	CF055G02SS14	CF055G03SS14	CF055G04SS14	CF055G05SS14	CF055G06SS14
351-400 (H)	CF055H00SS14	CF055H01SS14	CF055H02SS14	CF055H03SS14	CF055H04SS14	CF055H05SS14	CF055H06SS14
401-500 (J)	CF055J00SS14	CF055J01SS14	CF055J02SS14	CF055J03SS14	CF055J04SS14	CF055J05SS14	CF055J06SS14
501-600 (L)	CF055L00SS14	CF055L01SS14	CF055L02SS14	CF055L03SS14	CF055L04SS14	CF055L05SS14	CF055L06SS14
601-700 (N)	CF055N00SS14	CF055N01SS14	CF055N02SS14	CF055N03SS14	CF055N04SS14	CF055N05SS14	CF055N06SS14
701-800 (P)	CF055P00SS14	CF055P01SS14	CF055P02SS14	CF055P03SS14	CF055P04SS14	CF055P05SS14	CF055P06SS14
801-900 (R)	CF055R00SS14	CF055R01SS14	CF055R02SS14	CF055R03SS14	CF055R04SS14	CF055R05SS14	CF055R06SS14
901-1000 (T)	CF055T00SS14	CF055T01SS14	CF055T02SS14	CF055T03SS14	CF055T04SS14	CF055T05SS14	CF055T06SS14
1001-1100 (V)	CF055V00SS14	CF055V01SS14	CF055V02SS14	CF055V03SS14	CF055V04SS14	CF055V05SS14	CF055V06SS14
1101-1200 (X)	CF055X00SS14	CF055X01SS14	CF055X02SS14	CF055X03SS14	CF055X04SS14	CF055X05SS14	CF055X06SS14

NOTE: Squash fold = 2 bends. Minimum fold = 10mm.
 No extra charge for tapered flashings.
 Maximum length = 6.0 metres.
 Flashings under 1 linear metre will be charged as 1 metre.

Girth under 100mm Max. Length 3.6m

CUSTOM FLASHINGS 316 STAINLESS STEEL

316 STAINLESS 2B 0.55mm

GirUh WidUh (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00SS12	CF055B01SS12	CF055B02SS12	CF055B03SS12	CF055B04SS12	CF055B05SS12	CF055B06SS12
101-150 (C)	CF055C00SS12	CF055C01SS12	CF055C02SS12	CF055C03SS12	CF055C04SS12	CF055C05SS12	CF055C06SS12
151-200 (D)	CF055D00SS12	CF055D01SS12	CF055D02SS12	CF055D03SS12	CF055D04SS12	CF055D05SS12	CF055D06SS12
201-250 (E)	CF055E00SS12	CF055E01SS12	CF055E02SS12	CF055E03SS12	CF055E04SS12	CF055E05SS12	CF055E06SS12
251-300 (F)	CF055F00SS12	CF055F01SS12	CF055F02SS12	CF055F03SS12	CF055F04SS12	CF055F05SS12	CF055F06SS12
301-350 (G)	CF055G00SS12	CF055G01SS12	CF055G02SS12	CF055G03SS12	CF055G04SS12	CF055G05SS12	CF055G06SS12
351-400 (H)	CF055H00SS12	CF055H01SS12	CF055H02SS12	CF055H03SS12	CF055H04SS12	CF055H05SS12	CF055H06SS12
401-500 (J)	CF055J00SS12	CF055J01SS12	CF055J02SS12	CF055J03SS12	CF055J04SS12	CF055J05SS12	CF055J06SS12
501-600 (L)	CF055L00SS12	CF055L01SS12	CF055L02SS12	CF055L03SS12	CF055L04SS12	CF055L05SS12	CF055L06SS12
601-700 (N)	CF055N00SS12	CF055N01SS12	CF055N02SS12	CF055N03SS12	CF055N04SS12	CF055N05SS12	CF055N06SS12
701-800 (P)	CF055P00SS12	CF055P01SS12	CF055P02SS12	CF055P03SS12	CF055P04SS12	CF055P05SS12	CF055P06SS12
801-900 (R)	CF055R00SS12	CF055R01SS12	CF055R02SS12	CF055R03SS12	CF055R04SS12	CF055R05SS12	CF055R06SS12
901-1000 (U)	CF055U00SS12	CF055U01SS12	CF055U02SS12	CF055U03SS12	CF055U04SS12	CF055U05SS12	CF055U06SS12
1001-1100 (V)	CF055V00SS12	CF055V01SS12	CF055V02SS12	CF055V03SS12	CF055V04SS12	CF055V05SS12	CF055V06SS12
1101-1200 (X)	CF055X00SS12	CF055X01SS12	CF055X02SS12	CF055X03SS12	CF055X04SS12	CF055X05SS12	CF055X06SS12

304 STAINLESS 2B 0.090 BMT

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF090B00SS01	CF090B01SS01	CF090B02SS01	CF090B03SS01	CF090B04SS01	CF090B05SS01	CF090B06SS01
101-150 (C)	CF090C00SS01	CF090C01SS01	CF090C02SS01	CF090C03SS01	CF090C04SS01	CF090C05SS01	CF090C06SS01
151-200 (D)	CF090D00SS01	CF090D01SS01	CF090D02SS01	CF090D03SS01	CF090D04SS01	CF090D05SS01	CF090D06SS01
201-250 (E)	CF090E00SS01	CF090E01SS01	CF090E02SS01	CF090E03SS01	CF090E04SS01	CF090E05SS01	CF090E06SS01
251-300 (F)	CF090F00SS01	CF090F01SS01	CF090F02SS01	CF090F03SS01	CF090F04SS01	CF090F05SS01	CF090F06SS01
301-350 (G)	CF090G00SS01	CF090G01SS01	CF090G02SS01	CF090G03SS01	CF090G04SS01	CF090G05SS01	CF090G06SS01
351-400 (H)	CF090H00SS01	CF090H01SS01	CF090H02SS01	CF090H03SS01	CF090H04SS01	CF090H05SS01	CF090H06SS01
401-500 (J)	CF090J00SS01	CF090J01SS01	CF090J02SS01	CF090J03SS01	CF090J04SS01	CF090J05SS01	CF090J06SS01
501-600 (L)	CF090L00SS01	CF090L01SS01	CF090L02SS01	CF090L03SS01	CF090L04SS01	CF090L05SS01	CF090L06SS01
601-700 (N)	CF090N00SS01	CF090N01SS01	CF090N02SS01	CF090N03SS01	CF090N04SS01	CF090N05SS01	CF090N06SS01
701-800 (P)	CF090P00SS01	CF090P01SS01	CF090P02SS01	CF090P03SS01	CF090P04SS01	CF090P05SS01	CF090P06SS01
801-900 (R)	CF090R00SS01	CF090R01SS01	CF090R02SS01	CF090R03SS01	CF090R04SS01	CF090R05SS01	CF090R06SS01
901-1000 (T)	CF090T00SS01	CF090T01SS01	CF090T02SS01	CF090T03SS01	CF090T04SS01	CF090T05SS01	CF090T06SS01
1001-1100 (V)	CF090V00SS01	CF090V01SS01	CF090V02SS01	CF090V03SS01	CF090V04SS01	CF090V05SS01	CF090V06SS01
1101-1200 (X)	CF090X00SS01	CF090X01SS01	CF090X02SS01	CF090X03SS01	CF090X04SS01	CF090X05SS01	CF090X06SS01

NOTE: Squash fold = 2 bends. Minimum fold = 10mm.
 No extra charge for tapered flashings.
 Maximum length = 8.0 metres.
 Flashings under 1 linear metre will be charged as 1 metre.
Girth under 100mm Max. Length 3.6m

GUIDELINES FOR USE OF VARIOUS STAINLESS STEEL GRADES

STAINLESS STEEL GRADE & FINISH	SUGGESTED APPLICATIONS
304 2B	Suitable for external use in moderate or non coastal locations.
316 No. 4 (Brushed)	Suitable for internal and external use in moderate locations. For external coastal locations 316 2B would be recommended
316 2B	Suitable for external use in moderate and coastal locations

CUSTOM FLASHINGS

CB MATT 0.55 BMT

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00T---	CF055B01T---	CF055B02T---	CF055B03T---	CF055B04T---	CF055B05T---	CF055B06T---
101-150 (C)	CF055C00T---	CF055C01T---	CF055C02T---	CF055C03T---	CF055C04T---	CF055C05T---	CF055C06T---
151-200 (D)	CF055D00T---	CF055D01T---	CF055D02T---	CF055D03T---	CF055D04T---	CF055D05T---	CF055D06T---
201-250 (E)	CF055E00T---	CF055E01T---	CF055E02T---	CF055E03T---	CF055E04T---	CF055E05T---	CF055E06T---
251-300 (F)	CF055F00T---	CF055F01T---	CF055F02T---	CF055F03T---	CF055F04T---	CF055F05T---	CF055F06T---
301-350 (G)	CF055G00T---	CF055G01T---	CF055G02T---	CF055G03T---	CF055G04T---	CF055G05T---	CF055G06T---
351-400 (H)	CF055H00T---	CF055H01T---	CF055H02T---	CF055H03T---	CF055H04T---	CF055H05T---	CF055H06T---
401-500 (J)	CF055J00T---	CF055J01T---	CF055J02T---	CF055J03T---	CF055J04T---	CF055J05T---	CF055J06T---
501-600 (L)	CF055L00T---	CF055L01T---	CF055L02T---	CF055L03T---	CF055L04T---	CF055L05T---	CF055L06T---
601-700 (N)	CF055N00T---	CF055N01T---	CF055N02T---	CF055N03T---	CF055N04T---	CF055N05T---	CF055N06T---
701-800 (P)	CF055P00T---	CF055P01T---	CF055P02T---	CF055P03T---	CF055P04T---	CF055P05T---	CF055P06T---
801-900 (R)	CF055R00T---	CF055R01T---	CF055R02T---	CF055R03T---	CF055R04T---	CF055R05T---	CF055R06T---
901-1000 (T)	CF055T00T---	CF055T01T---	CF055T02T---	CF055T03T---	CF055T04T---	CF055T05T---	CF055T06T---
1001-1100 (V)	CF055V00T---	CF055V01T---	CF055V02T---	CF055V03T---	CF055V04T---	CF055V05T---	CF055V06T---
1101-1200 (X)	CF055X00T---	CF055X01T---	CF055X02T---	CF055X03T---	CF055X04T---	CF055X05T---	CF055X06T---

MAGNAFLOW 0.55 BMT

Girth Width (mm)	No of Bends						
	0	1	2	3	4	5	6
001-100 (B)	CF055B00ZM8---	CF055B01ZM8---	CF055B02ZM8---	CF055B03ZM8---	CF055B04ZM8---	CF055B05ZM8---	CF055B06ZM8---
101-150 (C)	CF055C00ZM8---	CF055C01ZM8---	CF055C02ZM8---	CF055C03ZM8---	CF055C04ZM8---	CF055C05ZM8---	CF055C06ZM8---
151-200 (D)	CF055D00ZM8---	CF055D01ZM8---	CF055D02ZM8---	CF055D03ZM8---	CF055D04ZM8---	CF055D05ZM8---	CF055D06ZM8---
201-250 (E)	CF055E00ZM8---	CF055E01ZM8---	CF055E02ZM8---	CF055E03ZM8---	CF055E04ZM8---	CF055E05ZM8---	CF055E06ZM8---
251-300 (F)	CF055F00ZM8---	CF055F01ZM8---	CF055F02ZM8---	CF055F03ZM8---	CF055F04ZM8---	CF055F05ZM8---	CF055F06ZM8---
301-350 (G)	CF055G00ZM8---	CF055G01ZM8---	CF055G02ZM8---	CF055G03ZM8---	CF055G04ZM8---	CF055G05ZM8---	CF055G06ZM8---
351-400 (H)	CF055H00ZM8---	CF055H01ZM8---	CF055H02ZM8---	CF055H03ZM8---	CF055H04ZM8---	CF055H05ZM8---	CF055H06ZM8---
401-500 (J)	CF055J00ZM8---	CF055J01ZM8---	CF055J02ZM8---	CF055J03ZM8---	CF055J04ZM8---	CF055J05ZM8---	CF055J06ZM8---
501-600 (L)	CF055L00ZM8---	CF055L01ZM8---	CF055L02ZM8---	CF055L03ZM8---	CF055L04ZM8---	CF055L05ZM8---	CF055L06ZM8---
601-700 (N)	CF055N00ZM8---	CF055N01ZM8---	CF055N02ZM8---	CF055N03ZM8---	CF055N04ZM8---	CF055N05ZM8---	CF055N06ZM8---
701-800 (P)	CF055P00ZM8---	CF055P01ZM8---	CF055P02ZM8---	CF055P03ZM8---	CF055P04ZM8---	CF055P05ZM8---	CF055P06ZM8---
801-900 (R)	CF055R00ZM8---	CF055R01ZM8---	CF055R02ZM8---	CF055R03ZM8---	CF055R04ZM8---	CF055R05ZM8---	CF055R06ZM8---
901-1000 (T)	CF055T00ZM8---	CF055T01ZM8---	CF055T02ZM8---	CF055T03ZM8---	CF055T04ZM8---	CF055T05ZM8---	CF055T06ZM8---
1001-1100 (V)	CF055V00ZM8---	CF055V01ZM8---	CF055V02ZM8---	CF055V03ZM8---	CF055V04ZM8---	CF055V05ZM8---	CF055V06ZM8---
1101-1200 (X)	CF055X00ZM8---	CF055X01ZM8---	CF055X02ZM8---	CF055X03ZM8---	CF055X04ZM8---	CF055X05ZM8---	CF055X06ZM8---

Minimum length 0.600mm.
Maximum length 8.0 metres.
Both subject to suitability of profile.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

NON STANDARD RAINWATER HEAD GUIDE


STRAMIT® CUSTOM PRODUCTS

Source your custom rainwater heads from the roofing experts. We offer you a complete range to suit any architectural style. We can manufacture rainwater heads to your specifications.

STANDARD SIZE: 250(W) x 400(L) x 350(H).


MATERIALS: Copper, Galvanised, Zinc-aluminium alloy, Stainless Steel, Colorbond.


For further information please contact your local Stramit branch. **Price on application.**




	01	02	03	04	05	06
CCY	CCY01	CCY02	CCY03	CCY04	CCY05	CCY06
CT	CT01	CT02	CT03	CT04	CT05	CT06
TF	TF01	TF02	TF03	TF04	TF05	TF06
CF	CF01	CF02	CF03	CF04	CF05	CF06
CCN	CCN01	CCN02	CCN03	CCN04	CCN05	CCN06
CI	CI01	CI02	CI03	CI04	CI05	CI06
TD	TD01	TD02	TD03	TD04	TD05	TD06
TH	TH01	TH02	TH03	TH04	TH05	TH06

BUILDER'S PRODUCTS


Product	Product Details	Code	Finish	BMT mm	Unit
Builder's Products Window Flashing 	1.8m, 38 x 50	WF3850GA18	GA	0.4	each
	1.8m, 38 x 75	WF3875GA18	GA	0.4	each
	1.8m, 75 x 113	WF75113GA18	GA	0.4	each
	Ex Brisbane				

Stump Caps Pack 50 	Edge Square 230mm x 230mm (moulded)	SC2323ME40GA	GA		each
	250mm Round	SC2540GA	GA		each
	300mm Round	SC3040GA	GA		each

Builder's Strapping 	32mm x 1.2mm	BST321230	GA	1.2	30m roll
	32mm x 1.6mm	BST321630	GA	1.6	30m roll
	38mm x 1.2mm	BST381230	GA	1.2	30m roll
	38mm x 1.6mm	BST381630	GA	1.6	30m roll
	32mm x 1.2mm	BST321250	GA	1.2	50m roll
	32mm x 1.6mm	BST321650	GA	1.6	50m roll
	50mm x 1.2mm	BST501250	GA	1.2	50m roll

Personal Doors Standard Door Only 	2040mm X 820mm X 40mm	PAD2040820ZA	ZA		each
	2040mm X 820mm X 40mm	PAD2040820X***	CB		each
	NB: No Jambs, Hinges or Lock assembly included. Not all colours stocked. Price includes packaging.				

PA Door Deluxe 	2040mm X 820mm X 35mm	PADJ2040820ZA	ZA		each
	2040mm X 820mm X 35mm	PADJ2040820X***	CB		each



NB: This is a full pre-hung door including entrance set. Not all colours stocked.

RAINWATER CAPS • RAINHEADS • OVERFLOWS • ROOF VENTILATION


Product	Details	Code	Unit
Rainwater Caps/Rainheads/Overflows/Roof Ventilation			
Chinaman's Hat ex Sydney (on Short pipe)	100mm	CAP100GA	each
	125mm	CAP125GA	each
	150mm	CAP150GA	each
	200mm	CAP200GA	each
	250mm	CAP250GA	each




NOTE: Other sizes available through Eziform but ensure short pipe is included on request.

Asbestos Cement Repair Sheet	SSRSGA30
-------------------------------------	-----------------


(To fit "super" and "deep 6")
3.000m galvanised stock only. Overall sheet width 620.




Metal Louvres
Custom made to order
Kit form or assembled





Overflows



Curved Metal Flashings
Custom made to suit any radius
(Require radius and/or template)



COMMERCIAL VENTED RIDGE

Product	Product Details	Code	Unit
Dual Flow Vented Ridge			
			
Quad Ventilated ridge Upflow open top	300/450/600/75/900/1200 mm Throat	Please contact your Stramit Representative	lin metre
Dual Ventilated Ridge Downflow Closed Top	300/450/600 mm Throat	Please contact your Stramit Representative	lin metre

Information required for quoting or ordering process:

Type of Ridge Vent: Upflow (Open Top/Quad Flow) Downflow (Closed Top/Dual Flow)

Throat size: _____mm

Colour: Zinalume Colorbond (specify colour & finish) _____

Roof Pitch: _____degrees (zero degrees if Ridge Vent is on the slope of the roof)

Qty _____ @ _____m / Qty _____ @ _____

Qty _____ @ _____m / Qty _____ @ _____

Roofing Profile: Corrugated Mono clad Longspan Other _____

NOTE: - Stop ends included in kit
- under certain circumstances Vented Ridge may mist
- maximum length 8.0m
- check your local branch for lead time

SUMPS

Product Sumps	Size mm	Code	Unit
Flat Bottom	Extra with fitted drop		
	200 x 200 x 100/150	SUF2020/10/15/ZA/X***	each
	300 x 300 x 100/150	SUF3030/10/15/ZA/X***	each
	400 x 400 x 100/150	SUF4040/10/15/ZA/X***	each
	500 x 500 x 100/150	SUF5050/10/15/ZA/X***	each
	600 x 600 x 100/150	SUF6060/10/15/ZA/X***	each
	700 x 700 x 100/150	SUF7070/10/15/ZA/X***	each
	800 x 800 x 100/150	SUF8080/10/15/ZA/X***	each
	All sizes available in Stainless Steel also.		

ADJUSTABLE BOX GUTTER BRACKETS

Product Adjustable Box Gutter Brackets	Details	Code	Unit
	Suits 250-400 24 per box	BGBA1EZA	each
	Suits 400-650 24 per box	BGBA2EZA	each
	Suits 650-1000 18 per box	BGBA3EZA	each
Recommended spacing is 600mm.			

Box Gutter Board 6.0m only	LSGBZA6000	each

Safe Trays





Stainless Steel 316 2B Soft Soldered

	400mm x 400mm	ST4040/05/10/055/SS	each	S/Steel
	500mm x 500mm	ST5050/05/10/055/SS	each	S/Steel
	600mm x 600mm	ST6060/05/10/055/SS	each	S/Steel
	700mm x 700mm	ST7070/05/10/055/SS	each	S/Steel
	800mm x 800mm	ST8080/05/10/055/SS	each	S/Steel
	Other Sizes Bulk orders only	STSPSS		

	200 x 200 x 100/150	SUT2020/10/15/ZA/X***	each
	300 x 300 x 100/150	SUT3030/10/15/ZA/X***	each
	400 x 400 x 100/150	SUT4040/10/15/ZA/X***	each
	500 x 500 x 100/150	SUT5050/10/15/ZA/X***	each
	600 x 600 x 100/150	SUT6060/10/15/ZA/X***	each
	700 x 700 x 100/150	SUT7070/10/15/ZA/X***	each
	800 x 800 x 100/150	SUT8080/10/15/ZA/X***	each
		RWHSPEC	each








Other sizes available upon request.

STRUCTURAL SECTIONS

Product Structural Sections	Product Details	Code	BMT mm	Unit	
 <p>STUD</p> <p>NOGGING</p> <p>PLATE</p>	Standard Stud (Hi Tensile)				
	75 x 32mm, 8.1m stock length	SBQS7512UTC8100	1.2	per length	
	Cut to length	SBQS7512UTC	1.2	lin metre	
	8.1m stock length	SBQS7516UTC8100	1.6	per length	
	cut to length	SBQS7516UTC	1.6	lin metre	
	Standard Nogging (Hi Tensile)				
	72 x 34mm, 8.1m stock length	SBQN7212UTC8100	1.2	per length	
	Cut to length	SBQN7212UTC	1.2	lin metre	
	Standard Plate (Hi Tensile)				
	78 x 31mm, 8.1m stock length	SBQP7812UTC8100	1.2	per length	
	Cut to length	SBQP7812UTC	1.2	lin metre	
	Long Leg Stud	SBQSSLL12TC	1.2	lin metre	
	Long Leg Plate	SBQPSLL12TC	1.2	lin metre	
	8.1m stock length	SBQP7816UTC8100	1.6	per length	
	cut to length	SBQP7816UTC	1.6	lin metre	
 <p>78</p> <p>68</p>	90mm Stud (Hi Tensile)	SBQS9012UTC	1.2	lin metre	
	Cut to length				
	(Ex Cairns)				
	87mm Nogging (Hi Tensile)	SBQN8712UTC	1.2	lin metre	
	Cut to length				
	(Ex Cairns)				
	93mm Plate (Hi Tensile)	SBQP9312UTC	1.2	lin metre	
	Cut to length				
	(Ex Cairns)				
	 <p>53</p> <p>45</p> <p>32</p> <p>78</p>	Stiffened Top Plate			
		7.5m stock length	SBPST16TC75	1.6	per length
		<i>Ex-Brisbane</i>			
		Cut to length	SBPST16TC	1.6	per metre
		Nesting Channel			
		(suit 100)	CH10715*	1.5	per metre
(suit 100)		CH10719*	1.9	per metre	
(suit 150)		CH15715*	1.5	per metre	
(suit 150)		CH15719*	1.9	per metre	
(suit 150)		CH15724*	2.4	per metre	
(suit 200)		CH20819*	1.9	per metre	
(suit 200)		CH20824*	2.4	per metre	
(suit 250)		CH25919*	1.9	per metre	
(suit 250)		CH25924*	2.4	per metre	
 <p>40</p> <p>40</p> <p>75</p> <p>38</p>		All available cut to length. Min quantities apply. Ex Brisbane			
	Angle Flashing (Trim Angle)				
	4.8m stock length	AF40120GA48	1.2	per length	
	6.0m stock length	AF40120GA60	1.2	per length	
	Junction Stud				
	7.5m stock length	SBJS12GA75	1.2	per length	



*= P (Punched) or U (Unpunched)

STRUCTURAL SECTIONS

Product Structural Sections	Product Details	Code	Finish	BMT mm	Unit
Stramit® Ceiling Batten 	Stock Length 6100 20 x 30 x 10 x 6.1m Truecore™	CBTC61		0.42	per length
Stramit® Safety Batten 	20 x 30 x 10 x 6.1m *subject to availability	CBPR61		0.42	per length
Stramit® Roof Batten 	40mm 7.5m stock length Truecore™ DTC M/180/01	RBC40TC7500		0.75	per length
	Hex Batten Zip 12 x 40	S1240HMTZIP			per box 1000
Stramit® Top Hats 	64mm 7.5m stock length Cut to length Ex Brisbane	TH6475ZA7500 TH6475ZA	ZA ZA	0.75 0.75	per length lin metre
	Cut to length Ex Brisbane Ex Brisbane	TH64100ZA TH64120ZA TH64120ZA7500	ZA ZA ZA	1.00 1.20 1.20	lin metre lin metre per length
	96mm 7.5m stock length Cut to length Ex Brisbane	TH9675ZA7500 TH9675ZA TH96100ZA	ZA ZA ZA	0.75 0.75 1.00	per length lin metre lin metre
	7.5m stock length Cut to length Ex Brisbane	TH96120ZA7500 TH96120ZA	ZA ZA	1.20 1.20	lin length lin metre
	120mm Cut to length Ex Brisbane^ Min 1.5m, Max 9.0m	TH12070ZA TH120120ZA*	ZA ZA	0.70 1.20	lin metre lin metre

^Note: Purchased in from Sydney

PURLINS & GIRTS

Product	Product Details	Code	m/tonne	BMT mm	Unit
Stramit® C & Z Purlins (Z350 Coating) 		C/Z10012*	475	1.2	per metre
		C/Z10015*	383	1.5	per metre
		C/Z10019*	304	1.9	per metre
		C/Z15012*	346	1.2	per metre
		C/Z15015*	280	1.5	per metre
		C/Z15019*	220	1.9	per metre
		C/Z15024*	177	2.4	per metre
		C/Z20015*	222	1.5	per metre
		C/Z20019*	175	1.9	per metre
		C/Z20024*	140	2.4	per metre
		C/Z25019*	155	1.9	per metre
		C/Z25024*	123	2.4	per metre
	<p>*P = PUNCHED U = UNPUNCHED EXP = Exacta Punched EXU = Exacta Unpunched</p> <p>Refer Page 50 for stock lengths. Minimum length 1700mm. NOTE: Downturn lip set up charges applicable to all sections.</p>				
	Mitre Cut	MITRECUT2A			each
	C100/C150/C200/C250 up to 15° only.				
Ex Brisbane		C/Z10010*	566	1.0	per metre
		C/Z30024*	99	2.4	per metre
		C/Z30030*	79	3.0	per metre
		C/Z35030*	65	3.0	per metre
		C/Z40030*	60	3.0	per metre
<p>NB: Min. order quantity applies to 300 & over Series Purlins – delivery advised at time of order placement. Mitre Cut 300/350 Not Available.</p>					
Stramit® Fascia Purlins	23019 Fluted	FP23019F*		1.9	per metre
Fluted					
	Cut to length	*P = PUNCHED U = UNPUNCHED			
Stramit® Eave Purlins	Cut to length	EP11010		1.0	per metre
Ex Brisbane	Stock lengths	EP110103000		1.0	3.0m length
		EP110103500		1.0	3.5m length
		EP110106000		1.0	6.0m length
	Cut to length	EP13012		1.2	per metre
Ex Brisbane	Stock lengths	EP130124500		1.2	4.5m length
		EP130126000		1.2	6.0m length
		EP11010** (suits 64mm Top Hat)			
		EP13012** (suits 96mm Top Hat)			
	Cut to length minimum quantities apply.				

PURLIN BRIDGING • HOLE PUNCHING

BRIDGING

GENERAL INFORMATION

To enhance performance in longer spans, **Stramit® Bridging** is generally used. Where wind uplift loading is dominant, greater economy can generally be achieved by using additional bridging in the end spans. The performance of purlins is improved considerably when the roof or wall cladding is attached, so bridging is normally required to ensure easy installation of cladding.

Generally, bridging spacing should not exceed 20 times the section's depth, (eg. over 3000mm for a 150mm deep section).

CONVENTIONAL BRIDGING/STRUTS

Conventional bridging usually consists of a suitable channel section fitted with end plates which are bolted between parallel purlins.

INSTALLATION OF **STRAMIT® BRIDGING**

Stramit® Bridging can be installed up or down the roof slope.

The system includes adjustable ridge and fascia bridging and boltless intermediate members.

For convenience, start by installing the fascia bridging by bolting to the fascia purlin. Pass the locator and end of the bridging through the purlin bridging holes, swing the bridge around to be perpendicular to the web of the purlin and lock any preceding bridge in place. Proceed up the slope to the ridge and install the ridge bridging. The adjustable ridge bridge (turnbuckle) allows the purlins to be pulled straight and the adjustment mechanism in the fascia bridging can adjust the fascia purlin for straightness and twist.


Please contact your local Stramit office for details of component assemblies suitable for other installation procedures.

HOLING

Stramit® Purlins and Girts have standard 18mm x 22mm holes punched to details supplied. Refer to punching schedule below.

NOTE: 22mm round holes for C/Z300 and above is available on request. Minimum quantity applies.

Stramit® Purlin/Girt	AISC
C/Z100	40 (A)
C/Z150	60 (A)
C/Z200	110 (A)
C/Z250	160 (A)
C/Z300	210 (A)
C/Z350	260 (A)
C/Z400	310 (A)


















NOTE: Max number of punching operations per purlin is 30.
Set of web holes is one operation.
Set of Flange holes is one operation.
Centre punching is one operation.


STRAMIT® PURLIN DIMENSIONS

C SECTIONS						Z SECTIONS						
Section	Web Depth mm	Flange Width mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m	Section	Web Depth mm	Broad Flange mm	Narrow Flange mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
C10010	102	51	12.5	1.0	1.77	Z10010	102	53	49	12.5	1.0	1.77
C10012	102	51	13.0	1.2	2.11	Z10012	102	53	49	13.0	1.2	2.11
C10015	102	51	14.0	1.5	2.61	Z10015	102	53	49	14.0	1.5	2.61
C10019	102	51	15.0	1.9	3.29	Z10019	102	53	49	15.0	1.9	3.29
C15012	152	64	15.0	1.2	2.90	Z15012	152	65	61	15.0	1.2	2.90
C15015	152	64	16.0	1.5	3.59	Z15015	152	65	61	16.0	1.5	3.59
C15019	152	64	17.0	1.9	4.51	Z15019	152	65	61	17.0	1.9	4.51
C15024	152	64	18.5	2.4	5.67	Z15024	152	65	61	18.5	2.4	5.67
C20015	203	76	16.0	1.5	4.50	Z20015	203	79	74	16.0	1.5	4.50
C20019	203	76	19.5	1.9	5.74	Z20019	203	79	74	19.5	1.9	5.74
C20024	203	76	21.0	2.4	7.21	Z20024	203	79	74	21.0	2.4	7.21
C25019	254	76	19.0	1.9	6.50	Z25019	254	79	74	19.0	1.9	6.50
C25024	254	76	20.5	2.4	8.17	Z25024	254	79	74	20.5	2.4	8.17
C30024	300	96	28.0	2.4	10.18	Z30024	300	100	93	28.0	2.4	10.18
C30030	300	96	31.5	3.0	12.69	Z30030	300	100	93	31.5	3.0	12.69
C35030NF	350	125	30.0	3.0	15.19	Z35030	350	129	121	30.0	3.0	15.19
C40030BF	400	125	32.0	3.0	16.39							




PURLINS & GIRTS – AISC BRIDGING SYSTEM

Product	Product Details	Code	Unit
Purlins & Girts – AISC Bridging System			
Note: All AISC Bridging & Componentry available for 100-250 section sizes.			
	Intermediate Locator/Lock	BI***LRLK	lin metre
	Swivel Locator/Lock	BIS***	lin metre
	Intermediate Lock/Lock	BI***LKLK	lin metre
	Swivel Lock/Lock	BIS***	lin metre
	Intermediate Locator/Bolt	BI***LRBO	lin metre
	Swivel Locator/Bolt	BIS***	lin metre
	Intermediate Lock/Bolt	BI***LKBO	lin metre
	Swivel Lock/Bolt	BIS***	lin metre
	Intermediate Bolt/Bolt	BI***BOBO	lin metre
	Swivel Bolt/Bolt	BIS***	lin metre
HEAVY DUTY BRIDGING			
	250 Series	BHD250	lin metre
	300 Series	BHD300	lin metre
	350 Series	BHD350	lin metre
	400 Series	BHD400	lin metre
	Ridge Lock/Lock	BR***	lin metre
	Ridge Locator/Locator	BR***	lin metre
	Ridge Bolt/Bolt	BR***	lin metre
	Fascia Locator/Fascia	BF***	lin metre
	Fascia Lock/Fascia	BF***	lin metre
	Fascia Bolt/Fascia	BF***	lin metre
	Heavy Duty Fascia Bridging	BFHD***	lin metre
	Fascia Girt Hanger	BGHTB***	lin metre
		BGHTB***	lin metre
		BGHTB***	lin metre
	Barge Girt Hanger	BGHTB***	lin metre
		BGHTB***	lin metre
		BGHTB***	lin metre
	Girt Foot	BGF***	lin metre
		BGF***	lin metre
		BGF***	lin metre

PURLINS & GIRTS – GENERAL ACCESSORIES

Product	Product Details	Code	Unit
Accessories 	Sag Rod 12mm	BSR12	per metre
	Sag Rod 16mm	BSR16	per metre
	Tie Rod Angle	BTRA	each
	Bridging Ends Locator	BLR100	each
		BLR150	each
		BLR200	each
		BLR250	each
	Bridging Ends Lock	BLK100	each
		BLK150	each
		BLK200	each
		BLK250	each
	Bridging Ends Bolted	BB0100	each
		BB0150	each
		BB0200	each
		BB0250	each
		BB0HD300	each
	Bridging Channel	BC69GA	lin metre
	Slotted Channel 2 Hole	BSC2HO	each
		BSC3HO	each
		BSC5HO	each
General Purpose Bracket	BGPB100GA	each	
	BGPB150GA	each	
	BGPB200GA	each	
	BGPB250GA	each	
	BGPB300GA	each	
Angle Connectors	BAC100	each	
	BAC150	each	
	BAC200	each	
	BAC250	each	
	BAC300	each	
Clamp Plate	BCP100GA	each	
	BCP150GA	each	
	BCP200GA	each	
	BCP250GA	each	
	BCP300GA	each	
Raking Girt Bracket	BRGB100	each	
Adaptor Bracket (Right hand shown)	BAB150100L/RGA	each	
	BAB200100L/RGA	each	
	BAB200150L/RGA	each	
	BAB250100L/RGA	each	
	BAB250150L/RGA	each	
	BAB250200L/RGA	each	
	BAB300100L/RGA	each	
Bridging Starting Clips	BSC100	each	
	BSC150	each	
	BSC200	each	
	BSC250	each	

PURLINS & GIRTS – GENERAL ACCESSORIES

Product	Product Details	Code	Unit
	Purlin Cleat AISC		
	40mm centres	CL10040	each
	60mm centres	CL15060	each
	110mm centres	CL200110	each
	160mm centres	CL250160	each
	Bridging Fascia Bracket		
		BFB100	each
		BFB150	each
		BFB200	each
		BFB250	each
	BFBHDGA (230/300)	each	
	Also available in ZAM Coating.		
	Bolts (Grade 4.6)		
	M12 x 30 N&B Flanged	PB1230ZP	each
	M16 x 33 N&B Flange	PBKS1633ZP	each
	M16 x 45 N, B &W	PB1645ZP	each
	M12 X 30 Fascia Bolt	PBF1230GA	each
	M12 X 30 N&B Flanged (GR8.8)	PB1230HSZP	each
	M12 X 30 N&B Flanged (GR8.8)	PB1230GA	each
M16 X 30 N&B, 2 washers	PBF1630GA	each	
	NOTE: Bolts & Nuts 100 lots only.		

PURLIN STOCK SIZES

Size/Details	C Sections
Darwin	6.1m
10015	●
10019	●
15015	●
15019	●
20015	●
20019	●
25024	●



Purlins/Girts


Customer _____

Project _____

Delivery address _____


Page _____ of _____
Order no. _____
Delivery date _____

SECTION SIZE		NO. REQUIRED			MARK NO.			ELEVATION	
		As drawn							
COATING CLASS		Opp. hand							
NOMINATE HOLE CENTRES	Section size	100	150	200	250	300	350		
	Hole Centre	40	60	110	160	210	210		



Indicate web and flange holes and dimensions from hole to hole. Standard holes: 18mm x 22mm slots.

SECTION SIZE		NO. REQUIRED			MARK NO.			ELEVATION	
		As drawn							
COATING CLASS		Opp. hand							
NOMINATE HOLE CENTRES	Section size	100	150	200	250	300	350		
	Hole Centre	40	60	110	160	210	210		




Indicate web and flange holes and dimensions from hole to hole. Standard holes: 18mm x 22mm slots.


Customer _____


Project _____


Delivery address _____


Page _____ of _____
Order no. _____
Delivery date _____


STARTER CLIP	PURLIN SIZE	NO. REQ.
 <p>Starter (BSC)</p>		

GENERAL PURPOSE BRACKET	PURLIN SIZE	NO. REQ.
 <p>(BGPB)</p> <p>A = approx. purlin flange width</p>		

ANGLE CONNECTOR	PURLIN SIZE	NO. REQ.
 <p>(BAC)</p>		


CLAMP PLATE	PURLIN SIZE	NO. REQ.
 <p>Clamp Plate (BCP)</p>		

RAKING GIRT BRACKET	To connect 100mm raking girts to fascia purlin	NO. REQ.
 <p>(BRGB)</p>		

	BOLTS			FASCIA BOLTS	
	M12 x 30 Flange G4.6	M16 x 45 B/N/W/ G4.6	M16 x 45 B/N/W G8.8	M12 x 30 B/N/W G4.6	M16 x 30 B/N/W G4.6
NO. REQ'D					

Note: Please check bolt availability with your local Stramit office.

NEW PRODUCT - ZAM

Product Purlins & Girts	Product Details	Code	m/tonne	BMT mm	Unit
	C & Z 10015 Sections	C/Z10015*IZM	383	1.5	per metre
	C & Z 10019 Sections	C/Z10019*IZM	304	1.9	per metre
	C & Z 15015 Sections	C/Z15015*IZM	279	1.5	per metre
	C & Z 15019 Sections	C/Z15019*IZM	220	1.9	per metre
	C & Z 15024 Sections	C/Z15024*IZM	177	2.4	per metre
	C & Z 20015 Sections	C/Z20015*IZM	222	1.5	per metre
	C & Z 20019 Sections	C/Z20019*IZM	175	1.9	per metre
	C & Z 20024 Sections	C/Z20024*IZM	140	2.4	per metre
	C & Z 25019 Sections	C/Z25019*IZM	153	1.9	per metre
	C & Z 25024 Sections	C/Z25024*IZM	122	2.4	per metre

Other section sizes and gauges available on request.

Note: Subject to coil availability - ext lead times may apply

*** P = PUNCHED U = UNPUNCHED EXP = EXACTA PUNCHED EXU = EXACTA UNPUNCHED**

Maximum purlin length is 15.0m.

Minimum quantities apply to Downturn Lip and setup charges will apply.

Minimum length 1.700m.

Length under 1.700m will be supplied in multiple part cut lengths.

ZAM - the highly corrosion-resistant alternative to hot dipped galvanising

Performance

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.

*Based on results from a comparison test of ZAM coating 380gsm (grams per square metre, nominal coating weight for both sides) with standard galvanised steel Z350gsm.

Specification

Coating weight: 190gsm each giving a nominal coating of 380gsm for both surfaces combined

Steel Grade Range: K590, K540 (Equivalent to steel grades G550, G500 and G450 as per AS1397-2001 in yield point)

- K590: 0.40mm to 1.00mm being minimum yeild point of 550 MPa
- K540: 1.01mm to 1.49mm being minimum yeild point of 500 MPa
- 1.50mm to 5.00mm being minimum yeild point of 450 MPa

Typical Application





The superior corrosion resistance of ZAM coating means that it can replace hot dip galvanised steel.

Applications are whenever severe and corrosive environments exist: intensive farming, agricultural applications, concrete contact and coastal applications.




NEW PRODUCT - ZAM

Product Purlins & Girts	Product Details	Code	m/tonne	BMT mm	Unit
	C & Z 15019 Sections	C/Z15019PIGAL		1.9	per metre
	C & Z 20019 Sections	C/Z20019PIGAL		1.9	per metre
	C & Z 20024 Sections	C/Z20024PIGAL		2.4	per metre

NEW PRODUCT - ZAM

Product	Product Details	Code	Unit
Purlins & Girts – AISC Bridging System			
***Note: All AISC Bridging & Componentry available for 100-250 section sizes.			
	Intermediate Locator/Lock	BI150RLKIZM BI200RLKIZM BI250RLKIZM	lin metre lin metre lin metre
	Swivel Locator/Lock	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre
	Intermediate Lock/Lock	BI150LKLKIZM BI200LKLKIZM BI250LKLKIZM	lin metre lin metre lin metre
	Swivel Lock/Lock	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre
	Intermediate Locator/Bolt	BI150LRBOIZM BI200LRBOIZM BI250LRBOIZM	lin metre lin metre lin metre
	Swivel Locator/Bolt	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre
	Intermediate Lock/Bolt	BI150LKBOIZM BI200LKBOIZM BI250LKBOIZM	lin metre lin metre lin metre
	Swivel Lock/Bolt	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre
	Intermediate Bolt/Bolt	BI150BOBOIZM BI200BOBOIZM BI250BOBOIZM	lin metre lin metre lin metre
	Swivel Bolt/Bolt	BIS150IZM BIS200IZM BIS250IZM	lin metre lin metre lin metre


NEW PRODUCT - ZAM

Product	Product Details	Code	Unit
Purlins & Girts – AISC Bridging System			
	Fascia Locator/Fascia	BF***IZM	lin metre
	Fascia Lock/Fascia	BF***IZM	lin metre
	Fascia Bolt/Fascia	BF***IZM	lin metre
	Fascia Girt Hanger	BGHTB***IZM	lin metre
		BGHTB***IZM	lin metre
		BGHTB***IZM	lin metre
	Barge Girt Hanger	BGHTB***IZM	lin metre
		BGHTB***IZM	lin metre
		BGHTB***IZM	lin metre
	Girt Foot	BGF***IZM	lin metre
		BGF***IZM	lin metre
		BGF***IZM	lin metre

NEW PRODUCT - ZAM


Product Purlins & Girts – Accessories

Accessories



Product Details	Code	Unit
Bolts (Grade 4.6) M12 x 30 N&B Flanged GAL	PB1230GA	each
Sag Rod 12mm	BSR12	per metre
Sag Rod 16mm	BSR16	per metre
Tie Rod Angle	BTRAIZM	each
Bridging Ends Locator	BLR150IZM BLR200IZM BLR250IZM	each each each
Bridging Ends Lock	BLK150IZM BLK200IZM BLK250IZM	each each each
Bridging Ends Bolted	BB0150IZM BB0200IZM BB0250IZM	each each each
Bridging Channel	BC69IZM	lin metre
Slotted Channel 2 Hole	BSC2HOIZM	each
3 Hole	BSC3HOIZM	each
5 Hole	BSC5HOIZM	each
General Purpose Bracket	BGPB150IZM BGPB200IZM BGPB250IZM	each each each
Angle Connectors	BAC150IZM BAC200IZM BAC250IZM	each each each
Clamp Plate	BCP150IZM BCP200IZM BCP250IZM	each each each
Bridging Starting Clips	BSC150IZM BSC200IZM BSC250IZM	each each each

STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM




Stramit Uniguard™ Fire resisting wall system is a superior fire rated wall cladding product that combines the single layer of specialist fireboard **Promina®60** with your choice from **Stramit Monoclad®**, **Stramit Corrugated®** and **Stramit Longspan®** wall cladding products.

The **Stramit Uniguard™ Fire resisting wall system** is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).

Note: System must be designed and installed strictly in accordance with **Stramit Uniguard™ Fire Resisting Wall System Technical Manual**.

Product	Size mm	Code	BMT mm	Unit
---------	---------	------	--------	------

Promina®60




15 x 2400 x 1200

PB601224

each

Stramit® Ceiling Battens

Stock length 6100



20 x 30 x 10 x 6.1m

CBPR61

0.42

per length

Note: Zinc-aluminium alloy Battens cannot be in contact with this system.

Fasteners



10 x 40 Wing Tek
(For fixing Promina®60 to girts)

S1040WNGT

per box 500



12 x 55 Hex Head
(For pan fixing cladding to purlin/girts)

S1255HT4

per box 1000


Eave Filler Strips and Fire Mastic

Infill Strips (Top)
(Bottom)

MCEFSTOP
MCEFSBOT

0.970m
0.970m

each
each




Promaseal Fire Mastic

PBSEAL300

per 300ml tube


FORMWORK • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Structural Sections/Flooring	Stramit Condeck HP®	CONHP75GA	GA	0.75	per m ²
		CONHP100GA	GA	1.00	per m ²




Stramit Condeck HP® ZAM coating	CONHP75IZM			0.75	per m ²
	CONHP100IZM			1.00	per m ²

NOTE: Please see page 55 for ZAM material details.




Stramit Edgeforma	100mm Stramit® Edgeforma cut to length max 8m	CONEF100GA	GA	1.0	lin metre
	125mm Stramit® Edgeforma cut to length max 8m	CONEF125GA	GA	1.0	lin metre
	150mm Stramit® Edgeforma cut to length max 3.6m	CONEF150GA	GA	1.5	lin metre

*Edgeforma can be custom made to slab height. 50 - 125mm: cut to length 8m max. Allow 5 working days for delivery. 126 - 200mm: cut to length 3.6m max.




Accessories



Suspended Ceiling Clips Hanger (2 part)	CONEHANG	GA		each
10 x 16 Hex Tek	S1016HT4	Plain		per 1000



Single Span maximum span (mm)		
slab thickness (mm)	Stramit Condeck HP® decking thickness	
	0.75mm	1.00mm
90	2100	2450
100	2040	2380
110	1990	2310
120	1940	2250
125	1920	2220
130	1900	2200
140	1860	2150
150	1820	2100
160	1780	2060
170	1750	2020
180	1720	1990
190	1690	1960
200	1660	1920
210	1610	1890
220	1600	1870
230	1580	1840
240	1560	1820
250	1540	1790



Span tables for temporary props

Calculated for concrete density of 2400 kg/m³, reo mass 50 kg/m³, stacked material load of 1.5kPa in pans, 100mm wide prop bearers and rib deflection limit of span/240. Maximum spans for finished composite slabs must be checked using the **Stramit Condeck HP® Technical Manual or the Stramit Condeck HP™ Slab Designer** software. Props or propping frames must be spaced approximately equally within the span.

— Cases below this line not recommended for exposed ceilings

FLOORING

Product Flooring/Accessories	Details	Code	Depth D	Width W	Lip L	BMT	Unit
			mm	mm	mm		
Stramit® Flooring – Joists							
		J11510	115	45	12	1.0	per metre
		J11512	115	45	13	1.2	per metre
		J11515	115	45	14	1.5	per metre
		J11519	115	45	15	1.9	per metre
		J18212	182	51	13	1.2	per metre
		J18215	182	51	14	1.5	per metre
		J18219	182	51	15	1.9	per metre
		J18224	182	51	16	2.4	per metre
		J23512	235	64	11	1.2	per metre
		J23515	235	64	12	1.5	per metre
		J23519	235	64	16	1.9	per metre
		J23524	235	64	17	2.4	per metre
		J28319	283	64	17	1.9	per metre
		J28324	283	64	18	2.4	per metre
		B11519	116	52	-	1.9	per metre
		B18219	183	58	0	1.9	per metre
	B23519	236	72	0	1.9	per metre	
	B28319	283	72	0	1.9	per metre	
	B18224	183	58	0	2.4	per metre	
	B23524	236	72	0	2.4	per metre	
	B28324	283	72	0	2.4	per metre	









NOTE: Also available in ZAM.

Product Flooring/Accessories	Details	Code	BMT mm	Unit	Disc Group
Angle Brackets 		FCB1A (for B182) 130mm high		each	
		FCB1B (for B235/283) 170mm high		each	
Web Brackets 		FCB3A (for B182) 130mm high		each	
		FCB3B (for B235/283) 180mm high		each	







VERMASEAL

Product Flooring/Accessories	Details	Code	BMT mm	Unit	Disc Group
Stramit® Flooring Vermaseal 	Vermin and weatherproof flashing	VMSEALGRY30 Grey (3 metre lengths)		length	












HOME IMPROVEMENTS FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Infill Sheets 	Sheeting 1.190	SFGLCL***1190	CB	0.35	each
	Sheeting 1.490 (To be used with Lattice for 1.800 Fence)	SFGLCL***1490	CB	0.35	each
	Sheeting 1.790	SFGLCL***1790	CB	0.35	each
	Sheeting 2.090 (To be used with Lattice for 1.800 Fence)	SFGLCL***2090	CB	0.35	each
	NB: Colours available – Caulfield Green, Heritage Red, Mist Green & Primrose				
Not a stocked item - 10 day leadtime.					
Rails Top & Bottom 	Rail Top/Bottom 2.365	SFGLR***2365	CB	0.90	each
	Rail Top/Bottom 3.100	SFR***3100	CB	0.90	each
NB: Colours available – Domain, Meadow, Evergreen, Red Oak, Eclipse & Bluestone					
Post 	Post 2.400 (40 x 40)	SFGLP***2400	CB		each
NB: Colours available – Domain, Meadow, Evergreen, Red Oak, Eclipse & Bluestone					
Panel 2.400 x 1.800 	Standard Panel includes 2 x Rails (2.365) 2 x Posts 3 x Sheets 1.790 <hr/> 14 x Screws 10x16 Hex HD				Panel price with Lattice (Domain only) 4 x Rails (2.365) 2 x Post 3 x Sheets 1.490 1 x Lattice 300x2355 (Domain) <hr/> 18 x Screws 10x16 Hex HD
	NB: Colours available – Domain, Meadow, Evergreen, Red Oak, Eclipse & Bluestone				
Accessories 	Screws 10 x 16 Hex Hd (No Neo) (per 100 only) 7 panels = 100 screws	S1016HTNN***H S1016HT***H	Colour Colour		pack 100 pack 100
Lattice 	Lattice 300 x 2355	SFL300DOM2350	Colour		each
NB: Available in Domain only					
Not a stocked item - 10 day leadtime.					
Corner (End) Post 	Post 2.400 50 x 50 (with cap)	SFGP50***2400	Colour		each
NB: Colours available – Domain, Meadow, Evergreen, Red Oak, Eclipse & Bluestone					
Gates To suit 1800 Fence 	Single Gate 1.800 x 900 includes 2 x Styles, 2 x 100x75 Butt Hinges, 1 x Long D-Latch, 2 x 50x50 Post, 1 x Rail 2.400, 1 x Sheet, 50 x 12 x 20 Hex Head				each
	Double Gate 1.800 x 3000 includes 4 x Styles, 4 x 100x75 Butt Hinges, 1 x Long D-Latch, 1 x Drop Bolt, 2 x 50x50 Post, 2 x Rail 3.100, 4 x Sheet, 100 x 12 x 20 Hex Head.				
Not a stocked item - Allow 10 days lead time.					
Colour Conversion	Primrose (PRM) / Domain (DOM) = Classic Cream™ Caulfield Green (CFG) / Evergreen (EVG) = Cottage Green™ Bluestone (BST) = Deep Ocean		Heritage Red (HRD) / Red Oak (ROK) = Manor Red® Mist Green (MGN)/Meadow (MDW)=Pale Eucalypt® Eclipse (ECL) = Night Sky		

SUNSET PATIO DECK

Product	Product Details	Code	Finish	Unit
Stramit Sunset®				
	Sunset Decking GLS Classic Crm/Classic Crm	SS42DLCLC		per m ²
	Sunset Decking GLS Classic Crm/WIL	SS42DL07		per m ²
	Sunset Decking GLS Dover White/SUR	SS42DL05		per m ²
	Sunset Decking GLS Paperbark/Paperbark	SS42DLPPB		per m ²
	Sunset Decking GLS ClassicCrm/WDG	SS42DL09		per m ²
		CUTBACKLTH (0.5 - 1.2m)		each
<p>To convert prices to linear metres multiply by cover of sheet (ie 0.290). Supply ex Erskine Park. **Gloss colour is on the bottom. Please confirm at time of order. All Product packaged for maximum protection. *Maximum length 9.0m.</p>				
Fibreglass 	To suit Stramit Sunset® sheeting (available in opal only)	TSFGSS240PA		lin metre
Sunset® Foam Insert 	Infill strip for Stramit Sunset® sheeting (310mm)	SSWS3787		each
Fibreglass Foam Insert 	Infill strip for Stramit Sunset® fibreglass sheeting (290mm)	SSWS3788		each
Sunset® Back Channel 	Available in 3 & 5.0m stock lengths only	RCSSH***30 RCSSH***50 RCSSZA30 RCSSZA50		each each each each
<p>***Available colours CLC, DVW & PPB.</p>				
Sunset® Foam Insert for Back Channel	Available in 5.0m stock lengths only	SSBCFI5000		each
Fasteners 	10 x 16 Hex Head SDS (for fixing to steel)	S1016HT4H S1016HT4 S1016HT***4H S1016HT***4	Plain Plain Colour Colour	per pack 100 per pack 1000 per pack 100 per pack 1000

PATIO ROOF DECKING

	Details	Ordering Code	Finish	Unit
	Collar Tie Bracket 15deg	CSCTB10015GA	GA	each
	Collar Tie Bracket 15deg	CSCTB15015GA	GA	each
	Collar Tie Bracket 15deg	CSCTB20015GA	GA	each
	Collar Tie Bracket 22deg	CSCTB10022GA	GA	each
	Collar Tie Bracket 22deg	CSCTB15022GA	GA	each
	Collar Tie Bracket 22deg	CSCTB20022GA	GA	each
	Angle Bracket	CSAB100GA	GA	each
	Angle Bracket	CSAB150GA	GA	each
	Angle Bracket	CSAB200GA	GA	each
	Sunset Support Post 65 x 65 x 2.440	SSP6516GA2440	GA	each
		SSP6516***2440	LCLC/HDVW/LPPB	each
	Sunset Support Post 65 x 65 x 3.660	SSP6516GA3660	GA	each
		SSP6516***3660	LCLC/HDVW/LPPB	each
	Sunset Support Post 90 x 90 x 3.000	SSP9020GA3000	GA	each
		SSP9020***3000	LCLC/HDVW/LPPB	each
	*Posts stocked at Erskine Park – 48 hour leadtime. Other colours available check leadtime at time of order.			
	Free Standing Post Connector 65 x 65	SSPCFS6565GA	GA	each
	Free Standing Post Connector 90 x 90	SSPCFS9090GA	GA	each
	Post Connector 65 x 65	SSPC6565GA	GA	each
	Post Connector 90 x 90	SSPC9090GA	GA	each
	Post Skirt 65 x 65	SSPS6565		each
	Post Skirt 90 x 90	SSPS9090		each
	Sunset Box Gutter Support Bracket	SSBGSB		each
	Patio Rafter Bracket	PRBGA		each
	Sunset Box Bracket	SSRBAL	ALUM	each

TAUREAN® RESIDENTIAL ROLLER DOORS

DOMESTIC SERIES 'A' AND 'AA'

Zinc-aluminium alloy Domestic Roller Door Prices - Retail Price										
DISCOUNT GROUP TD										
Series 'A' Doors (curtain width in mm)						Series 'AA' Doors (curtain width in mm)				
Height (mm)	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100	5101 to 5400
1200										
2200										
2500										
2800										
3100										

ORDERS TO BE PLACED AS DOOR SIZE (not opening size)

Colorbond® Domestic Roller Door Prices - Retail Prices										
DISCOUNT GROUP TD										
Series 'A' Doors (curtain width in mm)						Series 'AA' Doors (curtain width in mm)				
Height (mm)	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100	5101 to 5400
1200										
2200										
2500										
2800										
3100										

Packaging Product Details

Metal Wrap Packing per Linear Metre
Cardboard Wrap up to 3.430 door length
Cardboard Wrap over 3.430 door length
Cardboard Box up to 3.430 door length
Coreflute Wrap up to 3.100 door length
Coreflute Wrap over to 3.100 door length

Code

RDCHRGPACK2
RDCHRGPACK3
RDCHRGPACK4
RDCHRGPACK9
RDCHRGPACK11
RDCHRGPACK12

Unit

metre
each
each
each
each
each

TAUREAN® ROLLER DOOR WINDLOCKING DETAILS

Wind speed and direction should be taken into account when ordering roller doors.

Maximum Recommended Roller Door Widths For Non-Windlock Roller Doors					Windlock System Roller Doors recommended retail price additions				
Wind Classification	Description	Maximum Recommended Roller Door Width			Opening Height (mm)	Short-bar (Normal) Region A	Long-bar (Cyclonic) Region C	WINDSTRONG	
		Series A	Series AA	Series B				Curtain Width (mm)	
								up to 3430	over 3430
N1	Region A Sheltered Suburban [Max. ultimate design wind gust speed 34m/s]	3100	3500	3500	1200				
N2	Region A Exposed Suburban [Max. ultimate design wind gust speed 40m/s]	2800	3300	3300	2200				
N3	Region A Open / Unprotected Space [Max. ultimate design wind gust speed 50m/s]	2450	2900	2900	2500				
					2800				
					3100				
					3500				
					3900				
					4300				
					4600				
					5100				

Windlock prices to be added to the standard door price given

Door widths or wind classification greater than in the above table are recommended to be fitted with a windlock system. Contact Taurean Door Systems Technical Services for assistance.

For doors situated near the edge of a building the above maximum door widths will be reduced. Prices Subject to Change Without Notice.

TAUREAN® LIGHT INDUSTRIAL ROLLER DOORS

LIGHT INDUSTRIAL COMMANDO SERIES 'B'

Zinc-aluminium alloy Light Industrial Roller Door Prices - Retail Prices									
Series 'B' Doors (curtain width in mm)									
Height (mm)	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100
2200									
2500									
2800									
3100									
3500									
3900									
4300									
4600									
5100									

ORDERS TO BE PLACED AS DOOR SIZE (not opening size)

Coloured Light Industrial Roller Door Prices - Retail Prices									
Series 'B' Doors (curtain width in mm)									
Height (mm)	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100
2200									
2500									
2800									
3100									
3500									
3900									
4300									
4600									
5100									

Product Details	Code	Unit
Planetary Gear Chain System	RDPLANETGEAR	each

It is recommended that Planetary Gear Chain operating system be fitted to doors in shaded areas. Planetary Gear system MUST NOT be used when an electric operator is fitted.

ORDERS TO BE PLACED AS DOOR CURTAIN WIDTH (NOT OPENING WIDTH)

To calculate Curtain Width, add to Opening Width-- * 50mm for series A * 100mm for series AA/B
 * 100mm for Windlocked * 120mm for NT "Deemed to Comply" Windlocked

AVAILABLE COLOURS:

Basalt, Bushland, Classic Cream, Cottage Green, Cove, Dune, Evening Haze, Gully, Ironstone, Jasper, Mangrove, Manor Red, Monument, Night sky, Pale Eucalypt, Paperbark, Shale Grey, Surfmist, Terrain, Wallaby, Woodland Grey, Windspray

IMPORTED COLOURS:

Rivergum, Sandlewood, Tuscan Red

FOR ROLLER DOOR MANUFACTURE PLEASE ALLOW FOR A 6 DAY LEAD TIME.

See Page 64 for Packaging Options

Garage Door Openers, see Page 69

WE ALSO SELL COMMERCIAL AND INDUSTRIAL ROLLER SHUTTERS, PRICES AVAILABLE ON REQUEST

Prices Subject to Change Without Notice.

SEE PAGE 64 FOR WIND LOAD TABLES

TAUREAN® RESIDENTIAL SECTIONAL DOORS – CLASSIC RANGE

WOODGRAIN COLORBOND COLOURS

Basalt, Classic Cream, Dune, Evening Haze, Gully, Ironstone, Jasper, Monument, Night Sky, Paperbark, Shale Grey, Surfmist, Wallably, Windspray, Woodland Grey, Cottage Green, Cove, Deep Ocean, Mangrove, Manor Red, Pale Eucalypt, Terrain, Timbergrain colours: Caoba & Classic Cedar
Woodgrain Embossed Profiles : Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel

Woodgrain Embossed Profiles

Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel

Height	# Panels	WIDTH											
		1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050	
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4												
2200, 2225, 2250, 2275	5												
2300, 2325, 2350, 2375, 2400, 2425, 2450	5												
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5												
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970	6												
3000, 3030, 3060, 3090, 3120, 3150, 3180, 3210, 3240, 3270	6												

SMOOTH COLORBOND COLOURS

Basalt, Classic Cream, Dune, Evening Haze, Gully, Ironstone, Jasper, Monument, Night Sky, Paperbark, Shale Grey, Surfmist, Wallably Windspray, Woodland Grey, Cottage Green, Cove, Deep Ocean, Mangrove, Manor Red, Pale Eucalypt, Terrain, Timbergrain colours: Caoba & Classic Cedar

Smooth Profiles Profiles

Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel

Height	# Panels	WIDTH											
		1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050	
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4												
2200, 2225, 2250, 2275	5												
2300, 2325, 2350, 2375, 2400, 2425, 2450	5												
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5												
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970	6												
3000, 3030, 3060, 3090, 3120, 3150, 3180, 3210, 3240, 3270	6												

GST - Prices listed DO NOT include GST

WE ALSO SELL COMMERCIAL AND INDUSTRIAL ROLLER SHUTTERS. PRICES AVAILABLE ON REQUEST

TAUREAN® RESIDENTIAL SECTIONAL DOORS – CLASSIC RANGE

WOODGRAIN POWDERCOATED COLOURS												
Basalt, Classic Cream, Dune, Evening Haze, Gully, Ironstone, Jasper, Monument, Night Sky, Paperbark, Shale Grey, Surfmist, Wallably, Windspray, Woodland Grey, Cottage Green, Cove, Deep Ocean, Mangrove, Manor Red, Pale Eucalypt, Terrain, Timbergrain colours: Caoba & Classic Cedar Woodgrain Embossed Profiles : Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel												
Woodgrain Embossed Profiles Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel												
Height	# Panels	WIDTH										
		1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4											
2200, 2225, 2250, 2275	5											
2300, 2325, 2350, 2375, 2400, 2425, 2450	5											
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5											
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970	6											
3000, 3030, 3060, 3090, 3120, 3150, 3180, 3210, 3240, 3270	6											

SMOOTH POWDERCOATED COLOURS												
Basalt, Classic Cream, Dune, Evening Haze, Gully, Ironstone, Jasper, Monument, Night Sky, Paperbark, Shale Grey, Surfmist, Wallably Windspray, Woodland Grey, Cottage Green, Cove, Deep Ocean, Mangrove, Manor Red, Pale Eucalypt, Terrain, Timbergrain colours: Caoba & Classic Cedar												
Smooth Profiles Profiles Linea - Grooved/Lined, Tempo - Square Pressed, Western - Rectangle Pressed, Silk - Flat Panel												
Height	# Panels	WIDTH										
		1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4											
2200, 2225, 2250, 2275	5											
2300, 2325, 2350, 2375, 2400, 2425, 2450	5											
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5											
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970	6											
3000, 3030, 3060, 3090, 3120, 3150, 3180, 3210, 3240, 3270	6											

GST - Prices listed DO NOT include GST

WE ALSO SELL COMMERCIAL AND INDUSTRIAL ROLLER SHUTTERS. PRICES AVAILABLE ON REQUEST

TAUREAN® DOOR ACCESSORIES

Product Accessories & Details	Code	Unit
A Tracks		
RD A Track Pair 2.200	RDATPAIR2200	pair
RD A Track Pair 2.500	RDATPAIR2500	pair
RD A Track Pair 3.100	RDATPAIR3100	pair
Installation Kits		
RD Inst Pack A	RDINSTA	pack
RD Inst Pack AA	RDINSTAA	pack
RD Inst Pack B	RDINSTB	pack
B Tracks		
RD B Track Pair 2.200	RDBTPAIR2200	pair
RD B Track Pair 2.500	RDBTPAIR2500	pair
RD B Track Pair 3.100	RDBTPAIR3100	pair
RD B Track Pair Welded 3.500	RDBTPAIRW3500	pair
RD B Track Pair Welded 4.300	RDBTPAIRW4300	pair
RD B Track Pair Welded 5.100	RDBTPAIRW5100	pair
Windlock Tracks		
RD Windlock Track Pair 2.200	RDWPAIR2200	pair
RD Windlock Track Pair 2.500	RDWPAIR2500	pair
RD Windlock Track Pair 3.100	RDWPAIR3100	pair
RD Windlock Track Pair 4.300	RDWPAIR4300	pair
RD Windlock Track Pair 5.100	RDWPAIR5100	pair
Windlock Track Bracket Lefthand L/H *	RDWLTBLH	each
Windlock Track Bracket Righthand R/H *	RDWLTBLH	each
Windlock Track Bracket U	RDWLTBUGA	each
*Note that the customer must order Windlock Track Brackets with the Windlock Tracks		
Locking Bars		
RD Locking Bar 1.500	RDLBSDG1500	each
RD Locking Bar 2.000	RDLBSDG2000	each
RD Locking Bar 2.700	RDLBSDG2700	each
RD Anti Rattle Tube	RDART	each
RD Locking Bar Guide Snap On Plain	RDLBGSNP	each
RD Locking Bar Guide Stick On Plain	RDLBGSTK	each
Locks		
RD Lock V9 Disc Std	RDLOCKSTD	each
RD Storage Lock SS Stainless	RDLOCKSS	each
Mullions		
RD Mullion 2.200	RDMULL2200	each
RD Mullion 2.500	RDMULL2500	each
RD Mullion 3.100	RDMULL3100	each
Curtain width for (2) doors with removable mullions = opening width divided by (2)		
Other		
RD Chain 6.00m	RDCHAIN60	each
RD Chain 7.00m	RDCHAIN70	each
RD Chain 8.00m	RDCHAIN80	each
RD Chain 9.00m	RDCHAIN90	each
RD Chain 10.00m	RDCHAIN100	each
Extendable Brackets	RDEXTBKT	pair
Weather Seal	RDWSEAL	metre
RD Anti Coning Collar	RDCOLLAR	each
RD D Handle	RDDHANDLE	each
Tapered Panels to 3430mm wide	RDCHRGTP1	each
Tapered Panels over 3430mm wide	RDCHRGTP2	each

TAUREAN® DOOR ACCESSORIES

Product Accessories & Details	Code	Unit
Windstrong		
RD WS inc bkts Track Pair 2.200	RDWSPAIR2200	pair
RD WS inc bkts Track Pair 2.500	RDWSPAIR2500	pair
RD WS inc bkts Track Pair 3.100	RDWSPAIR3100	pair
RD WS inc bkts Track Pair 3.500	RDWSPAIR3500	pair
RD WS inc bkts Track Pair 4.300	RDWSPAIR4300	pair
RD WS inc bkts Track Pair 5.100	RDWSPAIR5100	pair
Windstrong Install Boxes		
Windstrong Install Box A	RDINSTWA	each
Windstrong Install Box AA	RDINSTWAA	each
Windstrong Install Box B	RDINSTWB	each
Retardant Fire Seals		
30MM Flame Retardant Seal Kit A 2.75m	RDFRSKA302750	each
30MM Flame Retardant Seal Kit A 3.00m	RDFRSKA303000	each
30MM Flame Retardant Seal Kit AA 2.75m	RDFRSKAA302750	each
30MM Flame Retardant Seal Kit AA 3.00m	RDFRSKAA303000	each
Note: Each kit must be purchased with CDBCYL10031		
Cardboard Cylinder	CDBCYL10031	each

TAUREAN® DOOR MOTOR ACCESSORIES

Product Accessories & Details	Code	Unit	
Roller Door Openers - Taurean Door Systems			
The Urban	Slim Drive roller door operator (includes light) up to 16.5m ²	RDMOTTDS6	each
The Shedly	Weather resistant roller door operator (no light) up to 13.5m ²	RDMOTTDS8	each
Roller Door Openers - ATA			
GDO-10 v2 Toro (Basic)	Max door area = 28m ² . Max door height 6m Suit light industrial doors, heavy duty roller door operator - full auto with logic control	RDMOTGDO10BAS	each
Sectional Door Operators - NOVA			
TDS Nova 1000	Suits Residential & Light Industrial doors, 1000N Motor, (Includes Light) up to 20m ²	RNMOTTDN1000	each
	Motor Handset 3Btn	RNHSKEYN10003	each
	Motor Battery Back up	RNMOTTDNBBU	each
	Extension Prong kit for windstrong doors	RNMOTTDNPEXTK	each
Sectional Door Operators - ATA			
GDO 11 Ero	Sectional overhead door operator 650N-Std C-rail with chain Option - Aluminium C-rail with belt (includes light) up to 13.5m ²	SDMOTGDO11	each
GDO 9 Dynamo	Sectional overhead door operator 650N-Std C-rail with chain Option - Aluminium C-rail with belt (includes light) up to 16.5m ²	SDMOTGDO9	each
GDO 9 E duro	Sectional overhead door operator 800N-Std C-rail with belt Option - Aluminium C-rail with belt (includes light) up to 16.5m ²	SDMOTGDO9B	each
Tiltmaster MT100evo	Residential Sectional Doors & Tilt Doors, C-rail with belt (includes keyring transmitter & wireless wall button) up to 20m ²	SDMOTTM100	each

TAUREAN® DOOR MOTOR ACCESSORIES

Product Accessories & Details		Code	Unit
Operator Accessories			
Battery Backup Kit	Suitable for residential roller & sectional door operators	RDGDOBBU	each
GDO Handset Key Ring		RDGDOHSGGBG	each
Wall Mount Wireless TrioCode		RDGDOHSWMW	each
TrioCode Wireless Keypad		RDGDOKPW	each
PE Safety Beam Kit	With Wiring Harness & Brackets	RDGDOPEBBWH	each
PE Safety Beam Kit	With brackets	RDGDOPEBB	each
Accessories for ROO/WINDSTRONG Operators			
RD Merlin handset Mini 3 button transmitter		RDMERHSM3B3C	each
Grifco Maestro Door Operator Range			
Grifco Maestro 1/2 HP	240V Light Industrial Roller Door Kit (Single phase) Specify left or right mounting up to 25 m ² - Left up to 25 m ² - Right	RDKITML051L RDKITML051R	each each
Grifco Maestro 1/2 HP	415V Light Industrial Roller Door Kit (3 phase) Specify left or right mounting up to 25 m ² - Left up to 25 m ² - Right	RDKITML053L RDKITML053R	each each
Grifco Accessories			
Grifco Screw Kit - Standard		RD05SKITS	each
Grifco Screw Kit - Windlock		RD05SKITW	each
Grifco Foot Plate		RDFTBRKT	each
Motor Sprocket Support Disc		RDSSDISC	each
Maestro "Elite" Full Logic Upgrade kit (EZIE41)	Consist of 1 hand transmitter & 1 to 9m, reflector PE beam	RDGRIFELITE	each
Maestro Basic Remort Upgrade Kit (GTRK)	Consist of Deadman operation, 2 transmitters, 1 mini receiver board, No PE beam	RDGRIFBASIC	each
4 Channel Transmitter	433 Mhz to suit Maestro only	RDGRIF433TRANS	each


WE ALSO SELL COMMERCIAL AND INDUSTRIAL ROLLER SHUTTERS, PRICES AVAILABLE ON REQUEST

COLORBOND / ZINCALUME – CARE & MAINTENANCE

Hints and tips to achieve maximum life from your Colorbond® / Zinalume product.

- Colorbond®/Zinalume used in areas not washed by rainfall should be cleaned down at regular intervals.
- Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing and walling.
- Never immerse Colorbond®/Zinalume in sand, soil or concrete.
- Do not use “touch-up” spray can on Colorbond® steel.
- Avoid “swarf” damage remove metal debris from cutting and/or drilling.
- Keep material dry when in bundles prior to installation.
- Prepainted metal roofing components are often supplied with a protective plastic film. This can be affected by sunlight and should be stored in the shade. Removal can be difficult, if not impossible, if exposure to sunlight has occurred.
- Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
- Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

Water Flow Guide Chart



Site Delivery Instruction Form

Customer Name : _____

Site Phone Number : _____

Site Contact Number : _____

Site Contact Name : _____

U. B. D. Map Ref : _____

U. B. D. Map Ref : _____

What is the nearest cross street / landmark : _____

1. SITE IS: HOUSE COMMERCIAL INDUSTRIAL

2. DELIVERY SURFACE IS: BITUMEN GRAVEL DIRT / GRASS

3. DOES RAIN AFFECT ACCESS TO PROPERTY YES NO

4. DOES THE SITE HAVE SEMI TRAILER ACCESS YES NO

5. IS A HI-AB REQUIRED YES NO

PLEASE NOTE, SOME DELIVERIES WILL BE DONE WITH A SEMI TRAILER WHICH AT A MINIMUM WILL BE 16 METRES LONG, 2.6 METRES WIDE AND MAY WEIGH UP TO 30 TONNES GROSS. WHILST HEAVY TRANSPORT VEHICLES SUCH AS CEMENT AGITATOR TRUCKS ETC. MAY BE ABLE TO GET ONTO ALL BUILDING SITES, DUE TO THE LENGTH AND DESIGN OF STRAMIT'S DELIVERY VEHICLES THESE UNITS ARE SOMETIMES RESTRICTED IN THEIR TRAVEL ONCE OFF THE ROAD.

"Sketch map to Site"

FOR FURTHER TRANSPORT OR SITE INQUIRIES, PLEASE CONTACT YOUR LOCAL STRAMIT BRANCH

SALES ORDER FORM		Order Type		CO Number							
Customer Account No											
Customer O/N:	Date Ordered	Date Required	Your Ref	Our Ref	Contact Method						
Customer Name	Delivery to Suburb:		SITE / STORE								
	Street Address:		Special (del spec) Instructions:								
AGREEMENT REF NO:	SITE TIME / VEHICLE TYPE		SITE ACCESS: GOOD/FAIR/BAD								
QUOTE REF NO:	MAP REF:		UNLOADING METHOD:								
No. W/hs	Line Type	Description	Product Code	Qty	Ship Via/Route No.	Mark No.	R/B	LMM ²	Price	%	Value
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15	FREIGHT										
16	MIN. ORDER QUANTITY S/CHARGE										
17	TOTAL										

TERMS AND CONDITIONS OF SALE

EFFECTIVE DATE: 1 APRIL 2018

IN THIS DOCUMENT THE FOLLOWING WORDS HAVE THE FOLLOWING MEANINGS:

Account Number means the computer-generated identification number given by Stramit to the Buyer;

All Present and After Acquired Property have the meanings given to those terms under the PPS Act;

Any Other Agreement means any deed, guarantee, indemnity, security, contract, terms, conditions or agreement between any of Stramit, the Buyer, a guarantor and/or a co-surety or any of their related bodies corporate (as defined in the Corporations Act 2001) in respect of or in connection with any contract for sale of Goods and/or Services and the Guaranteed Debt;

Credit Application means the application for a Credit Account made by the Buyer;

Australian Consumer Law means the Australian Consumer Law in the Competition and Consumer Act 2010 (Cth);

Buyer means the person or entity who has applied for a Credit Account and includes the person, partnership, corporation or other legal entity which places an Order with Stramit for the supply of Goods and/or Services;

Circulating and Non-Circulating Assets have the meanings given to those terms under the PPS Act;

Contract has the meaning given to that term in clause 1.1 of the Sale Terms;

Consumer means a consumer as that term is defined in the Australian Consumer Law;

Credit Account means the commercial credit account the Buyer has with Stramit under the Credit Terms;

Credit Limit means the maximum cumulative monetary limit for all debts owed by the Buyer to Stramit at any time for Goods and Services purchased on credit;

Credit Terms means the terms and conditions of the Credit Account as set out below;

Delivery Site means the Buyer's premises or a site nominated by the Buyer for delivery of Goods;

Event of Default means any means any one or more of the following: (a) if the Buyer fails to take delivery of, or to pay for Goods and/or Services by the due date or otherwise breached any other term of any Contract; or (b) if an administrator, liquidator or provisional liquidator or external manager is appointed in respect of the Buyer; or (c) the Buyer enters into any composition or arrangement with its creditors; or (d) Stramit has reasonable grounds for suspecting that an event in (b) or (c) has occurred; Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (e) Stramit has any reasonable grounds to believe that the Buyer may not be able to make due and punctual payment to Stramit or there is any default or failure by the Buyer in making due and punctual payment to Stramit of any moneys owing by the Buyer; or (f) contractual performance by either Stramit or the Buyer is delayed or prevented due to any Force Majeure Event.

Force Majeure Event means any event outside a party's reasonable control including acts of God, declared or undeclared war, act of terrorism, fire, flood, storm, earthquake, hurricane, cyclone, riot, power failure, industrial action, defaults of manufacturers or suppliers, the inability to obtain equipment, supplies or other facilities that are not caused by a failure to pay, labour disputes, theft, any criminal act or other similar events beyond a party's control that may prevent or delay a party from performing their obligations under any Contract;

Goods means the building products requested by the Buyer in its Order and includes Special Building Products and the proceeds (as defined in the PPS Act) of those Goods;

Guaranteed Debts means the debts guaranteed by a guarantor;

GST means goods and services tax as defined under the A New Tax System (Goods and Services Tax) 1999;

Interest Rate means the rate of 6% above the cash rate last published by the Reserve Bank of Australia (as at the due date).

Order means a request by the Buyer to Stramit for the supply of Goods and/or Services;

Part means any part of the Credit Account;

PPS Act means the Personal Property Securities Act 2009, and includes the Personal Property Securities Regulations 2010 and any amendments or re-enactments of the PPS Act or the Regulations;

PPS Register means the personal properties security register established under the PPS Act;

Price List means the Customer price list issued by Stramit from time to time in the particular Stramit region in which an Order is placed;

Purchase Order Number is the Buyer's identifier to be supplied by the Buyer to Stramit when placing an Order;

Sale Terms means the terms and conditions of sale and supply of Goods and Services by Stramit to the Buyer as set out below and the terms set out in the Price List;

Security Interest has the meaning given to it under the PPS Act;

Services means any services performed by Stramit for the Buyer associated with

Stramit's supply of Goods, including delivery of the Goods;

Small Business Contract means a contract for the supply of goods or services where:

(1) at the time the contract is entered into, at least one party to the contract is a business that employs fewer than 20 persons; and

(2) either of the following applies:

(A) the upfront price payable under the contract does not exceed \$300,000;

(B) the contract has a duration of more than 12 months and the upfront price payable under the contract does not exceed \$1,000,000.

However, if the relevant parts of the definition of 'Small Business Contract' under the Australian Consumer Law are amended at any time, this definition is also amended accordingly;

Special Building Products means building products produced by Stramit which the Buyer requests Stramit to produce according to a design, drawing or specification provided to Stramit by the Buyer and goods and materials which the Buyer requests Stramit to process, purchase or supply;

Stramit means: (a) Stramit Corporation Pty Ltd ABN 57 005 010 195; (b) its successors and assigns; and (c) the seller of Goods and Services under the business names 'Stramit Building Products', 'Eziform Sheetmetal' and 'Taurean Door Systems'.

SALE TERMS

Words commencing with a capital letter and in bold are defined in these Sales Terms.

1. TERMS APPLICABLE TO THE SUPPLY OF GOODS AND/OR SERVICES

- 1.1 The contract between the Buyer and Stramit is constituted by: (i) the Sale Terms; (ii) the Credit Terms; (iii) each other Part (excluding the Guarantee); and (iv) to the extent to which Stramit accepts an order in accordance with clause 2.2 (each a "Contract"). The Sales Terms, the Credit Terms, each other Part (excluding the Guarantee) and the extent to which Stramit accepts the Order govern all contracts for the supply of Goods and/or Services by Stramit to the Buyer and constitute the entire agreement in connection with the supply of Goods and/or Services between Stramit and the Buyer.
- 1.2 All prior representations, trade custom or previous dealings between Stramit and the Buyer are excluded and are not applicable in the interpretation of the contract. No modification or variation to the Sale Terms or Credit Terms, any additional terms or conditions or any terms inconsistent with the Sale Terms or Credit Terms provided by the Buyer (whether put forward in the Order, the Buyer's specification or otherwise) will bind Stramit, unless expressly and specifically agreed to in writing by Stramit. These Sale Terms and Credit Terms supersede any terms and conditions which have previously governed a contract for the sale of Goods and/or supply of Services by Stramit to the Buyer. The Sale Terms and Credit Terms will prevail to the extent of any inconsistency between them and any quotation, Order or other documents from the Buyer. These Sale Terms and Credit Terms bind the Buyer even if Stramit or the Buyer do not sign them promptly or at all.
- 1.3 To the extent permitted by the PPS Act the parties agree to contract out of the following sections of the PPS Act:
 - 1.3.1 to the extent that Stramit is required to give notice to the Buyer: sections 95, 118, 121(4), 130 and 135; and
 - 1.3.2 sections 125, 132(3)(d) and 132(4).
- 1.4 The Buyer waives its rights to receive notice from Stramit of a registration event under section 157(1) of the PPS Act.
- 1.5 Stramit may at any time, and from time to time vary these Sale Terms and/or Credit Terms by notice in writing to the Buyer, or by updating the Sales Terms and/or Credit Terms found on Stramit's website, www.stramit.com.au. Subject to Clause 2, if the Contract is a Small Business Contract, then the Buyer may consider the variation and, if not acceptable, may elect not to proceed with the purchase of the Goods or Services ordered before the date of the variation but which are intended to be subject to the variation. If the Contract is not a Small Business Contract, the Buyer agrees that Goods delivered and Services performed and/or ordered after the date of a notice of variation will be subject to the variation and acceptance of the Goods or Services or the placing of the Order shall be deemed to be an acceptance of such varied terms and conditions. Sale Terms shall apply from the date of alteration. A copy of current Sale Terms can be found on Stramit's website, www.stramit.com.au. The Buyer acknowledges and warrants that he/she/it will regularly inspect the said website for any updated or altered Sale Terms.

2. ORDERING AND SUPPLY OF GOODS AND/OR SERVICES

- 2.1 The Buyer may place an Order verbally or in writing. An Order constitutes an offer by the Buyer to purchase Goods and/or Services from Stramit pursuant to Clause 1.1.
- 2.2 Stramit may accept or decline, in whole or in part, any Order. Acceptance may be verbal or in writing, or by Stramit delivering or

making the Goods and/or Services available for collection (whichever occurs first). Acceptance of an Order by Stramit gives rise to a Contract for the supply of the ordered Goods and/or Services on these Sale Terms.

- 2.3 Stramit may, in its sole discretion, agree to a written request from the Buyer for cancellation or variation (including variation to delivery times) of a Contract under clause 2.2. Stramit's acceptance must be in writing.

3. PRICES, QUOTATIONS PAYMENT AND DEFAULT

- 3.1 Unless otherwise expressly agreed in writing, the amount payable for the Goods and/or Services will be the price on Stramit's invoice plus any duties, fees, taxes (including GST), delivery charges and levies charged or imposed on or in respect of a Contract referred to in clause 2.2, plus any amount that reflects any increase in exchange rates, costs of labour, materials and overheads in connection with Stramit's supply.
- 3.2 Until Stramit confirms that a credit facility has been granted to the Buyer, all Goods and Services must be paid for on a cash on delivery or performance basis. If a credit facility has been granted, the Buyer must pay Stramit for the Goods and/or Services either:
- 3.2.1 as required by the Credit Terms; or
- 3.2.2 if required by Stramit, prior to Stramit ordering materials or commencing manufacture of the Goods.
- 3.3 A quotation will not constitute an offer to sell Goods or Services to the Buyer. No Contract for the supply of Goods or Services will exist between the Stramit and Buyer until Buyer's order for Goods or Services has been accepted by Stramit (such acceptance of the Buyer's order may be made and communicated by Stramit in writing or by over act of acceptance).
- 3.4 Any written quotation provided by Stramit expires on the date stated or otherwise 30 days after the date the quotation is issued by Stramit. Stramit may withdraw or vary a quotation before accepting an Order. Prior to acceptance of an Order of the Goods by Stramit, if there is an increase in Stramit's costs or pricing, then Stramit may increase its quoted price and the Buyer must pay the increased price.
- 3.5 If the Buyer commits an Event of Default then:-
- 3.5.1 all monies payable (including under a Credit Account, or under any Agreement) by the Buyer to Stramit may, at Stramit's election, become immediately due and payable notwithstanding the due date for payment may not have expired; and
- 3.5.2 Stramit, without prejudice to any other rights Stramit may have, may do any or all of the following:
- (i) suspend or withdraw the Credit Account;
 - (ii) terminate or suspend the whole or any outstanding part of any Contract in force between Stramit and the Buyer;
 - (iii) recover from the Buyer the cost of materials or goods acquired for the purpose of future deliveries Goods or the performance of Services;
 - (iv) immediately re-possess any Goods to which title has not passed.
 - (v) charge interest to the Buyer at the Interest Rate calculated daily on any overdue amount and payable together with the overdue amount;
 - (vi) immediately enforce any security it holds over the land or personal property of the Buyer; and
 - (vii) register a default with any credit reference facility
- 3.6 Stramit may in its sole discretion apply any payment received from the Buyer towards any debt (including interest charged under clause 3.5.2(v)) owed by the Buyer to Stramit at any time.
- 3.7 If in Stramit's reasonable opinion the financial position or status of the Buyer requires it, Stramit may refuse to make a delivery or cancel any contract under clause 2.2.
- 3.8 The Buyer must pay to Stramit on demand all reasonably incurred costs, charges and expenses (including legal expenses on an indemnity basis) that Stramit incurs as a result of any breach of these Sale Terms or Contract by the Buyer.
- 3.9 The Buyer must supply Stramit with its Account Number and Purchaser Order Number at the time of placing the Order. The Buyer is liable to pay the amount of an invoice, regardless of whether the Buyer's Account Number or Purchase Order Number is included on the invoice.
- 3.10 The Buyer is liable for all purchases made under its account number and/or account name. It is not the responsibility of Stramit to confirm authority for the purposes of supplying Goods or Services to Buyer, its agent(s) or those who Stramit deems to be its agents. It is the sole responsibility of Buyer to ensure there is no unauthorised use of their account number or name. A statement on a certificate given by Stramit setting out the quantities, descriptions, prices and dates and other information in respect of Goods and/or Services will be conclusive and binding on the parties in the absence of manifest error.
- 3.11 The Buyer will not assert any right of set-off against Stramit and will pay all sums due and payable without deduction.

4. DELIVERY AND COLLECTION

- 4.1 Stramit may:
- 4.1.1 make the Goods available for collection at Stramit's premises; or
- 4.1.2 deliver (or arrange delivery) of the Goods in the manner it deems fit to the Delivery Site.
- 4.2 The Buyer's Order must specify if the Goods are to be delivered to the Delivery Site or collected from Stramit. If delivery is specified then the Delivery Site must be nominated.
- 4.3 Stramit will advise the Buyer of the estimated delivery or collection date and time and may alter it if necessary. Any times quoted for delivery are estimates only and Stramit may supply by installments. To the extent permitted by law, Stramit will not be liable to the Buyer for any costs, loss or damage whatsoever (including indirect or consequential loss) caused directly or indirectly by any delay or failure to deliver the Goods or to perform the services or to make the Goods available for collection on the date or at the time specified. The Buyer must accept and pay for the Goods and/or the Services notwithstanding any extension or delay in the delivery or the availability of Goods for collection or in the performance of the Services.
- 4.4 If the Buyer does not collect the Goods by the collection date, then Stramit may, without limiting any other rights available to it, store the Goods or deliver them to the Delivery Site and the Buyer must, on demand, pay all costs of delivery and any additional charges (including storage costs) and costs incurred by Stramit.
- 4.5 The Buyer must provide a suitable and safe area at the Delivery Site to unload the Goods and ensure that Stramit's (or its agent, employee or contractor) use of the Delivery Site conforms to occupational health and safety legislation. The Buyer indemnifies and holds harmless Stramit (or its agent, employee or contractor) from any and all claims arising out of delivery of the Goods, except to the extent the Stramit (or its agent, employee or contractor) have been negligent or breached the law or the Contract.
- 4.6 If the Delivery Site is unattended, the Buyer authorises, Stramit or its contractors to deposit the Goods at the Delivery Site or retain the Goods if delivery is, in Stramit's reasonable opinion inappropriate. Stramit will not be obliged to obtain a signed receipt or other acknowledgment from any person at the nominated place for delivery but if a signed receipt or other acknowledgment is obtained from someone believed by Stramit to be authorised by Buyer to sign or otherwise take delivery, then such signed receipt or other acknowledgement will be conclusive evidence of Buyer's acceptance of the good delivered. The Buyer will indemnify and hold Stramit (and its contractors) harmless from any loss or damage caused by the depositing of Goods at an unattended Delivery Site.
- 4.7 To the extent permitted by law, Stramit will not be liable to the Buyer or to its employees or agents for any property damage or personal injury arising from any loading, unloading or delivery of the Goods. The Buyer indemnifies Stramit from any loss or damage suffered by Stramit as a result of any property damage or personal injury caused by the delivery and unloading of Goods except for and to the extent that the loss, damage or liability is caused by a negligent act or omission of Stramit or its contractors.
- 4.8 The Buyer must pay all costs and fees resulting from any or all of the following:
- 4.8.1 any delay in delivery caused by the Buyer or the Delivery Site conditions;
- 4.8.2 unexpected labour costs;
- 4.8.3 Delivery Site conditions resulting in the incurring of additional costs and
- 4.8.4 the nature of the Goods and/or Services ordered by the Buyer.
- 4.9 The Buyer must pay for any permit or licence or other extraordinary costs of transporting or delivering ordered Goods, including wide or long loads.
- 4.10 The Buyer must notify Stramit of any claim in writing within:
- 4.10.1 2 days after delivery or collection that the Goods supplied do not accord with those ordered;
- 4.10.2 14 days of receiving an invoice from Stramit that it disputes the invoice;
- 4.10.3 (if the Buyer is not a Consumer) 2 days of delivery or collection of Goods that it is alleged they are defective or damaged; or
- 4.10.4 (if the Buyer is not a Consumer) 2 days of performance of any allegedly deficient Services, and the Buyer will be taken to have accepted the Goods as delivered and/or the Services as performed or the invoice as rendered if the Buyer fails to so notify Stramit, and must pay for the Goods or Services in full.
- 4.11 If the Buyer is a Consumer, the Buyer must notify Stramit for matters within the contemplation of sub-clauses 4.10.3 and 4.10.4 within a reasonable time, and in any event promptly upon becoming aware of a claim within the contemplation of sub-clauses 4.10.3 and 4.10.4.

5. PASSING OF RISK

The risk of any loss or damage to or deterioration of the Goods from any cause whatsoever passes from Stramit to the Buyer, on the earlier of, when the Buyer takes possession of the Goods or otherwise if:

- 5.1 the Buyer collects the Goods and if Stramit or its contractors have loaded the Goods for the Buyer, when the Goods are fully loaded onto the Buyer's vehicle or vessel;
- 5.2 Stramit delivers the Goods to the Delivery Site and the Buyer unloads the Goods, when the Buyer begins unloading the Goods; or
- 5.3 Stramit delivers the Goods and unloads them at the Delivery Site, when Stramit has finished unloading the Goods.

6. RETENTION OF TITLE

- 6.1 The Buyer agrees that legal and equitable title to the Goods remains with Stramit until the Buyer has paid for the Goods in full and has paid all other money owing for any reason at any time under any contract, agreement or account between Stramit and the Buyer, including all payments to be made under clauses 3.1 and 3.8.
- 6.2 Until title to the Goods passes, the Buyer:
 - 6.2.1 holds the Goods as the bailee and fiduciary agent of Stramit;
 - 6.2.2 must store the Goods separately and securely and in such manner as to indicate clearly that they remain the property of Stramit;
 - 6.2.3 must insure the Goods for their full replacement value;
 - 6.2.4 must not create or allow to be created any Security Interest or any other form of encumbrance over the Goods which is inconsistent with Stramit's title to the Goods;
 - 6.2.5 must not assign, charge or encumber or grant any interest over any obligations which any third party may owe to the Buyer as a result of the use, manufacture or resale of the Goods;
 - 6.2.6 may not claim any lien or interest in the Goods to secure any liquidated or un-liquidated debt or obligation that Stramit owes to the Buyer; and
 - 6.2.7 must not remove, deface or obliterate any identifying plate, mark or number on any of the Goods.
- 6.3 Despite clause 6.2, unless Stramit notifies the Buyer to the contrary, the Buyer may, in the ordinary course of its business:
 - 6.3.1 re-sell the Goods (Re-sold Goods), but only as a fiduciary agent of Stramit, in which case the Buyer must perform in favour of Stramit all the obligations and assume all of the liabilities of a fiduciary agent. Any right to bind Stramit to any liability to a third party by contract or otherwise is expressly excluded; and
 - 6.3.2 use any of the Goods or part of the Goods in a manufacturing or construction process of its own or of a third party which manufactures, processes, assembles or commingles the Goods so that they become part of a product or mass (Manufactured Product), in which case it will hold the Manufactured Product on trust for Stramit as bailee and fiduciary agent of Stramit and may sell the Manufactured Product.
- 6.4 If the Buyer re-sells or deals with the Goods or the Manufactured Product before title to the Goods passes to the Buyer, then the Buyer:
 - 6.4.1 assigns absolutely and unconditionally in favour of Stramit the Buyer's entitlement to all the proceeds of the re-sale or dealing, and must notify the purchaser in writing of the assignment at the time of the re-sale or dealing; and
 - 6.4.2 will hold such part of the proceeds of the re-sale or dealing on trust for and as the fiduciary agent of Stramit immediately when they are received or receivable.
- 6.5 When referring to "such part" in sub-clause 6.4.2 and/or for the purpose of quantifying the amount of money paid to the Buyer and held in trust for Stramit from the proceeds of the sale of or dealing with the Goods or Manufactured Product, that part or amount will be equal in dollar terms to the value of the Goods on the day on which they become part of the Manufactured Product.
- 6.6 The Buyer must keep the proceeds in a separate bank account until the liability to Stramit is discharged.
- 6.7 If the amount payable for all Goods sold by Stramit to the Buyer is greater than the sum of:
 - 6.7.1 the proceeds actually received by Stramit in respect of all dealings by the Buyer with the Goods (including the sale of Re-Sold Goods or Manufactured Product); and
 - 6.7.2 all other payments received by Stramit in respect of the Goods, then the difference remains a debt owing by the Buyer to Stramit.
- 6.8 Where the Buyer has not paid for the Goods in full by the due date for payment, then the Buyer irrevocably authorises Stramit to repossess the Goods and to enter any site owned, possessed or controlled by the Buyer at any time and without notice to search for, inspect or repossess the Goods, whether such Goods are in their original form, or in a modified form or mixed with other products of the Buyer. Stramit is not liable to the Buyer as a result of any action taken pursuant to this clause, except to the extent that Stramit has been negligent or breached the law or the Contract. Stramit may delay taking action to dispose of or retain the repossessed Goods under the PPS Act for a period of up to 12 months.
- 6.9 Stramit's property in the Goods remains absolute even if the Goods have become fixtures to the premises of the Buyer or a third party. If Stramit enters those premises to reclaim possession of the Goods and incurs any liability to a third party in connection with the entry or reclamation, or if the Buyer suffers any loss or damage as a result of the entry or reclamation, then Stramit will not be liable to the Buyer for any liability, loss or damage and the Buyer indemnifies Stramit against any liability, loss or damage to any third party except to the extent Stramit

has been negligent or breached the law or the Contract.

- 6.10 The provisions of this clause 6 apply despite any arrangement between the parties under which Stramit grants the Buyer credit.

7. DESCRIPTION OF BUILDING PRODUCTS AND SAMPLES

- 7.1 All physical samples and descriptions, specifications, illustrations, drawings, data, dimensions and weights in respect of the Goods contained in catalogues, the Price List or other Stramit advertising material are approximate, and are only intended by Stramit to be a general description.
- 7.2 Stramit may produce Goods with minor modifications from any of its samples, drawings and specifications (within acceptable manufacturing tolerances).
- 7.3 Stramit is not liable to the Buyer for any loss or damage suffered by the Buyer as a result of the Buyer relying upon any such specifications, illustrations, drawings, data, dimensions, weights or the characteristics of any samples except to the extent Stramit has been negligent or breached the law or the Contract.

8. TOOLS, EQUIPMENT, PATTERNS, DESIGNS AND SYSTEMS OF MANUFACTURE

- 8.1 Any tool, equipment, pattern, design or system of manufacture (Manufacturing Devices) acquired and used by Stramit in filling an Order remains the property of Stramit and cannot be used without Stramit's prior written authority.
- 8.2 Stramit may charge the Buyer for Stramit's acquisition and use of any Manufacturing Device. Payment of such charge will not vest in the Buyer any intellectual property rights or other rights in the Manufacturing Device.
- 8.3 Stramit may hire or lend tools or equipment to a Buyer on agreed terms. Stramit will invoice the Buyer for hire and delivery charges after the tools or equipment are in possession of the Buyer. The Buyer must pay the amount invoiced within 30 days of the invoice date.
- 8.4 The Buyer indemnifies and holds harmless Stramit against any claim, demand or suit arising out of any loss, damage or personal injury caused to the Buyer, its employees and agents or a third party by a tool or equipment provided by Stramit to the Buyer except to the extent Stramit has been negligent or breached the law or the Contract.

9. BUYER'S SPECIFICATIONS OR MATERIALS AND SPECIAL BUILDING PRODUCTS

- 9.1 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, then the Buyer agrees that:
 - 9.1.1 Stramit will not be responsible for any failure of any Special Building Products or lack of fitness for use or for any property damage or personal injury whatsoever caused by the Special Building Products.
 - 9.1.2 the Customer agrees that it does not rely on the skill or judgment of Stramit in relation to the suitability of any Special Building Products goods for a particular purpose; and
 - 9.1.3 any advice, recommendation, information or assistance provided by Stramit is provided without liability to Stramit whatsoever.
- 9.2 If the Buyer is a Consumer, or the Contract is a Small Business Contract, and Stramit, then the Buyer acknowledges and agrees that:
 - 9.2.1 it must install and operate the Special Building Products goods in accordance with any applicable installation instructions and/or manuals, and with professional skill, competence and due care having regards to the complexity and nature of the work; and
 - 9.2.2 any advice, recommendation, information or assistance provided by Stramit, is provided in good faith, relying upon the accuracy and completeness of information provided by Buyer to Stramit.
- 9.3 If the Buyer is not a Consumer, and the Contract is not a Small Business Contract the Buyer will indemnify and hold Stramit harmless from:
 - 9.3.1 any direct or indirect loss or damage caused to, or suffered by, the Buyer or to any third party by the Special Building Products and the Buyer releases Stramit from all liability in respect of any fault or defect in any Special Building Product; and
 - 9.3.2 any claim, demand or suit arising out of Stramit's use of or reliance upon any design, specification or drawing provided to Stramit by the Buyer.
- 9.4 The Buyer warrants and represents that any designs, specifications or drawings it provides to Stramit for the manufacture of Special Building Products will not breach or infringe any copyright, patent or registered design or any other right of any third party. If the Buyer is not a Consumer, and the Contract is not a Small Business Contract, the Buyer will indemnify and forever hold Stramit harmless from any loss, damage, liability or costs suffered or incurred by Stramit arising from a breach by the Buyer of this warranty and representation.
- 9.5 If Stramit, on request of the Buyer, processes the Buyer's materials, Stramit will not warrant that the materials supplied by the Buyer are suitable for such processing.
 - 9.6 Stramit will not be liable for any:
 - 9.6.1 failure of any processed Buyer's materials; or
 - 9.6.2 failure of any Goods manufactured using the Buyer's materials; or
 - 9.6.3 damage caused by or connected with the Buyer's materials at any time during or after processing by Stramit.

- 9.7 The Buyer must bear any additional expense or the cost of:
 - 9.7.1 any testing or inspection of Goods manufactured using the Buyer's materials or any Special Building Products; and
 - 9.7.2 any delay in processing caused by any defect in the Buyer's materials or by the nature of the Buyer's materials.

10. LIMITATION OF LIABILITY

- 10.1 Unless agreed in writing by Stramit, Stramit will not accept the return of goods. Goods accepted for return by Stramit may attract a charge to recover costs, restocking, disposal and repackaging charges. The amount of this charge will be determined by Stramit and recoverable from the Buyer. Proof of purchase from Buyer must accompany all goods returned to Stramit
- 10.2 If the Buyer is a Consumer or the Contract is a Small Business Contract, the provisions of this clause 10.2 apply:
 - (a) the Goods and Services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the Australian Consumer Law, Stramit's obligations to the Buyer in respect of a breach of any term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - (i) the repair or replacement of the Goods or the supply of equivalent Goods; or
 - (ii) paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - (iii) in the case of Services, the re-supply of Services or paying for the cost of resupplying the Services by a service provider approved in writing by Stramit.
- 10.3 Stramit's obligations, if clause 10.2 applies, do not include:
 - (i) the cost of removing defective Goods whether installed or otherwise;
 - (ii) the cost of installing replacement Goods; or
 - (iii) defects in Goods caused by improper installation or improper maintenance or care of Goods, or related components, or normal wear and tear.
- 10.4 Subject to clause 10.2, if the Buyer is not a Consumer or the Contract is not a Small Business Contract, all terms, representations, guarantees, implied warranties and conditions, whether implied by statute or otherwise, including as to merchantability, description, quality, suitability, or fitness for purpose as to design, assembly, installation, materials or workmanship or otherwise are expressly excluded. Stramit does not exclude, restrict or modify any liability that cannot be excluded, restricted or modified except to a limited extent, as between Stramit and the Buyer by law.
- 10.5 Stramit's obligations to the Buyer in respect of a breach of any a non-excludable term, warranty or condition of a contract (whether implied by statute or otherwise) will, at Stramit's option, be limited to:
 - 10.5.1 the repair or replacement of the Goods or the supply of equivalent Goods; or
 - 10.5.2 paying for the cost of repair or replacement of the Goods or supply of equivalent Goods; or
 - 10.5.3 in the case of Services, the re-supply of Services or paying for the cost of resupplying
- 10.6 Stramit's obligations if clause 10.5 applies do not include:
 - 10.6.1 the cost of removing defective Goods whether installed or otherwise;
 - 10.6.2 the cost of installing replacement Goods; or
 - 10.6.3 defects in Goods caused by improper installation or improper maintenance or care of Goods or related components or normal wear and tear.
- 10.7 To the extent permitted by law, Stramit will not be liable to the Buyer or any other person for any direct, indirect, special, incidental or consequential loss or damage (including loss or damage caused by negligence or any wilful act or default of Stramit, its employees or agents) whatsoever arising from the use of the Goods, or a breach of a contract under clause 2.2 or any statutory implied warranty, term or condition in relation to the Goods. In this clause, "direct, indirect, special, incidental or consequential loss or damage" includes (a) any loss of income, profit or business; (b) any loss of goodwill or reputation; and (c) any loss of value of intellectual property.
- 10.8 To the extent permitted by law, Stramit will not be liable to the Buyer, its employees or agents for any costs, claims, damages or demands arising from personal injury, loss or damage whatsoever occurring by reason of:
 - 10.8.1 the Goods or their design, production or processing;
 - 10.8.2 the Services;
 - 10.8.3 any act or omission of Stramit, its employees or agents; or
 - 10.8.4 any statement, representation, recommendation, advice, supervision or assistance made or given by an employee or agent of Stramit, whether oral or written.
- 10.9 Stramit will not be responsible for the consequences of any technical advice given by its employees or agents in relation to the design, specifications, installation or use of Goods. The Buyer acknowledges that it will not rely and has not relied on any skill or judgment of Stramit, its employees or agents about the suitability of any Goods and/or Services for a particular purpose.
- 10.10 The Buyer acknowledges that Stramit does not make and has not made any representation or warranty regarding the Goods and/or

Services or any matter which is or might be relevant to the Buyer other than as set out in these Sale Terms.

11. INDEMNITIES RELATING TO ACCESSING PREMISES

- 11.1 Any Buyer, or its agent, employee or contractor (Buyer's Representative) who enters Stramit's premises does so at his/her own risk. Stramit will not be liable for any loss, damage or injury caused by any act or omission whatsoever whilst the Buyer's Representative attends Stramit's premises. The Buyer indemnifies and will forever hold Stramit harmless against all claims, demands or suits made by a Buyer's Representative in connection with his/her attendance at Stramit's premises.
- 11.2 Where Stramit or its agent, employee or contractor (Stramit Representative) enters upon a Delivery Site, the Buyer must provide full and safe access to the Delivery Site and ensure that the Delivery Site is compliant with all occupational health and safety legislation and the Buyer will be liable for, and must indemnify Stramit against the costs of any loss or damage to property and personal injury to any Stramit Representative occurring directly or indirectly as a result of the Buyer's failure to comply with this clause.

12. GENERAL MATTERS

- 12.1 Stramit may vary or waive any or all of these Sale Terms at any time and will notify the Buyer in writing of any variation or waiver.
- 12.2 The failure of Stramit to exercise a right or remedy, or any delay by Stramit in exercising a right or remedy, or the exercise by Stramit of only part of a right or remedy, or the granting of any indulgence by Stramit in favour of the Buyer does not:
 - 12.2.1 affect Stramit's rights against the Buyer;
 - 12.2.2 constitute a waiver of any term or condition; or
 - 12.2.3 prohibit Stramit from exercising that right or remedy in relation to that breach or any other breach.
- 12.3 A waiver of a breach of a term or condition does not constitute a waiver of another breach of the same term or any other term.
- 12.4 The Buyer agrees that these Sale Terms shall be construed according to the laws of the State or Territory as Stramit may in its sole discretion determine. Proceedings by either Stramit or the Buyer may be instituted and/or continued in such State or Territory as Stramit may in its sole discretion determine. Failing such determination the Buyer consents to any proceedings being instituted and heard by any appropriate Court sitting in the State of New South Wales applying the laws of that State.
- 12.5 The Buyer must not assign any of its rights or obligations under these Sale Terms without the prior written approval of Stramit.
- 12.6 Stramit will not be liable for any delay or failure to fill an Order to the extent and for so long as performance is prevented or delayed by:
 - (a) any event or circumstance beyond Stramit's power or control;
 - (b) any delay or failure of supply by any of Stramit's suppliers; or
 - (c) a breakdown in Stramit's or its contractor's tools, equipment, vehicles or machinery.
- 12.7 If all or part of a clause in these Sale Terms is void, illegal or unenforceable, it may be severed without affecting the enforceability of any other provision.
- 12.8 If the Buyer is acting as the trustee of any trust (whether disclosed or not), then:
 - 12.8.1 the Buyer declares that it is entering into the Contract both in its own capacity and as trustee of the trust with the ability to bind and the intention of binding, both;
 - 12.8.2 the Buyer shall be liable both in its own name and as trustee of the trust; and
 - 12.8.3 the Buyer acknowledges that the assets of the trust shall be available to meet payment and obligations under the Contract, and of the Buyer's accounts.
- 12.9 A breach of these Sale Terms is a breach of the Credit Terms.

CONTACT US

The Stramit web page can be found at stramit.com.au. Details of many Stramit® products can also be seen on the AIA site 'Product Selector' selector.com.au.

REGION	LOCATION	CONTACT DETAILS	BRANCH OPENING HOURS ¹	ORDER CUT-OFF TIMES ²		
				STANDARD DELIVERY	NEXT DAY DELIVERY ³	PICK-UP HOURS ⁴
NSW & ACT	SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759	Ph 02 9834 0909 Fax 02 9834 0988	7.30am - 5pm	4pm	N/A	6am - 4pm
	CANBERRA 4 Bass St, Queanbeyan NSW 2620	Ph 02 6298 2500 Fax 02 6298 2533	7.30am - 5pm	4pm	N/A	7.30am - 4pm
	COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450	Ph 02 6656 3800 Fax 02 6656 3808	7.30am - 5pm	4pm	N/A	7am - 4pm
	NEWCASTLE 17 Nelson Rd, Cardiff NSW 2285	Ph 02 4041 3400 Fax 02 4041 3423	7.30am - 5pm	4pm	N/A	7am - 4pm
	ORANGE 51 Leewood Dr, Orange NSW 2800	Ph 02 6360 9200 Fax 02 6360 9211	7.30am - 5pm	4pm	N/A	7am - 4pm
VIC	MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180	Ph 03 9237 6300 Fax 03 9237 6399	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	ALBURY 18 Ariel Dr, Albury NSW 2640	Ph 02 6092 3700 Fax 02 6092 3766	7.30am - 5pm	4pm	N/A	7am - 4pm
	BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555	Ph 03 5448 6400 Fax 03 5447 9677	8am - 5pm	4pm	N/A	8am - 4.30pm
TAS	HOBART 57 Crooked Billett Dr, Brighton TAS 7030	Ph 03 6262 8788 Fax 03 6262 8712	7.30am - 5pm	4pm	N/A	7am - 4pm
SA	ADELAIDE 11 Stock Rd, Cavan SA 5094	Ph 08 8219 2000 Fax 08 8219 2021	7.30am - 5pm	4pm	N/A	7am - 4pm
South QLD	BRISBANE 57-71 Platinum St, Crestmead QLD 4132	Ph 07 3803 9999 Fax 07 3803 1499	7.30am - 5pm	4pm	12.30pm	6am - 4pm
	MARYBOROUGH 10 Activity St, Maryborough QLD 4650	Ph 07 4123 9500 Fax 07 4123 9508	7am - 4.30pm	4pm	N/A	7am - 4pm
	ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702	Ph 07 4921 5600 Fax 07 4921 5608	7am - 4.30pm	4pm	N/A	7am - 4pm
North QLD	CAIRNS 53 Vickers St, Edmonton QLD 4869	Ph 07 4034 6555 Fax 07 4034 6511	7am - 4.30pm	4pm	N/A	7am - 4pm
	TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814	Ph 07 4412 3900 Fax 07 4412 3909	7am - 4.30pm	4pm	N/A	7am - 4pm
	MACKAY 6 Brickworks Court, Glenella QLD 4740	Ph 07 4965 4000 Fax 07 4965 4012	7am - 4.30pm	4pm	N/A	7am - 4pm
NT	DARWIN 55 Albatross St, Winnellie NT 0820	Ph 08 7922 4600 Fax 08 7922 4608	7.30am-4.30pm	3.30pm	N/A	7am - 4pm
WA	PERTH 605-615 Bickley Rd, Maddington WA 6109	Ph 08 9493 8800 Fax 08 9493 8899	7.30am - 5pm	4pm	12.30pm	7am - 4pm

¹ Business days only (excludes weekend and public holidays).

² Days only (excludes weekend and public holidays). Standard Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Next Day Delivery refers to order cut-off times for orders to be delivered the next Business Day.

³ Additional charges may apply.

⁴ Orders picked up outside of office hours must be confirmed prior to pick-up.