

Gutter Style								Max area per downpipe (m ²)	STRAMIT® GUTTERS & DOWNPIPES – NUMBER OF DOWNPIPES REQUIRED FOR TYPICAL ROOF INSTALLATION												
Stramit® O Gee	Stramit® Quad 115		Stramit® Easiflow		Stramit® Fascia Gutter		roof plan area (m ²) – for roofs up to 23°														
							Slotted?						100	120	140	160	180	200	220	240	260
N	Y	N	Y	N	Y	N	100		120	140	160	180	200	220	240	260	280	300			
Location Rainfall Intensity																					
					90	100	98	2	2	2	2	3	3	3	3	4	4	4			
				90	90		91	2	2	2	3	3	3	3	4	4	4	4			
						110	90	2	2	2	3	3	3	3	4	4	4	5			
						100	88	2	2	2	3	3	3	4	4	4	4	5			
				100	100		120	2	2	3	3	3	3	4	4	4	5	5			
						110	80	2	2	3	3	3	4	4	4	4	5	5			
				110	110	120	132	2	2	3	3	3	4	4	4	5	5	5			
				120	120	130	140	2	3	3	3	4	4	4	5	5	5	6			
						132	67	2	3	3	3	4	4	4	5	5	6	6			
					130	150	65	2	3	3	3	4	4	5	5	5	6	6			
				130	132	140	63	2	3	3	4	4	4	5	5	5	6	6			
				132		160	62	2	3	3	4	4	4	5	5	6	6	6			
				140	140	150	170	3	3	3	4	4	5	5	5	6	6	7			
90		90		150	150	160	180	3	3	4	4	4	5	5	6	6	7	7			
						160	54	3	3	4	4	5	5	5	6	6	7	7			
							53	3	3	4	4	5	5	6	6	6	7	7			
						170	190	3	3	4	4	5	5	6	6	7	7	7			
100	100	100	160	170	180	200	49	3	3	4	4	5	5	6	6	7	7	8			
			180	180	190	210	45	3	4	4	5	5	6	6	7	7	8	8			
110		110				220	45	3	4	4	5	5	6	6	7	7	8	9			
				190			44	3	4	4	5	5	6	6	7	8	8	9			
						200	44	3	4	4	5	5	6	7	7	8	8	9			
				190		230	43	3	4	4	5	6	6	7	7	8	8	9			
				200	210		42	3	4	5	5	6	6	7	7	8	9	9			
120	120	120	200			220	40	3	4	5	5	6	6	7	8	8	9	9			
			210	220			40	4	4	5	5	6	7	7	8	8	9	10			
			210			230	39	4	4	5	5	6	7	7	8	9	9	10			
130		130		220	230		38	4	4	5	6	6	7	7	8	9	9	10			
132		132					38	4	4	5	6	6	7	8	8	9	9	10			
			132	220	230		37	4	4	5	6	6	7	8	8	9	10	10			
140		140		230			36	4	5	5	6	7	7	8	9	9	10	11			
			140				35	4	5	5	6	7	7	8	9	10	10	11			
150		150					33	4	5	6	6	7	8	9	9	10	11	11			
			150				32	4	5	6	6	7	8	9	9	10	11	12			
160		160					31	4	5	6	7	8	8	9	10	11	11	12			
			160				30	4	5	6	7	8	8	9	10	11	12	12			
170		170					29	5	5	6	7	8	9	10	10	11	12	13			
			170				29	5	6	6	7	8	9	10	11	12	12	13			
180		180					28	5	6	7	8	8	9	10	11	12	13	14			
			180				27	5	6	7	8	9	9	10	11	12	13	14			
190		190					26	5	6	7	8	9	10	11	12	13	13	14			
200	200	200					24	5	6	7	8	9	10	11	12	13	14	15			

Intensities for Melbourne

The selection of the number of downpipes is carried out in accordance with AS3500.3 (Stormwater drainage)

However, the larger the gutter the larger the downpipe required. The minimum size of downpipe associated with each **Stramit®** Gutter is given in the **Stramit® Downpipes** section that follows.